Mediterranean Architectural Heritage RIPAM10



Edited by

AZROUR Mohamed, BABA Khadija, BATAN Abdelkrim, EL RHAFFARI Younes, FRATINI Fabio, GONZALEZ Filipe, HADDAD Mustapha, IBNOUSSINA Mounsif, NOUNAH Abderrahman, PITTALUGA Daniela, TILIOUA Amine

M|R|F

Mediterranean Architectural Heritage RIPAM10

10th International Meeting on Mediterranean Architectural Heritage (RIPAM10), held from November 2-4, 2023, Er-Rachidia, Morocco

Editors

AZROUR Mohamed¹, BABA Khadija², BATAN Abdelkrim³, EL RHAFFARI Younes⁴, FRATINI Fabio⁵, GONZALEZ Filipe⁶, HADDAD Mustapha⁷, IBNOUSSINA Mounsif⁸, NOUNAH Abderrahman⁹, PITTALUGA Daniela¹⁰, TILIOUA Amine¹¹

¹ FST Errachidia, Moulay Ismail University, Morocco
² Mohamed V University, EST Salé, Rabat Morocco
³ FST Errachidia, Morocco
⁴ University of Mohamed V, EST Salè, Rabat, Morocco, Morocco
⁵ CNR-Firenze, Italy
⁶ Faculty of Architecture, University of Lisbon, Portugal
⁷ Faculty of Sciences of Meknes, Moulay Ismail University, Morocco
⁸ Cadi Ayyad University, Marrakech, Morocco
⁹ EST of Salé, Mohamed V University of Rabat, Morocco
¹⁰ DAD- University of Genoa, Italy
¹¹ Moulay Ismail University, Errachidia-Meknes

Peer review statement

All papers published in this volume of "Materials Research Proceedings" have been peer reviewed. The process of peer review was initiated and overseen by the above proceedings editors. All reviews were conducted by expert referees in accordance to Materials Research Forum LLC high standards. Copyright © 2024 by authors

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 license. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

Published under License by **Materials Research Forum LLC** Millersville, PA 17551, USA

Published as part of the proceedings series **Materials Research Proceedings** Volume 40 (2024)

ISSN 2474-3941 (Print) ISSN 2474-395X (Online)

ISBN 978-1-64490-310-0 (Print) ISBN 978-1-64490-311-7 (eBook)

This book contains information obtained from authentic and highly regarded sources. Reasonable efforts have been made to publish reliable data and information, but the author and publisher cannot assume responsibility for the validity of all materials or the consequences of their use. The authors and publishers have attempted to trace the copyright holders of all material reproduced in this publication and apologize to copyright holders if permission to publish in this form has not been obtained. If any copyright material has not been acknowledged please write and let us know so we may rectify in any future reprint.

Distributed worldwide by

Materials Research Forum LLC 105 Springdale Lane Millersville, PA 17551 USA https://www.mrforum.com

Manufactured in the United State of America 10 9 8 7 6 5 4 3 2 1

Table of Contents

Editorial
Committees
Tire-Based Anti-Seismic Fibers to Increase the Ductility of Traditional Hydraulic Lime Concrete
Abderrahim BELABID, Hajar AKHZOUZ, Hanane ELMINOR, Hassan ELMINOR
Recycled Glass-Fiber Reinforced Cement (RGFRC) Waste as a Substitute in
Concrete Production
Amine NAIM, Zineb MOUJOUD, Ikrame HATTAB, Mohamed ELGHOZLANI,
Omar TANANE, Abdeslam EL BOUARI, Reda ELKACMI
Assessing the Feasibility, Usability, and Durability of Recycled Construction and Demolition Waste in Road Construction in Morocco
Amine NAIM, Ikrame HATTAB, Rajaa ZAHNOUNE, Mohamed ELGHOZLANI,
Omar TANANE, Abdeslam EL BOUARI, Reda ELKACMI
Adaptation of Traditional Construction Methods for a Sustainable Transition of the
Dwelling (Case of Riads in Fez and Hanoks in Seoul)
Rime EL HARROUNI, Iman BENKIRANE, Vincent BECUE
Experimental Study of the Reinforcement of Unstabilized and Stabilized Local Clay
Materials with Date Palm Fibers Youssef KHRISSI, Amine TILIOUA, Houda LIFI
Thermal Characterization of a New Bio-Composite Building Material based on
Gypsum and Date Palm Fiber
Youssef KHRISSI, Amine TILIOUA, Najma LAAROUSSI
Assessment of the Mechanical and Thermal Properties of Local Building Materials
Stabilised with Gum Arabic in the Drâa-Tafilalet Region, South-East Morocco
Charaf Eddine EL MANSOURI, Amine TILIOUA, Fouad MOUSSAOUI
Seismic Vulnerability Assessment of a Building Aggregate in the Historical Centre of Florence
Alessia LICO, Chiara MARIOTTI, Giulia MISSERI, Luisa ROVERO
Thermal, Mineralogical and Chemical Properties of Soil Building Blocks for
Eco-Habitat Sustainable
A. AMMARI, N. ZAKHAM, K. BOUASSRIA, H. BOUABID, M. CHERRAJ,
S. CHARIF D'OUAZZANE, M. IBNOUSSINA
Physico-Chemical and Mechanical Characteristics of Traditional Marrakech Lime
N. AQELMOUN, A. BELABID, H. AKHZOUZ, Han ELMINOR, Has ELMINOR
Experimental Characterization of the Thermal and Mechanical Properties of Earth Bricks Stabilized by Alkaline Solution and Reinforced with Natural Fibers: A Comparative Study
Mohamed CHAR, Amine TILIOUA, Fouad MOUSSAOUI, Youssef KHRISSI
The Role of Local Population in Safeguarding Heritage Case of Chefchaouen
Samia NAKKOUCH
Preservation of Local Architectural Heritage in Slovenian Istria Against Coastal Flooding Polona OBLAK
Integrated Digital Documentation for Conservation, the Case Study of the Torre deli
Upezzinghi Called Caprona, in Vicopisano (PI) Italy
Giovanni PANCANI

Analyzing the Literature on Seismic Resilience in Rammed Earth Construction:
A Cartographic Approach
Yassine RAZZOUK, Khadija BABA, Sana SIMOU141
Comparative Analysis of the Effect of Thermal Insulation on the Energy Requirements of
a Tertiary Building in Meknes
A. BOUCHARK, M.C. EL BOUBAKRAOUI, A. EL BAKKALI, M. HADDAD149
Wall Paintings from The Roman City of Volubilis in Morocco: XRF, Raman and
FTIR-ATR Analyses
Imane FIKRI, Mohamed EL AMRAOUI, Mustapha HADDAD, Ahmed Saleh ETTAHIRI,
Christophe FALGUERES, Ludovic BELLOT-GURLET, Taibi LAMHASNI,
Saadia AIT LYAZIDI, Lahcen BEJJIT
Spectrometric Characterization of Moroccan Architectural Glazed Tiles
Mohamed EL AMRAOUI, Mustapha HADDAD, Lahcen BEJJIT, Saadia AIT LYAZIDI,
Abdelouahed BEN-NCER 167
From the Great Synagogue of Algiers to Jamma Lihoud, Architectural Monography of
a Centuries-Old Building
Naouel NESSARK
Physical and Thermal Properties of Raw Earthern Bricks from Ksar Ait Benhaddou
Mahdi LECHHEB, Mohammed CHRACHMY, Achraf HARROU, Hassan OUALLAL,
Meryem BEN BAAZIZ, M'barek AZDOUZ, Mohamed AZROUR, Polona OBLAK,
Meriam EL OUAHABI, El Khadir GHARIBI
Mechanical and Thermal Properties of Goulmima's Earth Bricks
M. LECHHEB, M. CHRACHMY, M. BEN BAAZIZ, G. EL BOUKILI, H. OUALLAL,
M. AZDOUZ, A. LAHMAR, A. BENAZZOUK, M. AZROUR
Assessment of the Mechanical and Thermal Properties of Bricks based on Clay and
Stabilized with Reed Fibers from the Drâa-Tafilalet Region
Azzeddine El GHOMARI, Amine TILIOUA, Mohammed TOUZANI
Traditional Earth Architecture as a Tool for Sustainability and Adaptation to Climate
Change of Heat and Cold Extremes
Khalid EL HARROUNI, Hassane KHARMICH, Khadija KARIBI
Geopolymers: An Eco-Friendly Approach to Enhancing the Stability of Earthen Constructions
Ilham MASROUR, Khadija BABA, Khaoula DOUGHMI
Naturally Strengthening Rammed Earth: The Promising Potential of Biopolymers
Ilham MASROUR, Khadija BABA, Sana SIMOU
Evaluating the Influence of Shale Extracted from the Settat Khouribga Region on the Characteristics of Concrete
Ayoub SOUILEH, Latifa OUADIF, Driss EL HASHMI, Mohammed CHRACHMY
•
Application of Raw Moroccan Clay as a Potential Adsorbent for the Removal of
Malachite Green Dye from an Aqueous Solution: Adsorption Parameters Evaluation and Thormodynamic Study
Thermodynamic Study Mohammad CHPA CHMY, Paiga CHIPATE, Najia EL HAMZAOUI, Mahdi LECHHEP
Mohammed CHRACHMY, Rajae GHIBATE, Najia EL HAMZAOUI, Mahdi LECHHEB, Hassan OUALLAL, Mohamed AZROUR
Improving Thermal Insulation and Mechanical Properties of Building Bricks made
from Moroccan Clay Mohammed CHRACHMY, Mahdi LECHHEB, Hassan OUALLAL, Najia EL HAMZAOUI,
INIONAIMINUU UTIIVAUTIIVIT, IVIAIMUI LEUTITEED, HASSAII OUALLAL, IVAJIA EL HAIVIZAUUI,

Ayoub SOUILEH, M'barek AZDOUZ, Mohamed AZROUR)
Insight on the Natural Moroccan Clay Valorization for Malachite Green Adsorption: Kinetic and Isotherm Studies	
Hassan OUALLAL, Mohammed CHRACHMY, Najia EL HAMZAOUI, Mahdi LECHHEB, Rajae GHIBATE, Houssam EL-MARJAOUI, Mohamed AZROUR	3
Valorization of Clays in the Removal of Organic Pollutants by Adsorption and	
Membrane Filtration: A Comparative Study	
Hassan OUALLAL, Mohammed CHRACHMY, Najia EL HAMZAOUI, Mahdi LECHHEB, M'barek AZDOUZ, Mohamed AZROUR	1
Structural Characterization of Stone Flooring "Calçada Marble", in Lisbon, Portugal	
Mohamed EL OMARI, Mohamed EL AMRAOUI, Imane FIKRI, Lahcen BEJJIT,	
Mustapha HADDAD, Saadia AIT LYAZDI, Aumeur EL AMRANI294	1
Fire Induced Microstructural Changes in Local Building Materials: Cases of White Marble and Limestone	
Laila AKRAM, Imane FIKRI, Abdelkhalek KAMMOUNI, Salam KHRISSI,	
Mustapha HADDAD, Saadia AIT LYAZIDI	3
Investigating Cultural Dimensions in Sustainable Tourism: Carrying Capacity Assessment and GIS-based Management Strategies for Historic Buildings	
Sana SIMOU, Khadija BABA, Yassine RAZZOUK, Abderrahman NOUNAH	l
Automation of Historical Buildings: Historical Building Information Modeling (HBIM) based Virtual Reality (VR)	
Keltoum OUMOUMEN, Fatima ABOUBANE, Younes ECH-CHARQY)
Innovation and Resilience in the Redevelopment, Restoration and Digitalisation Strategies	
of Architectural Heritage Consiglia MOCERINO, Abderrahim LAHMAR, Mohamed AZROUR, Abdelilah LAHMAR 323	3
Traditional Architectures Along the Cultural Route of James I of Aragon in the Province of Valencia: Leveraging Laser Scanning and BIM for Heritage Management Sandro PARRINELLO, Alberto PETTINEO)
Object Detection Method for Automated Classification of Distress in Rabat's Built Heritage	
Oumaima KHLIFATI, Khadija BABA, Sana SIMOU	3
Integrated Digital Survey Methodologies for Late Medieval Fortifications in Tuscany: The Fortress of Malmantile	
Giovanni PANCANI	3

Keywords

Editorial

The International Meetings on Mediterranean Architectural Heritage (RIPAM) are significant scientific events that bring together a distinguished community of researchers, scholars, historians, architects, heritage scientists, experts, curators, and professionals from various countries and institutions around the Mediterranean basin, including Morocco, Italy, Portugal, France, Spain, Algeria, and Tunisia.

Since their inauguration in 2005, RIPAM has been held biennially, alternating between the two shores of the Mediterranean. In addition to this year's edition planned in Errachidia, Morocco has had the honor of hosting three editions respectively in Meknes, Marrakech, and Rabat in 2005, 2007, and 2019. Other editions of RIPAM have shone in Lisbon in 2009, M'Sila in 2012, Marseille in 2013, Tunisia in 2015, Genoa in 2017, and also in Lisbon in 2022. Each edition of RIPAM embodies a celebration of the Mediterranean architectural heritage, a forum for sharing knowledge, and an invaluable platform for international collaboration.

The Mediterranean region is distinguished by an architectural heritage of great richness and diversity, reflecting the ingenuity and creativity of artisans, as well as the cultural depth that characterizes this part of the globe. Recognizing that the building and construction sector is one of the largest emitters of greenhouse gases, accounting for about 39% of carbon emissions and 33% of waste production, stakeholders in this sector have been prompted to replace traditional materials with environmentally friendly materials.

Currently, concerns about energy and environmental issues in the construction industry have led sector stakeholders to prioritize the use of eco-materials instead of conventional materials. This trend has sparked renewed interest in construction using local materials in recent years (including earth, stone, wood, among others), due to their sustainability and highly favorable environmental footprint.

Similar to the oasis areas, the Drâa-Tafilalet region is home to an architectural heritage in earth of remarkable richness and diversity, encompassing structures such as ksars, kasbahs, mosques, fortifications, and granaries. The restoration of this heritage, beyond its immediate impact on the local community, holds substantial significance touching regional economy, cultural legacy, and the tourism sector. Rehabilitation projects frequently require the involvement of specialized local labor for construction, restoration, and rehabilitation work. Once restored, these structures become tourist attractions, generating economic benefits for local and regional businesses in the tourism, industrial, and agricultural sectors. They thus contribute to the preservation and enhancement of the architectural heritage in earth of invaluable richness specific to the region.

Thus, the city of Errachidia, capital of the region, becomes a conducive setting to host the tenth edition of the International Meeting on Mediterranean Architectural Heritage (RIPAM10) from November 2 to 4, 2023.

We are deeply thankful to the Minister of Culture, Youth, and Communication, as well as the President of Moulay Ismail University of Meknes. Their steadfast backing has played a pivotal role in the triumph of the RIPAM10 congress, nurturing global cooperation, streamlining the spread of research, and encouraging a vibrant exchange of ideas.

Committees

Editorial Committee

AZROUR Mohamed, FST Errachidia, Moulay Ismail University, Morocco BABA Khadija, Mohamed V University, EST Salé, Rabat Morocco BATAN Abdelkrim, FST Errachidia, Morocco EL RHAFFARI Younes, University of Mohamed V, EST Salè, Rabat, Morocco, Morocco FRATINI Fabio, CNR-Firenze, Italy GONZALEZ Filipe, Faculty of Architecture, University of Lisbon, Portugal HADDAD Mustapha, Faculty of Sciences of Meknes, Moulay Ismail University, Morocco IBNOUSSINA Mounsif, Cadi Ayyad University, Marrakech, Morocco NOUNAH Abderrahman, EST of Salé, Mohamed V University of Rabat, Morocco PITTALUGA Daniela, DAD- University of Genoa, Italy TILIOUA Amine, Moulay Ismail University, Errachidia-Meknes

Honorary Committee

Ministry of Cultural Affairs and Youth and Communication Wali of the Drâa Tafilalte Region President of the Drâa Tafilalte Region President of the Moulay Ismail University of Meknes President of the Provincial Council of Errachidia General Director of ANDOZOA Director of Higher School of Technology Sale President of the Errachidia municipal council Director of CRI Draa-Tafilalet Director of the Regional Agricultural Development Office of Tafilalet and Er-Rachidia President of the Urban Community of Errachidia President of the Draa Tafilalte artisanal chamber Dean of the Faculty of Sciences and Technology of Errachidia Director of the Errachidia Urban Agency Regional Director of the Ministry of Cultural Affairs and Youth Director of CERKAS Ouarzazate

Permanent Committee

ALEGRIA José Alberto, Architect, Lisbon, Portugal AZROUR Mohamed, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco BEJJIT Lahcen, EST, Moulay Ismaïl University of Meknès, Morocco BELHARETH Taouik, ENAU- University of Carthage, Tunisia BROMBLET Philippe, CICRP- Marseille, France BUGINI Roberto, CNR- Gino Bozza Milano, Italy EL RHAFFARI Younes, EST Salé, Mohamed V University of Rabat, Morocco FRATINI Fabio, CNR-Firenze, Italy GONZALEZ Filipe, Faculty of Architecture, University of Lisbonne, Portugal HADDAD Mustapha, FS, Moulay Ismaïl University of Meknès, Morocco IBNOUSSINA Mounsif, Cadi Ayyad University of Marrakech, Morocco KAMEL Said, FS, Moulay Ismaïl University of Marrakech, Morocco KHALFALLAH Boudjemaa, IGTU- University of M'sila, Algeria MAI Roland, CICRP-Marseille, France MILI Mohamed, IGTU- University of M'sila, Algeria NOCAIRI Mohamed, Cadi Ayyad University of Marrakech, Morocco PITTALUGA Daniela, DAD- University of Genoa, Italy SEBAI Abid, ENAU- University of Carthage, Tunisia

Coordination Committee

AZROUR Mohamed, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco BABA Khadija, EST Salé, Mohamed V University of Rabat, Morocco BATAN Abdelkrim, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco BOUSSALH Mohamed, CERKAS Ouarzazate, Morocco EL RHAFFARI Younes, EST Salé, Mohamed V University of Rabat, Morocco HADDAD Mustapha, Faculty of Sciences Moulay Ismaïl University of Meknès, Morocco IBNOUSSINA Mounsif, Cadi Ayyad University of Marrakech, Morocco TILIOUA Amine, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco

Scientific Committee

AIT HOU Ahmed, Moulay Ismail University, FST., Errachidia, Morocco ALEGRIA José Alberto, Darquita, Albufeira, Portugal AMEUR Elamrani, Moulay Ismail University, EST- Meknes, Morocco ANDREAS Krewet, Terre Construction, building and sustainable energies, France AZROUR Mohamed, Moulay Ismail University, FST., Errachidia, Morocco BABA Khadija, Mohamed V University, EST Salé, Rabat, Morocco BATAN Abdelkrim, Moulay Ismail University, FST., Errachidia, Morocco BEJJIT Lahcen, Moulay Ismail University, EST- Meknes, Morocco BELHARETH Taouik, ENAU - University of Carthage, Tunisia BEN N'CER Abdelouahed, INSAP, Rabat, Morocco BENYAICH Fouad, Moulay Ismail University, FS-Meknes, Morocco BENZZAROUK Amar, University of Picardie Jules Verne Amiens, France BIH Lahcen, Moulay Ismail University, ENSAM, Meknes, Morocco BOUSALAH Mohamed, CERCAS, Ouarzazate, Morocco **BROMBLET Philippe, CICRP- Marseille, France** BUGINI Roberto, CNR- Gino Bozza Milan, Italy CARAZAS AEDO W. Architect Consultant-Habiat, Peru CHAOUKI SADIK, LCPMC, Hassan II University Casablanca Morocco CHEBAB Driss, Moulay Ismail University, FST, Errachidia, Morocco CHERRADI Fayçal, MCJC, Rabat, Morocco EL AMRAOUI Mohamed, FS-Meknesl, Morocco EL BAKKALI Abdelmjid, Moulay Ismail University, FST., Errachidia Morocco El GANAOUI Mohamed, University of Lorraine, Nancy, France El HARROUNI Khalid, National School of Architecture, Rabat, Morocco EL RHAFFARI Younès, Mohamed V University, EST Salé, Rabat Morocco ELBOUARI Abdslam, FS Ben M'Sik, Hassan II University, Casablanca Morocco ELMINOR Hassan, Ibnu Zohr University, ENSA, Agadir, Morocco FRATINI Fabio, University of Florence, Dept. Architecture DIDA, Italy GAROUM Mohammed, Mohamed V University, EST Salé, Rabat, Morocco GHARIBI El Khadir, Mohamed Premier University, FS Ouida, Morocco GONZALEZ Filipe, FA, Lisbon, Portugal HABOUBI Khadija ENSA Al-Hoceima Abdelmalek Essaâdi University Morocco HADDAD Mustapha, Moulay Ismail University, FS-Meknes, Morocco HANNACH Hassan, FS Ben M'Sik, Hassan II University, Casablanca Morocco

IBNOUSSINA Mounsif, Cadi Ayad University, FSSM, Marrakech, Morocco JEMJAMI Saloua, FST, Settat, Hassan I University, Settat, Morocco KASIMI Rachida, Cadi Ayad FSSM University, Marrakech, Morocco KHALFALLAH Boudjemaa, IGTU- University of M'sila, Algeria KHARMICH Hassane, National School of Architecture, Rabat, Morocco LAAROUSSI Najma, EST of Salé, Mohamed V University, Rabat, Morocco LAHMAR Abdelilah, University of Picardie Jules Verne Amiens, France LIMAM Ali, INSA, Lyon, France MAI Roland, CICRP-Marseille, France MANOUN Bouchaib, FST, Settat, Hassan I University, Settat, Morocco MANSOUR Majid, National School of Architecture, Rabat, Morocco MATTONE Manuela, CNRI, Turin, Italy MILI Mohamed, IGTU - M'sila University, Algeria MOCERINO Consiglia, Faculty of Architecture, La Sapienza University of Rome, Italy MORISET Sébastien. CRATerre, Grenoble, France MOUKMIR Oussama, Architect, Marrakech Morocco MOUSSAOUI Fouad, FST Errachidia, Moulay Ismail University, Morocco NOCAIRI Mohamed, FSSM, Marrakech, Morocco NOUNAH Abderrahman, EST of Salé, Mohamed V University, Rabat, Morocco ODGHIRI ABDELLAH, Architect, Germany OUADIF Latifa, Mohammadia School of Engineering, Mohammed V, University of Rabat, Morocco OUBALLOUK Elmoustapha., Urban planner, Urban Agency of Errachidia PITTALUGA Daniella, FA, Genoa, Italy RABACH Lahcen, CRI, Draa Tafilalet, Errachidia, Morocco ROVERO Luisa, FA, Florence, Italy SADKI Driss, Moulay Ismail University, Meknes, Morocco SAVERIO Mecca, DIDA, Florence, Italy SEBAI Abid, ENAU - University of Carthage, Tunisia TAMRAOUI Youssef - Mohammed VI Polytechnic University of Bengerir, Morocco TILIOUA Amine, Moulay Ismail University, FST., Errachidia, Morocco TONIETTI Ugo, Faculty of Architecture, Florence, Italy TURCHANINA Oksana, FA, Lisbon, Portugal VARUM Humberto, College of Engineering, University of Porto, Portugal ZNINI Mohamed, Moulay Ismail University, FST., Errachidia, Morocco ZUCCHIATTI Alessandro, CIC, Genoa, Italy

National organizing committee

AZROUR Mohamed, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco BABA Khadija, EST Salé, Mohamed V University of Rabat, Morocco BATAN Abdelkrim, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco BEJJIT Lahcen, EST, Moulay Ismaïl University of Meknès, Morocco BIH Lahcen, ENSAM, Moulay Ismaïl University of Meknès, Morocco EL AMRAOUI Mohamed, FS, Moulay Ismaïl University of Meknès, Morocco EL RHAFFARI Younes, EST Salé, Mohamed V University of Rabat, Morocco ELAMRANI Aumeur, EST, Moulay Ismaïl University of Meknès, Morocco HADDAD Mustapha, FS, Moulay Ismaïl University of Meknès, Morocco IBNOUSSINA Mounsif, Cadi Ayyad University of Marrakech, Morocco MANOUN Bouchaib, FST of Settat, Hassan I University of Settat, Morocco NOCAIRI Mohamed, Cadi Ayyad University of Marrakech, Morocco NOUNAH Abderrahman, EST Salé, Mohamed V University of Rabat, Morocco TILIOUA Amine, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco

Local organizing committee

ACHENANI Youssef, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco AIT HOU Ahmed, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco AIT SIDI MOU Abdelaziz, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco AZDOUZ M'Barek, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco AZROUR Mohamed, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco BATAN Abdelkrim, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco BEN BAAZIZ Meryem, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco BOUHAZMA Sarra, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco CHEBABE Driss, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco ECHIHI Siham, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco EL BAKKALI Abdelmajid, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco ELGHOZLANI Mohammed, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco KARIMI Said, FP Errachidia, Moulay Ismaïl University of Meknès, Morocco LAGHZIL Mohamed, FP Errachidia, Moulay Ismaïl University of Meknès, Morocco MABROUK El Houssine, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco MOUSSAOUI Fouad, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco MRANI Alaoui Mohamed, FP Errachidia, Moulay Ismaïl University of Meknès, Morocco NOU Mohamed, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco OUALLAL Hassan, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco OUBAIR Ahmad, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco OUBALLOUK El Mustapha, Urban planner, Errachidia urban agency, Morocco RABACH Lahcen, CRI, Drâa-Tafilalet, Errachidia, Morocco SOUINIDA Laidi, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco TILIOUA Amine, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco ZNINI Mohamed, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco

Junior committee

CHRACHMY Mohammed, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco DOUGHMI Khaoula, LGCE/ ESTS/EMI, Mohammed V University of Rabat, Morocco EL MESKI Mohamed, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco KHLIFATI Oumaima, LGCE/ ESTS/EMI, Mohammed V University of Rabat, Morocco LECHHEB Mahdi, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco MASROUR Ilham, LGCE/ ESTS/EMI, Mohammed V University of Rabat, Morocco YOUSSEFI Youssef, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco ZGUENI Hicham, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco GHIBATE Rajae, FST Errachidia, Moulay Ismaïl University of Meknès, Morocco

Integrated Digital Documentation for Conservation, the Case Study of the Torre deli Upezzinghi Called Caprona, in Vicopisano (PI) Italy

Giovanni PANCANI

Department of Architecture, University of Florence, Italy

giovanni.pancani@unifi.it

Keywords: Tower of Caprona, Heritage Management, Digital Survey, Aerial Photogrammetry, Documentation, SFM

Abstract. Located on the Rocky Promontory overlooking the town of Caprona, the Upezzinghi Tower is a 19th-century reconstruction of a watchtower that once served the ancient castle, which existed in the mid-11th century and was destroyed by the Florentines in 1433. The hill on which it stands has been gradually eroded due to stone quarrying, significantly altering the landscape around Caprona. Until the mid of the last century, the rocky promontory was still substantially intact, and the remains of the medieval fortress could be identified beneath the tower. However, at its base, the remains of the medieval tower's foundation are still visible. The structure is currently in an advanced state of architectural decay, and the extraction of stone material has been so aggressive that the quarry's limit has come within about 50 cm of the tower's profile. The small square-shaped building appears to be smaller than the one demolished in 1433 since measurements at the base of the current tower have confirmed one side to be approximately 4.50 meters, while the remains of the medieval tower had a side of about 5.00 meters. Digital surveying has been carried out for the preservation and conservation of the tower, which is in urgent need of restoration. TLS (Terrestrial Laser Scanning) and UAS (Unmanned Aerial Systems) tools were used with multiple acquisitions that were subsequently compared and calibrated, using the laser scanner point cloud as a reference. The maximum misalignment error of the TLS point cloud was within a maximum range of 0.015 meters. The delivery of the survey results, considering the modest size of the structure, was performed at a 1:20 scale.

Introduction

On the rocky spur overlooking the town of Caprona, you can see the "Upezzinghi Tower," which is a 19th-century scaled-down replica of the tower from the ancient castle that existed in the mid-11th century and was dismantled by Florence in 1433 [1]. The extraction of stone from the quarries in Caprona has gradually transformed the landscape of the town. In fact, at the beginning of the 20th century [2], the rocky promontory was still largely intact, and it was possible to see the remains of the medieval fortress around the small tower (fig. 1). Unfortunately, at the present state, there are not many significant traces of the entire fortified complex, except for a foundational base at the foot of the 19th-century tower, which likely could belong to the medieval tower. The medieval tower was constructed to control the narrow strip of land situated between the Arno River and the southern extension of Monte Pisano and to facilitate communication with the surrounding fortified structures, such as Rocca della Verruca and the towers of Uliveto. The Upezzinghi Tower has been the subject of a multidisciplinary study involving the Department of Architecture (DIDA) at the University of Florence, the Department of Earth Sciences, and the Department of Energy, Systems, Territory, and Construction at the University of Pisa. This collaborative effort has already conducted a territorial-scale survey [3].

In this article, focusing on the study conducted by the Department of Architecture at the University of Florence, we will discuss the data acquisition methods, the technologies employed, and the results obtained concerning the digital 3D architectural survey work.

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 license. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI. Published under license by Materials Research Forum LLC.



Fig. 1, A picture of the Caprona tower at the beginning of the 20th century where the remains of the medieval fortress can be clearly seen.

Methodology

For the TLS (Terrestrial Laser Scanning) survey, a Zoller+Frogich Image 5016 laser scanner was utilized. This instrument is a Phase Difference-based tool with a range of 360 meters, a vertical field of view of 300 degrees, and a horizontal field of view of 360 degrees. It includes an integrated camera with HDR technology in a dual configuration and integrated LED flash. The measurement noise does not exceed 0.2mm at 25m with 80% reflectance, without the use of optimizations. The specific shape of the rocky promontory on which the tower stands, with one side bordered by a 90-meter cliff and the others presenting steep slopes, required careful handling and precise leveling of the instrument (fig. 2). The ten scans were performed along a polygonal path on three sides around the tower, while the fourth side was reached by extending the polygonal network for capturing the interior of the tower [4].



Fig. 2, On the right, the cliff where the Caprona tower stands, and the scanner used is the Z+Inager 5016.

Fig. 3, On the left, the interior of the tower with the Dji Mini 3 Pro drone at work.

Mediterranean Architectural Heritage - RIPAM10	Materials Research Forum LLC
Materials Research Proceedings 40 (2024) 134-140	https://doi.org/10.21741/9781644903117-14

The scans were recorded and processed using Recap-pro software (fig. 4). The 3D point cloud model was then exported in e57 format, followed by verification and certification using Cyclone software. Certification and testing of the point cloud were necessary because each survey requires validation of its reliability and accuracy before it can be made available to scholars who will use it for their research needs [5]. Verification of compliance with minimum error and reliability requirements involved extracting a series of horizontal and vertical cross-sections from the point cloud, both during partial scans and from the overall point cloud of all scans. In the identified sections, it was verified that the section lines (fig. 5), representing the profiles obtained by cutting through the point cloud, from different scans had a matching alignment. Even when not perfectly aligned, the section line thickness did not exceed 15 millimeters. Point cloud certification ensures that the results are based on reliable and credible data for subsequent analysis and considerations [6].




Fig. 4, On the left, the point cloud of the survey of Caprona Tower, sectioned but with a view of the space (Section Elevation), is visible along with the horizontal cutting plane.

Fig. 5, On the right, the sliced point cloud with a thickness of 1 cm, the section lines are clearly visible, which are evaluated for survey certification.

In addition to the laser scanner survey, a highly accurate Structure from Motion (SFM) photogrammetric survey was conducted with a very high shooting density, approximately 10 pixels per square centimeter. For ground-based surveying, a Sony alpha 900 camera with a 24-megapixel CMOS sensor and a Sony 24-70mm f/2.8 ZA SSM Carl Zeiss Vario-Sonnar T* lens was used. Aerial acquisitions (fig. 3)were carried out using a DJI Mavic Mini 3 Pro Unmanned Aerial System (UAS) equipped with a camera featuring a 1/1.3-inch CMOS sensor with 12 effective megapixels and a flexible ISO range. The acquired photographs were processed using Reality Capture software. The results from the two point clouds, one from the 3D laser scanner survey and one from the photogrammetric survey, were optimized and compared using Cloud Compare software [7].

The meshes obtained from the laser scanner and photogrammetry were exported from Reality Capture and compared using Geomatic Wrap. The results revealed a maximum positive distance of 0.100 meters and a maximum negative distance of -0.100 meters. The areas at the top of the tower showed the most significant differences, partly due to the scanner's difficulty in reaching all points. The average distance between the meshes was 0.001 meters, with a maximum positive

https://doi.org/10.21741/9781644903117-14

value of 0.056 meters and a maximum negative value of -0.056 meters. The standard deviation was 0.062 meters, and the RMS estimate was 0.062 meters (fig. 6).




Fig. 6, The comparison between the point clouds where critical points are evident and those where the laser scanner survey point cloud closely corresponds to the photogrammetric survey point cloud.

To achieve a high-quality 3D photomodel, essential for producing quality photoplanes, certain principles were considered during both the photographic acquisition and subsequent data processing phases. To create a photoplane at a 1:20 scale and print it at 300 DPI, the following conditions needed to be met. In order to achieve a 300 pixels per inch print definition without quality loss, the images had to have a resolution that adhered to the following parameters. In the chosen scale for this survey, which is 1:20, one real meter is represented by 5 cm of print. Therefore, for simplicity, we will assess pixel density in centimeters rather than inches. Namely, 1 inch equals 2.54 centimeters, which means 300 pixels divided by 2.54 cm equals 118.11 pixels per centimeter. Thus, the print needed to meet the 118 pixels per centimeter parameter, rounded to 120 pixels. Consequently, in a 1:20 scale print, one square meter of real surface had to be represented by at least 120 pixels in 5 centimeters, or 600 pixels. Therefore, the images for creating the photomodel had to be captured with a resolution of at least 6 pixels per centimeter. Considering that during acquisition, dimensions of the surfaces to be photographed are estimated empirically and that native resolution may be lost during photomodel processing, it's highly advisable to acquire images with a resolution greater than the necessary minimum. This implies that the images should have a resolution of approximately 10 pixels per centimeter [8].



Fig. 7, On the left, shows the floor plan with the wireframe and the photomap of the ground level, at a height of 1.20 meters.

Fig. 8, On the right, displays the floor plan with the wireframe and the photomap of the level at 4.50 meters

In the deliverable, the certified point cloud, exported from the Recap software in e57 format, was imported into AutoCAD, where section planes were identified. The representation of the structure was organized following the classical scheme, with a plan view relative to the rocky

Mediterranean Architectural Heritage - RIPAM10	Materials Research Forum LLC
Materials Research Proceedings 40 (2024) 134-140	https://doi.org/10.21741/9781644903117-14

outcrop on which the small tower stands, a ground level plan, one at a height of 4.50 meters, another at a height of 7.50 meters, and finally, a top-down view above the battlements (fig. 7, 8, 9, 10). Additionally, four internal section-elevation views and the four elevations were created. The elevation of the remains of the base, likely belonging to the previous medieval tower, was also depicted. These graphic representations provided a detailed description of the deteriorated state of the tower's masonry surfaces and were overlaid with high-resolution photomaps, with a resolution of at least 300 DPI [9]. All deliverables were presented at a scale of 1:20.




Fig. 9, The East elevation, on the right, and the elevation section D-D', were first rendered with the wireframe, and then with the photomap on the right.

Considerations

This research has significant implications for the documentation and preservation of the historical and cultural heritage of Caprona. The detailed 3D representation of the Upezzinghi Tower will allow for an in-depth study of the structure and its changes over time. Initial assessments from the survey data suggest that the current tower is smaller than its medieval counterpart, appearing to have been constructed more as a memory marker of the past. The external dimensions of the current square-plan tower have a base side measuring approximately 4.50 meters, while the dimensions at the narrowing of the buttress are 3.40 meters, with a height of 10.00 meters at the level of the merlons, which are about 0.50 meters. When compared to the length of the found foundational base, which is over 5.00 meters, it can be presumed that the medieval tower was considerably larger and, most importantly, taller.

The comparison of data acquired from different technologies provides a unique opportunity to assess the accuracy of data acquisition methodologies. This knowledge can be applied to other historical sites with similar purposes. However, to enhance the representation quality of this survey, it is believed that, in compliance with European regulations regarding public works management, it would be appropriate to enrich the documentation with a Historical Building Information Modeling (HBIM) process. For this purpose, a project could be developed to model and parameterize the data obtained from this work [10].

Finally, despite being aware of the destructive effects of the adjacent stone quarrying, small archaeological tests could be conducted in the areas surrounding the remaining foundational base near the tower. This would provide insight into what the unwise quarrying activity has spared. Additionally, further data can be extracted from the study of the mortar present in the current tower and the mortar in the foundational base [11].




Fig. 10, The Sud elevation, on the right, and the elevation section C-C', were first rendered with the wireframe, and then with the photomap on the right.

Conclusions

The ongoing multidisciplinary analysis and 3D reconstruction of the Upezzinghi Tower in Caprona have provided a detailed understanding of the structure and its surrounding environment. The integration of data from laser scanning, photogrammetry, and drones has yielded results that are sufficiently accurate and detailed. This information has allowed the research team to gain knowledge of the real state of decay in which the tower is situated, and the dimensional information has enabled the formulation of historical typological considerations. Finally, the high-resolution photoplans deliver an updated and accurate depiction of the site. This research represents a well-established methodological approach developed for the documentation and preservation of historical architectural and cultural heritage, which can serve as a valuable tool for the conservation of such an emblematic and significant site for the entire Pisan territory. In this regard, we would like to highlight the studies conducted by Pascal Cotte, who advances the intriguing idea that the Caprona tower, along with the Verruca Fortress, is part of the background in Leonardo's Mona Lisa [12].

References

[1] E Repetti. (1833) Dizionario geografico, fisico, storico della Toscana contenente la descrizione di tutti i luoghi del Granducato. Firenze, Repetti, Vol. I, pp. 366-367.

[2] A Alberti. (2014) Monasteri e castelli sul monte pisano. Insediamenti medievali in un'area di confine (X-XII secolo), in: Salvatori E. (a cura di) Studi di Storia degli Insediamenti, Pisa, Pacini Editore, pp. 149-163.

[3] D Billia, V Croceb., G Montalbanoc., P Rechichid. (2023), La Torre degli Upezzinghi a Caprona:Caprona: analisi storico-archivistica e rilievo digitale per la documentazione dell'evoluzione temporale, in Bevilacqua M. G., Ulivieri (a cura di), Defensive Architecture of the Mediterranean, Vol. XIII / (Eds.), Pisa University Press (CIDIC) / edUPV.

[4] F Condorelli. & F Rinaudo. (2018), *Cultural heritage reconstruction from historical photographs and Videos*, ISPRS Int. Arch. Photogramm. Remote Sens. Spatial Inf. Sci., XLII–2, 259-265.

[5] A Arrighetti., F Fratini., G Minutoli., G Pancani., (2022), *Historical Seismic Events and Their Traces on Medieval Religious Buildings*, in D'Amico S., Venuti V. (a cura di), *Handbook of Cultural Heritage Analysis*, pp. 2182-2209, Srpinger Nature Switzerland (ISBN: 978-3-030-60015-0).

[6] G. Pancani (2017), *Il centro storico di Poppi, analisi a livello urbano per la valutazione del rischio sismico*, "DisegnareCon", Vol 10, No 18 (2017), PDF 9.1-9.10. (ISSN 1828-5961).

[7] R De Marco.;, S Parrinello. (2021). Digital surveying and 3D modelling structural shape pipelines for instability monitoring, in, historical buildings: a strategy of versatile mesh models for ruined and endangered heritage, ACTA IMEKO, vol. 10, pp. 84-97, ISSN:2221-870X.

[8] G. Pancani, M Bigongiari. (22 June 2019), *The integrated survey of the Pergmum by Nicola Pisano in the cathedral of Pisa*, in a cura di Kremers H., *Digital Cultural Heritage*, Springer, Cham, Basel, (January 2020), pp. 373-388, DOI: 10.PA1007/978-3-030-15200-0, eBook ISBN: 978-3-030-15200-0.

[9] S Parrinello.; R De Marco.; A Miceli (2020). *Documentation strategies for a non- invasive structural and decay analysis of medieval civil towers: an application on the Clock Tower in Pavia*. RESTAURO ARCHEOLOGICO, vol. 28, pp. 18-43, ISSN:2465-2377.

[10] A Dell'Amico., S Parrinello. (2021). *From Survey to Parametric Models: HBIM Systems for Enrichment of Cultural Heritage Management*. In: Cecilia Bolognesi, Daniele Villa. 978-3-030-49278-6, pp. 89-107, Cham: Springer.

[11] F. Fratini (2023), The Rocca Vecchia fortress in the Gorgona island (Tuscany, Italy): building materials and conservation issues, in Bevilacqua M. G., Ulivieri (a cura di), Defensive Architecture of the Mediterranean, Vol. XIII / (Eds.), Pisa University Press (CIDIC) / edUPV.

[12] P. Cotte (2019) *Monna Lisa dévoilée: les vrais visages de la Joconde*. Parigi, éditions Télémauqe.

Keyword Index

Adjuvants	186
Adsorption	248, 273, 284
Aerial Photogrammetry	134
Aggregate Buildings	79
Alkaline Solution	109
Ancient Buildings	303
Architectural Heritage	127
Architectural Monograph	ny 179
Architecture	323
Arno Valley	363
ATR-FTIR	294
Automatic Detection	358
Bibliometric Analysis Bioclimatic Architecture Bioclimatic Tools Biopolymer Bricks Building Information Mo Building Information Mo Building Materials Built Heritage Bulk Density	
Calçada	294
Carrying Capacity	311
Ceramic Membrane	284
Ceramic	260
Characterization Techni	303
Characterization	294
Chefchaouen	119
Chemical	90
Clay Shale	240
Clay	41, 64, 260, 284
Clay-Based Bricks	207
Coastal Flooding	127

Coffee Waste	260
Colouring Phases	167
Compression Strength 186, 226, 233, 260	198, 207,
Compressive Strength Behavio	or 12
Concrete	12
Construction Waste	19
Crystalline Phases	167
Cultural Heritage	141
Cultural Routes	350
Damage Classification	358
Date Palm Seed	198
Demolition Waste	19
Density	41
Digital Survey	134
Documentation	134
Ductility	1
Durability	64, 240
Earth Bricks, Natural Fibers	109
Earth	90, 218
Earthen Constructions	226, 233
Earthquake-Resistant Fibers	1
Eco-Habitat	90
Energy Efficiency	149
Environmental Performance	19
FEM Analysis	79
Fez	33
Fire Exposure	303
Fired Clay Bricks	198
Flooring	294
Geopolymers	226
GIS Management	311
Glazed Tiles	167
Gum Arabic	64

Gypsum-DPF	55
Hanok	33
Heritage Management	134, 350
Heritage Sites	358
Heritage Through Practice	119
Historic Buildings	141, 311
Historical Building Information	,
(HBIM)	319
Hot Plate Method	55
Inhabitants' Involvement	119
Insulation Materials	149
Internal Court	79
Isotherm Study	273
Istria	127
Kinetic Modeling	273
Laser Scanner Survey	363
Laser Scanning	350
Leonardo Drawing 8P	363
Lime Traditional Concrete	97
Limestone and Marble	303
Literature Map	141
Local Materials	240
Malachite Green	248, 273
Malmantile	363
Marrakech's Traditional Lime	97
Masonry	79
Mechanical Characteristics	64, 97
Mechanical Performance	41
Mechanical Properties	12, 109
Mechanical Resistance	240
Membrane Filtration	284
Mineralogical Phase	294
Mineralogical	90

Mineralogy	97
Moroccan Historical Sites and Monuments	167
Morocco	119
Natural Clay	273
Object Detection Model	358
Parameters Effects	248
Participatory Initiatives	119
Patio	33
Phenol	284
Physio-Chemical Characteristics	97
Pigments	160
Porosity	260
Raman Spectroscopy	294
Rammed Earth Construction	141
Raw Clay	248
Raw Earth	186
Recycled Aggregate	19
Recycled Glass Fiber Reinforced	
Cement Waste	12
Recycling	186
Reed Fiber	207
Reinforced Concrete	240
Resilience	323
Restoration	323
Riad	33
Roman Period-Morocco	160
Rubber	1
Sečovlje Salt Pans	127
Seismic Resilience	141
Seoul	33
SFM	134
Shrinkage	198
Socio-Cultural Transition	33
Space Quality	33

Spathe	41
Spectrometric Characterization	167
Stabilization	64
Stabilizing Earthen Constructions 233	226,
Stone Construction	127
Sustainability	323
Sustainable Tourism	311
Sustainable Transformation	33
Tensile Splitting Strength	207
Tertiary Building	149
Thermal Characterization	41
Thermal Comfort	218
Thermal Conductivity 55, 64, 90, 207	186,
Thermal Insulation	149
Thermal Properties	109
Thermal Stability	303
Thermodynamic Study	248
Tire Recycling	1
Tower of Caprona	134
Traditional Architecture	350
Traditional Lime Concrete	1
Traditional Materials	218
TRNSYS Software	149

Valorization	323
Vibrational and XRF Spectroscopies	s 160
Virtual Reality (VR)	319
Volubilis	160
Vulnerability Index Method	79
Wall-Paintings	160
Walls	363
Water Absorption	41
XRD	294