

7th International Conference on Education and Educational Psychology (ICEEPSY)

Proprioception And Self-Awareness For Psychophysical Integration

Giulia Lucchesi^a

^a University of Florence, Department of Educational Science and Psychology, via Laura, 48, Florence, Italy
giulia.lucchesi@unifi.it

^a Fondazione Internazionale Verso l'Etica, FIVE Onlus (International Foundation Towards Ethics, FIVE Onlus), Piazza dei
Santi Gervasio e Protasio, 13, Florence, Italy – giulia.lucchesi@fiveonlus.eu

Abstract

Due to massive overuse of technology, teenagers nowadays have less opportunities to become familiar with their body (Kurzweil, 2008; Combi, 2000) and to control internal and external proprioceptive stimuli (Rose, 2010, Cuomo, 2007; Ivanenko et al., 1999, 2000; Allum, 1998; Massion, 1992; Goodwin et. al., 1972). This can cause difficulties in the processing and integration of information at a physical, cognitive and emotional level (Macdonald, 1992; Livingstone, 2008; Coklar & Sahin, 2011).

International research confirms that today more than ever educators have the fundamental task to help each child to regain the perception of his or her body, its spatial orientation and the perception of its single parts, in order to be able to integrate in a whole concept both physic and psychic dimensions.

To this end, a pilot study has been conducted with a group of Italian students in the final year of secondary school in Florence. The pilot study spanned six physical education sessions and involved participants between 18 and 19 years of age. The purpose of the test was to study how a protocol of basic static and dynamic balance exercises, along with breath exercises and proprioceptive awareness stimulated through meditative practices, could influence the moods and wellbeing of the students.

© 2016 Published by Future Academy www.FutureAcademy.org.uk

Keywords: Proprioceptive Awareness; Breathing Techniques; Meditative Practices; Body Spatial Orientation and Positioning; States of Mood.

1.1 Introduction

Virtualization of everyday life entails a progressive and worrisome distance from self-perception and from body contact seen as a means of expression of identity as well as a privileged channel of communication and relationships. Excessive use of new technologies among the new generations causes the decrease in empathetic capacity at different levels: from sharing real experiences with true friends to the movement and the perception of the body in space. As a result, young people often experience an increased difficulty in feeling comfortable with themselves and with others.



This is an Open Access article distributed under the terms of the Creative Commons Attribution-Noncommercial 4.0 Unported License, permitting all non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

Italian Ministry of Education guidelines have highlighted since 1982 the importance of self-consciousness through physical activities, as they provide each student with personal management tools (Miur, 2009; D.P.R. no. 908, 1982).

1.2 Problem Statement

It is a well-recognised fact that teenagers nowadays have less opportunities to become familiar with their body due to their massive overuse of technology (Kurzweil, 2008; Combi, 2000) and control internal and external proprioceptive stimuli (Rose, 2010, Cuomo, 2007; Ivanenko et al., 1999, 2000; Allum, 1998; Massion, 1992; Goodwin et. al., 1972). The detachment induced by virtual realities can cause difficulties in the processing and integration of information at a physical, cognitive and emotional level (Macdonald, 1992; Livingstone, 2008; Coklar & Sahin, 2011).

1.3 Research question

Can a protocol of static and dynamic balance exercises, combined with breath and proprioceptive awareness have a positive influence on teenagers' mood states?

1.4 Purpose of the study

The purpose of this study is to reflect on the necessity of leading students back to their own corporeality in order to help them regain possession of both neuromotor signals that come from within the body and control of the stimuli coming from external sources. The objective is to reinforce body-awareness, a fundamental skill which is at risk in our contemporary and evermore virtual society.

1.5 Research methods

For our pilot study two separate groups of young adults aged between 18 and 19 years of age were created. The experimental group was composed by 14 students of a final year class in secondary school. The control group was composed by 12 students of the same age and from the same school. The experimental group was administered the following tests:

- Pre- and post-balance tests (Fukuda Unterberger test) (experimental group);
- Pre- and post-tests on mood states (POMS) (experimental and control group);
- Written feedback from the participants (as a qualitative assessment of the experimental group).

The control group only participated in the POMS.

The pilot study comprised six sessions, each lasting two hours, and it took place from January 12, 2016 to March 1, 2016.

Each session was divided into three phases: I phase - static and dynamic balance exercises with eyes open and with eyes closed; II phase - breathing exercises (Van Lysebeth, 1978; Middendorf, 2005; Ferraro, 2008); III phase - making a connection with parts of the body and acquiring awareness of the positioning of the body in space (Ivanenko, Grasso, & Lacquaniti, 1999, 2000; Berthoz, A., & Viaud-Delmon, I. 1999) (Table 1) through an experimental meditative practice based on the Model of Ethic of the Human Relations (ERH – Etique des Relations Humaines®). This meditative technique develops

through three steps: 1- consciousness of the different parts of the body, of the space orientation and of unity of the body as first channel of communication, 2- consciousness of self-identity through name and gender, 3- consciousness of those interior resources (Franca,2014) conducive to psychophysical integration.

Table 1 - Training sessions of the experimental group

Session	Test	Phase 1: Balance exercises	Phase 2: Breathing exercises	Phase 3: Self awareness and Connection with body in space
I	POMS F. Unterberger	- Awareness of different body segments - Awareness of whole body in different positions	Nose breathing technique	- Body scan - Body Spatial Orientation and Positioning - Self Identity awareness
II		Mono-podal balance exercises with open and closed eyes over stable and unstable surfaces	- Nose breathing technique - Abdominal breathing technique in different static and dynamic body positions	- Body scan - Body Spatial Orientation and Positioning - Identity awareness - Gender awareness
III		Mono and bi-podal balance exercises jumping on stable and unstable surfaces with and without a 180° body rotation	- Abdominal breathing technique - Awareness of the difference between thoracic and abdominal breathing	- Body scan - Body Spatial Orientation and Positioning - Identity awareness - Gender awareness - Interior resources
IV		Mono-podal balance exercises throwing a tennis ball with and without a 180° body rotation	- Abdominal breathing technique - Square breathing technique	- Body scan - Body Spatial Orientation and Positioning - Identity awareness - Gender awareness - Interior resources
V		Mono-podal balance exercises throwing a volley ball with and without a 180° body rotation	- Abdominal breathing technique - Triangular breathing technique	- Body scan - Body Spatial Orientation and Positioning - Identity awareness - Gender awareness - Interior resources
VI	POMS F. Unterberger Written feedback		Alternate nostril breathing	- Body scan - Body Spatial Orientation and Positioning - Identity awareness - Gender awareness - Interior resources

During the training many videos and images were shared on a Whatsapp experimental chat group created specifically for this project (Appendix 1).

1.6 Findings


FUKUDA UNTERBERGER - The hypothesis was that kids would improve their perception of their body in space while working on proprioception. The test required that they kept a central position in the circle and axis 0°.

The students were asked to march on the spot, eyes closed, and to remain in centre of the circle while counting 40 steps and trying not to move ahead or behind from the centre of the circle drawn on the

ground (with angles marked 0° , $\pm 45^\circ$, $\pm 90^\circ$, $\pm 135^\circ$ e 180°). They were also asked not to rotate from the axis at 0° .

Fig 1. Fukuda Unterberger test results

Qui sotto:



Concerning the values of the angle of rotation to the right or to the left in the post-test 1/14 students, about 7% of the total, reported a decrease, 2/14 students or about 14% of the total, reported stable data, 11/14 students, about 79% of the total, reported an increase.


The results indicate that the training facilitated an improvement of the awareness of linear movements away from the center of the circle, but not of angular movements compared with 0° (Fig. 1).

POMS test – The Analysis of variance (ANOVA) with repeated measures was adopted to investigate the differences between the pre and post-training points for both groups (experimental and control). All the sub-scales dealing with the experimental group were analysed with Test Within Subject and Test Between Subject, showing significant results related to the factor Tension-Anxiety only.

In this case, the average of points was significantly different between the first and the second phase $F(1,27)=28,21$, $p=.000$. Data showed both a significant interaction between the phases and the belonging to one of the two groups $F(1,27)=6,70$, $p=.015$. Groups showed points that changed significantly, different in terms of intensity between the pre and post-test phase and this was attributed to the type/nature of the group.

The experimental project detailed above showed how the training had a significant impact in decreasing Tension-Anxiety in the experimental group (Fig. 2) and its results, through the average scores, confirmed a significant decrease in the pre and post experiment T factor.

Fig. 2 - Lower levels of tension-anxiety in the test group after six sessions of training



WRITTEN FEEDBACK - Virtually all of the students reported that the activities on offer allowed them to acquire many new techniques for understanding their own bodies in a hands-on way which they didn't know before (Appendix 2).

1.7 Conclusions

We observed that breathing techniques and proprioceptive awareness acquired through meditative practices, together with static and dynamic balance activities for the body, enabled the students in the test group to lower levels of anxiety and tension that were not lowered in the control group that participated in regular physical activities concerning balance, without access to breathing and meditation exercises.

1.8 Limitations of the study

Due to organizational reasons of the school involved in the test, the study did not have a regular weekly continuity and the number of meetings was greatly reduced from the original plan. Equally, organizational issues prevented the administration of the Fukuda Unterberger test to the control group.

1.9 Acknowledgements

We wish to thank The Fondazione Internazionale verso l'Etica for its scientific support, as well as the Head Teacher of the Pascoli School of Florence, Dr. Elisabetta Bonalumi, who made the realization of the pilot study possible, and Prof. Giuliano Giovannini, who coordinated school activities and students in both the experimental and control group, for all their cooperation and support.

References

- Allum, J. H. J., Bloem, B. R., Carpenter, M. G., Hulliger, M., Hadders-Algra, M. (1998), Proprioceptive control of posture: a review of new concepts. *Gait & Posture*. 8(3), 214-242
- Berthoz, A., & Viaud-Delmon, I. (1999). Multisensory Integration In Spatial Orientation. *Current Opinion In Neurobiology*. Elsevier. 9(6). 708–712.
- Coklar, A. N., & Sahin, Y. L. (2011). Technostress Levels Of Social Network Users Based On Icts In Turkey. *European Journal Of Social Sciences*, 23(2), 171-182.
- Combi, M. (2000). *Corpo e tecnologie. Rappresentazioni e immaginari*, Meltemi Editore.
- Cuomo, C. (2007), *La marche, un mouvement vital*. Dauphin Éditeur.
- D.P.R. 1 ottobre 1982, n. 908 - Nuovi programmi d'insegnamento di educazione fisica negli istituti di istruzione secondaria superiore, nei licei artistici e negli istituti d'arte, goals No. 2 -3.
- Dugnani, S. & Invernizzi, P. L. (2013). *Progettare in Educazione Fisica e nelle Scienze motorie. Per la programmazione e organizzazione della didattica nella scuola secondaria*. Milano, Edizioni Carabà.
- Ferraro, F. (2008), *Attacco all'asma ... e non solo. Respirare e vivere meglio grazie alle scoperte del Prof. Buteiko e di altri scienziati russi*, Forlì-Cesena, Bis Edizioni.
- Fosha, D., Siegel, D. J., & Solomon, M. (Eds.). (2009). *The Healing Power Of Emotion: Affective Neuroscience, Development & Clinical Practice* (Norton Series On Interpersonal Neurobiology). Ww Norton & Company.
- Franca G. M. (2014). *Oltre i confini del pensiero*. Roma. EUR.
- Fukuda T. (1959) The stepping test. *Acta Otolaryngol* (Stockholm) 50:95–108
- Ganesh, S., Hein T. Van Schie, Floris P. De Lange, Evan Thompson, Daniël H. J. Wigboldus (2011), How The

- Human Brain Goes Virtual: Distinct cortical regions of the person-processing network are involved in Self-Identification with virtual agents, *Cereb. Cortex* (2012) 22 (7): 1577-1585.
- Ivanenko, Y. P., Grasso, R. & Lacquaniti, F. (1999), Effect Of Gaze On Postural Responses To Neck Proprioceptive And Vestibular Stimulation In Humans. *The Journal Of Physiology* 519.(1), 301-314.
- Ivanenko, Y. P. & Grasso R, Lacquaniti F. (2000), Neck Muscle Vibration Makes Walking Humans Accelerate In The Direction Of Gaze. *The Journal Of Physiology* 525.(3), 803-814.
- Johnson, E. O. & Soucasos P.N. (2012), Proprioception, In International Encyclopedia Of Rehabilitation, Available online: <http://cirrie.buffalo.edu/encyclopedia/en/article/337/>.
- Kurzweil, R. (2008). La Singolarità è vicina. Maggioli Editore.
- Livingstone, S. (2008). Taking Risky Opportunities In Youthful Content Creation: Teenagers' Use Of Social Networking Sites For Intimacy, Privacy And Self-Expression. *New Media & Society*, 10(3), 393-411.
- McNair, DM., Lorr, M., Droppleman, L.F. (1971), Profile of mood states manual. San Diego, CA: *Educational and Industrial testing, Service*.
- Middendorf, I. (2005), L'esperienza del respiro, Roma, Astrolabio.
- Miur, Linee guida sulla riorganizzazione delle attività di educazione fisica e sportiva nelle scuole secondarie di I e II grado, 2009.
- Reiss, M., & Reiss, G. (1997). Further aspects of the asymmetry of the stepping test. *Perceptual and motor skills*, 85(3 suppl), 1344-1346.
- Siegel, D. J. (2007). Mindfulness training and neural integration: differentiation of distinct streams of awareness and the cultivation of well-being. *Social Cognitive And Affective Neuroscience*, 2(4), 259-263.
- Van Lysebeth, A. (1978), Pranayama. La dinamica del respiro, Roma, Astrolabio.
- Williams, M., & Penman, D. (2011). Mindfulness: A Practical Guide To Finding Peace In A Frantic World. Hachette, Uk.

Appendix n° 1

WhatsApp

After each session a WhatsApp chat was activated for students to communicate and share videos and images. The purpose was to stimulate an in-depth learning through correct use of ICT. Students were asked to comment on what they experienced during each sessions. (Table 2).

Table 2 - Some Contents shared on Whatsapp

Contents shared on WhatsApp	Links
One moment meditation - video	https://www.youtube.com/watch?v=FzPQMg8zKWs
Mindfulness revolution - article	http://www.huffingtonpost.it/2014/10/31/meditazione-mindfulness-revolution_n_6082230.html
3D diaphragm and breathing - animation	https://www.youtube.com/watch?v=WXIoL5nCFjM
Forced inspiration- video	https://www.youtube.com/watch?v=O3nLJgRO-d8
Mirror neurons - video	https://www.youtube.com/watch?v=LEwIdh-eC74
Square breathing - video	https://www.youtube.com/watch?v=LEwIdh-eC74

Appendix 2

Written students' feedbacks

At the end of the workshop students were asked to provide a written feedback on their experience. The students reported on how they came to know their body better and acquired a greater awareness of themselves - *"I personally believe that this experience was very useful and instructive not only for what concerns my body but also for my becoming conscious of myself"* – as well as better self-perception - *"I experienced a better perception of myself and learned some new relaxation techniques"*.

Some of them stated that they had acquired new techniques to relax and to manage anxiety through breathing - *"I'm anxious and I never express my feelings, so knowing how to better manage my breath, helped me to better conduct my days and my feelings"* – as well as that they had learned techniques to manage anger through meditation - *"I learned to meditate when I'm angry, even if it requires an effort"*. Some claimed to have reached a deeper self-understanding, whereas others recognised that they became progressively more appreciative of the training as it went on - *"At first I was very hesitant about the effectiveness of the project, especially on meditation... Week by week I found the method we have been taught more and more useful in order to distinguish what we really are, to ignore our bad thoughts and to let flow my authentic emotions"*.

For a student the training had an impact both on herself and on the class relationships: *"The educational activities improved my self-esteem and the cohesiveness of the class"*.

A student claimed to have acquired a technique to keep calm with annoying people, while another considered the proposed activities as *"a therapy that, if carried out with care and with the suitable duration, may also solve very big problems"*.

Some of the students pointed out the usefulness of the training, suggesting *"... that in the future the training should be presented to other classes, with longer meetings, more than once a week"*; one of them proposed *"to repeat the training in the middle school, since at that age kids have great difficulties in accepting their own bodies"*.

Only one student was not very happy about the experience: *"We shouldn't always accept ourselves as we are, otherwise how can we move towards self change? Definitely nobody is entitled to tell me if I'm OK... we can't accept ourselves all the time, sometimes we should really change those things that make us feel uncomfortable"*.

This comment is an useful feedback to improve on our experiment as it encourages us to carry on with our project.