



UNIVERSITÀ
DEGLI STUDI
FIRENZE

FLORE

Repository istituzionale dell'Università degli Studi di Firenze

Genetic susceptibility to atrial fibrillation (AF) in patients with congestive heart failure

Questa è la Versione finale referata (Post print/Accepted manuscript) della seguente pubblicazione:

Original Citation:

Genetic susceptibility to atrial fibrillation (AF) in patients with congestive heart failure / C.Fatini; E.Sticchi; R.Abbate; GF.Gensini. - In: HEART RHYTHM. - ISSN 1547-5271. - STAMPA. - 3:(2006), pp. 1395-1403.

Availability:

The webpage <https://hdl.handle.net/2158/325028> of the repository was last updated on

Terms of use:

Open Access

La pubblicazione è resa disponibile sotto le norme e i termini della licenza di deposito, secondo quanto stabilito dalla Policy per l'accesso aperto dell'Università degli Studi di Firenze (<https://www.sba.unifi.it/upload/policy-oa-2016-1.pdf>)

Publisher copyright claim:

La data sopra indicata si riferisce all'ultimo aggiornamento della scheda del Repository FloRe - The above-mentioned date refers to the last update of the record in the Institutional Repository FloRe

(Article begins on next page)

LETTERS TO THE EDITOR

To the Editor:

We read with great interest the article on the genetic susceptibility to atrial fibrillation (AF) in patients with congestive heart failure by Bedi et al¹ in the July 2006 issue of *Heart Rhythm*.

The authors examined the role of *angiotensin-converting enzyme (ACE) I/D* and *endothelial nitric oxide synthase (eNOS)* polymorphisms in predisposing to AF and speculate, in particular, on the role of the *eNOS* 894 G wild-type allele in affecting this predisposition.

We have a comment on the emphasis on the role of the *eNOS* G894T polymorphism in predisposing to AF. In reading carefully the results in both the abstract and the text, we noticed a conflictual finding. In the abstract, a significant association between *eNOS* 894 T/T genotype (odds ratio 3.2) and AF is reported. On the contrary, in the Results section, the same odds ratio is referred to the homozygosity for the *eNOS* 894 G wild-type allele. Thus, the role of the 894 G/G genotype as a predisposing factor to AF is reported in the Results section, whereas the role of the *eNOS* T rare allele as a predisposing factor to the disease is discussed. These divergent data confuse the reading and the interpretation of results.

Studies in the literature reported that the 894 T rare allele is associated with reduced basal nitric oxide production,² even if this functional role still is a matter of debate.³ In particular, experimental data demonstrated that nitric oxide enhances cardiac vagal activity and participates in the inhibition of sympathetic activity.⁴ Moreover, *eNOS* regulates the L-type calcium channel and modulates myocyte contractility. The L-type calcium channel is essential for normal sinus function, and nitric oxide, by stimulating the formation of cGMP, which affects this channel, might play a role in suppressing arrhythmias through a cGMP-mediated pathway. A decrease in nitric oxide levels, related to the presence of the *eNOS* 894 T variant, might contribute to modulation of AF through an increase in L-type calcium current. Normal availability of nitric oxide, related to the presence of *eNOS* 894 G wild-type allele, could contribute to maintenance of normal sinus function.

Finally, the authors state that their findings are at variance with those from our group.⁵ In actuality, the results are completely in agreement with ours, demonstrating no association between the *eNOS* 894 T/T genotype and predisposition to AF.

In consideration of our comment, we do not believe that the conclusions stated by Bedi et al (i.e., that the *eNOS* 894 T/T genotype is significantly associated with AF) can be drawn from this study.

Cinzia Fatini, MD, PhD
cinziafatini@hotmail.com
Elena Sticchi, BS
Rosanna Abbate, MD
Gian Franco Gensini, MD

Department of Medical and Surgical Critical Care
University of Florence: Thrombosis Centre, Azienda
Ospedaliero-Universitaria, Careggi
Florence, Italy

References

1. Bedi M, McNamara D, London B, Schwartzman D. Genetic susceptibility to atrial fibrillation in patients with congestive heart failure. *Heart Rhythm* 2006;3:808–812.
2. Veldman BA, Spiering W, Doevendans PA, Vervoort G, Kroon AA, de Leeuw PW, Smits P. The Glu298Asp polymorphisms of the NOS3 gene as a determinant of the baseline production of nitric oxide. *J Hypertens* 2002;20:2023–2027.
3. Fairchild TA, Fulton D, Fontana JT, Gratton JP, McCabe TJ, Sessa WC. Acidic hydrolysis as a mechanism for the cleavage of the Glu298→Asp variant of human endothelial nitric-oxide synthase. *J Biol Chem* 2001;276:26674–26679.
4. Elvan A, Rubart M, Zipes DP. NO modulates autonomic effects on sinus discharge rate and AV nodal conduction in open-chest dogs. *Am J Physiol* 1997;272:H263–H271.
5. Gensini F, Padeletti L, Fatini C, Sticchi E, Gensini GF, Michelucci A. Angiotensin-converting enzyme and endothelial nitric oxide synthase polymorphisms in patients with atrial fibrillation. *Pacing Clin Electrophysiol* 2003;26:295–298.

To The Editor—Response:

We appreciate the letter from Dr. Fatini regarding the detection of an error in our recent publication in *Heart Rhythm*.¹ The error is typographical in nature and is located in the abstract, in which T/T (characterizing homozygous thymine replacement of guanine at position 894 of exonic segment 7 of the *eNOS* gene²) appears rather than that which we had intended, G/G (characterizing homozygous guanine in this position). In the text of the article, the data presented and the subsequent discussion are consistent in associating the G allele (in particular the G/G genotype), not the T allele, with the presence of atrial fibrillation (AF). As we intimate in the discussion, this finding was counterintuitive based on prior reports (cited), which suggest that the G allele should not be associated with an increased propensity to AF. Although we could have deduced a protective (anti-AF) effect for the T allele from our data, we decided to conclude that although there appears to be a relationship between polymorphism at position 894 and AF, its nature remains obscure.

We are embarrassed by the error and sincerely apologize to the readership for any confusion arising from it.²

David Schwartzman, MD
schwartzmand@upmc.edu
Maninder Bedi, MD
Dennis McNamara, MD
Barry London, MD, PhD

Cardiovascular Institute
University of Pittsburgh
Pittsburgh, Pennsylvania

References

1. Bedi M, McNamara D, London B, Schwartzman D. Genetic susceptibility to atrial fibrillation in patients with congestive heart failure. *Heart Rhythm* 2006;3:808–812.
2. Spence M, McGlinchey P, Patterson C, Allen A, Murphy G, Bayraktutan U, Fogarty D, Evans A, McKeown P. Endothelial nitric oxide synthase gene polymorphism and ischemic heart disease. *Am Heart J* 2004;148:847–851.