



UNIVERSITÀ
DEGLI STUDI
FIRENZE

FLORE

Repository istituzionale dell'Università degli Studi di Firenze

Operation and testing for product innovation

Questa è la Versione finale referata (Post print/Accepted manuscript) della seguente pubblicazione:

Original Citation:

Operation and testing for product innovation / Paola Gallo. - STAMPA. - 142:(2014), pp. 373-384. (FIFTH INTERNATIONAL CONFERENCE ON HARMONISATION BETWEEN ARCHITECTURE AND NATURE Siena (SI) Italy 26-27 Settembre 2014).

Availability:

The webpage <https://hdl.handle.net/2158/907130> of the repository was last updated on 2017-03-14T15:01:02Z

Publisher:

WIT Press

Terms of use:

Open Access

La pubblicazione è resa disponibile sotto le norme e i termini della licenza di deposito, secondo quanto stabilito dalla Policy per l'accesso aperto dell'Università degli Studi di Firenze (<https://www.sba.unifi.it/upload/policy-oa-2016-1.pdf>)

Publisher copyright claim:

La data sopra indicata si riferisce all'ultimo aggiornamento della scheda del Repository FloRe - The above-mentioned date refers to the last update of the record in the Institutional Repository FloRe

(Article begins on next page)

ECO- ARCHITECTURE V

Harmonisation
between
Architecture
and Nature



 WITPRESS

Editors
C.A. Brebbia
& R. Pulselli

Eco-Architecture V

WITPRESS

WIT Press publishes leading books in Science and Technology.

Visit our website for the current list of titles.

www.witpress.com

WIT*eLibrary*

Home of the Transactions of the Wessex Institute.

Papers presented at Eco-Architecture V are archived in the WIT eLibrary in volume 142 of WIT Transactions on the Built Environment (ISSN 1743-3509).

The WIT eLibrary provides the international scientific community with immediate and permanent access to individual papers presented at WIT conferences.

<http://library.witpress.com>

FIFTH INTERNATIONAL CONFERENCE ON
HARMONISATION BETWEEN ARCHITECTURE AND NATURE

ECO-ARCHITECTURE V

CONFERENCE CHAIRMEN

C. A. Brebbia

Wessex Institute of Technology, UK

R. Pulselli

University of Siena, Italy

INTERNATIONAL SCIENTIFIC ADVISORY COMMITTEE

R. Cerny

F. Cumo

E. Garido Vazquez

M. Hejazi

B. Kazimee

D. Longo

N. Nikolov

S. Rola

J. Rugemer

L. Schibuola

A. Villacampa

S. S. Zubir

Organised by

Wessex Institute of Technology, UK

University of Siena, Italy

Sponsored by

WIT Transactions on the Built Environment

International Journal of Design & Nature and Ecodynamics

International Journal of Sustainable Development and Planning

WIT Transactions

Transactions Editor

Carlos Brebbia

Wessex Institute of Technology
Ashurst Lodge, Ashurst
Southampton SO40 7AA, UK

Editorial Board

- | | |
|---|---|
| B Abersek University of Maribor, Slovenia | G Belingardi Politecnico di Torino, Italy |
| Y N Abousleiman University of Oklahoma,
USA | R Belmans Katholieke Universiteit
Leuven, Belgium |
| K S Al Jabri Sultan Qaboos University,
Oman | C D Bertram The University of New
South Wales, Australia |
| E Alarcon Universidad Politecnica de
Madrid, Spain | D E Beskos University of Patras, Greece |
| C Alessandri Universita di Ferrara, Italy | S K Bhattacharyya Indian Institute of
Technology, India |
| D Almorza Gomar University of Cadiz,
Spain | E Blums Latvian Academy of Sciences,
Latvia |
| B Alzahabi Kettering University, USA | J Boarder Cartref Consulting Systems,
UK |
| J A C Ambrosio IDMEC, Portugal | B Bobee Institut National de la Recherche
Scientifique, Canada |
| A M Amer Cairo University, Egypt | H Boileau ESIGEC, France |
| S A Anagnostopoulos University of
Patras, Greece | M Bonnet Ecole Polytechnique, France |
| M Andretta Montecatini, Italy | C A Borrego University of Aveiro,
Portugal |
| E Angelino A.R.P.A. Lombardia, Italy | A R Bretones University of Granada,
Spain |
| H Antes Technische Universitat
Braunschweig, Germany | J A Bryant University of Exeter, UK |
| M A Atherton South Bank University, UK | F-G Buchholz Universitat
Gesanthochschule Paderborn,
Germany |
| A G Atkins University of Reading, UK | M B Bush The University of Western
Australia, Australia |
| D Aubry Ecole Centrale de Paris, France | F Butera Politecnico di Milano, Italy |
| J Augutis Vytautas Magnus University,
Lithuania | W Cantwell Liverpool University, UK |
| H Azegami Toyohashi University of
Technology, Japan | D J Cartwright Bucknell University, USA |
| A F M Azevedo University of Porto,
Portugal | P G Carydis National Technical University
of Athens, Greece |
| J M Baldasano Universitat Politecnica de
Catalunya, Spain | J J Casares Long Universidad de
Santiago de Compostela, Spain |
| J G Bartzis Institute of Nuclear
Technology, Greece | M A Celia Princeton University, USA |
| S Basbas Aristotle University of
Thessaloniki, Greece | A Chakrabarti Indian Institute of Science,
India |
| A Bejan Duke University, USA | |
| M P Bekakos Democritus University of
Thrace, Greece | |

J-T Chen National Taiwan Ocean University, Taiwan
A H-D Cheng University of Mississippi, USA
J Chilton University of Lincoln, UK
C-L Chiu University of Pittsburgh, USA
H Choi Kangnung National University, Korea
A Cieslak Technical University of Lodz, Poland
S Clement Transport System Centre, Australia
M W Collins Brunel University, UK
J J Connor Massachusetts Institute of Technology, USA
M C Constantinou State University of New York at Buffalo, USA
D E Cormack University of Toronto, Canada
D F Cutler Royal Botanic Gardens, UK
W Czyczula Krakow University of Technology, Poland
M da Conceicao Cunha University of Coimbra, Portugal
L Dávid Károly Róbert College, Hungary
A Davies University of Hertfordshire, UK
M Davis Temple University, USA
A B de Almeida Instituto Superior Tecnico, Portugal
E R de Arantes e Oliveira Instituto Superior Tecnico, Portugal
L De Biase University of Milan, Italy
R de Borst Delft University of Technology, Netherlands
G De Mey University of Ghent, Belgium
A De Montis Università di Cagliari, Italy
A De Naeyer Universiteit Ghent, Belgium
P De Wilde Vrije Universiteit Brussel, Belgium
D De Wrachien State University of Milan, Italy
L Debnath University of Texas-Pan American, USA
G Degrande Katholieke Universiteit Leuven, Belgium
S del Giudice University of Udine, Italy
G Deplano Università di Cagliari, Italy
I Doltsinis University of Stuttgart, Germany
M Domaszewski Université de Technologie de Belfort-Montbéliard, France
J Dominguez University of Seville, Spain
K Dorow Pacific Northwest National Laboratory, USA
W Dover University College London, UK
C Dowlen South Bank University, UK
J P du Plessis University of Stellenbosch, South Africa
R Duffell University of Hertfordshire, UK
N A Dumont PUC-Rio, Brazil
A Ebel University of Cologne, Germany
G K Egan Monash University, Australia
K M Elawadly Alexandria University, Egypt
K-H Elmer Universität Hannover, Germany
D Elms University of Canterbury, New Zealand
M E M El-Sayed Kettering University, USA
D M Elsom Oxford Brookes University, UK
F Erdogan Lehigh University, USA
D J Evans Nottingham Trent University, UK
J W Everett Rowan University, USA
M Faghri University of Rhode Island, USA
R A Falconer Cardiff University, UK
M N Fardis University of Patras, Greece
P Fedelinski Silesian Technical University, Poland
H J S Fernando Arizona State University, USA
S Finger Carnegie Mellon University, USA
E M M Fonseca Instituto Politécnico de Bragança, Portugal
J I Frankel University of Tennessee, USA
D M Fraser University of Cape Town, South Africa
M J Fritzler University of Calgary, Canada
T Futagami Hiroshima Institute of Technology, Japan
U Gabbert Otto-von-Guericke Universität Magdeburg, Germany
G Gambolati Università di Padova, Italy
C J Gantes National Technical University of Athens, Greece
L Gaul Universität Stuttgart, Germany
A Genco University of Palermo, Italy
N Georgantzis Universität Jaume I, Spain
P Giudici Università di Pavia, Italy

L M C Godinho University of Coimbra, Portugal
F Gomez Universidad Politecnica de Valencia, Spain
R Gomez Martin University of Granada, Spain
D Goulias University of Maryland, USA
K G Goulias Pennsylvania State University, USA
F Grandori Politecnico di Milano, Italy
W E Grant Texas A & M University, USA
S Grilli University of Rhode Island, USA
R H J Grimshaw Loughborough University, UK
D Gross Technische Hochschule Darmstadt, Germany
R Grundmann Technische Universitat Dresden, Germany
A Gualtierotti IDHEAP, Switzerland
O T Gudmestad University of Stavanger, Norway
R C Gupta National University of Singapore, Singapore
J M Hale University of Newcastle, UK
K Hameyer Katholieke Universiteit Leuven, Belgium
C Hanke Danish Technical University, Denmark
K Hayami University of Tokyo, Japan
Y Hayashi Nagoya University, Japan
L Haydock Newage International Limited, UK
A H Hendrickx Free University of Brussels, Belgium
C Herman John Hopkins University, USA
I Hideaki Nagoya University, Japan
D A Hills University of Oxford, UK
W F Huebner Southwest Research Institute, USA
J A C Humphrey Bucknell University, USA
M Y Hussaini Florida State University, USA
W Hutchinson Edith Cowan University, Australia
T H Hyde University of Nottingham, UK
M Iguchi Science University of Tokyo, Japan
D B Ingham University of Leeds, UK
L Int Panis VITO Expertisecentrum IMS, Belgium
N Ishikawa National Defence Academy, Japan
J Jaafar UiTm, Malaysia
W Jager Technical University of Dresden, Germany
Y Jaluria Rutgers University, USA
C M Jefferson University of the West of England, UK
P R Johnston Griffith University, Australia
D R H Jones University of Cambridge, UK
N Jones University of Liverpool, UK
N Jovanovic CSIR, South Africa
D Kaliampakos National Technical University of Athens, Greece
N Kamiya Nagoya University, Japan
D L Karabalis University of Patras, Greece
A Karageorghis University of Cyprus
M Karlsson Linkoping University, Sweden
T Katayama Doshisha University, Japan
K L Katsifarakis Aristotle University of Thessaloniki, Greece
J T Katsikadelis National Technical University of Athens, Greece
E Kausel Massachusetts Institute of Technology, USA
H Kawashima The University of Tokyo, Japan
B A Kazimee Washington State University, USA
S Kim University of Wisconsin-Madison, USA
D Kirkland Nicholas Grimshaw & Partners Ltd, UK
E Kita Nagoya University, Japan
A S Kobayashi University of Washington, USA
T Kobayashi University of Tokyo, Japan
D Koga Saga University, Japan
S Kotake University of Tokyo, Japan
A N Kounadis National Technical University of Athens, Greece
W B Kratzig Ruhr Universitat Bochum, Germany
T Krauthammer Penn State University, USA
C-H Lai University of Greenwich, UK
M Langseth Norwegian University of Science and Technology, Norway
B S Larsen Technical University of Denmark, Denmark

F Lattarulo Politecnico di Bari, Italy
A Lebedev Moscow State University, Russia
L J Leon University of Montreal, Canada
D Lesnic University of Leeds, UK
D Lewis Mississippi State University, USA
S Ighobashi University of California Irvine, USA
K-C Lin University of New Brunswick, Canada
A A Liolios Democritus University of Thrace, Greece
S Lomov Katholieke Universiteit Leuven, Belgium
J W S Longhurst University of the West of England, UK
G Loo The University of Auckland, New Zealand
J Lourenco Universidade do Minho, Portugal
J E Luco University of California at San Diego, USA
H Lui State Seismological Bureau Harbin, China
C J Lumsden University of Toronto, Canada
L Lundqvist Division of Transport and Location Analysis, Sweden
T Lyons Murdoch University, Australia
Y-W Mai University of Sydney, Australia
M Majowiecki University of Bologna, Italy
D Malerba Università degli Studi di Bari, Italy
G Manara University of Pisa, Italy
S Mambretti Politecnico di Milano, Italy
B N Mandal Indian Statistical Institute, India
Ü Mander University of Tartu, Estonia
H A Mang Technische Universität Wien, Austria
G D Manolis Aristotle University of Thessaloniki, Greece
W J Mansur COPPE/UFRJ, Brazil
N Marchettini University of Siena, Italy
J D M Marsh Griffith University, Australia
J F Martin-Duque Universidad Complutense, Spain
T Matsui Nagoya University, Japan
G Mattrisch DaimlerChrysler AG, Germany
F M Mazzolani University of Naples "Federico II", Italy
K McManis University of New Orleans, USA
A C Mendes Universidade de Beira Interior, Portugal
R A Meric Research Institute for Basic Sciences, Turkey
J Mikielewicz Polish Academy of Sciences, Poland
N Milic-Frayling Microsoft Research Ltd, UK
R A W Mines University of Liverpool, UK
C A Mitchell University of Sydney, Australia
K Miura Kajima Corporation, Japan
A Miyamoto Yamaguchi University, Japan
T Miyoshi Kobe University, Japan
G Molinari University of Genoa, Italy
T B Moodie University of Alberta, Canada
D B Murray Trinity College Dublin, Ireland
G Nakhaeizadeh DaimlerChrysler AG, Germany
M B Neace Mercer University, USA
D Neculescu University of Ottawa, Canada
F Neumann University of Vienna, Austria
S-I Nishida Saga University, Japan
H Nisitani Kyushu Sangyo University, Japan
B Notaros University of Massachusetts, USA
P O'Donoghue University College Dublin, Ireland
R O O'Neill Oak Ridge National Laboratory, USA
M Ohkusu Kyushu University, Japan
G Oliveto Università di Catania, Italy
R Olsen Camp Dresser & McKee Inc., USA
E Oñate Universitat Politècnica de Catalunya, Spain
K Onishi Ibaraki University, Japan
P H Oosthuizen Queens University, Canada
E L Ortiz Imperial College London, UK
E Outa Waseda University, Japan
A S Papageorgiou Rensselaer Polytechnic Institute, USA
J Park Seoul National University, Korea
G Passerini Università delle Marche, Italy
F Patania University of Catania, Italy
B C Patten University of Georgia, USA

G Pelosi University of Florence, Italy
G G Penelis Aristotle University of Thessaloniki, Greece
W Perrie Bedford Institute of Oceanography, Canada
R Pietrabissa Politecnico di Milano, Italy
H Pina Instituto Superior Tecnico, Portugal
M F Platzer Naval Postgraduate School, USA
D Poljak University of Split, Croatia
H Power University of Nottingham, UK
D Prandle Proudman Oceanographic Laboratory, UK
M Predeleanu University Paris VI, France
I S Putra Institute of Technology Bandung, Indonesia
Y A Pykh Russian Academy of Sciences, Russia
F Rachidi EMC Group, Switzerland
M Rahman Dalhousie University, Canada
K R Rajagopal Texas A & M University, USA
T Rang Tallinn Technical University, Estonia
J Rao Case Western Reserve University, USA
J Ravnik University of Maribor, Slovenia
A M Reinhorn State University of New York at Buffalo, USA
G Reniers Universiteit Antwerpen, Belgium
A D Rey McGill University, Canada
D N Riahi University of Illinois at Urbana-Champaign, USA
B Ribas Spanish National Centre for Environmental Health, Spain
K Richter Graz University of Technology, Austria
S Rinaldi Politecnico di Milano, Italy
F Robuste Universitat Politecnica de Catalunya, Spain
J Roddick Flinders University, Australia
A C Rodrigues Universidade Nova de Lisboa, Portugal
F Rodrigues Poly Institute of Porto, Portugal
G R Rodriguez Universidad de Las Palmas de Gran Canaria, Spain
C W Roeder University of Washington, USA
J M Roesset Texas A & M University, USA
W Roetzel Universitaet der Bundeswehr Hamburg, Germany
V Roje University of Split, Croatia
R Rosset Laboratoire d'Aerologie, France
J L Rubio Centro de Investigaciones sobre Desertificacion, Spain
T J Rudolphi Iowa State University, USA
S Russenchuck Magnet Group, Switzerland
H Ryssel Fraunhofer Institut Integrierte Schaltungen, Germany
S G Saad American University in Cairo, Egypt
M Saiidi University of Nevada-Reno, USA
R San Jose Technical University of Madrid, Spain
F J Sanchez-Sesma Instituto Mexicano del Petroleo, Mexico
B Sarler Nova Gorica Polytechnic, Slovenia
S A Savidis Technische Universitat Berlin, Germany
A Savini Universita de Pavia, Italy
G Schmid Ruhr-Universitat Bochum, Germany
R Schmidt RWTH Aachen, Germany
B Scholtes Universitaet of Kassel, Germany
W Schreiber University of Alabama, USA
A P S Selvadurai McGill University, Canada
J J Sendra University of Seville, Spain
J J Sharp Memorial University of Newfoundland, Canada
Q Shen Massachusetts Institute of Technology, USA
X Shixiong Fudan University, China
G C Sih Lehigh University, USA
L C Simoes University of Coimbra, Portugal
A C Singhal Arizona State University, USA
P Skerget University of Maribor, Slovenia
J Sladek Slovak Academy of Sciences, Slovakia
V Sladek Slovak Academy of Sciences, Slovakia
A C M Sousa University of New Brunswick, Canada
H Sozer Illinois Institute of Technology, USA

D B Spalding CHAM, UK
P D Spanos Rice University, USA
T Speck Albert-Ludwigs-Universitaet
 Freiburg, Germany
C C Spyrakos National Technical
 University of Athens, Greece
I V Stangeeva St Petersburg University,
 Russia
J Stasiek Technical University of Gdansk,
 Poland
G E Swaters University of Alberta, Canada
S Syngellakis Wessex Institute of
 Technology, UK
J Szymd University of Mining and
 Metallurgy, Poland
S T Tadano Hokkaido University, Japan
H Takemiya Okayama University, Japan
I Takewaki Kyoto University, Japan
C-L Tan Carleton University, Canada
E Taniguchi Kyoto University, Japan
S Tanimura Aichi University of
 Technology, Japan
J L Tassoulas University of Texas at
 Austin, USA
M A P Taylor University of South
 Australia, Australia
A Terranova Politecnico di Milano, Italy
A G Tijhuis Technische Universiteit
 Eindhoven, Netherlands
T Tirabassi Institute FISBAT-CNR, Italy
S Tkachenko Otto-von-Guericke-
 University, Germany
N Tosaka Nihon University, Japan
T Tran-Cong University of Southern
 Queensland, Australia
R Tremblay Ecole Polytechnique, Canada
I Tsukrov University of New Hampshire,
 USA
R Turra CINECA Interuniversity Computing
 Centre, Italy
S G Tushinski Moscow State University,
 Russia
J-L Uso Universitat Jaume I, Spain
E Van den Bulck Katholieke Universiteit
 Leuven, Belgium
D Van den Poel Ghent University, Belgium
R van der Heijden Radboud University,
 Netherlands
R van Duin Delft University of
 Technology, Netherlands
P Vas University of Aberdeen, UK
R Verhoeven Ghent University, Belgium
A Viguri Universitat Jaume I, Spain
Y Villacampa Esteve Universidad de
 Alicante, Spain
F F V Vincent University of Bath, UK
S Walker Imperial College, UK
G Walters University of Exeter, UK
B Weiss University of Vienna, Austria
H Westphal University of Magdeburg,
 Germany
J R Whiteman Brunel University, UK
T W Wu University of Kentucky, USA
Z-Y Yan Peking University, China
S Yanniotis Agricultural University of
 Athens, Greece
A Yeh University of Hong Kong, China
B W Yeigh SUNY Institute of Technology,
 USA
J Yoon Old Dominion University, USA
K Yoshizato Hiroshima University, Japan
T X Yu Hong Kong University of Science
 & Technology, Hong Kong
M Zador Technical University of Budapest,
 Hungary
K Zakrzewski Politechnika Lodzka, Poland
M Zamir University of Western Ontario,
 Canada
G Zappalà CNR-IAMC, Italy
R Zarnic University of Ljubljana, Slovenia
G Zharkova Institute of Theoretical and
 Applied Mechanics, Russia
N Zhong Maebashi Institute of
 Technology, Japan
H G Zimmermann Siemens AG, Germany
R Zainal Abidin Infrastructure University
 Kuala Lumpur(IUKL), Malaysia

Eco-Architecture V

**Harmonisation between
Architecture and Nature**

Editors

C.A. Brebbia

Wessex Institute of Technology, UK

R. Pulselli

University of Siena, Italy

WITPRESS Southampton, Boston



Editors:

C.A. Brebbia

Wessex Institute of Technology, UK

R. Pulselli

University of Siena, Italy

Published by

WIT Press

Ashurst Lodge, Ashurst, Southampton, SO40 7AA, UK

Tel: 44 (0) 238 029 3223; Fax: 44 (0) 238 029 2853

E-Mail: witpress@witpress.com

<http://www.witpress.com>

For USA, Canada and Mexico

Computational Mechanics Inc

25 Bridge Street, Billerica, MA 01821, USA

Tel: 978 667 5841; Fax: 978 667 7582

E-Mail: infousa@witpress.com

<http://www.witpress.com>

British Library Cataloguing-in-Publication Data

A Catalogue record for this book is available
from the British Library

ISBN: 978-1-84564-822-0

eISBN: 978-1-84564-823-7

ISSN: 1746-4498 (print)

ISSN: 1743-3509 (online)

*The texts of the papers in this volume were set
individually by the authors or under their supervision.
Only minor corrections to the text may have been carried
out by the publisher.*

No responsibility is assumed by the Publisher, the Editors and Authors for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. The Publisher does not necessarily endorse the ideas held, or views expressed by the Editors or Authors of the material contained in its publications.

© WIT Press 2014

Printed in Great Britain by Lightning Source, UK.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the Publisher.

Preface

This book contains papers presented at the fifth International Conference on Harmonisation between Architecture and Nature (Eco-Architecture 2014) and follows four successful meetings that started in the New Forest, home of the Wessex Institute of Technology in 2006; and continued in the Algarve (2008); La Coruna (2010); and the island of Kos (2012).

This time, the Conference was held in association of Wessex Institute of Technology with the University of Siena, and in particular with the Ecodynamics Group, originated by the late Professor Enzo Tiezzi.

A few years ago, Enzo Tiezzi, then Professor at the University of Siena, asked his students “What do you think the most sustainable building is?”. There were many possible answers to this question. One could easily cite hundreds of prime examples from contemporary architecture: envelopes that adapt to sunlight, natural materials that substitute cement and petroleum derivatives, shapes that follow the direction of the wind for passive ventilation and cooling, systems that heat buildings using the heat of the earth, home automation systems, technologies that adapt to any weather variation. These are all effective components of modern eco-architecture. After listening to this series of answers, Enzo revealed his own solution to his question: “The most sustainable building is the one that already exists.” The most sustainable architecture is the result of an evolution, a progressive adaptation of structures to environments and adjustments to new needs. The sustainable city is not a city full of new buildings, but rather the same city of the past, repaired, renovated, modified in order to be lived in as fully today as it was in the past. “Starting from what already exists” is the premise that should inspire research, policies and the building industry in the future.

Enzo’s answer, in its simplicity, encompasses the objective of this Conference, i.e. that the design process should aim for optimum solutions evolving through the adaptation of architecture to its natural environment, learning from nature and long time honoured traditional constructions.

The success of this Conference as evidenced by the contents of this book is a demonstration of the interest shown by different practitioners to the topic of Eco-Architecture. This is by definition a multi-disciplinary field, attracting many other professionals, in addition to architects. Authors of the papers in this book are engineers, planners, physical scientists, sociologists and economists, as well as architects, all of them showing their expertise towards developing an architecture better suited to the future of humankind.

The Editors are grateful to all authors for their excellent contributions, as well as to the members of the International Scientific Advisory Committee and other colleagues who helped select the papers included in this book.

The Editors
Siena
2014

Contents

Section 1: Bioclimatic design

Incorporation of bioclimatic conditions in architectural projects: a case study of the Solar Hemicycle building, Madrid, Spain <i>E. Vazquez, M. Brandão, S. Rola, L. Alves, M. Freitas & L. Pinguelli Rosa</i>	3
Passive house for a desert climate <i>I. Marincic, J. M. Ochoa & M. G. Alpuche</i>	13
Bioclimatic building regulations for warm-dry climates <i>J. M. Ochoa, A. Duarte, I. Marincic, A. Gomez & A. Figueroa</i>	25

Section 2: Design with nature

Architecture vs. nature: a reinvented relationship <i>P. Haupt</i>	37
Architecture as symbolic reverence for nature: case studies: Seed Cathedral – 21st Century and Pigeons' Monastery – 16th Century <i>E. S. Mashhadi</i>	47
Eco-architecture and sustainable mobility: an integrated approach in Ladispoli town <i>D. Astiaso Garcia, F. Cumo, F. Giustini, E. Pennacchia & A. M. Fogheri</i>	59
Ecology for the architecture of large hotel spaces <i>J. Jablonska & E. Trocka-Leszczynska</i>	69

Cost and comfort optimisation for buildings and urban layouts by combining dynamic energy simulations and generic optimisation tools <i>T. Nguyen Van, A. Miyamoto, D. Trigaux & F. De Troyer</i>	81
The role of wind catchers in improving people’s comfort <i>N. Valibeig, S. Nasekhian & S. Tavakoli</i>	93

Section 3: Design by passive systems

Applying traditional passive concepts of resource efficiency and climate adaptation to improve the energy efficiency of modern buildings: a case study in Thessaloniki, Greece <i>S. Schelbach</i>	105
An energy-efficient smart home for new cities in Egypt <i>M. M. Mourad, A. H. H. Ali, S. Ookawara, A. K. Abdel-Rahman & N. M. Abdelkariem</i>	115
Vertical Greenery Systems as sustainable solutions for building retrofitting: a case study <i>A. Martínez-Rocamora, R. M. Pulselli, J. Solís-Guzmán, M. Marrero & S. Bastianoni</i>	127

Section 4: Ecological and cultural sensitivity

The efficiency of different simulation-based design methods in improving building performance <i>A.-T. Nguyen & S. Reiter</i>	139
Designs for the Global South: a sustainable primary school in Uganda <i>M. Garrison</i>	151
Sustainable living and building indicators in Old Ağırnas and their interpretations for new practice and research <i>B. Mizrak & S. Erkenez</i>	161
Spirituality enhancing into Green Design: towards a better users’ performance within a green building – “HSBC processing centre”, Smart Village, Cairo, Egypt <i>W. H. Abbas</i>	173
Indoor air quality: an enviro-cultural perspective <i>O. E. Mansour</i>	187

Section 5: Ecological impacts of materials

Radiation-active surface design: the use of photocatalytic concrete enabling buildings to be active environmental remediators <i>N. Nikolov & J. Fox</i>	199
Increasing the sustainability of coatings for precoated metal <i>C. Lowe & J. T. Maxted</i>	205
The development of unfired earth bricks using seaweed biopolymers <i>C. Dove</i>	219
Waste ceramics as supplementary cementitious material: characterization and utilization <i>M. Keppert, M. Čáchová, M. Pavlíková, A. Trník, J. Žumár & R. Černý</i>	231
Wood acetylation: a potential route towards climate change mitigation <i>P. van der Lugt & J. G. Vogtländer</i>	241

Section 6: Energy efficiency

Intelligent buildings connected to future smart energy grids <i>L. Schibuola, M. Scarpa & C. Tambani</i>	255
Testing the theory: demonstration projects and the validation of integrated design protocols for advanced energy retrofits <i>F. Trubiano, K. Albee & M. Brennan</i>	267
Thermal energy storage by microcomposite of a phase change material and ethyl cellulose <i>T. Feczko, A. F. Kardos, L. Trif & J. Gyenis</i>	279
Influence of the methodology for evaluating energy performance of buildings over the energy needed for cooling <i>A. Galiano & V. Echarri</i>	291
An examination of lighting system energy and cost savings for cafeterias at the workplace <i>M. Kang, P. Hebert, R. Thompsen & J. Kramp</i>	307

Section 7: Heat and mass transfer problems

Contribution of linear thermal bridges to the overall thermal performance of the building envelope: dynamic analysis
N. Simões, J. Prata & A. Tadeu..... 321

Influence of material properties and boundary conditions on the dynamic thermal behaviour of a building corner
J. Prata, A. Tadeu & N. Simões..... 333

Section 8: Building technologies

Towards nZEB: modular pre-assembled steel systems for residential buildings
E. Antonini, D. Longo & V. Gianfrate..... 349

A new approach to the design and construction of the nearly-zero-energy building in Sardinia
M. Basciu..... 361

Operation and testing for product innovation
P. Gallo..... 373

Improving the aesthetics of photovoltaics in decorative architectural glass
D. A. Hardy, S. C. Roof & B. S. Richards..... 385

Rapid assembly of planar quadrangular, self-interlocking modules to anticlastically curved forms
G. H. Filz & S. Schiefer..... 397

Section 9: Adapted reuse

From building construction waste into a house of creativity: a case of adapted reuse
Y. Kusumarini, P. Mintarga & T. N. Puji Utomo..... 411

Opportunities and barriers to pre-assembled and/or pre-casted systems in retrofitting actions
A. Boeri, J. Gaspari & F. Dallacasa..... 421

Implementing an ecosystem approach to the adaptive reuse of industrial sites
L. Kirovová & A. Sigmundová..... 433

Section 10: Life cycle assessment and durability

Life cycle assessment of greenhouse gas emissions arising from the production of glued and pressed wall panels derived from <i>Guadua Angustifolia</i> Kunth (bamboo) in Ecuador <i>A. D. Ramirez, D. Torres, P. Peña & J. Duque-Rivera</i>	447
LCA of different building lifetime shearing layers for the allocation of green points <i>S. Pushkar & O. Verbitsky</i>	459
A life cycle assessment of the cradle-to-gate phases of clay brick production in South Africa <i>G. A. Rice & P. T. Vosloo</i>	471

Section 11: Sustainability indices in architecture

Prognosis method for the energy demand of nearly-zero-energy buildings in different climates <i>U. Dietrich, F. Kiehl & L. Stoica</i>	485
The colour green in public procurement <i>B. Orgiano</i>	497

Section 12: Case studies

Italian research on eco-efficient housing modules <i>F. Gugliermetti & R. Roversi</i>	505
Environmental impact assessment of new district developments <i>F. Fadli, M. Sobhey, R. Asadi & E. Elsarrag</i>	517
High-efficiency and low-environmental impact systems on a historical building in Rome: an InWall solution <i>A. Albo, F. Rosa, M. Tiberi & B. Vivio</i>	529
Moorish architectural syntax and the reference to nature: a case study of Algiers <i>L. Chebaiki-Adli & N. Chabbi-Chemrouk</i>	541
Ethics vs. aesthetics in sustainable architecture <i>I. Kupatadze</i>	553

Section 13: Education and training

Zero-Energy-Urban-Quarter: experiences and results from a university teaching course
U. Dietrich..... 565

Analysis and perception: architectural pedagogy for environmental sustainability
Y. Luckan 577

Training needs to realise low carbon buildings: the Welsh built environment sector
A. Ruiz del Portal & J. A. Gwilliam..... 589

DesignBuildBLUFF: Coyote architecture on the Colorado Plateau
J. Murray, R. Sommerfeld, G. Longhurst, C. Bithell, C. Wilson, A. Yamamoto, H. Ogiso, A. Bradshaw, H. Louis, D. Penny, T. Morton & D. Young..... 603

Music for everyone: “building the space where the differences co-exist”
B. E. Avila-Haro, J. A. Avila-Haro & J. A. Avila 615

Author index 627

Operation and testing for product innovation

P. Gallo

Department of Architecture, Florence University, Italy

Abstract

What is the role of the innovation for systems and components in the future? Will we be able to change the existent technological systems and to develop innovative products in order to influence the building market or create really new ideas capable of change to the life style of the people? The objective is to achieve a sustainable good quality construction as a continuous process starting from the new characteristics and new opportunities for the enterprises and develop new components with high efficiency in order to satisfy the construction market and to meet the demand for high-performance by the users. To achieve this, a close relationship between the research world and manufacturing companies play a key role, especially in the development phase of new performing products and for the improvement of new architectural solutions studied for their integrability in the buildings.

Keywords: products innovation, construction market, research and innovation, energy saving, sustainable construction.

1 Introduction

Building sector energy consumption grew 18% between 2000 and 2010, to reach 117 EJ – around one-third of global final energy use, producing about one-sixth of end-use direct CO₂ emissions. Several key factors influence the evolution of building energy consumption and emissions, including population growth, which increases demand for residential buildings and services. In fact the global population increased by 14% from 2000 to 2011, to almost 7 billion, and is expected to rise by 10% from 2011 to 2020, to reach 7.6 billion. The proportion of the world's population living in urban areas has risen from 47% in 2000 to slightly more than half today. By 2020, that share is expected to be 56%. So the buildings are responsible for the largest share of energy consumption and associated greenhouse gas (CO₂) emissions and therefore building construction I



a key sector to reach the long term climate and energy targets. The challenge of the future efforts of the construction sector should be properly addressed by policies in order to mobilize the market towards a low carbon society and trigger multiple benefits (such as the independence from energy imports from politically unstable areas, job creation, improved air quality and indoor comfort, reduced fuel poverty etc.).

Unfortunately, energy demand in the buildings sector is expected to increase by 6.6% to around 124 EJ in 2020, but deep emissions reductions can be achieved, at low cost based on existing technologies and by a construction market innovation with more problem regarding the investments; the challenge is to ensure that appropriate policies are in place to realise this potential through energy savings in new and existing buildings. In summary, the building sector is key to achieving the EU's energy, climate and resource efficiency long-term strategies: to reach the long-term decarbonisation goals, the EU [1] identified potential CO₂ emissions reduction of 88% to 91% by 2050 compared to 1990 levels, related to the residential and services sectors. In addition, the *Energy Roadmap 2050* [2] considers that the high “energy efficiency potential in new and existing buildings is key” to reach a sustainable energy future in the EU, contributing significantly to the reduction of energy demand, the security of energy supply and the increase of competitiveness. Furthermore, the *Roadmap to a Resource Efficient Europe* [3] identifies buildings among the three key sectors responsible for 70% to 80% of all environmental impacts. Therefore, better construction and use of buildings in the EU would influence 42% of the final energy consumption, about 35% of the CO₂ emissions, more than 50% of all extracted materials and could save up to 30% of water consumption. However, to unleash the full potential of energy savings related to buildings, the additional value of improved energy efficiency (e.g. improved indoor climate, reduced energy cost, improved property value, etc.) must be recognised, and the lifetime costs of buildings have to be considered rather than just focusing on investment costs. Over the last decade, building policies in the European Union increased in their scope and coverage and are moving towards an integrated approach taking into account the energy, environmental, financial and comfort related aspects [4].




Figure 1: Buildings end-use energy by sector and the forecast by 2D and 6D scenario. (Source: EU Technology Roadmap – Energy Efficient Building Envelope.)

2 The innovation technology and research contribution

The process of technological innovation is often described, for analytical and prescriptive purposes, as a linear process composed of several stages or steps that include research, development, demonstration, deployment and diffusion. Mapping innovation in the real world is clearly more complex, as the process of innovation is not a linear progression. Feedback occurs between the different stages of the process. For example, demonstration projects can result in significant changes to the product; feedback from the market and from technology users during the commercialisation and diffusion phases can lead to additional RD&D (research development and demonstration), driving continuous innovation; as well as free-market competition at the later stages of the RD&D chain, when technologies are closer to commercialisation, also plays an important role for continuous innovation.

2.1 Accelerate innovation in energy and public activities of research, development and demonstration programs, investing in transition

Governments should develop and implement strategic programs of energy research, relying on increased and sustained financial support. They should also consider the creation of joint efforts of RD&D in order to take coordinated action, to avoid duplication, improve performance and reduce costs of the technologies in the first phase of innovation, including through the sharing of lessons learned from innovative models of RD&D. Resource efficiency and technology innovation, in fact, can reduce costs, but often requires initial investments. UNEP (United Nations Environment Programme) estimate that the annual financing needs for making the world economy more resource efficient are very high (between US\$ 1.05–2.59 trillion), mainly from private sources. This will require not only spending for green solutions, but greening of all public and private investments. For this reason the European Council adopted the regulation laying down the EU's multiannual financial framework for 2014–20; a proposal for a Multiannual Financial Framework 2014–2020 that marks the end of two and a half years of negotiations and allows the new generation of EU spending programmes to be implemented as from 1 January 2014 that have already made major steps towards integrating resource efficiency in the EU budget. So, the rapid growth of global financing for clean energy shows how this shift in mindset is possible. However, unfamiliarity of financiers with risks and returns on investments in resource efficiency presents an obstacle to investment, uncertainty on policy direction and credibility adds financial risk, and the longer-term investments are often not favoured by the financial markets geared to short-term performance. The transition to a green and low-carbon economy will require significant innovation, from small incremental changes to major technological breakthroughs. At the same time we need a more comprehensive and credible knowledge base about how the natural systems react to the different pressures we exert on them. Basic and applied research should identify challenges and guide actions, including social sciences research to develop our understanding of behaviour. To trigger this push in



research and innovation, the right set of incentives needs to be in place so that the private sector invests more in resource efficient research and innovation. Demand side measures will help create incentives for green innovation by building markets. Clear framework conditions are needed to increase investor certainty and better access to finance for companies making green investments that are seen as riskier or that have longer payback times.




Figure 2: The market for energy efficiency.

2.2 Research and innovation in the building sector: the role of the building envelope

Near-zero energy consumption in new – and existing – buildings and communities is possible. Designing a carefully chosen research and development strategy will enable the building industries to move from incremental – to substantial – energy savings and reductions in greenhouse gas emissions. The aim of the implementing agreement for a programme of research and development on energy in buildings is to take advantage of energy-saving opportunities to remove technical obstacles to market penetration of new energy conservation technologies for community systems and residential, commercial, and office buildings. To implement this strategy, research activities have to focus on dissemination, decision-making and building systems. When buildings are constructed or renovated, a whole-building perspective is preferred, which involves considering all parts of the building and the construction process to reveal opportunities to improve energy efficiency. Numerous whole-building perspectives and policy mechanisms exist, such as building performance certificates [5] and whole-building labelling programmes. In these perspectives, detail the building envelope’s impact on energy consumption should not be underestimated [6]. While whole-building approaches are ideal, every day building envelope components are upgraded or replaced using technologies that are often less efficient than the best options that will be available

if we invest in the innovation. These advanced options, which are the primary focus of the future in the construction, are needed not only to support whole-building approaches but also to improve the energy efficiency of individual components:

- high levels of insulation in walls, roofs and floors, to reduce heat losses in cold climates, optimised through life-cycle cost (LCC) assessment;
- high-performance windows, with low thermal transmittance for the entire assembly (including frames and edge seals) and climate-appropriate solar heat gain coefficients;
- highly reflective surfaces in hot climates, including both white and “cool-coloured” roofs and walls, with glare minimized;
- properly sealed structures to ensure low air infiltration rates, with controlled ventilation for fresh air;
- minimisation of thermal bridges (components that easily conduct heat), such as high thermal conductive fasteners and structural members, while managing moisture concerns within integrated building components and materials.

Analysis of building envelopes is complicated by the extreme global diversity of building materials, climates, and standards and practices of building design and construction, but it is vital to ensure for new and retrofit buildings the use the most efficient technologies. So, the suitability of energy-efficient technologies depends on the type of economy, climate and whether the materials are being used for new buildings or retrofits. To achieve the large energy savings that efficient building envelopes can offer, full market saturation of high-priority, energy-efficient building materials is essential. Not only but is more important to invest in RD&D on the following technologies that will lead to greater returns on investment:

- highly insulated windows;
- advanced, high-performance, “thin” insulation;
- less labour-intensive air sealing, and lower-cost validation testing;
- lower-cost automated dynamic shading and glazings;
- more durable and lower-cost reflective roof materials and reflective coatings.

Cost is a primary barrier to greater application and in some cases there are also concerns about long-term performance. There also is a lack of knowledge about innovative applications, and detailed design guidelines are limited. Greater effort is needed to highlight applications that are viable in market terms, such as locations in buildings with space limitations that will usually require a combination of high thermal performance insulation with lower material cost. Also, a systems perspective can allow for high-performance insulations to reduce labour costs, especially for building renovations (e.g. interior wall insulation in historic buildings), so cost-effectiveness does not have to be limited just to the material cost of a system.






Figure 3: Progression construction of building envelopes from old stock to future technology. (Source: IEA Report Technology Roadmap Energy efficient building envelopes.)

3 New opportunities to satisfy the construction market for high-performance buildings

What is the role of the innovation for systems and components in the future? Will we be able to change the existent technological systems and to develop innovative products in order to influence the building market or create really new ideas capable of change to the life style of the people? The answer to this questions is achieve a sustainable good quality construction as a continue process starting from the new characteristics and new opportunities for the enterprises and develop new components with high efficiency in order to satisfy the construction market and to




Figure 4: The suitability of energy-efficient technologies. (Source: Tracking Clean Energy Progress 2013 – IEA Report.)

meet the demand for high-performance by the users. Market barriers preventing the adoption of energy-efficient buildings or building materials can be real or perceived. As well as simple failures such as a lack of knowledge about alternative options, they can include concerns about the performance, expected energy savings, reliability and service life of a new product. Some new construction materials and approaches oblige builders to completely change the way a building is erected.

Barriers in emerging markets can include import tariffs, a lack of product performance metrics and a lack of installation procedures. In many countries there are also institutional barriers such as lack of government oversight or interest, lack of appropriate market signals to promote efficiency, and lack of basic infrastructure. To deploy energy-efficient buildings, several institutional and market barriers need to be overcome. The following core elements should serve as good starting points for policy makers in regions where construction practices do not typically include energy-efficiency strategies:

- there is a large array of technical requirements to enable the installation of more efficient building envelopes. These include proper test performance metrics and associated testing equipment so that third-party test ratings, certificates and labels can be established. Skilled labour is essential to conduct tests, assess alternative building solutions, promote efficient building policy, install new materials, conduct inspections and ensure compliance. It is also vital to make available general education materials such as guidelines adapted for the specific markets; energy calculators based on local climate, energy prices and occupant behavior; and an overall improved knowledge base of more efficient options;
- while demonstration buildings can be built with materials imported from distant places, for energy-efficient buildings to become viable the materials need to be manufactured much closer to the construction region, since shipping costs for large, heavy materials can be prohibitively high;
- to ensure that factories are built that can produce commodity materials on a large scale, governments need to give clear signals about their interest in promoting efficient building envelopes, and often other support such as market-based or higher energy prices (higher tariffs). Policy makers need to have an open dialogue with the building material industry about key elements that will help drive investment. Manufacturing building materials domestically, or at least regionally, creates jobs not only in local manufacturing but also for global investors involved in specialised tooling and unique raw materials.

In this context, in Italy, to overcome these barriers and stimulated by the scenarios provided by the European Community, the regional administration of Tuscany, has funded a research project “Abitare Mediterraneo” (www.abitaremediterraneo.eu) aimed to develop synergy between industrial companies, builders and research centres, to increase competitiveness in building sector and meet European and National standard requirements. The project aimed to increase the energy saving in Mediterranean climate, focusing on summer



comfort, developing and testing innovative solutions with national and EU companies. The research has developed advanced tools, as a Database, a Test Cell, and a new Spin-off on sustainable architecture and innovative products. In detail, the multimedia library create a complete tool to help designers, companies and public administrations to design building in Mediterranean climate.

The database structure have developed a system to surfing inside a specific meta-design, technical and performance solutions of building and envelop in relationship with the energy legislation.




Figure 5: The database web screen with the products and the specific performance that characterize them. (Source: www.abitaremediterraneo.eu)

The catalog of meta-design solutions “Abitare Mediterraneo” analyzes performance requirements of specifics of building innovative components for Mediterranean climate. This library is a reference point for designers that approaching not only at energetic projects but also at projects were, new pattern of space, contribute at indoor comfort. The database want create a map of the building system were technical and innovative typological solution are connoted by the requirements of space and performance of solution. Inside the database it's possible choose, within a large group of products for building, components and technological systems (new and existent) more efficient to energy saving: the user can develop meta-design solutions in terms of performance and in relation to environmental characteristics of Mediterranean areas. For every solution is possible identify the most important requirements and some meta-design indications, connected with the technical solution database where it is possible to found different solution for answer at requirements indicated.

Another important result of Abitare Mediterraneo research, was been the construction of an outdoor Test Cell to assess the dynamic thermal behavior of building surfaces; an instrument for giving the opportunity principally to local building market to test new products that needs to be used in Mediterranean Climate, products that are able to reduce annual energy consumption in buildings working with a sufficient insulation level and appropriate thermal inertia if necessary. In fact, with this tool, can be run tests on innovative exterior wall elements, in exterior ambient conditions and the data that can be obtained, include thermal damping factor, delays, solar aperture factor and U value. The test cell features instruments for multi-channel monitoring a weather station and their own analysis software. Outdoor test cells, where there is a high degree of control of the indoor environment, well-specified constructions and high levels of instrumentation, can certainly fill the gap between laboratory testing and full-scale building testing. In fact the main use of testing in outdoor test cells is the link with simulation modelling.

The innovative perspective is that dynamic simulation programs have improved in capability and validity and can therefore be used with some confidence in predicting energy and environmental performance of buildings. However, where a new component is under development, for example an advanced glazing, a hybrid photovoltaic module or shading component, then high quality datasets from outdoor experiments can be used to ensure that the simulation program is capable



Figure 6: The outdoor Test Cell realised in Italy (Florence) within the Abitare Mediterraneo project. (Source: www.abitaremediterraneo.eu)

of modelling that component. If so, it is considered that the simulation program can then be used to model the component when integrated into a full-scale building.

Basically the principal mission of this research programme has been to develop and facilitate the integration of new technologies and processes for energy efficiency and conservation into healthy, low emission, and sustainable buildings and communities, through innovation and research. So the outdoor test cell realized in Italy within the Abitare Mediterraneo project, is a point of reference for companies and manufacturers of innovative components; a technology lab with an extensive program of service and open to all producers who wish to verify the performance of new products for the building to be placed on the market to promote energy conservation and sustainability in construction

4 Results and discussion

With the Test Cell lab, based on full scale dynamic measurements, is possible to develop the necessary knowledge, tools and networks to achieve reliable in-situ dynamic testing and data analysis methods that can be used to characterize the actual energy performance of building components and whole buildings. The main objectives in fact, are:

- work out common quality procedures for dynamic full scale testing to come to a better performance analysis;
- develop models to characterize and predict the effective thermal performances of innovative building components and whole buildings.

To reduce the energy use of the buildings and communities industrialized, many industrialized countries have imposed stringent requirements for new developments. In most cases, evaluation and labeling of energy performance of buildings are carried out at the design phase. Several studies have showed, however, that the actual performances after construction may deviate significantly from this theoretically designed performance. As a result, there is a growing interest in full scale testing of components and whole buildings characterize their actual thermal performance and energy efficiency. This full testing approach is not only of interest to study building components performance under actual conditions, but is also a valuable and necessary tool to deduce simplified models for advanced component and systems to integrate them into building simulation models. The same is true to identify suitable models to describe the thermal dynamics of whole buildings including their energy systems. It is clear that quantifying the actual performance of buildings, verifying calculation models and integrating new advanced energy solutions for nearly zero or positive energy buildings can only be affectively realized by in situ testing and dynamic data analysis. But, practice shows that the outcome of many on site activities can be questioned in terms of accurate and reliability. Full scale testing requires quality during all stage of approach, starting with the test environment, such as test cell or real buildings, accuracy of sensor and correct installation, data acquisition



software, and so on. It is crucial that the experimental setup (for example test layout imposed boundary conditions for testing) is correctly designed, and produces reliable data. As soon as the required quality is not achieved at one of the stages, the results become inconclusive or useless. The outputs can then be used in dynamic data analysis based on advanced statistical methods to provide a characteristics with reliable accuracy intervals and finale use of results, to qualify the new products for the construction industry to launch an entirely competitive market, able to increase not only the industrial production, but above all, energy quality of buildings

5 Conclusion

Innovation within a project, company and occupational industry provides the opportunity to realize significant benefits and, in a competitive market, is a requirement for continued existence. All companies must innovate at some level in order to stay competitive. Innovation in the construction industry may take place at a lower rate compared to other industries due to the structure and characteristics of the industry and projects, but it does, and must, occur in a competitive market.

Product innovation is an important activity in corporate entrepreneurship and technology management. The successful introduction of new products into the market is a critical factor for the survival and growth of companies [6, 7]. However, the increasingly dynamic and turbulent environment in which firms compete makes the commercialization of a new product not only a necessary, but also a risky venture.

Anyway, to unleash the full potential of energy savings related to buildings, the additional value of improved energy efficiency (e.g. improved indoor climate, reduced energy cost, improved property value, etc.) must be recognised, and the lifetime costs of buildings have to be considered rather than just focusing on investment costs. Over the last decade, building policies in the European Union increased in their scope and coverage and are moving towards an integrated approach taking into account the energy, environmental, financial and comfort related aspects

References

- [1] EU Roadmap for moving to a competitive low carbon economy in 2050 (COM, 2011a), OECD/IEA, Paris.
- [2] Employment Effects of selected scenarios from the Energy roadmap 2050. Final report for the European Commission (DG Energy), (COM, 2011b).
- [3] EU Roadmap to a Resource Efficient Europe (COM, 2011c), European Commission, Brussels.
- [4] Tracking Clean Energy Progress 2013 IEA Input to the Clean Energy Ministerial, IEA report 2013.
- [5] IEA (2010a), Energy Technology Perspectives: Scenarios & Strategies to 2050, OECD/IEA, Paris.



- [6] IEA Report Technology Roadmap *Energy efficient building envelopes*, OECD 2013, France.
- [7] Crawford, M. and Di Benedetto, A. 2008. *New Products Management*. Ninth Edition. New York, NY: McGraw-Hill.
- [8] Jerry (Yoram) Wind, Vijay Mahajan (1997), Issues and Opportunities in New Product Development: An Introduction to the Special Issue, *Journal of Marketing Research*, 1-12.
- [9] Abitare Mediterraneo Project. www.abitaremediterraneo.eu



Author index

- | | | | |
|-------------------------|----------|---------------------------|--------|
| Abbas W. H. | 173 | Filz G. H. | 397 |
| Abdelkariem N. M. | 115 | Fogheri A. M. | 59 |
| Abdel-Rahman A. K. | 115 | Fox J. | 199 |
| Albee K. | 267 | Freitas M. | 3 |
| Albo A. | 529 | | |
| Ali A. H. H. | 115 | Galiano A. | 291 |
| Alpuche M. G. | 13 | Gallo P. | 373 |
| Alves L. | 3 | Garrison M. | 151 |
| Antonini E. | 349 | Gaspari J. | 421 |
| Asadi R. | 517 | Gianfrate V. | 349 |
| Astiaso Garcia D. | 59 | Giustini F. | 59 |
| Avila J. A. | 615 | Gomez A. | 25 |
| Avila-Haro B. E. | 615 | Gugliermetti F. | 505 |
| Avila-Haro J. A. | 615 | Gwilliam J. A. | 589 |
| | | Gyenis J. | 279 |
| Basciu M. | 361 | | |
| Bastianoni S. | 127 | Hardy D. A. | 385 |
| Bithell C. | 603 | Haupt P. | 37 |
| Boeri A. | 421 | Hebert P. | 307 |
| Bradshaw A. | 603 | | |
| Brandão M. | 3 | Jablonska J. | 69 |
| Brennan M. | 267 | | |
| Čachová M. | 231 | Kang M. | 307 |
| Černý R. | 231 | Kardos A. F. | 279 |
| Chabbi-Chemrouk N. | 541 | Keppert M. | 231 |
| Chebaiki-Adli L. | 541 | Kiehl F. | 485 |
| Cumo F. | 59 | Kirovová L. | 433 |
| | | Kramp J. | 307 |
| Dallacasa F. | 421 | Kupatadze I. | 553 |
| De Troyer F. | 81 | Kusumarini Y. | 411 |
| Dietrich U. | 485, 565 | | |
| Dove C. | 219 | Longhurst G. | 603 |
| Duarte A. | 25 | Longo D. | 349 |
| Duque-Rivera J. | 447 | Louis H. | 603 |
| | | Lowe C. | 205 |
| Echarri V. | 291 | Luckan Y. | 577 |
| Elsarrag E. | 517 | | |
| Erkenez S. | 161 | Mansour O. E. | 187 |
| | | Marincic I. | 13, 25 |
| Fadli F. | 517 | Marrero M. | 127 |
| Feczko T. | 279 | Martínez-Rocamora A. | 127 |
| Figuroa A. | 25 | Mashhadi E. S. | 47 |
| | | Maxted J. T. | 205 |

Mintarga P.	411	Scarpa M.	255
Miyamoto A.	81	Schelbach S.	105
Mizrak B.	161	Schibuola L.	255
Morton T.	603	Schiefer S.	397
Mourad M. M.	115	Sigmundová A.	433
Murray J.	603	Simões N.	321, 333
		Sobhey M.	517
Nasekhian S.	93	Solis-Guzmán J.	127
Nguyen A.-T.	139	Sommerfeld R.	603
Nguyen Van T.	81	Stoica L.	485
Nikolov N.	199		
		Tadeu A.	321, 333
Ochoa J. M.	13, 25	Tambani C.	255
Ogiso H.	603	Tavakoli S.	93
Ookawara S.	115	Thompsons R.	307
Orgiano B.	497	Tiberi M.	529
		Torres D.	447
Pavlíková M.	231	Trif L.	279
Peña P.	447	Trigaux D.	81
Pennacchia E.	59	Trník A.	231
Penny D.	603	Trocka-Leszczynska E.	69
Pinguelli Rosa L.	3	Trubiano F.	267
Prata J.	321, 333		
Puji Utomo T. N.	411	Valibeig N.	93
Pulselli R. M.	127	van der Lugt P.	241
Pushkar S.	459	Vazquez E.	3
		Verbitsky O.	459
Ramirez A. D.	447	Vivio B.	529
Reiter S.	139	Vogtländer J. G.	241
Rice G. A.	471	Vosloo P. T.	471
Richards B. S.	385		
Roaf S. C.	385	Wilson C.	603
Rola S.	3		
Rosa F.	529	Yamamoto A.	603
Roversi R.	505	Young D.	603
Ruiz del Portal A.	589		
		Žumár J.	231



WITPRESS ...for scientists by scientists

Colour in Art, Design and Nature

Edited by: C.A. BREBBIA, Wessex Institute of Technology, UK; C. GREATED, University of Edinburgh, UK and M.W. COLLINS, (Formerly Brunel University, UK)

The full-colour works in *Colour in Art, Design & Nature* form a striking contribution to the commonwealth of colour studies and to viewing science and art as complements rather than opponents (à la C. P. Snow's Two Cultures). This book is ambitiously inter-disciplinary and will appeal to academics and practitioners from a variety of fields. Colour and inter-disciplinarity go hand in hand. This so often involves the authors leaving the comfort zone of their original speciality and striving for excellence in another. It seems that our perceptions of aesthetics and beauty must be very flexible indeed so as to find absolute opposites equally fascinating.

The book involves four main types of contributions, defined in terms of the authors themselves. First, there are contributions by biologists. Second, the largest section is by practising artists. Third, there are two engineering-based contributions. Finally, there are contributions that address some of the historical proponents of colour theory and art.

CONTENTS: Animal camouflage: biology meets psychology, computer science and art; Lusciousness, the crafted image in a digital environment; The diversity of flower colour: how and why?; Sensations from nature; Goethe, Eastlake and Turner: from colour theory to art; Zvuk; Time and change: colour, taste and conservation; Thermo-hydraulics, colour and art; Nature's fluctuating colour captured on canvas?; On the use of colour in experimental fluid mechanics; Maxwell's first coloured light sources: artists' pigments; Past present and future craft practices project; Figuring light: colour and the intangible; Gaelux™; Colour in the countryside buildings, landscapes, culture; Developing the CREATE Network in Europe; Colour, light and sacred spaces; Analysis of the use of yellow in seventeenth-century church interiors.

ISBN: 978-1-84564-568-7 eISBN: 978-1-84564-569-4
Published 2011 / 154pp / £59.00

This page intentionally left blank