



UNIVERSITÀ  
DEGLI STUDI  
FIRENZE

# FLORE

## Repository istituzionale dell'Università degli Studi di Firenze

### **A Construction for Variable Dimension Strong Non-Overlapping Matrices**

Questa è la versione Preprint (Submitted version) della seguente pubblicazione:

*Original Citation:*

A Construction for Variable Dimension Strong Non-Overlapping Matrices / Elena Barcucci, Antonio Bernini, Stefano Bilotta, Renzo Pinzani. - In: ELECTRONIC PROCEEDINGS IN THEORETICAL COMPUTER SCIENCE. - ISSN 2075-2180. - ELETTRONICO. - 386:(2023), pp. 25-34. (Intervento presentato al convegno Automata and Formal Languages tenutosi a Eger (Ungheria) nel 5 - 7 Settembre 2023) [10.4204/EPTCS.386.4].

*Availability:*

The webpage <https://hdl.handle.net/2158/1332891> of the repository was last updated on 2024-07-15T07:35:17Z

*Publisher:*

Zsolt Gazdag, Szabolcs Iván and Gergely Kovásznai

*Published version:*

DOI: 10.4204/EPTCS.386.4

*Terms of use:*

Open Access

La pubblicazione è resa disponibile sotto le norme e i termini della licenza di deposito, secondo quanto stabilito dalla Policy per l'accesso aperto dell'Università degli Studi di Firenze (<https://www.sba.unifi.it/upload/policy-oa-2016-1.pdf>)

*Publisher copyright claim:*

La data sopra indicata si riferisce all'ultimo aggiornamento della scheda del Repository FloRe - The above-mentioned date refers to the last update of the record in the Institutional Repository FloRe

(Article begins on next page)

# A construction for variable dimension strong non-overlapping matrices

Elena Barucci, Antonio Bernini,  
Stefano Bilotta, Renzo Pinzani

Dipartimento di Matematica e Informatica “Ulisse Dini”  
Università di Firenze  
Viale G. B. Morgagni 65, 50134 Firenze, Italy

## Abstract

We propose a method for the construction of sets of variable dimension strong non-overlapping matrices basing on any strong non-overlapping set of strings.

## 1 Introduction

Intuitively, two matrices do not overlap if it is not possible to move one over the other in a way such that the corresponding entries match. In some recent works ([2],[3],[4]) the matrices are constructed by imposing some constraints on their rows which must avoid some particular consecutive patterns or must have some fixed entries in particular positions. The matrices of the sets there defined have the same fixed dimension.

In the present paper, we deal with matrices having different dimensions and we construct them by means a different approach: we move from any strong non-overlapping set  $W$  of strings, defined over a finite alphabet, and, in a very few words, the strings of  $W$  becomes the rows of our matrices. The method is general and once the cardinality of the strings of  $W$  with a same length is known, the cardinality of the set of matrices is straightforward.

This work could fit in the theory of bidimensional codes, as well as non overlapping sets of strings do in the theory of codes. Moreover, if the latter have been used in telecommunication systems both theory and engineering [1, 13], the matrices of our sets could be useful in the field of digital image processing, and a possible (future) application of this kind of sets is in the template matching which is a technique to discover if small parts of an image match a template image.

## 2 Preliminaries

Let  $\mathcal{M}_{m \times n}$  be the set of all the matrices with  $m$  rows and  $n$  columns. Given a matrix  $A \in \mathcal{M}_{m \times n}$ , we consider a block partition

$$A = (A_{i,j}) = \begin{bmatrix} A_{11} & \dots & A_{1k} \\ \vdots & \dots & \vdots \\ A_{h1} & \dots & A_{hk} \end{bmatrix}. \quad (1)$$

Let us define  $fr(A_{i,j})$  the *frame* of a block  $A_{i,j}$  of  $A$ . Intuitively, it is a set tracking the borders of the block which lie on the top ( $t$ ), left ( $l$ ), right ( $r$ ) and bottom ( $b$ ) border of the matrix  $A$ . More precisely, the set  $fr(A_{i,j})$  is a subset of  $\{t, b, l, r\}$  defined as follows:

**Definition 1.**

$$fr(A_{i,j}) \supseteq \begin{cases} t, & \text{if } i = 1 \\ b, & \text{if } i = h \\ l, & \text{if } j = 1 \\ r, & \text{if } j = k \end{cases}.$$

For example, if  $A = [A_{11} \ A_{12} \ A_{13}]$  ( $h = 1$  and  $k = 3$ ) then  $fr(A_{11}) = \{t, b, l\}$ ,  $fr(A_{12}) = \{t, b\}$ , and  $fr(A_{13}) = \{t, b, r\}$  since  $i = h = 1$ . But if

$$A = \begin{bmatrix} A_{11} & A_{12} & A_{13} \\ A_{21} & A_{22} & A_{23} \\ A_{31} & A_{32} & A_{33} \end{bmatrix}$$

then  $fr(A_{11}) = \{t, l\}$ ,  $fr(A_{12}) = \{t\}$ ,  $fr(A_{13}) = \{t, r\}$  and similarly for the other blocks. Note that in this case  $fr(A_{22}) = \emptyset$ .

**Definition 2.** Given two matrices  $A \in \mathcal{M}_{m \times n}$  and  $B \in \mathcal{M}_{m' \times n'}$ , they are said *overlapping* if there exist two suitable block partitions  $A = (A_{ij})$ ,  $B = (B_{i'j'})$ , and some  $i, j, i', j'$  such that

- $A_{i,j} = B_{i',j'}$ , and
- $fr(A_{ij}) \cup fr(B_{i'j'}) = \{t, l, r, b\}$ .

In the case  $A = B$ , the matrix is said *self-overlapping*.

To illustrate the definition, the following examples are given:

- Given the two matrices

$$A = \left[ \begin{array}{cc|cc|c} 1 & 2 & 1 & 1 & 2 \\ 0 & 1 & 0 & 3 & 0 \\ \hline 3 & 2 & 1 & 0 & 2 \\ 0 & 1 & 3 & 1 & 3 \end{array} \right] \quad \text{and} \quad B = \left[ \begin{array}{cc} 2 & 1 \\ \hline 1 & 1 \\ 0 & 3 \end{array} \right],$$

they overlap since the entries of the blocks  $A_{12}$  and  $B_{21}$  coincide. Moreover, we have  $fr(A_{12}) = \{t\}$ ,  $fr(B_{21}) = \{l, b, r\}$  so that  $fr(A_{12}) \cup fr(B_{21}) = \{l, t, b, r\}$ .

- If  $B = \left[ \begin{array}{c|cc} 3 & 1 & 2 \\ \hline 2 & 0 & 1 \end{array} \right]$  the matrix  $A$  (as before) and the matrix  $B$  again overlap since  $A_{11} = B_{12}$  and  $fr(A_{11}) \cup fr(B_{12}) = \{l, r, b, t\}$  being  $fr(A_{11}) = \{l, t\}$  and  $fr(B_{12}) = \{t, r, b\}$ .
- Note that if  $B = \left[ \begin{array}{cc|c} 1 & 2 & 3 \\ \hline 0 & 1 & 2 \end{array} \right]$ , even if  $A_{11} = B_{11}$ , we have  $fr(A_{11}) = \{l, t\}$  and  $fr(B_{11}) = \{l, t, b\}$  so that  $fr(A_{11}) \cup fr(B_{11}) = \{l, b, t\} \neq \{l, t, b, r\}$ . Nevertheless, the two matrices are overlapping since, considering the block partitions  $B = \left[ \begin{array}{cc|cc} B_{11} & B_{12} & & \\ \hline B_{21} & B_{22} & & \end{array} \right] = \left[ \begin{array}{c|cc} 1 & 2 & 3 \\ \hline 0 & 1 & 2 \end{array} \right]$  and

$$A = \left[ \begin{array}{cc|cc} A_{11} & A_{12} & & \\ \hline A_{21} & A_{22} & & \end{array} \right] = \left[ \begin{array}{cc|cc} 1 & 2 & 1 & 1 & 2 \\ 0 & 1 & 0 & 3 & 0 \\ \hline 3 & 2 & 1 & 0 & 2 \\ 0 & 1 & 3 & 1 & 3 \end{array} \right],$$

we have  $A_{11} = B_{22}$  and  $fr(A_{11}) \cup fr(B_{22}) = \{l, t, b, r\}$ .

- As a further example we consider the particular case where  $A = [A_{11}]$  and  $B = \left[ \begin{array}{ccc} B_{11} & B_{12} & B_{13} \\ B_{21} & B_{22} & B_{23} \\ B_{31} & B_{32} & B_{33} \end{array} \right]$  with  $B_{22} = A_{11}$ . Here, we have  $fr(A_{11}) \cup fr(B_{22}) = \{t, b, l, r\} \cup \{\emptyset\} = \{t, b, l, r\}$  and the two matrices are overlapping.

- We conclude this list of examples showing two matrices  $A$  and  $B$  such that, even if they have two equal blocks ( $A_{11} = B_{11}$ ), they are not overlapping since the second condition on the frames of the blocks of Definition 2 is not fulfilled (since  $fr(A_{11}) \cup fr(B_{11}) = \{t, l\} \neq \{t, b, l, r\}$ ):

$$A = \left[ \begin{array}{cc|cc|c} 1 & 2 & 1 & 1 & 2 \\ 0 & 1 & 0 & 3 & 0 \\ \hline 3 & 2 & 1 & 0 & 2 \\ 0 & 1 & 3 & 1 & 3 \end{array} \right], \quad B = \left[ \begin{array}{cc|c} 1 & 2 & 3 \\ 0 & 1 & 1 \\ \hline 1 & 0 & 3 \end{array} \right].$$

From these examples, it should be clear that if two matrices are overlapping, then the common block naturally induces a block partition  $(A_{i,j})$  for  $A$  (and a block partition  $(B_{i,j})$ ) such that the number of blocks in each its row and column can be not larger than 3. Figure 1 shows two examples of the least fine block partitions for two overlapping matrices  $A$  and  $B$  induced by the (gray) common block. Therefore, the block partitions 1 involved in Definition 2 are such that  $h, k \in \{1, 2, 3\}$ .




Figure 1: The least fine block partition in two examples of two overlapping matrices

We note that if a matrix is completely contained in the other, then the two matrices are overlapping according to Definition 2, as in the second to last example of the above list. In the context of strings, the scenario is different, as illustrated in the following. Two strings are said *overlapping* if there is a

proper prefix of one that is equal to a proper suffix of the other. Consequently, they are said to be *non-overlapping* if there is no a proper prefix of one that is equal to a proper suffix of the other (these definitions are more formally recalled, later in this section). It can happen that, given two non-overlapping strings, one of them is an inner factor of the other, as in the case of the two binary strings 1111000 and 10. If this is not allowed, then the strings are said *strong non-overlapping* (i.e. two strings are strong non-overlapping if they are non-overlapping and if one of them is not an inner factor of the other), as in the case of the two binary strings 1111000 and 10100. In short, being non-overlapping strings or strong non-overlapping strings are different concepts.

In our framework, if two matrices  $A$  and  $B$  are not overlapping then it can not happen that one of them (say  $B$ ) is completely contained in the other. Indeed, if this were the case, then the smaller matrix  $B$  could be trivially partitioned in one block  $B = B_{11}$  so that  $fr(B_{11}) = \{t, b, l, r\}$ . Moreover, it would be  $B_{11} = A_{ij}$  for some block  $A_{ij}$  of the matrix  $A$ , and the matrices  $A$  and  $B$  would be overlapping, whatever the block  $A_{i,j}$ .

Therefore, when two matrices are not overlapping, we prefer to call them strong non-overlapping matrices (instead of simply non-overlapping matrices), in order to emphasize that certainly neither is contained in the other. Then, we give the following formal definitions characterizing two such matrices and a set of strong non-overlapping matrices:

**Definition 3.** The matrices  $A$  and  $B$  are said *strong non-overlapping* if there does not exist any block partition for  $A$  and  $B$ , and any  $i, j, i', j'$  such that  $A_{i,j} = B_{i',j'}$  or, if such block partitions exist, then  $fr(A_{ij}) \cup fr(B_{i'j'}) \neq \{t, l, r, b\}$ .

**Definition 4.** A set  $\mathcal{P}$  of matrices is said to be *strong non-overlapping* if each matrix is self non-overlapping and if for any two matrices in  $\mathcal{P}$  they are strong non-overlapping.

For completeness, let us recall some notions about non-overlapping and strong non-overlapping sets of strings.

Given a finite alphabet  $\Sigma$ , a string  $v \in \Sigma^*$  is said to be *self non-overlapping* (often said *unbordered* or equivalently *bifix-free*) if any proper prefix of  $v$  is different from any proper suffix of  $v$  (for more details see [11]).

Two self non-overlapping strings  $v, v' \in \Sigma^*$  are said to be *non-overlapping* (or equivalently *cross bifix-free*) if any proper prefix of  $v$  is different from any proper suffix of  $v'$ , and vice versa. A set of strings is said to be a *non-overlapping set* (or *cross bifix-free set*) of strings if each element of the set is self non-overlapping and if any two strings are non-overlapping.

**Definition 5.** Two non-overlapping strings  $v$  and  $v'$  are said to be *strong non-overlapping* if there do not exist  $\alpha, \beta \in \Sigma^*$ , with  $\alpha$  and  $\beta$  not both empty, such that  $v' = \alpha v \beta$  (or  $v = \alpha v' \beta$ ).

In other words, the strong non-overlapping property requires that the shortest string between  $v$  and  $v'$  (if any) does not occur as an inner factor in the other one ([6, 12]). For example, if  $v = 1100$  and  $v' = \mathbf{11100}100$ , then  $v$  and  $v'$  are non-overlapping but they are not strong non-overlapping since  $v'$  contains an occurrence of  $v$  (in bold).

**Definition 6.** A set of strings is said to be a *strong non-overlapping set* if any two strings of the set are strong non-overlapping.

### 3 Construction of the set of matrices

Let  $\mathcal{V}_n = \bigcup_{s \leq n} V^s$  be a variable dimension strong non-overlapping set of strings where each  $V^s$  is a non-overlapping set of strings of length  $s$ , for  $s_0 \leq s \leq n$ , where  $s_0 \geq 2$  is the minimum string length. We now define a set of variable dimension matrices, using strings of a same length  $s$  of  $V^s$  as rows of a matrix. In the following, the two matrices  $C$  and  $D$  of dimension  $m_1 \times s$  and  $m_2 \times t$ , respectively, are constructed with the rows  $C_i^s \in V^s$  and  $D_j^t \in V^t$ , with  $i = 1, 2, \dots, m_1$  and  $j = 1, 2, \dots, m_2$ .

$$C = \begin{pmatrix} C_1^s \\ C_2^s \\ \vdots \\ \vdots \\ C_{m_1}^s \end{pmatrix} \quad D = \begin{pmatrix} D_1^t \\ D_2^t \\ \vdots \\ D_{m_2}^t \end{pmatrix}$$

It is not difficult to show that if  $C$  and  $D$  have a different number of columns (then  $s \neq t$ ) they can not be overlapping (see next proposition).

Unfortunately, in the case  $C$  and  $D$  have the same number of columns ( $s = t$ ), then the two matrices can present a “vertical” overlap. More precisely:

- the matrix  $D$  could be equal to a sub-matrix of  $C$  constituted by  $m_2$  consecutive rows of  $C$  (or vice versa):

$$C = \begin{bmatrix} C_{11} \\ C_{12} \\ C_{13} \end{bmatrix} = \begin{bmatrix} C_{11} \\ D \\ C_{13} \end{bmatrix}$$

(with either blocks  $C_{11}$  or  $C_{13}$  possibly empty).

- the first (last)  $\ell$  rows of  $D$  could be equal to the last (first)  $\ell$  rows of  $C$  (or vice versa):

$$C = \begin{bmatrix} C_{11} \\ C_{12} \end{bmatrix} = \begin{bmatrix} \overline{C_{11}} \\ D_1^t \\ D_2^t \\ \vdots \\ D_\ell^t \end{bmatrix} \quad D = \begin{bmatrix} D_{11} \\ D_{12} \end{bmatrix} = \begin{bmatrix} D_1^t \\ D_2^t \\ \vdots \\ D_\ell^t \\ \overline{D_{12}} \end{bmatrix}.$$

In order to avoid the situations described above, we introduce a constraint for the first and the last row of each matrix: all the matrices with the same number  $s$  of columns must have the same first row  $T^s \in V^s$  and the same last row  $B^s \in V^s$ , with  $T^s \neq B^s$ . Also, these two selected rows cannot appear as inner rows of any other matrix with that number  $s$  of columns. In other words, we force:

- the top row  $T^s$  of all the matrices with the same number  $s$  of columns to be the same;
- the bottom row  $B^s$  of all the matrices with the same number  $s$  of columns to be the same;
- $T^s \neq B^s$ ;
- the rows  $T^s$  and  $B^s$  not to occur in any other line of the matrix.

Formally, the matrices  $C$  with the same number  $s$  of columns must have the following structures:



$$C = \begin{pmatrix} T^s \\ C_2^s \\ \vdots \\ \vdots \\ C_{m_1-1}^s \\ B^s \end{pmatrix}$$

with  $C_j^s \neq T^s, B^s$ , for  $j = 2, 3, \dots, m_1 - 1$ , and  $C_j^s, T^s, B^s \in V^s$ .

We can now define the set  $\mathcal{V}_{m \times n}^{(\leq)}$  of variable-dimension matrices as follows:

**Definition 7.** Let  $\mathcal{V}_n = \bigcup_{s \leq n} V^s$  be a variable dimension strong non-overlapping set of strings where each  $V^s$  is a non-overlapping set of strings of length  $s$ , for  $s_0 \leq s \leq n$ , where  $s_0 \geq 2$  is the minimum string length. Moreover, let

$$\mathcal{V}_{m \times n}^{(\leq)} = \bigcup M$$

be the union of the matrices  $M$  where  $M \in \mathcal{M}_{h \times s}$ , with  $2 \leq h \leq m$  and  $s_0 \leq s \leq n$ , such that

$$M = \left\{ \begin{pmatrix} T^s \\ A_2^s \\ \vdots \\ A_{h-1}^s \\ B^s \end{pmatrix} \right\}$$

with  $A_j^s, T^s, B^s \in V^s$  and  $A_j^s \neq T^s, B^s$  for  $j = 2, 3, \dots, h - 1$ .

The matrices  $M \in \mathcal{V}_{m \times n}^{(\leq)}$  have at most  $m$  rows and  $n$  columns. They are constructed by means of  $h \leq m$  strings of length  $s \leq n$  belonging to  $\mathcal{V}_n$ . All the matrices  $M$  with the same number  $s$  of columns have the same bottom row  $B_s$  and the same top row  $T_s$ , which are not the same. Moreover, each inner row is different from  $T_s$  and  $B_s$ .

We have the following proposition:

**Proposition 8.** *The set  $\mathcal{V}_{m \times n}^{(\leq)}$  is a strong non-overlapping set of variable-dimension matrices.*

*Proof.* Let  $C, D \in \mathcal{V}_{m \times n}^{(\leq)}$  and suppose that  $C$  and  $D$  are two overlapping matrices: then there exists a block matrix  $E \in \mathcal{M}_{r \times c}$  such that  $E = C_{i,j} = D_{i',j'}$  fore some two blocks  $C_{i,j}$  and  $D_{i',j'}$  in two suitable block partitions of  $C$  and  $D$ , and with  $fr(C_{i,j}) \cup fr(D_{i',j'}) = \{l, t, r, b\}$ . We have

$$E = \begin{pmatrix} e_{11} & \dots & e_{1c} \\ \vdots & \dots & \vdots \\ e_{r1} & \dots & e_{rc} \end{pmatrix} .$$

For each row  $e_\ell$ , with  $\ell = 1, 2, \dots, r$ , there exist two rows  $C_i, D_j \in \mathcal{V}_n$  such that one of the following cases occurs:

- $C_i = ue_\ell v$  and  $D_j = e_\ell$ , with either  $u$  or  $v$  possibly empty, where  $u, v \in \Sigma^*$ ;
- $C_i = ue_\ell$  and  $D_j = e_\ell v$ ;
- $C_i = e_\ell v$  and  $D_j = ue_\ell$ .

In any case, the strings  $C_i$  and  $D_j$  are not strong non-overlapping strings (since they overlap over  $e_\ell$ ) against the hypothesis  $C_i, D_j \in \mathcal{V}_n$ .  $\square$

We note that in the case  $\mathcal{V}_n$  is a variable dimension non-overlapping set of strings (i.e. the non-overlapping property is not required to be strong), the resulting matrices are not strong non-overlapping according to Definition 2, since it is possible that one of the two matrices is completely contained in the other one as a suitable block. If we did not contemplate this possibility in Definition 2, then two matrices constructed with such a  $\mathcal{V}_n$  could be considered still non-overlapping (according to a different definition of non-overlapping matrices).

Moreover, if  $\mathcal{V}_n$  contains strings all of the same lengths, then Proposition 8 still holds: the matrices will have all the same number of columns.

Finally, if  $|V^s|$  denotes the cardinality of the non-overlapping set  $V^s$ , it is straightforward to deduce the following formula for the cardinality of  $\mathcal{V}_{m \times n}^{(\leq)}$ :

$$|\mathcal{V}_{m \times n}^{(\leq)}| = \sum_{h \leq m} \sum_{s \leq n} (|V^s| - 2)^{h-2} . \quad (2)$$

The two terms  $-2$  in the above formula take into account that the first and the last row in the matrices with  $s$  columns are fixed and can not occur as inner rows.

For the sake of clearness, we propose an example for the construction of a set of variable dimension strong non-overlapping matrices. Let  $V^3 = \{110, 210, 310, 320\}$  and  $V^5 = \{22000, 23000, 33000\}$  be two sets of non-overlapping strings over the alphabet  $\Sigma = \{0, 1, 2, 3\}$ . It is easily seen that  $V^3 \cup V^5$  is a strong non-overlapping code. Then, we construct

$$\mathcal{V}_{4 \times 5}^{(\leq)} = \mathcal{M}_{2 \times 3}^{(\leq)} \cup \mathcal{M}_{3 \times 3}^{(\leq)} \cup \mathcal{M}_{4 \times 3}^{(\leq)} \cup \mathcal{M}_{2 \times 5}^{(\leq)} \cup \mathcal{M}_{3 \times 5}^{(\leq)} \cup \mathcal{M}_{4 \times 5}^{(\leq)}$$

where:

$$\mathcal{M}_{2 \times 3} = \left\{ \begin{pmatrix} 1 & 1 & 0 \\ 3 & 2 & 0 \end{pmatrix} \right\}$$

$$\mathcal{M}_{3 \times 3} = \left\{ \begin{pmatrix} 1 & 1 & 0 \\ 2 & 1 & 0 \\ 3 & 2 & 0 \end{pmatrix}, \begin{pmatrix} 1 & 1 & 0 \\ 3 & 1 & 0 \\ 3 & 2 & 0 \end{pmatrix} \right\}$$

$$\mathcal{M}_{4 \times 3} = \left\{ \begin{pmatrix} 1 & 1 & 0 \\ 2 & 1 & 0 \\ 2 & 1 & 0 \\ 3 & 2 & 0 \end{pmatrix}, \begin{pmatrix} 1 & 1 & 0 \\ 2 & 1 & 0 \\ 3 & 1 & 0 \\ 3 & 2 & 0 \end{pmatrix}, \begin{pmatrix} 1 & 1 & 0 \\ 3 & 1 & 0 \\ 2 & 1 & 0 \\ 3 & 2 & 0 \end{pmatrix}, \begin{pmatrix} 1 & 1 & 0 \\ 3 & 1 & 0 \\ 3 & 1 & 0 \\ 3 & 2 & 0 \end{pmatrix} \right\}$$

$$\mathcal{M}_{2 \times 5} = \left\{ \begin{pmatrix} 2 & 2 & 0 & 0 & 0 \\ 3 & 3 & 0 & 0 & 0 \end{pmatrix} \right\}$$

$$\mathcal{M}_{3 \times 5} = \left\{ \begin{pmatrix} 2 & 2 & 0 & 0 & 0 \\ 2 & 3 & 0 & 0 & 0 \\ 3 & 3 & 0 & 0 & 0 \end{pmatrix} \right\}$$

$$\mathcal{M}_{4 \times 5} = \left\{ \begin{pmatrix} 2 & 2 & 0 & 0 & 0 \\ 2 & 3 & 0 & 0 & 0 \\ 2 & 3 & 0 & 0 & 0 \\ 3 & 3 & 0 & 0 & 0 \end{pmatrix} \right\}$$

The reader can easily check that  $\mathcal{V}_{4 \times 5}^{(\leq)}$  is a set of variable dimension strong non-overlapping matrices having cardinality 10 according to (2).

## 4 Conclusions

The paper provides a simple and general method to generate a set of strong non-overlapping matrices over a finite alphabet, once a strong non-overlapping set of strings (over the same alphabet) is at our disposal. The crucial point is the constraint on the first and last rows which must be the same for all the matrices with the same number of columns.

Using the variable length strong non-overlapping sets of strings defined in [12] and [6], two different set of strong non-overlapping matrices arise which could be compared in terms of cardinality or its asymptotic behaviour.

Moreover, the construction we proposed, in the case of fixed dimension matrices, gives the possibility to list them in a Gray code sense, following the studies started in [2, 5, 8, 7, 10, 9] where different Gray codes are defined for several set of strings and matrices.

In this case, we generate the matrices moving from a set of non-overlapping strings  $V^s$  of length  $s$  and we suppose that there exists a Gray code  $GV^s$  for  $V^s$ :

$$GV^s = \{w_1, w_2, \dots, w_t, w_{t+1}, w_{t+2}\} \text{ with } t > 0 .$$

Note that we require  $|V^s| \geq 3$ . We choose two strings from  $GV^s$ . Without loss of generality, we choose  $w_{t+1}$  and  $w_{t+2}$  and we define the set of matrices  $M_{h+2,s}$  with  $h+2$  rows and  $s$  columns where the first and last rows are, respectively, the strings  $w_{t+1}$  and  $w_{t+2}$ :

$$M_{h+2,s} = \left\{ \left( \begin{array}{c} w_{t+1} \\ C_1^s \\ \vdots \\ C_h^s \\ w_{t+2} \end{array} \right) \middle| C_i^s \in V^s \setminus \{w_{t+1}, w_{t+2}\} \right\} .$$

Let  $N_{h,s}$  be the set of matrices obtained by  $M_{h+2,s}$  removing the first and last rows:

$$N_{h,s} = \left\{ \left( \begin{array}{c} C_1^s \\ \vdots \\ C_h^s \end{array} \right) \middle| C_i^s \in V^s \setminus \{w_{t+1}, w_{t+2}\} \right\} .$$

Clearly, the cardinality of  $N_{h,s}$  and  $M_{h+2,s}$  is the same and denoting it by  $q$  it is  $q = t^h$ .

We now recursively define a Gray code  $GN_{h,s}$  for the set  $N_{h,s}$ . If  $h = 1$ , then the list  $GN_{1,s} = (w_1), (w_2), \dots, (w_t)$  is a Gray code (since it is obtained by  $GV^s$  where the strings are read as matrices of dimension  $1 \times s$ ). Suppose now that  $GN_{h,s} = A_1, A_2, \dots, A_q$  is a Gray code where  $h \geq 1$  and  $A_i \in N_{h,s}$ , for  $i = 1, 2, \dots, q$ . The following list  $GN_{h+1,s}$  of matrices, defined as block matrices,

$$GN_{h+1,s} = \begin{bmatrix} w_1 \\ A_1 \end{bmatrix} \cdots \begin{bmatrix} w_1 \\ A_q \end{bmatrix} \begin{bmatrix} w_2 \\ A_q \end{bmatrix} \cdots \begin{bmatrix} w_2 \\ A_1 \end{bmatrix} \cdots \cdots \begin{bmatrix} w_t \\ A_\ell \end{bmatrix} \cdots \begin{bmatrix} w_t \\ A_{q+1-\ell} \end{bmatrix},$$

where

$$\ell = \begin{cases} q, & \text{if } t \text{ is even} \\ 1, & \text{if } t \text{ is odd} \end{cases},$$

is easily seen to be a Gray code since the lists  $A_1, A_2, \dots, A_q$  and  $w_1, w_2, \dots, w_t$  are Gray codes for hypothesis.

Finally, adding the strings  $w_{t+1}$  and  $w_{t+2}$ , respectively, as first and last rows to all the  $q$  matrices  $A_1, A_2, \dots, A_q$  of  $GN_{h,s}$  we obtain a Gray code  $GM_{h+2,s}$  for the set  $M_{h+2,s}$ :

$$GM_{h+2,s} = \begin{bmatrix} w_{t+1} \\ A_1 \\ w_{t+2} \end{bmatrix} \cdots \cdots \begin{bmatrix} w_{t+1} \\ A_q \\ w_{t+2} \end{bmatrix}.$$

## References

- [1] D. Bajic and J. Stojanovic. Distributed sequences and search process. 2004 IEEE International Conference on Communications (IEEE Cat. No.04CH37577). 1 (2004) 514–518.
- [2] E. Barucci, A. Bernini, S. Bilotta and R. Pinzani. Cross-bifix-free sets in two dimensions. Theoret. Comput. Sci. 664 (2015) 29–38.
- [3] E. Barucci, A. Bernini, S. Bilotta and R. Pinzani. Non-overlapping matrices. Theoret. Comput. Sci. 658 (2017) 36–45.

- [4] E. Barucci, A. Bernini, S. Bilotta and R. Pinzani. A 2D non-overlapping code over a  $q$ -ary alphabet. *Cryptogr. Commun.* 10 (2018) 667–683.
- [5] E. Barucci, A. Bernini and R. Pinzani. A Gray code for a regular language. *GASCom 2018, CEUR Workshop Proceedings 2113* (2018) 87–93.
- [6] E. Barucci, A. Bernini and R. Pinzani. A Strong non-overlapping Dyck Code. *DLT 2021, Lecture Notes in Comput. Sci.* 12811 (2021) 43–53.
- [7] A. Bernini, S. Bilotta, R. Pinzani, A. Sabri and V. Vajnovszki. Gray code orders for  $q$ -ary words avoiding a given factor. *Acta Inform.* 52 (2015) 573–592.
- [8] A. Bernini, S. Bilotta, R. Pinzani, A. Sabri and V. Vajnovszki. Prefix partitioned Gray codes for particular cross-bifix-free sets. *Cryptogr. Commun.* 6 (2014) 359–369.
- [9] A. Bernini, S. Bilotta, R. Pinzani and V. Vajnovszki. A Gray code for cross-bifix-free sets. *Math. Structures Comput. Sci.* 27 (2017) 184–196.
- [10] A. Bernini, S. Bilotta, R. Pinzani and V. Vajnovszki. A trace partitioned Gray code for  $q$ -ary generalized Fibonacci strings. *J. Discrete Math. Sci. Cryptogr.* 18 (2015) 751–761.
- [11] J. Berstel and D. Perrin. *Theory of codes*. Academic Press. Orlando. 1985.
- [12] S. Bilotta. Variable-length non-overlapping codes. *IEEE Trans. Inform. Theory.* 63 (2017) 6530–6537.
- [13] A. J. de Lind van Wijngaarden and T. J. and Willink. Frame synchronization using distributed sequences. *IEEE Trans. Comm.* 48 (2000) 2127–2138.