



Ninth International Symposium



Monitoring of Mediterranean Coastal Areas: Problems and Measurement Techniques

Livorno (Italy) 14th - 16th June 2022

edited by

Laura Bonora, Donatella Carboni,
Matteo De Vincenzi, Giorgio Matteucci



FIRENZE
UNIVERSITY
PRESS

MONITORING OF MEDITERRANEAN COASTAL AREAS:
PROBLEMS AND MEASUREMENT TECHNIQUES

- 1 -

MONITORING OF MEDITERRANEAN COASTAL AREAS: PROBLEMS AND MEASUREMENT TECHNIQUES

Director

Fabrizio Benincasa, CNR-IBE, Institute of BioEconomy, Italy
Laura Bonora, CNR-IBE, Institute of BioEconomy, Italy
Donatella Carboni, University of Sassari, Italy
Matteo De Vincenzi, CNR-IBE, Institute of BioEconomy, Italy
Giorgio Matteucci, CNR-IBE, Institute of BioEconomy, Italy

Scientific Board

Edward Anthony, CEREGE, Aix-en-Provence, France, France
Fabrizio Antonioli, INGV, Italy
Peter A.J. Attema, University of Groningen, Netherlands
Rossella Bardazzi, University of Florence, Italy
Jordi Bellmunt Chiva, Universitat Politècnica de Catalunya BarcelonaTech, Spain
Duccio Bertoni, University of Pisa, Italy
Giovanna Bianchi, University of Siena, Italy
Lorenzo Cappiotti, University of Florence, Italy
Carlo Carcasci, University of Florence, Italy
Filippo Catani, University of Padua, Italy
Marcantonio Catelani, University of Florence, Italy
Carla Cesaraccio, CNR-IBE, Institute of BioEconomy, Italy
Giulio Ciampoltrini, Soprintendenza Archeologica per la Toscana, Italy
Corinne Corbau, University of Ferrara, Italy
Fabio Crocetta, Anton Dohrn Zoological Station, Italy
Giuliano Gabbani, University of Florence, Italy
Riccardo Gori, University of Florence, Italy
Michel Gras, Ecole Française de Rome, Italy
Biagio Guccione, University of Florence, Italy
Antonietta Ivona, University of Bari Aldo Moro, Italy
Elif Koparal, Mimar Sinan Fine Arts University, Istanbul, Turkey
Sandro Lanfranco, University of Malta, Malta
Sabrina Lo Brutto, University of Palermo, Italy
Ilaria Lolli, University of Pisa, Italy
Lucrezia Lopez, University of Santiago de Compostela, Spain
Giampaolo Manfrida, University of Florence, Italy
Tessa Matteini, University of Florence, Italy
Sandro Moretti, University of Florence, Italy
Carlo Natali, University of Florence, Italy
Marinella Pasquinucci, University of Pisa, Italy
Kristina Pikelj, University of Zagreb, Croatia
Donatella Privitera, University of Catania, Italy
Anna Roselli, Museo di Storia Naturale del Mediterraneo di Livorno, Italy
Claudio Saragosa, University of Florence, Italy
Giovanni Sarti, University of Pisa, Italy
Federico Selvi, University of Florence, Italy
Stefano Soriani, University of Venice Ca' Foscari, Italy
Roberto Tognetti, University of Molise, Italy
Davide Travaglini, University of Florence, Italy
Alessio Valente, University of Sannio, Italy

Ninth International Symposium
“Monitoring of Mediterranean Coastal Areas:
Problems and Measurement Techniques”

Livorno (Italy) 14th-16th June 2022

edited by
Laura Bonora, Donatella Carboni,
Matteo De Vincenzi, Giorgio Matteucci

FIRENZE UNIVERSITY PRESS

2022

Ninth International Symposium “Monitoring of Mediterranean Coastal Areas: Problems and Measurement Techniques” : Livorno (Italy) 14th-16th June 2022 / edited by Laura Bonora, Donatella Carboni, Matteo De Vincenzi, Giorgio Matteucci. Firenze – Firenze University Press, 2022.

(Monitoring of Mediterranean Coastal Areas: problems and measurement techniques; 1)

<https://books.fupress.com/isbn/9791221500301>

ISBN 979-12-215-0030-1 (PDF)

ISBN 979-12-215-0031-8 (XML)

DOI 10.36253/979-12-215-0030-1

Cover graphic design: Alberto Pizarro Fernández, Lettera Meccanica SRLs

Front cover: Port of Livorno (Italy): *Curvilinear Breakwater south end Lighthouse & lantern*, photo by Gianni Fasano

Edited by: Laura Bonora, Donatella Carboni, Matteo De Vincenzi, Giorgio Matteucci

Desktop publishing: Laura Bonora, Matteo De Vincenzi

Graphic Design: Gianni Fasano

Peer Review Policy

Peer-review is the cornerstone of the scientific evaluation of a book. All FUP's publications undergo a peer-review process by external experts under the responsibility of the Editorial Board and the Scientific Boards of each series (DOI 10.36253/fup_best_practice.3).


Referee List

In order to strengthen the network of researchers supporting FUP's evaluation process, and to recognise the valuable contribution of referees, a Referee List is published and constantly updated on FUP's website (DOI 10.36253/fup_referee_list).

Firenze University Press Editorial Board

M. Garzaniti (Editor-in-Chief), M.E. Alberti, F. Vittorio Arrigoni, E. Castellani, F. Ciampi, D. D'Andrea, A. Dolfi, R. Ferrise, A. Lambertini, R. Lanfredini, D. Lippi, G. Mari, A. Mariani, P.M. Mariano, S. Marinai, R. Minuti, P. Nanni, A. Orlandi, I. Palchetti, A. Perulli, G. Pratesi, S. Scaramuzzi, I. Stolzi.

FUP Best Practice in Scholarly Publishing (DOI 10.36253/fup_best_practice)

 The online digital edition is published in Open Access on www.fupress.com.

Content license: except where otherwise noted, the present work is released under Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International (CC BY-NC-SA 4.0: <https://creativecommons.org/licenses/by-nc-sa/4.0/>). This license allows you to share the work by any means and format, as long as appropriate credit is given to the author, the work is not modified or used for commercial purposes and a URL link is provided to the license.

Metadata license: all the metadata are released under the Public Domain Dedication license (CC0 1.0 Universal: <https://creativecommons.org/publicdomain/zero/1.0/legalcode>).

© 2022 Author(s)

Published by Firenze University Press

Firenze University Press

Università degli Studi di Firenze

via Cittadella, 7, 50144 Firenze, Italy

www.fupress.com

This book is printed on acid-free paper

Printed in Italy

INDEX OF PAPERS

<i>Preface</i>	XIII
<i>Organizing Authorities</i>	XIV
<i>Scientific Committee</i>	XV
<i>Presentation of Proceedings</i>	XVII
<i>Introduction by Sympoarch</i>	XIX

Session: Morphology and evolution of coastlines and seabeds	1
Chairperson: G. Sarti	
E. Anthony	5
<i>Impacted fluvial and coastal sediment connectivity in the Mediterranean: a brief review and implications in the context of global environmental change</i>	
A. del C. Arriola Velásquez, A. Tejera, I. Alonso, W. Geibert, I. Stimac, F. Cámara, N. Miquel-Armengol, H. Alonso, J. G. Rubiano, P. Martel	16
<i>Beach sediment dynamics from natural radionuclides point of view</i>	
F. D'Ascola, M. L. Cassese, N. Lugeri, V. Pesarino, A. Salmeri	27
<i>The ISPRA geodatabase for monitoring and analysis of the state of the italian coasts: an example of its application to the Rocchette - Castiglione della Pescaia coast line</i>	
I. López, A. J. Tenza-Abril, L. Aragonés, J. I. Pagán	38
<i>Evolution of the surface roughness of a coarse sand after a beach nourishment</i>	
M. Luppichini, M. Bini, A. Berton, N. Casarosa, S. Merlino, M. Paterni	47
<i>A method based on beach profile analysis for shoreline identification</i>	
J. I. Pagán, L. Bañón; P. Ortíz, L. Aragonés, I. López	61
<i>Use of RPAS to monitor coastal dune systems and beach erosion in Guardamar Del Segura, Spain</i>	
A. Picciolo, R. Auriemma, S. Fai, L. Coluccia, A. Antonazzo, C. Buccolieri	70
<i>Use of mixed study techniques in the evaluation of coastline dynamics - the "Porto Cesareo" MPA case of study</i>	
K. Pikelj, P. Godec, B. Cvetko Tešović	83
<i>Sedimentological consequences of Posidonia Oceanica banquette removal: Sakarun beach case study (Dugi Otok, Croatia)</i>	
D. Vandarakis, I. Kourliafitis, M. Salomidi, V. Gerakaris, Y. Issaris, Ch. Agaoglou, V. Kapsimalis, I. Panagiotopoulos	93
<i>Geomorphological approaches to study Posidonia banquettes and their effects on the coastal front of Schinias - Marathon National Park</i>	

FUP Best Practice in Scholarly Publishing (DOI 10.36253/fup_best_practice)

Laura Bonora, Donatella Carboni, Matteo De Vincenzi, Giorgio Matteucci (edited by), *Ninth International Symposium "Monitoring of Mediterranean Coastal Areas: Problems and Measurement Techniques". Livorno (Italy) 14th-16th June 2022*, © 2022 Author(s), CC BY-NC-SA 4.0, published by Firenze University Press, ISBN 979-12-215-0030-1, DOI 10.36253/979-12-215-0030-1

Session:	Coastline Geography and Coastal Landscapes: territorial dynamics and integrated protection	105
Chairperson:	D. Privitera	
S. Altavilla, M. Pisconti, F. Galeano, S. Aquaro, F. Tiralongo, G. Corrente, E. Santocchini, D. Giannelli, A. Caligiore		111
<i>The development of “sustainable” surveillance and monitoring activity carried out by the Italian Coast Guard for the safeguard of the Marine Protected Areas</i>		
R. Ben Dhiab, R. Challouf, E. Derouiche, H. Ben Boubaker, W. Koched, M. Attouchi, H. Jaziri, S. Ben Ismail		122
<i>Beach macro-litter monitoring on Monastir coastal sea (Tunisia): First Findings</i>		
C. Bisci, G. Cantalamessa, S. Casavecchia, M. Tramontana, F. Spagnoli		132
<i>Coastal dunes along the Marche littoral (Adriatic side of Central Italy)</i>		
T. Bisiani		146
<i>Trieste, back to the sea. Designing sustainability and development of logistics and industrial port areas after the pandemic</i>		
J. Buoninsegni, E. Olivo, M.G. Paletta, C. Vaccaro, C. Corbau		156
<i>Marine litter surveys on Boccasette beach (Rovigo, Italy)</i>		
A.R. Candura, L. Fois, E. Poli		165
<i>The economic and environmental impact of large ships on the territory, on the coast and on the sea: the MSC cruises case study</i>		
D. Carboni, G. Messina, V. Gazale, E. Tarricone		175
<i>Fishing and territory. Status and perspectives of Sardinia artisanal fisheries. The case of traditional fishery in Asinara Island MPA</i>		
A. Cazzani, M. Peli, S. Barontini		187
<i>Analysis and survey of Lake Garda lemon houses: a tool to understand and manage a Mediterranean landscape in Lombardy</i>		
F. D’Ascola, A. L. Beck, M. L. Cassese, M. Jones, N. Lugerì, V. Pesarino, A. Salmeri, M. Amine Taji		200
<i>Monitoring of the evolution of “barene” borders and the safeguard of the Venice Lagoon morphology: a contribution from the “Coastal Change from Space” project results</i>		
J. Dorigatti, T. Peric, G. Jelic Mrcelic		211
<i>Marine protected areas and the problem of paper parks</i>		
C. Farris, D. Giaiotti, S. Miniussi, C. Sgubin, N. Tudorov		221
<i>An integrated approach for marine litter hot spots identification</i>		
L. Giordano, F. P. Buonocunto, L. Ferraro, A. Milia, C. Violante		234
<i>The environmental function analysis: a promising tool to evaluate the coastal zone conservation potential</i>		

A. Ivona, L. Lopez, D. Privitera	244
<i>Old landmarks and new functions. Coastal architectures redesign the geography of the coastal belts</i>	
G. Luciani	253
<i>Water, heritage, city: urbanized deltas on the line between nature and culture</i>	
M. Marras, M. Ladu	262
<i>Nature protection and local development: a study concerning a natural park located in Sardinia (Italy)</i>	
C. Montaldi, P. Fischione, D. Pasquali, F. Zullo	272
<i>Land use analysis and coastal structures: Adriatic Coast as a case study</i>	
R. Pombo, C. Coelho, P. Roebeling	283
<i>Protecting Vagueira (Portugal) waterfront: preserving natural, recreational, residential, and commercial functions</i>	
Ma. Russo	293
<i>The territorial organization of the Amalfi Coast: nature and man's intervention</i>	
C. Saragosa, M. Chiti	303
<i>Atmospheric agents and spatial planning. Case study of the Municipality of Rosignano Marittimo in Tuscany</i>	
M. Savino, C. Cesarini, F. Da Ru	312
<i>A new proposal for a strategic and resilient regeneration plan for seaside waterfronts. An Adriatic case: Riccione</i>	
M. Simeone, P. Masucci, M. Defina, G. Di Pace, C. De Vivo	322
<i>Development of a sustainable accessibility model for the Marine Protected Area Gaiola Underwater Park, in Naples, Italy</i>	
A. Sopina, B. Bojanic Obad Scitaroci	333
<i>Spatial planning prospects on changeability process of urban and natural (Land)scape relations - The dynamics of Ancona on the West and Rijeka on the East Adriatic coast</i>	
V. Spagnoli, C. Piferi	343
<i>Regeneration of historic centers in Mediterranean cities: the case study of the Venice district in Livorno</i>	
Session:	Coastal Environmental Engineering: pollution, energy production, monitoring and economic environmental assessment, regulatory context
	355
Chairperson:	M. Catelani
M. Bagnarol, M. Celio, S. Del Frate, D. Giaiotti, S. Martini, M. Mauro	365
<i>The ARPA FVG support to oil spill emergency response in the Gulf of Trieste</i>	

A. Ben Mefteh, V. Mesnage, S. Ben Jeddi, A. Helali, N. Zaaboub, J.-M. Barrois, W. Oueslati	378
<i>Assessment of trace metal contamination and phosphorus dynamic in sediments of Monastir Bay (Tunisia)</i>	
F. Benincasa, M. De Vincenzi, G. Fasano	390
<i>The Forgotten Nautical Astronomical instruments</i>	
F. Benincasa, M. De Vincenzi, G. Fasano	401
<i>Sea level measurements in Mediterranean coasts</i>	
C. Chouba, S. Delpoux, L. Causse, M. Marie, R. Freydier, M. Toubiana, P. Monfort, O. Pringault, C. Montigny	416
<i>Status of water quality and impact of dredging activities in four ports of the Gulf of Aigues Mortes (France)</i>	
D. Colarossi, E. Tagliolini, P. Principi	426
<i>Optimization model for a hybrid photovoltaic/cold ironing system: life cycle cost and energetic/environmental analysis</i>	
I. Dalle Mura, E. Barbone, D. Battista, C.G. Giannuzzi, S. Ranieri, G. Strippoli, An. Zito, N. Ungaro	436
<i>A first assessment of microplastics in the sea waters off the Puglia Region</i>	
P. Diviaco, M. Iurcev, R. Carbajales, A. Busato, M. Burca, A. Viola, N. Potleca, S. Zanardi, I. Cunico, N. Pino	446
<i>Citizen science based marine environmental monitoring. The MOANA60 experience</i>	
J. Droit, M. El Fadili, M. Messenger	456
<i>Assessment of the chemical quality of sediments in the maritime port of Réunion. Concentrations in trace metals and natural geochemical backgrounds</i>	
M. Esposito, M. Della Rotonda, C. Sbarra, M. Stefanelli, M. G. Aquila, A. Anastasio, P. Sarnelli, P. Gallo, Y. Cotroneo, L. Fortunato, R. Montella, L. De Maio	461
<i>Environmental investigations in the Gulf of Pozzuoli (Naples) in relation to PAHs contamination</i>	
H. Jaziri, E. Derouiche, W. Koched, H. Ben Boubaker, R. Ben Dhiab, R. Challouf, S. Ben Ismail	471
<i>First investigation of microplastic pollution in Monastir Sea surface water (Eastern Tunisia)</i>	
M. Kedzierski, M. Palazot, L. Soccalingame, M. Falcou-Préfol, G. Gorsky, F. Galgani, S. Bruzaud, M. L. Pedrotti	484
<i>Chemical composition of microplastics floating on the Mediterranean Sea surface</i>	
G. Lombardini, P. Salmona, A. C. Taramasso	494
<i>Application of statistical analysis to estimate the coastal hazard. A case study in Liguria region</i>	

D. Malcangio, D. Celli, U. Fratino, M.F. Bruno, M.G. Molfetta, L. Pratola, S. Geronimo, A. M. Lotito, P. F. Garofoli, M. Di Risio	504
<i>Biodiversity smart monitoring guided by historical analysis of coastal evolution</i>	
Da. Mance, Di. Mance, D. Vukić-Lušić	515
<i>Managing water commons using mediator variables to bridge the gap between environmental factors and anthropogenic pollution indicators</i>	
Di. Mance, D. Lenac, M. Radišić, Da. Mance, J. Rubinić	525
<i>The use of ²H and ¹⁸O isotopes in the study of coastal karstic aquifer</i>	
A. Milia, F.P. Buonocunto, A. Di Leo, L. Ferraro, S. Giandomenico, L. Giordano, M. Mali	535
<i>Grain size, nutrients and heavy metals analysis to evaluate natural vs anthropogenic sources in the sea environment (Naples Bay, Eastern Tyrrhenian Sea)</i>	
S. F. Ozmen, B. Topcuoglu	545
<i>Determination of natural radioactivity levels of sludges collected from wastewater treatment plants of Antalya/Türkiye</i>	
F. Serafino, A. Bianco	551
<i>Analysis of the limits for the detection of small garbage island immersed in clutter radar</i>	
L. Soccalingame, M. Notheaux, M. Palazot, M. Kedzierski, S. Bruzaud	560
<i>Extraction and characterization methods for microplastics from estuarine and coastal samplings – Example of the 2019 TARA expedition</i>	
P. Ventura, M. Palmarocchi, C. Domeniconi	568
<i>New artificial reef in coastal protection reconversion and electric power production</i>	
Session:	
Flora and Fauna of the littoral system: dynamics and protection	581
Chairperson: D. Travaglini	
S. Caronni, F. Atzori, S. Citterio, V. Bracchi, N. Cadoni, R. Gentili, L. Quaglini, D. Basso	587
<i>Are caulerpa species able to settle and develop on rhodolite beds? The case study of Marine Protected Area “Capo Carbonara”</i>	
J. Castro-Fernández, J. M. Disdier-Gomez, O. Reñones, J. Moranta, I. Castejón-Silvo, J. Terrados, H. Hinz	596
<i>Using diver-operated stereo-video to monitor juvenile fish assemblages in Mediterranean coastal habitats formed by macrophytes</i>	
E. Cecchi, L. Piazzzi, M. Ria, G. Marino, A. Nicastro	606
<i>Coralligenous cliffs in Tuscany: distribution, extension of the habitat and structure of assemblages</i>	

G. Cecchi, G. Burini, A. Giglio, R. Giglio, M. Fustolo, Al. Zito, D. Asprea, E. Madeo, S. Giglio	611
<i>New reports on the presence of Callinectes sapidus (Rathbun, 1896) along the Calabrian coasts</i>	
V. Costa, R. Chemello, D. Iaciofano, S. Lo Brutto, F. Rossi	619
<i>Seagrass detritus as marine macroinvertebrates attractor</i>	
M. Cutajar, S. Lanfranco	627
<i>Spatial displacement of nearshore vegetation in response to artificial changes in coastal morphology</i>	
M. De Gioia, I. Dalle Mura, F. M. D’Onghia, G. Strippoli, G. Costantino, E. Barbone, N. Ungaro	637
<i>The role of scientific divers in the ADRIREEF project: ARPA Puglia activities</i>	
F. Drouet, J.-L. Jamet, D. Jamet, F. Miralles, M. Brochen, F. Chavanon, C. Brach-Papa	647
<i>Mercury concentrations and transfers in phyto- and zooplankton communities in a coastal mediterranean ecosystem (Bay of Toulon, France)</i>	
F. Ferraro, A. Longo, C. Ruge	656
<i>Renaturalization interventions within a regional forest complex located in a costal pine forest in the south of Italy</i>	
M. Florio Furno, D. Ferrero, A. Poli, V. Prigione, M. Tuohy, M. Oliva, C. Pretti, G. C. Varese	667
<i>Fungi from the sediments of the harbour of Livorno as potential bioremediation agents</i>	
B. Herut et IOLR Scientists	677
<i>The National Monitoring Program of Israel's Mediterranean Waters – Scientific Perspectives</i>	
M. Lapinski, M. Perrot, J. Dalle, A. Guilbert, F. Holon, P. Boissery, E. Clamagirand, P. Thievent, N. Chardin, M. Bouchoucha	685
<i>In situ rare long term observations of the dogtooth grouper Epinephelus caninus in artificial reefs recently immersed in the National park of the Calanques (North-western Mediterranean sea, France)</i>	
V. Lazzeri, A. Scartazza, F. Bretzel, R. Pini, I. Rosellini, R. Guernelli, E. Franchi, G. Petruzzelli, M. Barbafieri	693
<i>Effects of petroleum hydrocarbons on Salicornia perennans germination and growth under saline conditions</i>	
I. Lolli	700
<i>The protection of Posidonia oceanica (L.) Delile and the management of its beach-cast leaves. The italian juridical framework</i>	
G. Mancini, D. Ventura, E. Casoli, A. Belluscio, G.D. Ardizzone	719
<i>Colonization of transplanted Posidonia oceanica: understanding the spatial dynamics through high-spatial resolution underwater photomosaics</i>	

M. Mazzetti, L. Marsili, S. Valsecchi, C. Roscioli, S. Polesello, P. Altemura, A. Voliani, C. Mancusi	729
<i>First investigation of per-and poly fluoroalkylsubstances (PFAS) in striped dolphin Stenella coeruleoalba stranded along Tuscany coast (North Western Mediterranean Sea)</i>	
A. Neri, C. Mancusi, L. Marsili, P. Sartor, A. Voliani	738
<i>Stomach contents of bottlenose dolphin Tursiops Truncatus (Montagu, 1821): first results from specimens stranded in the tuscan archipelago in the period 1990–2021</i>	
S. Risoli, S. Sarrocco, G. Terracciano, R. Baroncelli, M. A.L. Zuffi, C. Mancusi, C. Nali	747
<i>Isolation and molecular characterization of Fusarium species (Fungi, Ascomycota) from unhatched eggs of Caretta caretta in Tuscany (Italy)</i>	
S. Sahbani, R. Toujani, N. Ben M'Barek, E. Ottaviani, E. Riccomagno, E. Prampolini, H. Missaoui, B. Bejaoui,	756
<i>Effect of Climate Change and anthropogenic pressures on the European eel Anguilla anguilla from Ramsar Wetland Ichkeul Lake: Prediction from the Random Forest model</i>	
V. Tomaselli, F. Mantino, G. Albanese, C. Tarantino, M. Adamo	766
<i>Monitoring changes over a 10-year period, through vegetation maps, in a coastal site in Apulia Region (SouthEastern Italy)</i>	
D. Travaglini, C. Garosi, F. Logli, F. Parisi, I. Ursumando, C. Vettori, D. Paffetti	775
<i>Stand structure and natural regeneration in a coastal stone pine (Pinus pinea L.) forest in central Italy</i>	
E. Turicchia, C. Cerrano, M. Ghetta, F. Giannini, M. Abbiati, M. Ponti	785
<i>Ecological status of the Tuscan archipelago rocky habitats assessed by the Medsens index</i>	
Session: Underwater and Coastal Cultural Heritage	795
Chairperson: Marinella Pasquinucci	
M. C. Alati	801
<i>Territorial transformations, landscape and architectural features of the “Tenuta di Isola Sacra” in the reclamation of the early 1900s</i>	
B. Bertoli, Mrn. Russo, L. Marcolongo, C. Cirillo	811
<i>Massa Lubrense coast and its modifications during the twentieth century</i>	
C. Cirillo, G. Acampora, L. Scarpa, Mrn. Russo, B. Bertoli, L. Marcolongo	822
<i>The port of Neapolis: memories and traces of the coastal landscape in ancient times</i>	
F. Fratini, F. De Vita, D. Pittaluga, S. Rescic	834
<i>The building materials of “Rocca Vecchia” (Old Fortress) in the Gorgona island</i>	
G. Muscatello, C. Mitello	844
<i>Making a site otherwise inaccessible accessible: 3D laser scanner scanning of the Grotta dei Cervi di Porto Badisco in Otranto (Le)</i>	

A. Pellettieri	855
<i>...in finibus Lucaniae. Historical cartography of the Tyrrhenian coast and demographic fluctuations</i>	
E. Pribaz, I. Lotti, R. Raffalli, P. Chiavaccini	865
<i>The Torre del Marzocco and the widening of the entry channel to the industrial port of Livorno</i>	
P. Tartara	875
<i>Natural resources and coastal productive settlements in southern Puglia</i>	
M. P. Usai	887
<i>Tuna: underwater natural and cultural heritage. The Tunèa case study, a project for the re-connection between coastal community and marine ecosystem</i>	
<i>Index of Authors</i>	897

Preface

The Ninth edition of the Symposium *Mediterranean Coastal Monitoring: problems and measurement techniques*, held in Livorno from 14th to 16th June 2022, addresses scholars of the coastal areas of this Mediterranean basin, as it happens once every two years. The event, organized by the Institute of BioEconomy (IBE) of the National Council Research (CNR) in collaboration with the Italian Society of Silviculture and Forest Ecology (SISEF), is divided into the following Sessions: Flora and fauna of the coastal system: dynamics and protection; Morphology and evolution of coasts and sea beds; Coastal environmental engineering: pollution, energy production, economic-environmental monitoring and evaluation, regulatory context; Coastal and underwater cultural heritage; Geography and coastal landscape: dynamics of the territory and integrated protection.

During the consolidated three days, following the tradition, The Symposium with its interdisciplinarity intends to demonstrate the importance of multidisciplinary studies, underlining the need for integrated investigation approaches. Since the coastal system represents a complex and delicate natural structure, whose evolution is the result of delicate physical, chemical and biological balances, strongly conditioned by anthropic interventions, the aim of the Symposium is to contribute to the spread of knowledge, providing notions and information on dynamics and / or on the variations of marine-coastal ecosystems, in the hope that this can be useful to increase man's respect towards the land that hosts him.

Despite the COVID 19 pandemic, the success of this edition is attested by the 170 contributions selected by the Scientific Committee from among those received. Participation involved all the thematic lines envisaged by the sessions, involving many countries bordering the shores of the Mediterranean Sea. The importance of the event is also attested by the publishing house's request to turn the Proceedings of the Symposium into a Series, of which this volume is the first issue.

A personal thank you goes, first of all, to all those, colleagues and friends, who have invested time and energy in the organization. The same gratitude goes to all the participants, who, with their presence, have shown that they believe in our initiative.

The Editors

FUP Best Practice in Scholarly Publishing (DOI 10.36253/fup_best_practice)

Laura Bonora, Donatella Carboni, Matteo De Vincenzi, Giorgio Matteucci (edited by), *Ninth International Symposium "Monitoring of Mediterranean Coastal Areas: Problems and Measurement Techniques". Livorno (Italy) 14th-16th June 2022*, © 2022 Author(s), CC BY-NC-SA 4.0, published by Firenze University Press, ISBN 979-12-215-0030-1, DOI 10.36253/979-12-215-0030-1

ORGANIZING AUTHORITIES



National Research Council of Italy Institute of BioEconomy (CNR-IBE)
Italian Society of Silviculture and Forest Ecology (SISEF)
Natural History Museum of the Mediterranean

PATRONAGE BY
Accademia dei Lincei

Università degli Studi di Firenze
Regione Toscana
Accademia dei Georgofili
Provincia di Livorno
Autorità di Sistema del Mar Tirreno Settentrionale
Comune di Livorno



UNIVERSITÀ
DEGLI STUDI
FIRENZE



ACCADEMIA DEI GEORGOFILII



Autorità di Sistema Portuale
del Mar Tirreno Centro Settentrionale

PORTI DI ROMA E DEL LAZIO - CIVITAVECCHIA - FIANCINO - GAETA



COMUNE DI LIVORNO

SCIENTIFIC COMMITTEE

Presidency

Donatella Carboni (Symposiarch)	<i>Dept. of Humanities and Social Sciences University of Sassari</i>
Fabrizio Benincasa	<i>CNR- Institute of BioEconomy (IBE) Seat of Florence</i>
Laura Bonora	<i>CNR - Institute of BioEconomy (IBE) Seat of Florence</i>
Matteo De Vincenzi	<i>CNR - Institute of BioEconomy (IBE) Seat of Florence</i>
Giorgio Matteucci	<i>Director of CNR- Institute of BioEconomy (IBE); SISEF</i>

Session *Morphology and evolution of coastlines and seabeds*

Giovanni Sarti	<i>Dept. of Earth Sciences University of Pisa</i>
Duccio Bertoni	<i>Dept. of Earth Sciences University of Pisa</i>
Edward Anthony	<i>CEREGE, Aix-en-Provence, France</i>
Filippo Catani	<i>Dept. of Geosciences of the University of Padua</i>
Corinne Sabine Corbau	<i>Dept. of Physics and Earth Science University of Ferrara</i>
Giuliano Gabbani	<i>Dept. of Earth Sciences University of Florence</i>
Sandro Moretti	<i>Dept. of Earth Sciences University of Florence</i>
Kristina Pikelj	<i>Dept. of Geology - University of Zagreb, Croatia</i>

Session *Coastal Environmental Engineering: pollution, energy production, monitoring and economic environmental assessment, regulatory context*

Marcantonio Catelani	<i>Dept. of Information Engineering University of Florence</i>
Rossella Bardazzi	<i>Dept. of Economics and Management University of Florence</i>
Lorenzo Cappiotti	<i>Dept. of Civil and Environmental Engineering University of Florence</i>
Carlo Carcasci	<i>Dept. of Industrial Engineering University of Florence</i>
Giuliano Gabbani	<i>Dept. of Earth Sciences University of Florence</i>
Riccardo Gori	<i>Dept. of Civil and Environmental Engineering University of Florence</i>
Ilaria Lolli	<i>Dept. of Law University of Pisa</i>
Giampaolo Manfrida	<i>Dept. of Industrial Engineering University of Florence</i>

Session *Flora and Fauna of the littoral system: dynamics and protection*

Davide Travaglini	<i>Dept. of Agriculture, Food, Environment and Forestry University of Florence</i>
Carla Cesaraccio	<i>CNR - Institute of BioEconomy (IBE) Seat of Sassari</i>
Fabio Crocetta	<i>Dept. Integrative Marine Ecology Zoological Station Anton Dohrn, Naples</i>
Sandro Lanfranco	<i>Dept. of Biology - University of Malta, Msida, Malta</i>
Sabrina Lo Brutto	<i>Dept. of Biological, Chemical and Pharmaceutical Sciences and Technologies - Sect. Animal Biology University of Palermo</i>
Anna Roselli	<i>Natural History Museum of the Mediterranean, Livorno</i>
Federico Selvi	<i>Dept. of Agriculture, Food, Environment and Forestry University of Florence</i>
Roberto Tognetti	<i>Dept. of Agricultural, Environmental and Food Sciences University of Molise</i>

FUP Best Practice in Scholarly Publishing (DOI 10.36253/fup_best_practice)

Laura Bonora, Donatella Carboni, Matteo De Vincenzi, Giorgio Matteucci (edited by), *Ninth International Symposium "Monitoring of Mediterranean Coastal Areas: Problems and Measurement Techniques". Livorno (Italy) 14th-16th June 2022*, © 2022 Author(s), CC BY-NC-SA 4.0, published by Firenze University Press, ISBN 979-12-215-0030-1, DOI 10.36253/979-12-215-0030-1

Session *Coastline Geography and Coastal Landscapes: territorial dynamics and integrated protection*

Donatella Privitera	<i>Dept. of Educational Sciences University of Catania</i>
Rossella Bardazzi	<i>Dept. of Economics and Management University of Florence</i>
Jordi Bellmunt Chiva	<i>Dept. de Urbanismo y Ordenación del Territorio Universitat Politècnica de Catalunya-BarcelonaTech, Spain</i>
Biagio Guccione	<i>Dept. of Architecture University of Florence</i>
Antonietta Ivona	<i>Dept. of Economy and Finance University of Bari</i>
Ilaria Lolli	<i>Dept. of Law University of Pisa</i>
Lucrezia Lopez	<i>Dept. de Geografia Universidade de Santiago de Compostela, Spain</i>
Tessa Matteini	<i>Dept. of Architecture University of Florence</i>
Carlo Natali	<i>Dept. of Architecture University of Florence</i>
Claudio Saragosa	<i>Dept. of Architecture University of Florence</i>
Stefano Soriani	<i>Dept. of Economics University of Venice</i>
Alessio Valente	<i>Dept. of Science and Technology University of Sannio Benevento</i>

Session *Underwater and Coastal Cultural Heritage*

Marinella Pasquinucci	<i>Former Full Prof. Ancient Topography University of Pisa</i>
Michel Gras	<i>President, Former Director de l'École française de Rome Emeritus CNRS, Foreign Fellow of Accademia dei Lincei</i>
Fabrizio Antonioli	<i>INGV Rome</i>
Peter A.J. Attema	<i>Faculty of Arts Classical and Mediterranean Archaeology University of Groningen, Netherlands</i>
Giovanna Bianchi	<i>Dept. of History and Cultural Heritage University of Siena</i>
Giulio Ciampoltrini	<i>former archaeologist officer Superintendence for Archaeological Heritage of Tuscany</i>
Elif Koparal	<i>Dept. Classical Archaeology Mimar Sinan Fine Arts University, Istanbul, Turkey</i>
Tessa Matteini	<i>Dept. of Architecture University of Florence</i>

Organizing Committee:

Gianni Fasano	CNR – IBE Seat of Florence	<i>(Coordinator of Committee)</i>
Francesca Martelli	CNR – IBE Seat of Florence	
Davide Pellegrini	CNR – IBE Seat of Florence	
Laura Pellegrino	CNR – IBE Seat of Livorno	
Federica Zabini	CNR – IBE Seat of Florence	
Davide Travaglini	SISEF	<i>(SISEF coordinator)</i>
Gabriele Bucci	SISEF	

Organizing secretariat:

CNR-IBE Area di Ricerca di Firenze
Via Madonna del Piano 10,
50019 Sesto Fiorentino (Florence - Italy)
Phone +390555226557
e-mail: segr.org@ibe.cnr.it

Scientific Secretariat:

CNR-IBE Area di Ricerca di Firenze
Via Madonna del Piano 10,
50019 Sesto Fiorentino (Florence - Italy)
Phone +390555226060-6030
e-mail: simposio@ibe.cnr.it

ATMOSPHERIC AGENTS AND SPATIAL PLANNING. CASE STUDY OF THE MUNICIPALITY OF ROSIGNANO MARITTIMO IN TUSCANY

Claudio Saragosa¹, Michela Chiti²

¹University of Florence - Department of Architecture - DiDA

² University of Florence - Department of Architecture - DiDA
street Pier Antonio Micheli 2 - 50121 Florence (Italy),
phone +39 349 5592324, e-mail: claudio.saragosa@unifi.it

Abstract – In recent years, the municipality of Rosignano Marittimo in Tuscany has been repeatedly affected by more and more intense weather phenomena, which have caused damage to people and urban settlements along the coast. Extreme weather events such as intense downpours, floods, whirlwinds and powerful sea storms, together with critical issues due to ongoing coastal erosion, highlight a number of problems.

The Council administration has recently participated in the ADAPT European project, a Program of transborder cooperation between Interregional Maritime Italy and France - 2014 - 2020, aimed at defining a local Climatic Profile and a Plan of Adaptation to Climatic changes. At the same time, the editing staff of the municipal structural plan has started a method investigation in coherence with the regional Tuscan law no. 65/2014 on the governance of the territory, with the scope of finding answers to some of the critical issues investigated. However, the topic of climatic change expresses deep profiles of uncertainty, due to potential long term climatic response times, as compared to possible actions to be taken today. The evolutionary framework of the coastal belt produces a dynamic definition of a coastline to which the continuous delimitation even of areas of maritime state property assets, correlates in the making. Therefore, the dynamism of the coastline immersed in uncertain flows of atmospheric agents raises a fundamental question to the delimitation of state property areas, on which the political decision maker is called upon to express himself through a territorial planning setup. The physical definition of the coastal system and the management definition of same are topics that are treated in the present paper, that sets the goal of defining a possible methodological approach through the presentation of the case study for territorial planning in coastal areas, able to define a flexible cognitive framework, by means of which to distinguish strategies in the short and long term, for planning and managing of maritime state property assets.

Introduction: a glance at Gaia

It was in 1979 that James Lovelock began to outline the hypothesis that the Earth could be considered living, governed by large, self-correcting homeostatic cycles. Lovelock calls his hypothesis Gaia, in honour of *Gaia* of the Greeks, because «in the minds of men of antiquity, the Earth has always been the generator and the nurse par excellence [...] and the concept of "Mother Earth" is a category of the spirit that still persists in the great religions.»[4] For Lovelock, the word Gaia «serves to denote [the] hypothesis that the biosphere is a self-regulating entity, that it establishes the material conditions necessary for its own survival and

that living matter does not remain passive in the face of what threatens its existence.» [4]

In summary, his hypothesis takes into account a number of key aspects, including: «(1) [...] the tendency [of Gaia] to optimise conditions for all life on Earth. [...] 2) [That Gaia has] vital organs within it, as well as others that exist in abundance particularly on its periphery and that can be used. [...] 3) [That Gaia's] responses to worsening changes [must] obey the rules of cybernetics, in which time constant and ring gain are important factors» [4].

The Gaia hypothesis has had mixed fortunes, seen by some as an indemonstrable para-scientific hypothesis. Until recently, scientific and philosophical debate, also linked to the concepts of the Anthropocene and the New Climate Regime, brought it back to the forefront, for example, with the anthropologist of science Bruno Latour [3]. It was precisely in analysing climate mutations, that, Latour began to reflect on the irruption «of this monster, half hurricane, half Leviathan, with a bizarre name, "Cosmocollusus", until I soon merged it into an equally controversial figure I had conceived while reading James Lovelock, the figure of Gaia. I could no longer escape: I had to understand what was coming at me in the rather distressing form of a force that was at once mythical, scientific, political and, probably, also religious» [3]. It is with Lovelock that Latour becomes familiar with the concept of Gaia, as a living planet with an atmosphere in chemical disequilibrium. If this is the case, says the anthropologist, the Earth must have some sort of *agency* «that allows it to maintain, or recover, over billions of years, a state of affairs durable enough to counter the perturbations introduced by external events - the increasing brightness of the Sun, asteroid bombardments, volcanic eruptions» [3]. After a substantial treatment of the subject, which we certainly cannot summarise here, it becomes necessary for Latour to think that the current human inhabitants of the Earth (the Terrans) must overcome their old conceptions of their relationship with Nature, to become aware that they are immersed in Gaia insofar as «the two sides share the same fragility, the same cruelty, the same uncertainty about their destiny. They are powers that cannot be dominated and cannot dominate» [3]. This is why the anthropologist emphasises that a new paradigm should push us «to get rid of the expressions "modern", "nature" and even "ecology", [...to] "move from the Ancient to the New». [3].

Another philosophical horizon is opened by Timothy Morton in outlining the realm of *hyperobjects*¹. *Hyperobjects* are increasingly emerging in the framework of philosophical reflection as «entities that become visible only by resorting to post-Humean statistical causality» [5]. Among them, Morton puts climate and other recently discovered entities «that make us reflect on our place on Earth and in the cosmos. Perhaps this is the key point: hyperobjects force us to reconsider the fundamental ideas we have about what it means to exist, what the Earth is, what society is» [5]. The emerging *hyperobjects* are a new test of man's positioning within his own world. After the Copernican revolution, which removed man from the centre of the universe, the downgrading of man as a divine creation due to Darwin, the ousting of man from the centre of psychic activity thanks to Freud, etc., it is now

¹ Access to hyperobjects does not occur by travelling a distance, through some transparent medium: the hyperobjects are here, right here, in my social and experiential space. They look at me menacingly like faces pressed against a window pane: and it is precisely their proximity that threatens me. [...] Every day global warming burns the skin of the back of my neck causing me itching, discomfort, a vague sense of apprehension. Evolution unfolds in my genome because my cells are constantly dividing and mutating, because my body clones itself every time one of my sperm fertilises an egg. As I reach out to grab the iPhone charger attached to the dashboard, I break into evolution, into the extended phenotype that certainly does not end at the edge of my skin, but extends into all the spaces that my 'being-human' has colonised.[5]

the *hyperobjects* that pose new problems. In fact, for Morton, «ecological thinking that reasons about hyperobjects does not conceive of individuals as embedded in a nebulous global system, nor, on the contrary, does it theorise about an entity larger than individuals that moulds itself from time to time into individual forms. Hyperobjects stimulate *irreductionist* thinking because they pose scalar dilemmas to which it is not possible to respond by establishing ontotheologically what is more real - the ecosystem, the world, the environment or, instead, the individual» [5].

From a historical point of view, the recent IPCC report (2021) exposes weather changes in every region of the Globe and the entire climatic system without precedents, and is irreversible, in hundreds or thousands of years. The report highlighting human influence on the climate both past and future, contributes to fundamental decision processes for limiting ongoing climatic change, at this stage only possible through a rapid and constant reduction of carbon dioxide (CO₂) emissions and other greenhouse effect gases. Today, deciding to reduce climate altering gases on a large scale would mean sure benefits on air quality in the short term, but we would have to wait another 20 to 30 years to see global temperatures stabilize. Differently, the rise in temperature, even by only 1,5°C, would mean changes in water cycles, with heavy rains and flooding on the one hand, and severe drought in several regions, on the other. Coastal areas will be characterized by a continuous rise in sea level with more frequent coastal flooding in a much reduced time scan of events.

In Italy, a new climatic model was presented in 2018, with the variation of level of the Mediterranean, which was the result of a study by a group of ENEA researchers, in collaboration with the MIT of Boston. Its aim was to map coastal areas that risk flooding, as well as planning the territory and making it safe. The studies presented foresee that there will be a loss of tens of square kilometers in Italy's coastal areas by the end of the century, with receding beaches and agricultural areas, where half of the Italian population is concentrated.

Dealing with the problems of the new climate regime, even at the local level, poses a not inconsiderable philosophical and epistemological problematic horizon.

Materials and Methods

Gaia's theory prompts reflection on the feedbacks that are now evident even at the local level. This article brings together the in-depth studies developed on the coastal reality of the municipality of Rosignano Marittimo², for an area relating to the coastal strip from Caletta to the sea mouth of the industrial canal of the Solvay Chimica Italia S.p.A. plant.

The municipal administration has recently participated in the European project ADAPT³, a cross-border cooperation programme between Italy Maritime Interregional and France - 2014 - 2020, aimed at defining a Local Climate Profile and a Climate Change Adaptation Plan. At the same time, the drafting of the Municipal Structural Plan started a methodological investigation⁴, consistent with the Tuscan Regional Law 65/2014 on the government of the territory, with the aim of finding answers to some of the critical issues investigated.

² The research area falls within the Municipality of Rosignano Marittimo (LI), located in the central part of the Tuscan coast, in the Province of Livorno.

³ <http://www.comune.rosignano.livorno.it/site5/pages/home.php?idpadre=36878>

⁴ Research Coordinator: Prof. Saragosa C. Title: "Lo studio dello Statuto del Territorio del Comune di

A first body of studies⁵ essentially concerns the definition of the local climate change profile, with particular attention to the variation of rainfall in relation to the future values assumed by the climate indices in the RCP4.5 and RCP8.5 emission scenarios. On the one hand, the work identified the cumulative annual rainfall as a 30-year average with reference to the processing of the indicative values provided by the ISPRA and PNACC studies and the estimates derived from local trends. While on the other hand it assessed the drought phenomenon over time, through the analysis of the maximum number of consecutive dry days per year, by means of the historical elaboration of the average spatialisation between the different measuring stations, with reference to the 2015 ISPRA studies. The analyses performed made it possible to define the rainfall heights of maximum rainfall over time, through Gumbel statistical analysis. In relation to the different studies used to define the local RCP6 and RCP8.5 scenarios, the sea level in future projections was estimated.

A second body of studies is aimed at characterising the vulnerability of the territory through the assessment of the impacts that climate change may generate on urban settlements consistent with the IPCC (2014) definition [2]. The study based on remotely sensed data (LiDAR, high-resolution remote sensing imagery, and from the LANDSAT 8 platform) prepared a methodology [1] for estimating current ground temperatures and future climate projections.

A third body of studies carried out a series of analyses with the aim of providing quantitative information on the evolution of erosion processes⁶ that affected the portion of the coastline under investigation in the period between January 2010 and September 2018. To this end, multi-temporal analyses were conducted by studying aerial photos, optical images and satellite radar using PhotoMonitoringTM techniques for the identification and analysis of the geomorphological evolution of the coastline falling within the study area.

A fourth body of studies concerns the analysis of the hydrographic network in relation to rainfall events with the relative hydraulic hazards and 30- and 200-year return times, estimated by law⁷.

A fifth body of studies analyses the five meteorological events that have produced significant damage to the area under study over the last eight years, due to the development and transit of tornadoes⁸, identified according to two distinct groups of phenomena.

Rosignano come fondamento della redazione del nuovo Piano Strutturale L.R. 65/2014". University of Florence - Department of Architecture DiDALabs - Laboratory Plans and Projects for the City and the Territory - Research Group: Prof. Saragosa C., arch. Chiti M., arch. Tiffany Geti, urb. Rossi M., urb. Bartali L., urb. Miccio A., urb. Tanganelli A., urb. Iacometti F., urb. Montoro G., urb. Rossi G.

⁵ Title: "Attività di ricerca volta alla definizione del Profilo Climatico Locale e di un Piano per l'adattamento ai cambiamenti climatici con particolare riferimento alla conseguenza dello stesso sugli scenari idraulici del Comune di Rosignano". University of Florence - Department of Architecture, coord. Prof. Bernetti I. - University of Pisa - Department of Energy, Systems, Territory and Construction Engineering, coord. Prof. Pagliara S.

⁶ Title: "Analisi geomorfologica mediante tecniche di telerilevamento dei processi di erosione costiera lungo la linea litoranea tra Rosignano Solvay e La Mazzanta a supporto degli studi del Piano Strutturale del Comune di Rosignano Marittimo (LI)", NHAZCA S.r.l., Spin off di Sapienza Università di Roma. Prof. Mazzanti P., PhD Romeo S. Referring to 2019.

⁷ Title: "Studio idrogeologico preliminare al nuovo Piano strutturale". Edited by Myrica srl, Geotecno Studio Associato, Chiarini Associati. Referring to 2019.

⁸ Title: "Analisi degli eventi con trombe d'aria su Rosignano (LI)". Edited by Consorzio LaMMA – Laboratorio di Monitoraggio e Modellistica Ambientale per lo sviluppo sostenibile, Area della Ricerca CNR. Referring to 2021.

Results

Gaia's Feedback

Studies on the variation of rainfall in climate change show a projection of a contraction of time-concentrated weather events. The climate change we are currently seeing the effects of, therefore, does not involve a substantial variation in the amount of rainfall over the year, but a concentration in particularly intense events. This variation has a relationship with the modelling of the terrain and the existing hydraulic reticulum, which was formed under totally different rainfall conditions and is therefore capable of disposing of different meteorological phenomena. Already, the hydraulic reticulum entered into distress at a 30- or 200-year probability interval. With the variation of rainfall and its concentration in particularly intense events, the entire system, characterised by the modelling of the soils, if not redefined quickly, will enter into crisis, producing critical phenomena, even of considerable danger, that will be difficult to manage with simple prevention and civil protection.

A second analysis concerns the variation in temperature over time with particular reference to the perception of heat on the ground. Here, too, there is a substantial variation in environmental conditions over time. The variation can in fact change the habitability of entire parts of the city, which tend to become excessively hot over time, profoundly affecting living comfort. Entire public areas, used to perform various urban functions, may, as conditions currently stand, be unfit for any use for most of the daytime hours, especially in the summer season.

One of the most important feedbacks, due to climate change, is the rising sea level. The rise results in the ingress of sea water into the parts of the land located at lower altitudes and therefore particularly into the sandy parts of the coast. This phenomenon is intimately linked to what is happening with the problems of coastal erosion due to changes in sea currents and the reduction of solid contributions to the sea due to the use of riverbed materials and other works that interrupt the transport of solid materials. In reality, the coastal strip is




Figure 1 – Sea level rise analysis.

an important resource for the reality we are trying to study. In this very limited strip of land, partly sandy, partly rocky, all the seaside tourist activity takes place, which feeds a substantial local economy. The loss of this coastal strip, which constitutes the vital seaside tourist park, will entail the necessary revision of the tourist economy that has been produced over time. A tourist economy whose foundations are based not so much on specialised enterprise as on the complex management of the existing built heritage.

More difficult to correlate with climate change, are calamitous events that have occurred recently in the area. These were a series of tornadoes that hit the coast, causing damage to both building structures and street vegetation. Many residential structures and some sports facilities were blown over, and many of the vegetation furnishings, mostly consisting of pine trees of a certain age and therefore size, were felled. Both the building materials and the large trees that were felled produced events that bordered on tragedy.

The morphological features of soils and the answer to hydraulic cycles

The events, summarised in the previous paragraph, have a violent impact on the pre-existing morphological system. If the forms that occur in the various territorial realities are forged over time for the correct flow management, at the moment in which the flows (of matter and energy) change in their quality and quantity, the shapes may become inadequate to respond to the necessary flow management work. Their inadequacy may lead to an alteration of the sense of well-being felt in inhabiting them or, more seriously, they may represent an obstacle to the flow and potentially even become lethally dangerous.

In the first case, by example only, the reduction in the surface area of coastal areas, especially sandy ones, may lead to the abandonment of the coast's use for tourism purposes, reducing the economy linked to hospitality, whether professional (hotel structures, catering establishments, loisir services) or in second homes (much of the existing building stock in the area under study is destined for hospitality, especially during the summer period). Again in the first case, the variation in ground temperatures can generate urban areas, under the current morphological and material conditions, that are difficult to use for a large part of the population (especially the somewhat elderly); in fact, heat islands are formed that can poorly guarantee the well-being necessary to carry out many activities.

In the second case, again as an example, the situation can even become lethal. Let us think of the inability of the existing hydraulic system to handle very intense punctual meteorological phenomena, producing more and more floods that, at least in the local situation we are studying, with buildings also subjected to levels below the water flow level, can have dramatic effects. Or let us think of the vegetal furnishings that, also taking into account their ageing, are subjected to phenomena linked to previously unknown winds, are literally eradicated, ruining them to the ground in a way that is sometimes catastrophic for things and people.



increase in perceived temperatures

- No discomfort ($DI \leq 21$)
- Less than half of the population feels uncomfortable ($21 < DI \leq 24$)
- Over half of the population suffers from hardship ($24 < DI \leq 27$)
- Most of the population suffers from hardship ($27 < DI \leq 29$)
- The whole population suffers from hardship ($29 < DI \leq 31$)
- State of medical emergency

flood risk areas

- Main waterways
- - Buried waterways
- ▨ Flood risk area high (1.3)
- ▩ Flood risk area very high (1.4)

coastal erosion and accretion

- Increase of the coast
- Coastal erosion

development and transit of sea horns

- Coastal areas subject to the entry of sea horns

average sea level rise

- Beaches at risk of retreating
- Setback expected in 2050 (25 cm rise)
- Setback expected in 2050 (40 cm rise)
- Setback expected in 2100 (80 cm rise)

Figure 2 – Immanent critical issues: perceived temperatures (discomfort index), flood risk area, coastal accretion and erosion, sea level rise.

Immanent criticalities, settlement pattern and climate change resilience issues

Unfortunately, the morphological conditions of the hydraulic network and human settlement have evolved over time under completely different environmental conditions. This entails a difficult adaptation, being mostly rigid structures, to the changed conditions. In this context, the re-configuration of space becomes necessary, driving even urban planning to be challenged with innovative interventions to modify physical structures and the existing vegetation system of significant magnitude.

It will be necessary, for example, to re-organise the entire hydraulic system that has stratified over time. The hydraulic network, in fact, will not be (and was not even under the meteorological conditions of the past) able to manage rainfall flows that are significantly different in quality and quantity from those currently being experienced. It will be necessary, therefore, to act by modifying the hydrographical structure, both with lamination basins designed to slow down the flow of water, but also, at times, with the overall re-designing of the network so as to, if possible, increase or deviate the flow that involves the most compact human settlement areas.

The vegetation apparatus, which enriches our cities, will have to be substantially revised, both to avoid, as we have seen, the abatement due to high-energy events (tornadoes) that occur on the coast more and more frequently, and to combat, as far as possible, the growth of heat islands that are increasingly present in this phase of climate change. Vegetation is undoubtedly an effective regulator of ground temperature, although its arrangement must find perceptive relations with the deep identity of the urban configured space, composed of squares, streets, blocks, buildings with their own relational needs. On the other hand, it is also with the reconfiguration of the urban built environment that positive effects can be achieved in controlling ground temperatures. The reorganisation of the built space could take place with systems that provide shade, such as covered pathways, arcades, building protection systems, etc. A different organisation of urban water management could also play an interesting role, with systems for conserving the flowing water resource and its reuse with respect to the possibility of cooling the built environment.

Moreover, town planning must be confronted with socio-economic aspects, for example in the case under study, in the definition of a new model of tourist reception and in the redefinition of the relationship between man and the resources of the system related to bathing, which will see their significant changes. The problem now becomes particularly interesting, given that the management of state-owned maritime areas will have to be reviewed with the application of the new regulatory apparatuses linked to the decrees on competition in application of European Union directives. In this case, it is a matter of finding a functional balance between reception and use of the coast and the sea, which must in any case envisage an overall reorganisation of the system and of the ways of using the resource, which will appear increasingly varied and limited in size over time.

Conclusion

As, albeit in extreme synthesis, has become evident, the studies that have been prepared for the coastal reality of Rosignano Marittimo show that climate change is no longer

just a process distant from local perception, but that on the contrary it has significant effects right in the various territories: the feedbacks from the biosphere take on consequences that were previously unimaginable. From this process, it is necessary to set up a series of activities to modify the forms that constitute the settlement patterns in order to adapt these morphologies towards the modified flows generated by climate change. The operations are substantial and are declined by the concept of urban regeneration. It is therefore not just a matter of managing the emergency, but activating a process of settlement system reconfiguration.

References

- [1] Bernetti I., Barbierato E., Capecchi I., Saragosa C. (2020). *Climate change and urban well-being: a methodology based on Sen theory and imprecise probabilities*. Aestimum, 57-80.
- [2] IPCC (2014) - *Climate change 2014: synthesis report*. In: Core Writing Team, Pachauri RK, Meyer LA (eds)
- [3] Latour B. (2020) - *La sfida di Gaia. Il nuovo regime climatico*, Meltemi, Milano, 20,121, 385, 389.
- [4] Lovelock J.E. (1981) - *Gaia. Nuove idee sull'ecologia*, Bollati Boringhieri, Torino, 1981, 7, 10, 152.
- [5] Morton T. (2018) - *Iperoggetti*, Nero, Roma, 28, 29, 33, 43.
- [6] Sen A. (1999) - *Commodities and capabilities*, OUP Catalogue. Oxford University Press.
- [7] Sen A. (2014) - *Development as freedom*, In Roberts, T., Hite, A. B., & Chorev, N. (Eds.). *The globalization and development reader: perspectives on development and global change*, 525–548.
- [8] Uejio, C. K., Wilhelmi, O. V., Golden, J. S., Mills, D. M., Gulino, S. P., & Samenow, J. P. (2011) - *Intra-urban societal vulnerability to extreme heat: the role of heat exposure and the built environment, socioeconomics, and neighborhood stability*, *Health & Place*, 17(2), 498–507.
- [9] Ummenhofer, C. C., & Meehl, G. A. (2017) - *Extreme weather and climate events with ecological relevance: a review*, *Philosophical Transactions of the Royal Society B: Biological Sciences*, 372(1723), 20160135.
- [10] Wilhelmi, O. V., & Hayden, M. H. (2010) - *Connecting people and place: a new framework for reducing urban vulnerability to extreme heat*, *Environmental Research Letters*, 5(1), 014021.