

Joint European Conference

and Exhibition

on Geographical Inforr

Netherlands Congress Centre i

March 26-31, 19

through Cooperation. Proceedings Volume 2

Stream 4, 5, 6, 7

and Progress Seminars



EGI

INTERNA EUROPEAN



Copyright © 1995 Geographical Information Joint European Conference on

Verlag: AKM Messen AG ISBN 3-905084-36-8

CH4005 Basel, Switzerland c/o AKM Congress Service Telefax: ++41 61 691 81 89 Telephone: ++41 61 691 51 11 P.O. Box 6 Administrative Secretariat

contract to Information Gatekeepers Inc. Printed and bound in U.S.A. under

No part of these proceedings may be All rights reserved. reproduced in any manner without permission in writing from the publisher.

ACKNOWLEDGEMENTS

on Geographical Information would like to express its appreciation for the Reviewers of the Seven Streams, Chairpersons, Speakers and Authors. The Conference Committee of the Joint European Conference and Exhibition nvaluable participation and contributions of the Board Members and

BOARD MEMBERS AND REVIEWERS OF THE SEVEN STREAMS:

Stream 1:

Geographical Information Technology

Marie-Aude Autaure-Poitier, Jonhatan Raper, Peter Burrough, Ruud van Elsacker Robert Jeansoulin, Sylvie Servigne, Karine Zeitouni, Bianca Faldicieno, Francoise Milleret-Raffort, Antonio Camara, Wim Douven, Hans Festen, Robert Laurini, Flavio Bonfati, Patrice Boursier,

Natural Science Geographical Information Studies

Peter Burrough, Kurt Fedra, Jonathan Raper, Joas Ribeiro da Costo

Stream 3:

Social and Economic Science Geographical Information Studies

Stan Openshaw, Michel Bernard, Stan Geerman, John Stillwell

Stream 4:

Geographical Information in Urban and Regional Government

Theo Bogaerts, Ken Jones, Robert Laurini, Jorgen Rasmussen, Massimo Rumor

Geographical Information in Utilities, Telecom and Private Enterprise

Hans Festen, Peter van den Klinkenberg, Gérard Liesentelt, Igor Jogan

Stream 6:

Geographical Information Education and Awareness

lan Masser, Ralf Bill, Petra Cremers, Emanuele Roccotagliata, Fred Topper

Stream 7:

Geographical Information in the Netherlands

Freek de Vries André Faas, Jaap Berends, Desiree Bokma, Toine van Riel, Chris Visscher

PLENARY - OPENING SESSION	77
Coordination of the Area of Geographical Information in the Netherlands	12
Ms. Gerrie Fenten, National Spatial Planning Agency, The Netherlands	
National Spatial Data Infrastructure Activities Within the United States	7
Nancy Tosta, U.S. Geological Survey	
STREAM 4 - ORAL PRESENTATIONS	21
Urban Data Management	22
Prof.Dr. Theo Bogaerts, Delft University of Technology, The Netherlands	į
GIS and the Multiple Users in an Urban Government	28
Michael J. Kevany, PlanGraphics, Inc.	
Integration: The Way for Corporate GIS in Nottingham City Council Dr. M T Shalaby and Prof. P Ford, University of Nottingham	36
Une Nomenclature Biophysique pour Voir la Ville Autrement	42
Christiane Weber, C. Petropoulou, P. de Fraipont, D. Lemoigne, Universite Louis Pasteur, Strasbourg	5
VSP - Visual Settlement Planning Approach Hannu Maula, VTT Communities and Infrastructure, Finland	49
Data Integration for Urban Design: A Case Study	54
Maria Antonietta Esposito and Christiane Boehner, Universite degli Studi di Firenze	
The Non-Conflicting Model - Implementation of Organization-Wide GIS	6
Jacques Smeets, KLM Aerocarto	
Keeping Distance Through Cooperation	65
Ad van der Mee, Amsleiddin Yydier Yydiks	
GIS for Site Selection and Monitoring Recycling Facilities in Nottingham	71
Dr. K.G. Williams and Dr. M.T. Shalaby, University of Nottingham	
The Walloon Region's Cartographic Base Map	77
L. Heymans and A. Collignon, Ministere Wallon de l'Equipement et des Transports, Belgium	#3
The Multi-Purpose Digital Map of Vienna: A Report on the Completion of the Project	83
Peter Belada, Municipal Administration of the City of Vtenna	

Evaluation of the Possibilities for Knowledge-Based Map Conversion

89

Understanding the Requirements of the Business for Geographic Information, Before Implementing a System

6

T. Steenberghen, S. Houvenaghel, P. Willems, Institute for Urban and Regional Planning, Belgium

From Spatial Database to Planning Support System

P. van Helden and D.J. van Niekerk, University of Pretoria

A Geographic Information Decision Support
System for Urban Land Reform in the Republic of South Africa

148

154

A.M. Tuladhar, R.A. Chileshe, Department of Geoinformatics, School of Environmental Studies,

143

A Low-Cost Approach to Land Registration of Customary Lands: A Case in Zambia

Electronics Laboratory, The Netherlands

Christiaan H.J. Lemmen, Peter J.M. van Oosterom, Cadastre Netherlands TNO Physiics and

The Netherlands, Kitwe, Zambia

Efficient and Automatic Production of Periodic Updates of Cadastral Maps

Marius Thériault and François Des Rosiers, Laval University, Quebec

131

137

131	Combining Hedonic Modeling, GIS and Spatial Statistics to Analyze Residential Markets in the Quebec Urban Community
	Dr. Janos Szegö, National Board of Housing, Sweden
127	Mapping the Structure and Activity Pattern of the Urban Scene. Applications for Planning and Environmental Analysis.
	Manuel Gallego Priego and Andrés Rodriguez-Pase, Sociedade para o Desenvolvemento Comarcal de Galicia, Santiago
122	The Land Information System of Galacia (SITGA): A GIS Aimed at Land Planning and Management
	Mohamed Dbouk, Patrice Boursier, University of Paris-Sud
16	HyperGeo: A Hyperdmedia Based Geographical Information System Design Framework
detic	J. Balodis, E. Mukins, A.Tarasova, A. Zarinjsh , University of Latvia and J. Pakalns, Riga Geodetic Centre, Latvia
112	Privatization in Riga City, Cadastre and GIS
	Miran Ferlan, University of Ljubljana, Slovenia
106	Construction of Multipurpose Cadastral LIS
	Dr. Miroslav Roule and Ir. Milan Kocáb, Institute de la Recherche Géodesique, Prague
3	Le Plan Cadastral Informatise en Republique Tcheque
	Dr. Bojan Lipovscak, Zlatko Surina Zavod za katastar, Croatia
93	Digital Cadastral Model - City of Zagreb, Croatia

Road Accident Record System Using GIS

204

Assessing Benefits of Geographical Information Systems Implementation	166
Franz-Josef Behr, Gesellschaft für graphische Datenverarbeitung	
STREAM 4 - POSTER PRESENTATION	175
GIS for Open Urban Areas - The Example of Warsaw	176
H. Olenderek, P. Wolski, D. Korpetta, W. Karaszkiewicz, A. Nowicki, J. Smagala, Warsaw Agricultural University	αw
Information System in Municipality of Bourgas	178
Atanas Sirekov, Municipality of Bourgas, Bulgaria	
Conceptual Solution of the GIS Project "Children of Siberia"	180
Dmitry V. Lisitsky, Sibgeoinform Centre, Russia	
GIS in a Municipality: The Utmost Need for a Corporate Approach	182
Erich Wilmersdorf, Magistratsdirektion der Stadt Wien-ADV, Vienna	
GIS for Inventory of Former Soviet Military Bases in Lithuania	184
Alvydas Andrenas, GEOBITAS, Lithuania	
The Role of GIS in the Implementation of the Reconstruction and evelopment Programme in South Africa: Towards an Approach for Spatial Data Standardization, Integration, and Locational Referencing	ng 186
Meltssa Whitehead and Dr. M.T. Shalaby, City Planning Department, Johannesburg	i
GIS Spatial Analysis and the Planning Process: Evaluation and mplementation of the Dam of Castelo de Bode Land Use Plan	188
M.). Lucenae Vale, Marco Painho, National Center for Geographic Information, Lisboa, New University of Lisbon	a, New
Projet d'une Base de Donée our un SIG Urbain	190
GIS of the Town of Zagreb, Croatia	196
Vieran Buselic, Bojan Lipovscak, GZAOP, Zagreb, Croatia	
For an Operative Reading of the Territory. The Cartographic Instruments	198
Giordano Conti, Architect-Urbanist	
The Management of Projects and Informations for City Actions	200
Ugo Schiavoni, Maria Ionnilli, Paolo Bottiglione, Universita di Roma	
Urban Analysis by Unconventional Data	202
Maria lonnilli and Ugo Schiavoni, Universita degli Studi di Roma	
aria tonnilli and Ugo schidvani, Utilvetsila degli situli di Notita	

251	Distribution Information Systems: The Benefits of Integrating with AM/FM/GIS
	Theo A. Arentze, Aloys W.J. Borgers, and Harry J.P. Timmermans, Eindhoven University of Technology, The Netherlands
246	Integrating GIS and Spatial Modeling: A Generic DSS for Retail Planning
	A. Muzzarelli, P. Secondini, G. Virgilio, University of Bologna
240	Spatial Analysis and Retail Network Planing: The Case of Petrol Points of Sale
336	Geographical Information for GIS Applications Ad Bastiaansen, Tele Atlas
230	Remigio Pian and Fabio Oliosi, Powersoft, Switzerland
	ChA. Grossenbacher and R. Pian
224	Experience d'une Administration Suisse Utilisant le Concept «CIGIN» et ses Logiciels
	Toshiaki Ishii, Fumihiko Hoshino, Tokya Electric Power Company
218	Development of Automatic Input System for Underground Distribution Facility Drawings
	Michael Rogers, Intergraph Corporation
212	Telecommunication Solutions for Customer Satisfaction and Productivity - A Management Prospective
211	STREAM 5 - ORAL PRESENTATION
	Piroska Zalaba and Csaba Hujber, University of Forestry and Woods Sciences, Hungary
208	New Technologies and Standards in the Service of Building Registration
	Swiss Federal Statistical Office, GEOSTAT, Switzerland
206	Poster: Land Use in Switzerland
	Janusz Kwiecien and Tomasz Szczuraszek, Academy of Technology and Agriculture, Bydgoszcz, Poland

Brimmer Sherman, Intergraph Corporation

Table of Contents • Volume 2 • Stream 6

lan Masser, University of Sheffield

360

364

354

348

343 343

336

Marco Painho, New University of Lisbon

Coen Wessels and Johan van Arragon, Netherlands Centre of Expertise for Geographic

330

H.I. Shvebs, A.A. Svetlitchnvi, S.V. Plotnitskvi, Odessa State University Ultraine

The Programme of GIS-Training of Geocologists

384

382

380

GIS Education in the Netherlands

Xavier R. topez, University of Maine

Massimo Craglia, University of Sheffield

The Impact of Scientific and Technical

Community Development Programs

Intormation Systems (WELL-GIS)

375

376

Table of Contents • Volume 2 • Stream 7

439	
	P. Gartzen, Dataquest Europe Ltd., High Wycombe, UK
433	Progress Seminar VII: Hardware and Software Trends GIS in an ever-changing Market Environment
	M. Ehlers, ISPA, University of Vechta, Vechta, D
426	Progress Seminar VI: GIS and Earth Observation The Promise of Remote Sensing for Land Cover Monitoring and Modeling
	S. Openshaw, University of Leeds, Leeds, UK
417	Progress Seminar IV: Spatial Analysis Developing Intelligent and User Friendly Spatial Analysis Tools for Data Rich GIS Environments
	S. Trollegaard, The National Association of Local Authorities, Denmark
400	Progress Seminar I: Applications in Government Information by Management Policy by Co-ordinated Information Systems Experiences of Denmark
399	PROGRESS SEMINARS
	Jaap W.J. Besemer, Cadastre and Public Registers Agency, The Netherlands
394	The Fundament: A Matter of Awareness
	Bas Kok, RAVI Secretariat, The Netherlands
390	Towards a GEO Information Infrastructure in the Netherlands
389	STREAM 7
. <u> </u>	Istvan Kadar - University of Forestry and Timber Industry, Hungary, Erik Papp - Technical University of Budapest, Hungary
386	Coordinates Among Object-Oriented Position Systems

PLENARY - VOLUME 2

Data Integration for Urban Design: A Case Study

Maria Antonietta Esposito and Christiane Boehner, Universite degli Studi di Firenze

Summany: The paper presents a case study aimed to define a methodology for urban analysis and design applications based on different sources data integration.

Engineering) at CEC-JRC (Commission of European Communities-Joint Research Centre) of ISPRA The study is actually under development by a degree thesis and with the support of ISEI (Institute for Software

The study is focused on the city of Firenze (Italy) and surroundings (the metropolitan area) keeping in analysis the problem of urban quality design according with the CEC official documents.

The aim of the study is to purpose an IT (Information Technology) based procedure for urban analysts and design particularly aimed to detect and evaluate natural elements such as trees and telationships with other out-door spaces, built o not, and other variables are also studied green surfaces in the town

data report as well as 3D animated simulation will be provided by a pathfinder demonstration A simulation of the actual consistency of the green system compared with other non-visible urban systems and elements should be done and these should be compared with new solutions using what if scenarios. Traditional 2D

to DPMPE at the Facoltà di Architettura of Università degli Studi di Firenze. The thesis is also supported by The presentation refers to a degree thesis 1 developed at LIS (Laboratorio Sistemi Informativi) 2 belonging of CEC-DGXII (Commission of European Communities). ISEI (Institute for Systems Engineering and Informatics) 3 at JRC (Joint Research Centre) in Ispra as a part

collaboration of both EO scientists and application specialists in early phases of data bases implementation. overcome specific scientific and technical problems in the urban environment analysis and design using Π The aim of the study is to define an innovative methodology and patifinder demonstration of how to Research tasks has been drawn from the following areas: Particularly the project involves the priority use of EO (Earth Observation) data with the

-development of new IT (Information technology) procedures based on existing techniques and tools to obtain useful information from both EO data (provided by remote sensing images) and traditional (aiphanumericai) data.

il-definition of an appropriate data model and structures for a GIS (Geographical Information Systems) application looking to easy multi-source data integration.

iii-multimedia data presentation and report to facilitate the use of such kind of systems by non expert users like as urban designers and municipalities officers.

organisation (i.e.tele-working), and so on. The CEC (1990) has been indicated the necessity to define exploited in study and researches, and also in pilot projects in many European towns. More recently the CEC built environment, natural elements in the urban environment. Some of this areas are have been yet priority actions for urban environment in relation to three important elements: urban environment pollution exigency of preservation of the historical buildings and urban environments, exigencies of new types of work activities, request of offices buildings and telecommunication infrastructures, laid aside industrial areas, noise and air pollution, lost of residences in the city's historical centres, request of space for outdoor urban population improving, the urban mobility pressure increasing (private and public transportation), high the contemporary urban environment rises from a lot of interrelated socio-economics trends such as the important official document have been published by the CEC (1990; 1994) on the topic. The complexity of life style development. Some analysis of the problem have been done in the literature and also some understand the behaviour of the complex city system under the pressure of technological trends as well as One of the main problems in urban analysis and design is actually, with particular regard to Europe, to better could apply the problem solving activity, as follows: (1994) has also suggested three strategic objectives in rising areas, where designers and administrators

AGORA; to develop new global urbanistic concepts aimed at the promotion of human centered city plans wnich, by applying technology options, will enable social cohesion and co-operation

GLOCAL: to maintain the local diversity and valorise the local resources

SUSTAINABLE: to contribute to develop simulation models and assess technology options to realise high

more general objective of the study is to define a methodological tool for a sustainable town design. technological options to make this, with the aim to control and improve the urban quality. We can say that the background idea of this study has been to contribute to develop a simulation model, and also assess the Assuming that to develop new global concept is not the problem here, the most of research efforts and the

predictive modelling of their urban projects proposal through the use of GIS thematic mapping. Traditional multi-date monitoring of the urban environment changes as well architects and planners could apply points out three most fundamental compositional elements of the urban environment: vegetation, impervious et alli, 1992) for example serves as a basis for urbarvindustrial change detection and monitoring. The model knowledge and capacity of representation of urban realty using this model and inferring them (?) with visible-physical material's data we sure could improve our applications of GIS technology is generally based on non-visible socio-economic variables implementation composition has been defined many applications are possible. On this base geographers could operate the land use but also enriched by ecologically significant properties of urban composition. Once this ecosystem pattern and process. In this way the analysis of urban environment could be based not only on Therefore to distinguish and map these elements means to establish a basis for understanding urban surfaces, and exposed soil. These elements are used as well in contrast with surrounding landscape as in problem has been studied and modelled by geographer also using EO data support. The V-I-S model (Ridd Because of Urban and industrial areas represent man's most evident modification of earth's surface this the identification of each single pixel as a part of these three groups of surface materials (ecounits) terms of ecological significance (see Fig. 1). The V-LS model has been based on the use of EO data through

Main Targets

The main target of the thesis can be summariesed in the answer to the following questions: a) Why nature in the city as a case study in urban environment#s design-management?

b) How to define a procedure based on qualitative data integrated with quantitative data? The answer refers to the use of Remote sensing technologies The answer refers to the Strategy Model

can base only on as actual data as possible. That means a continuous update of geografical data A system based on quality data can only consist in a simulation of the reality judged by the human brain versus the automated evaluation based on quantitative data. Morever a realistic simulation guarantied today only by update on remote sensed and expecialy satellite data

How to compare different urban systems as i.e. the system of vegetation in the city and the system of exposed soil?

The answer is base on the Geo-Model




Fig. 1: Geo-Model

(Ridd M.K., Dudley-Murhy E. "Global change and urban ecosystems; a role for remote sensing" LSPRS-ACSM, "Technical Papers", 1992, Vol 4°)

Student: Christiane Boehner; Tutors prof.P.A.Cetica and DR M.A. Esposito


Scientific Responsible: prof.P.A.Cetica; Technical Responsible: DR M.A. Esposito

With the collaboration of ing.S. Contini and Dr E. Nicoloyanni

d) How to combine administrative (non-visible) data and the other geo-physical (visible) attributes to support town management or architecture and planning applications in the case study? The answer refers to the Focus on 2D-3D Data Report.

not) in the urban environment using automatic elements identification from EO data loading. A case study has been chosen to apply the experiment: the town of Firenze (II). The data base rising from the image processing of EO images captured by SPOT and LANDSAT satellites should be integrated with other Geoinformation (digital cartography) and also with alphanumeric non-visible data and images from available public data sources (fig $2\cdot3\cdot4$). Objectives and diffusion of results

The analysis has been focused on the comparation of natural elements with others public spaces (built or



DPMPE Fig.2: Application model




Fig. 3: Integration model of geographical data of the thesis




Fig.4: Integration model of alphanumerical data of the thesis

the systems technology is going to support much more data formats on the other hand the creation of public the data re-structuration with costs improvement and quality (precision and reliability of data) lack. Although of this data by a standard GIS support have been also detected and solved. Local available GI is often in problem applied to urban analysis. been to keep known the real operative situation and to suggest technical solutions for the data integration standards, for the small scale digital data plays a large role in the matter. One of the study sub-objective has data sets follows in each case its own criteria. The absence of shared European and, in Italy even national digital form but different data formats are associated to different scale. In such way each application require has been done. Different non-standard data sources been found and technical problem for the practical use The census of the type and of the technical characteristics of locally available GI (Geographical Information)

by the specific functionality offered by the integration environment chosen (fig.4) The creation of an appropriate user interface will be very important phase of the work and should be defined

Fluerence : List of orminate passencials hadenmonican

			ш	M .		П				П		118	
				1		Ш			1	Ш			ı
_				1 _					ı				Ħ
٩	ŝ	æ	¥	400	S.	7	PUDGE	ř	Ω	ш	ŧ	Ш	1.5
	•		1		ij			8	Contanto		12	ш	direction
			868	i Ti	٠,	•	ы	ο			165		17
	1		Ш	Jø		ш	3		ð	П			8
	1			11"		1	П			Ш			8
	4			_						J.		111	
2	١		Ui i	1		1				Ш	Ш	883	-
	П	88	á	8	เลเ	14	ı		¥	i e	齫		7
ū	ŀ			8	8	11	51	ю.	×		Ì	98	9
н	ı			1 2		11	M.		.,	ΙĐ	- 31		8
ĕ	il		80	1 7		18	ш			Į,		ш	8
•	1	ж	M.	14	. 5	13	в	4		l.		ш	•••
	Į			L	₾.	4		88.		Ш			-
á	ı		32		~	18	ш		_	l.			R
k	ı	100	1.8	1	Š	18	ш	ž:	ş	Ш	4	ш	3
"	1	-		1	•		ш		Ę	Ш	3	ш	•
	ľ		15	1			: 4			l.	A 15.43		
	ŀ			1						Ш			8
	ŀ) · •	1		48					4		•
	ŀ		- 3	i				ш		Ш			8
•	ŧ		AND AND AND A	F · ·	****		i i			Ш	40		DESCRIPTION TO SERVICE SALES
	l	18	щ	1			ш			Ш		- 1	ŧ.
	ŀ	44		1		В	М	8		Ш			
	ľ	Ю.	ш	1		в	Ш	8		ш			
	ľ			1.		18		91			1	 .	1
	h			[m				Ш	٠.		Ñ.
	ŧ			ı				81		88		- 1	2
	l			1		Ш	Mil					11	1
_	Ŀ			1		m		21	4	ш		4 J	
	ķ	i di	MI	1.		M				М	Ш		•
	ľ	ш	×	H	×		8	94		Ш			20
	ľ	- 6		li	8	ш	1	8.1					4 (
	ŀ		48	١ ٠	-3		hil	4				91	14
	l			١				31	٠ 1			1	• 1
	ľ			136	×		Œ.	a I.	٠ŀ	Ш			27
×	l		×	ш			ш	8 I	'n			ш	11
	ı			1		雛		8.1	1		M		Į
-	Ľ			١.				at.	٠·١	Ш	Ю	П	- 5
اد	ı			ı				#I:	×I			И	`
٩	ı		Ш	ı				8	J			Ш	۲
	ı			ı				Ħ	į		Ш	41	8
4	ı		4, 1		1	Ш	Ш	81	-1		10		•
ď	l			ĺ				äf.	- 1		H.		
ı	ı		ш.			Ш	Ш	8	- 1	Ш		ij.	Ş
	i						Ш		- 1	ш	М	₩.	ı
ı	ı	4	100	1			Ш	1	ŧ	ш.	ui.	11	-

JEGGGG GGGGGG

maa

Fig. 5: List of geographical data available on Florence

MACINIOS

The definition of an appropriate data model and structures for a GIS application looking to manage the sample analysis by quarries should be provided as well as traditional thematic maps (2D report). An innovative tentative report will be also provided by the use of multimedia tools: a three dimensional simulation, directly built on the automatic DTM (Digital Terrain Model) joint to animation tools will allows the

on 2D representation is probably the more useful for the administrative procedures, the complexity of design process asks more sophisticated tools of control such as 3D representation and animation. This fact is connected with the holistic characteristic of the design control versus the quantitative nature of the visual control of the urban elements attributes (3D report). Although the traditional colour print output based

The results diffusion has been planned by the production of a VHS standard movie for didactic use and by INTERNET/WWW shared files for research use.

Phases of work and scheduling

The development of the study and attached demo should be divided in 6 phases (see fig.5), that have taken token or will take place in part at DPMPE-LIS at Università di Florence in part at JRC-ISEI in Ispra.




Fig. 6: Development of the thesis application

The 1st phase of analysis and selection of geographical and alphanumeric data have been done in Firenze and of some also with the collaboration of the Municipality's office of Urbanistica of the Comune di Firenze and of some end of May 95. The month of June 95 will be dedicated to the interface design and simulation tests. The completed on the end of March 95 and the end of phase D, dedicated to data integration, is foreseen on the the support of EO data process specialist. The phase B is dedicated to system training and the deadline is Sip etc.). The other phases (adually is in progress the phase C) are going to be developed at JRC-ISEI with local Organisation (such as Catasto, Istituto Geografico Militare, etc) and Companies (Florentina-gas, Enel, whole work scheduled due date is on July 95, with the result diffusion and the discussion of the Degree fixed on the day 28th of February '95. The phase C, with the creation of the EO data base, will be probably thesis at the Università di Firenze.

We could agree with Ridd (1992) conclusion to need models of urban morphology and change appropriately to link with other ecosystems. This methodology shows that the analysis is also applicable to urban planning (such parks and health care, schooling, transportation) or facilities (gas, electricity, telecommunication and design and even to urban management operated by Public/Private Bodies charged for sectorial services the whole elements of the complex urban realty data from remote sensing, should constitute the common reference to the territory to understand and manage networks). Because needed are global models, Geographical Information, especially integrated with visible

References

- Luxemborg, "Libro Verde per la Qualità dell'Ambiente Urbano" Commissione Delle Comunità Europee 1990
- Background paper Commission of the European Communities City Action RDT Programme - Towards a better liveable city"
- "Global change and urban ecosystems: a role for remote sensing" in ASPRS-ACSM, "Technical Papers", 1992, Vol 4° Ridd M.K., Dudley-Murhy E.
- "l° covegno sull'insegnamento universitario delle tecnologie sostenibili in architettura", in printing Esposito M.A. et Alii In proceedings of Tecnologie sostenibili in Architettura e Qualità dell'Ambiente: una visione Europea del Tema"