



UNIVERSITÀ  
DEGLI STUDI  
FIRENZE

FLORE

Repository istituzionale dell'Università degli Studi  
di Firenze

**NEW COGNITIVE MODELS IN THE PRE-DESIGN PHASE OF COMPLEX  
ENVELOPE SYSTEMS**

Questa è la Versione finale referata (Post print/Accepted manuscript) della seguente pubblicazione:

*Original Citation:*

NEW COGNITIVE MODELS IN THE PRE-DESIGN PHASE OF COMPLEX ENVELOPE SYSTEMS / Paola Gallo; Rosa Romano. - ELETTRONICO. - (2020), pp. 452-458.

*Availability:*

This version is available at: 2158/1218039 since: 2020-12-04T11:17:53Z

*Publisher:*

Maggioli Editore

*Terms of use:*

Open Access

La pubblicazione è resa disponibile sotto le norme e i termini della licenza di deposito, secondo quanto stabilito dalla Policy per l'accesso aperto dell'Università degli Studi di Firenze (<https://www.sba.unifi.it/upload/policy-oa-2016-1.pdf>)

*Publisher copyright claim:*

(Article begins on next page)

# Producing Project

edited by

**MASSIMO LAURIA**  
**ELENA MUSSINELLI**  
**FABRIZIO TUCCI**




8B  
F1  
E3  
9F  
F7

78 84  
71 10  
76 4C 04  
C7 90 88  
83 116 8E  
27 111 12  
12 111 10  
88 111 0E  
03 111 10  
2E 111 1E  
47 111 1E  
D5 111 1E  
C4 111 1E  
17 111 1E  
45 111 1E  
08 111 1E  
28 111 1E  
28 111 1E  
53 111 1E  
29 111 1E  
EA 111 1E  
97 111 1E  
94 111 1E  
14 111 1E

04 27 1988  
83 69 C438  
74 74 1785  
C2 30 10809  
38 FC 28  
58 SF 13  
21 5E 28  
04 1A  
A1 17  
01 14  
48 14  
1D 47  
34 40  
8D 13  
5E 43  
CE C9  
8D 28  
03 2A  
5A 78  
58 28  
9C 08  
01 11  
E4 15  
07 07

**MAGGIOLI**  
**EDITORE**



**Massimo Lauria**  
Associate Professor of Architectural Technology  
at dArTe Department, Mediterranean University  
of Reggio Calabria.

**Elena Mussinelli**  
Full Professor of Architectural Technology at  
ABC Department, Politecnico di Milano.

**Fabrizio Tucci**  
Full Professor of Architectural Technology at  
PIDTA Department, Sapienza University of Rome.

The transformations created about the design activity by the several challenges started by the economic crisis, climate change and environmental emergencies, together with the impact of the Web and ICT on social and productive systems, highlight many critical issues, but also significant prospects for updating concerning places, forms, contents and operating methods of “making architecture”, at all levels and scales.

In this context, the cultural tradition and disciplinary identity of Architectural Technology provide visions and effective operating practices characterized by new ways of managing and controlling the process with the definition of roles, skills and contents related to the production chains of the circular economy/green and to real and virtual performance simulations.

The volume collects the results of the remarks and research and experimentation work of members of SITdA - Italian Society of Architectural Technology, outlining scenarios of change useful for orienting the future of research concerning the raising of the quality of the project and of the construction.

# Producing Project

edited by

**Massimo Lauria**  
**Elena Mussinelli**  
**Fabrizio Tucci**

  
**MAGGIOLI**  
**EDITORE**

**Book series STUDI E PROGETTI**

directors *Fabrizio Schiaffonati, Elena Mussinelli*

editorial board *Chiara Agosti, Giovanni Castaldo, Martino Mocchi, Raffaella Riva*

scientific committee *Marco Biraghi, Luigi Ferrara, Francesco Karrer, Mario Losasso, Maria Teresa Lucarelli, Jan Rosvall, Gianni Verga*

edited by

*Massimo Lauria*

*Elena Mussinelli*

*Fabrizio Tucci*

editing, collection and supervision of texts by

*Maria Azzalin*

proofreading by

*Filedeflja Musteqja*

*Francesca Pandolfi*

This e-book has been subjected to blind peer review process.

Cover:

adaption of

*Siemens digitalization tour, Siemens, 1996-2019*

ISBN 978-88-916-43087

© Copyright of the Authors.

Released in the month of November 2020.

Published by Maggioli Editore in Open Access with Creative Commons License  
Attribution-NonCommercial-NoDerivatives 4.0 International (CC BY-NC-ND 4.0).



Maggioli Editore is a trademark of Maggioli SpA  
Company with certified quality system ISO 9001:2000  
47822 Santarcangelo di Romagna (RN) • Via del Carpino, 8  
Tel. 0541/628111 • Fax 0541/622595  
[www.maggiolieditore.it](http://www.maggiolieditore.it)  
e-mail: [clienti.editore@maggioli.it](mailto:clienti.editore@maggioli.it)

## INDEX

<b>THE NEW SCENARIOS OF TECHNOLOGICAL DESIGN</b> <i>Maria Teresa Lucarelli</i>	12
<b>REFLECTIONS ON RESEARCH AND DESIGN IN ARCHITECTURAL PRACTICE</b> <i>Paolo Felli</i>	16
<b>PRODUCING PROJECT</b>	22
<b>Research for the quality of the project</b> <i>Elena Mussinelli</i>	23
<b>Technical culture and disciplinary statutes</b> <i>Massimo Lauria</i>	26
<b>Requirements, approaches, visions in the prospects for development of technological design</b> <i>Fabrizio Tucci</i>	33
<b>PART 1. DEMAND FOR SERVICES, OFFER OF COMPETENCES</b>	
<b>Values, contents and project actors in the new organizational models of the building process</b>	43
1.1 Architects' training and profession: current status, trends and perspectives <i>Ernesto Antonini, Pietromaria Davoli, Massimo Lauria</i>	44
1.2 The Italian design market from the point of view of the supply <i>Aldo Norsa</i>	52
1.3 The profession of architect in the VUCA society <i>Paolo Mezzalama</i>	60
<b><i>Innovation in the demand for design services: priorities, strategies, tools and practices of the client and their effects on the market</i></b>	
1.4 The demand for quality in architecture: project competitions <i>Valeria Ciulla, Alberto De Capua</i>	66

1.5	The impact of social demand on the project: the inclusive living for vulnerable people <i>Genny Cia, Marzia Morena, Ilaria Oberti, Angela Silvia Pavesi</i>	73
1.6	Circular and Collaborative: two terms of the project culture in the era of Industry 4.0 <i>Mariangela Bellomo, Antonella Falotico</i>	83
1.7	Project and crowdsourcing: phenomenon mapping and future perspectives <i>Timothy Daniel Brownlee, Valeria Melappioni</i>	90
<b><i>The evolution in the organization of the offer and in the project production: dimensions, structure, skills of the design structures, between multidisciplinary and specialization</i></b>		
1.8	The digital transformation of the AEC sector: innovation of processes and organizational models <i>Marcella Bonanomi, Cinzia Talamo, Giancarlo Paganin</i>	97
1.9	The digital challenge for the innovation of the design processes <i>Alessandro Claudi de Saint Mihiel</i>	104
1.10	New management models for design and construction: the Solar Decathlon ME 2018 experience <i>Antonio Basti, Michele Di Sivo, Adriano Remigio</i>	111
1.11	Towards a Maintenance 4.0. Chance versus need <i>Maria Azzalin</i>	119
1.12	The environmental-oriented complexity of design process <i>Anna Dalla Valle</i>	126
1.13	The innovation within building design and management processes <i>Valentina Frighi</i>	134
1.14	Rating system as design tool to manage complexity <i>Lia Marchi</i>	141
<b><i>New professional skills: definition, organization and education of knowledge, skills and competences</i></b>		
1.15	Green Procurement and Architecture. New horizons and skills for professionals <i>Riccardo Pollo, Corrado Carbonaro</i>	147
1.16	Tendencies and new players for participatory design <i>Giovanni Castaldo, Martino Mocchi</i>	154
1.17	Training to research. Strategies to bring closer universities and firms towards joint research <i>Massimo Rossetti</i>	161
1.18	Project production and University. Values, contradictions and opportunities <i>Oscar Eugenio Bellini, Andrea Tartaglia</i>	167
1.19	A new profession for the architect. The Project Manager <i>Mariateresa Mandaglio, Caterina Claudia Musarella</i>	175

1.20	Digital technologies, construction 4.0 and human factors <i>Erminia Attaianese</i>	182
1.21	Automation geography. Redefine the prefabrication <i>Margherita Ferrari</i>	188
<b>PART 2. QUALITY OF THE PROJECT, QUALITY OF CONSTRUCTION.</b>		
<b>Technological innovation and ICT for the building process</b>		195
2.1	Digital innovation and design complexity <i>Eliana Cangelli, Valeria D'Ambrosio</i>	196
2.2	Project production and digital culture <i>Mario Losasso</i>	202
2.3	Is BIM an Innovation? <i>Daniel Hurtubise</i>	208
<b><i>Information and Big Data for advanced management and decision-making processes</i></b>		
2.4	Technical innovation and GIS to qualify renovation processes <i>Giovanna Franco, Simonetta Acacia</i>	212
2.5	Which invisible technology? Metadates for the retrofit of historic buildings <i>Marta Calzolari</i>	219
2.6	Identity cards for multi-layered districts. BIM/GIS instruments for the design of smart cities <i>Saveria Olga Murielle Boulanger, Rossella Roversi</i>	226
2.7	Multi-criteria analysis method for the preliminary design of a hospital structure <i>Salvatore Viscuso, Milan Dragoljevic, Alessandra Zanelli</i>	234
2.8	Transparency in management and circularity. Blockchain and the production of the project <i>Cristina Fiore, Daniele Iori, Giuseppina Vespa</i>	241
2.9	Natural ventilation and CFD in the space of the historic city: the quality of urban design <i>Gaia Turchetti</i>	248
2.10	Decision-making in the design of circular buildings. Information on materials in BIM tools <i>Paola Altamura</i>	255
<b><i>Collaboration, integration and coordination of skills for sharing and managing data for project production</i></b>		
2.11	Transdisciplinary and shared methodologies for the design: input data identification <i>Lucia Martincigh, Gabriele Bellingeri, Chiara Tonelli, Lucia Fontana, Marina Di Guida</i>	263



2.12	GIS a tool for 20 <sup>th</sup> century architecture. From the territory to the building scale <i>Marta Casanova, Elena Macchioni, Camilla Repetti, Francesca Segantin</i>	271
2.13	Heritage-BIM. The integrated management of the historical centres: the case study of Artena <i>Filippo Calcerano, Elena Gigliarelli, Raffaele Pontrandolfi</i>	279
2.14	Light resource building approaches for eco-innovation of building processes <i>Martino Milardi</i>	287
2.15	New technologies and design: innovative co-design tools <i>Grazia Giulia Cocina, Gabriella Peretti, Riccardo Pollo, Francesca Thiebat</i>	294
2.16	Improving buildings quality through the reduction of the energy performance gap <i>Emanuele Piaia</i>	301

***Integration of innovative methodologies, tools and technologies for off-site and on-site production, in relation to all phases of the building process***

2.17	Industrial production, new tools and technologies for design of custom prefab housing <i>Spartaco Paris, Roberto Bianchi, Beatrice Jlenia Pesce</i>	309
2.18	Hybridization between BIM and VPL. Software development for embodied energy calculation of buildings <i>Roberto Giordano, Massimiliano Lo Turco, Yoseph Bausola Pagliero</i>	316
2.19	Concrete innovation between dematerialization and Industry 4.0 <i>Jenine Principe</i>	323
2.20	New tools for environmental design. A parametric model for the envelope <i>Paola De Joanna, Antonio Passaro, Rossella Siani</i>	329
2.21	Possible integration approaches of Life Cycle Assessment in BIM <i>Elisabetta Palumbo, Stefano Politi</i>	336

**PART 3. DESIGNING THE PROJECT, INVENTING THE FUTURE.**

**Innovation of knowledge forms and cognitive statutes of the project** 343

3.1	Design research: from the technological culture of design for social innovation to the anticipatory and creative function of design <i>Fabrizio Tucci, Laura Daglio</i>	344
3.2	For a new centrality of the figure of the architect <i>Fabrizio Schiaffonati</i>	353
3.3	Innovating projects in the Wisdom Economy <i>Luigi Ferrara, Caitlin Plewes, Graeme Kondruss</i>	359

***Project culture and social innovation***

3.4	Technological design and social innovation <i>Tiziana Ferrante</i>	368
-----	---	-----

3.5	The contemporary condition of design. A report on Digital Mathema <i>Giuseppe Ridolfi</i>	374
3.6	The culture of planning and participation <i>Alessandra Battisti</i>	382
3.7	Social, environmental and functional re-connection of reception spaces at Castel Volturno <i>Claudia de Biase, Rossella Franchino, Caterina Frettoloso</i>	391
3.8	City and need of city <i>Francesco Bagnato, Daniela Giusto</i>	398
3.9	Designing knowledge for recovery: between collaborative approaches and adaptability scenarios <i>Katia Fabbri, Serena Viola</i>	405
3.10	An inclusive approach for recovery strategies <i>Martina Bosone, Francesca Ciampa</i>	413
<b><i>Research and the predictive and anticipatory function of the project</i></b>		
3.11	Technologies for urban liminal systems between legacies and disciplinary evolution <i>Filippo Angelucci</i>	419
3.12	Valorisation design: from plot to vector of architecture <i>Elisabetta Ginelli, Gianluca Pozzi</i>	427
3.13	Disciplinary contamination. “ <i>Recherche Patiente</i> ” in design technological culture <i>Serena Baiani</i>	435
3.14	The technological design as cognitive process. Theories, models, inventions <i>Marilisa Cellurale, Carola Clemente</i>	444
3.15	New cognitive models in the pre-design phase of complex envelope systems <i>Paola Gallo, Rosa Romano</i>	452
3.16	Building performance simulation, BIM and Parametric design: potentiality for the design processes <i>Valeria Cecafosso</i>	459
3.17	Shaping the city of tomorrow through “Network Urbanism” <i>Irina Rotaru</i>	466
<b><i>What creativity for the architectural project</i></b>		
3.18	Responsibility and the three roles of technology toward the “collaborative city” design <i>Rossella Maspoli</i>	473
3.19	Digital technologies and production of inhabited space in the anthropocene <i>Marina Rigillo</i>	481

3.20	Enabling technologies for continuous and interdependent design <i>Flaviano Celaschi, Daniele Fanzini, Elena Maria Formia</i>	487
3.21	Designing complexity: from uncertainty to knowledge exchange <i>Daniele Bucci, Ottavia Starace</i>	494
3.22	Towards an epistemology of practice: research and design activism <i>Renata Valente</i>	499
3.23	Technological Regenerative Design to improve future urban scenarios <i>Antonella Violano</i>	506
3.24	Principles of the Green Economy and design strategies for climate adaptation <i>Marina Block</i>	515
	<b>PERSPECTIVES. REFLECTIONS ABOUT DESIGN</b> <i>Elena Mussinelli</i>	522

### 3.15 NEW COGNITIVE MODELS IN THE PRE-DESIGN PHASE OF COMPLEX ENVELOPE SYSTEMS

Paola Gallo\*, Rosa Romano\*

#### **Abstract**

*The paper is focused on the description of innovative research that are aimed to define new cognitive, experiential and design-based models connected with new forms of collective intelligence and capable of responding to the main challenges of the future. In particular, it will analyse the issue of the envelope systems production, in order to define innovative models capable of responding to continuously changing scenarios in the frame of environmental sustainability and energy efficiency of the built environment, through the ability to use simulation tools capable of predicting, anticipating and optimising the results of the design phase.*

*Keywords: Energy simulations, Design thinking, Sensitive Analysis, Envelope systems, Environmental sustainability*

#### **Introduction**

The identity features linked to the innovation of forms of knowledge and the cognitive theoretical foundations of design require new vision capacities that is an effort to build the future.

It will be necessary to work not only to find answers to concrete problems, but above all, to define and expand the problem itself. A vision for everything now deserves commitment: one that tells of a future in which the environmental issue, in its broadest sense, is central.

In the next years we will be called on to create a deep crisis in a research tradition entirely located within a culture based on concepts of growth and development and to guide technology towards generating effective solutions that are capable of resolving problems. These innovative building technologies should be energy efficient, and environmentally compatible as early as the preliminary phase of the project (Campioli, 2016).

---

\* Paola Gallo is an Associate Professor at the Department of Architecture, Florence University, Italy, [paola.gallo@unifi.it](mailto:paola.gallo@unifi.it).

\* Rosa Romano is a Research Fellow at the Department of Architecture, Florence University, Italy, [rosa.romano@unifi.it](mailto:rosa.romano@unifi.it).

In this scenario, the future research challenges and themes in the technology area must necessarily refer to the pillars identified from Horizon 2020, linked to the topics proposed by the European Construction Technology Platform and the International Council for Building (CIB). The challenges must be related to neuralgic and transdisciplinary aspects (concerning quality, creativity, sustainability, competitiveness) and connected to the priority issues of operational research in the architectural technology area (such as housing, innovation, the environment, development).

With respect to the critical nature of the current situation, challenges that focus on the proliferation of information technologies and the now appropriate applications of sustainable practices pop up. The process of renewing the construction sector implies the adoption of strategies to transition from the construction industry to the built environment industry, based on digital economies and extended to the urban and infrastructural scale. The design of construction products processes, favoured by information processing systems with advanced efficiency, becomes the real goal to strive for, to achieve real future proofing sustainability results. As a consequence, the modelling shifts from the architectural object towards preoptimisation of behaviour and use models, stimulated and encouraged by suitable interrelated design solutions. (Del Nord, 2016).

In this period, we are witnessing the advent and affirmation of new production models connoted by Industry 4.0.

Within the scope of these futuristic scenarios, the possibility of connecting to the Internet all the objects that populate the environment we live in, the availability of production systems and technologies with a high level of automation, and the spread of digitisation within design and production processes, will bring about unprecedented development opportunities for the manufacturing industry (Campioli, 2017).

## **New parametric design and environmental simulation tools**

The energy efficient buildings simulations, like that of complex envelopes, increasingly requires the use of parametric analysis tools. These are configured as virtual workspaces, where interactions between interdisciplinary knowledge occur with the aim of assessing, from the metadesign phase, the performances of the object, be it a material, a complex technological system, a building or even an urban context of broad dimensions.

All this why today, the science of sustainability opens up new technological areas in design and requires us to look beyond and not simply at the useful life of products, their direct users and the local context. Therefore, digital technologies lead us to rethink the design process in terms of the creative aspects, the management of information and knowledge, production and implementation (Astbury, 2016).

The ongoing digitisation of the design process actually makes it ever easier to analyse the performances of a building right from the preliminary phase of the design and increasingly often in the presence of specific expertise; this analytical ability is even more interesting when it involves technological solutions from the environment compartment. In this sense the simulation tools allow us to simultaneously assess the geometric-formal characteristics of the architectural work and the energy-environmental performances, together with issues linked to its cost and the building management, from the implementation phase to the use phase. This analysis and assessment process is even more appropriate if transferred to the scale of defining adaptive envelope systems linked to industrial innovation.

In fact, in the last decade, in the building design area, Building Information Modeling (BIM) tools have inexorably changed the procedures for defining operating models of architectural practice. These are indeed new methodological approaches to creative space, and not just simple operating tools comparable to the vector-based ones used in the past.

The term BIM in fact identifies an integrated process involving different applications capable of interacting with each other and sharing the same informative logic and structure (Ridolfi, 2018).

The need to adapt the operating structure of these complex tools to the operating situation of the construction sector, and above all to the design phase and therefore the validation and analysis of building systems and the technological solutions, has led in the last decade to the development of new BIM functionalities. These can be identified as the Performative BIM, concerning the exploratory and simulation activities typical of the idea-based phases traditionally ascribed to the figure of the architect (Marsh, 2016).

The performative model is no longer a mere geometric entity but it represents a complex system made up of families, types and elements that allow us to spread the updating of various attributes to all components of the design in a dynamic and interactive way and to modify an entire building by changing even just one of the parameters that define it (Attia, Gratiiaa, De Herdea, Hensenb, 2012). This gives rise to Building Performance Simulation (BPS) and Building Performance Optimisation (BPO) tools within the context of research pertaining to Performance Based Design (PBD).

Alongside the rapid evolution of indicators and legislation on the buildings energy efficiency new computer models for evaluating the design were developed: the Building Energy Modelling/Models (BEM), which were quickly disseminated in the construction sector and evolved rapidly within a decade. They have the capacity to assess the behaviours of the built environment from the static to the dynamic situation.

These tools are capable of developing models in which descriptive data related to geometric aspects is associated with data characterising the thermo-physical aspect of the technological solutions adopted.

With the introduction of BIMs, the BEMs transform into interoperable tools often integrated into the interfaces of more complex modelling products. These are plugins and addons dedicated to specific aspects of the energy and environmental simulation, demonstrating that no software is capable of resolving all aspects of the energy simulation (Ridolfi, 2018).

The complexity of BIMs and BEMs means there is a need to develop specialist knowledge, above all when BPS and BPO tools are used, as the indicators concerning the energy performance of the technological system or the indoor and outdoor comfort parameters of the building are numerous and often require detailed assessments. The calculation and simulated display of the heat and humidity characteristics of the construction elements, the forecasting and simulation of the environmental parameters (such as ventilation, sunshine, shade, the diffusion of natural light in rooms), new material production techniques, 3D printing, as far as robotic architecture, are changing the forms that we design (and can built) (Neuckermans, 2017).

### **Energy simulation in the concept design phase of complex envelope**

The preliminary phase of designing the environmental component of complex envelope systems is characterised by the need to assess different alternatives capable of satisfying the client's requirements in terms of ensuring maximum energy efficiency and, at the same time, guaranteeing the economic sustainability of the project. Therefore, this degree of creative approximation requires the designer to quickly and accurately assess the performance scenarios with respect to which the project will be developed, also and above all within the scope of the definition of detailed technological solutions that guarantee achievement of the nearly Zero Energy Building (nZEB) standards.

The new operating paradigm, necessarily linked to the designer's forecasting capacity as early as the concept design phase of envelope systems, suggests a high degree of interdisciplinary knowledge aimed at the use of assessment tools. These tools are able to work in a dynamic regime that can help to define the project performance requirements necessary to achieve the energy efficiency objective and reduce environmental impact connected to its meaning of sustainability. In this sense the use of BPS is essential even in this first phase aimed in particular at analysing the energy flows passing through the architectural envelope (e.g.: solar radiation, thermal resistance capacity of the materials, air flows, etc.) (Charron et al., 2006; Hayter et al., 2001). The designer can use this software to analyse morphological and material choices in scientific detail, directing the design of the envelope's technological system towards its creation through prefabrication in highly innovative production environments, also characterised by the use of advanced tools connoted by the production processes typical of the fourth industrial revolution, the so-called Industry 4.0.

Thanks to data-driven strategies and the possibility of interconnecting design and production in a single work flow, customisation of the form can, in fact, be linked to a responsive interpretation with respect to local characteristics and regional variations (Figliola, 2017). Therefore, within the scope to design adaptive envelope systems, it is essential to develop a performance analysis by constructing a virtual model that allows us to assess its behaviour in relation to the materials (traditional or innovative) and the integrated technological subsystems (active and passive actuators, systems for the accumulation and production of energy, etc.) up to the need to optimize the performances based on the external climatic conditions and indoor comfort. For these reasons, the virtual model is tested in terms of contribution (positive or negative) to the energy requirements (for heating; cooling, electricity, etc.) of the built environment, also and above all in relation to the climate area in which it will be used. This evaluation phase, conducted with increasingly sophisticated BPS and BPO tools and imagining the system integrated with elements that, in terms of characteristics and form, are similar to the “test cells” used in the prototyping phase, allows us to optimise the geometric, material and formal choices for the façade system. Software such as Grasshopper<sup>1</sup> for instance, even in this phase allows us to cross the energy-environmental analyses with the geometric-formal, as well as economic and performance-based ones. In this way all players in the process are able to assess, from the preliminary phase, the project variables that can be implemented at technological detail scale with the aim of optimizing the performances in a broad sense. Finally, it is important to remember that the simulation phase must always be accompanied by a testing phase carried out in a real environment which enables (through monitoring campaigns conducted at set time intervals and protocol applications and test procedures recognized internationally) the assessment of specific thermophysical parameters such as thermal transmittance and thermal capacity of the materials used. The thermophysical characterisation of a system by means of a “test cell” and the dynamic analysis of the output data obtained from monitoring the energy simulations under a dynamic regime allow us to obtain accurate and realistic models representative of the physical system investigated, providing a significant contribution to overcoming the limits met in the case of a simplified analysis. They also allow us to develop empirical models that can be applied to the monitoring data obtained from test campaigns on entire buildings and under conditions of use, in order to quantify the energy savings that can be achieved through the application of the devised technological component.

---

<sup>1</sup> This is a modelling investigation and theoretical experimentation tool, that can organise projects into parametric systems, based on the logic of the relationships between the parties, offering the possibility of altering the overall configuration of the system by acting on the variables set as the basis of the design process (Tedeschi, 2010). Developed in 2007 by David Rutten and Robert McNeel & Associates, Grasshopper, was largely disseminated as a plug in to Rhino software in the context of virtual modelling linked to the architecture and design sectors.



## Conclusions

It is clear how even the sector of the design of complex envelope systems is required to evolve from collective intelligence into connective intelligence made up of physical and virtual networks in which researchers and/or designers become the bearers of knowledge linked to operational and decision-making processes, involving horizontal skills (Raiteri, 2014).

The analysis of this type of adaptive technological solutions requires the use of multiple BPS tools that often produce interoperable outputs in the context of BIM environments. Therefore, it is essential that designers learn to define simulation strategies from the perspective of the design objectives more than the use of single analysis tools (Loonen et al., 2016).

The fates of Technological and Environmental Design and those of the so-called anticipation disciplines seem to cross, not only because convergent regarding some theoretic positions on postmodernity, but also because they are solicited by the needs of the real world and by some important looming reforms (Fanzini et al., 2017).

## References

- Asbury, J. (2016), "Digital creativity. How does technology affect the creative process?", *The Architectural Review*, available at: <http://guides.architecturalreview.com/Guide.aspx?storyCode=2229> (accessed 14 September 2017).
- Attia, S., Gratiaa, E., De Herdea, A., Hensenb, J.L.M. (2012), "Simulation-based decision support tool for early stages of zero-energy building design", *Energy and Buildings*, n. 49, pp. 2-15.
- Campioli, A. (2016), "Tecnologia dell'architettura: un aggiornamento identitario", in Perriccioli, M. (ed), *Pensiero Tecnico e cultura del progetto. Riflessioni sulla ricerca tecnologica in architettura*, Franco Angeli, Milano.
- Campioli, A. (2017), "Il carattere della cultura tecnologica e la responsabilità del progetto", *Technè* n. 13, Firenze University Press, Firenze, pp. 27-32.
- Charron, R., Athienitis, A., Beausoleil-Morrison, I. (2006), "A Tools for the design of zero energy solar homes", *ASHRAE*, in: *Annual meeting*, vol. 112(2), Chicago, pp. 285-295.
- Del Nord, R. (2016), "Potenzialità dell'area tecnologica in tema di "ricerca progettuale", in Perriccioli, M. (ed), *Pensiero Tecnico e cultura del progetto. Riflessioni sulla ricerca tecnologica in architettura*, Franco Angeli, Milano 2016.
- Fanzini, D., Rotaru, I., Bergamini, I. (2017), "Teoria e prassi nella progettazione ambientale: scienze post normali e visioning process design per la sostenibilità", *Technè*, n. 13, Firenze University Press, Firenze, pp. 151-158.
- Figliola, A. (2017), "Post-industrial robotics: esplorazione di architetture informate nell'era post-digitale", *Technè*, n. 13, Firenze University Press, Firenze, pp. 256-266.
- Hayter, S., Torcellini, P., Hayter, R., Judkoff, R. (2001), "The energy design process for designing and constructing high-performance buildings", *Clima 2000/Napoli 2001 World Congress*.
- Loonen, R., Favoino, F., Hensen, J., Overend, M. (2016), "Review of current status, requirements and opportunities for building performance simulation, of adaptive facades", *Journal of Building Performance Simulation*, vol. 10, n. 2, pp. 205-223.
- Marsh, A. (2016), "Performative design", available at: <http://drajmarsh.com/wiki/performative-design> (accessed 2 May 2016).

- Neuckermans, H. (2017), “La progettazione architettonica nell’era della tecnologia”, *Techne*, n. 13, Firenze University Press, Firenze, pp. 33-37.
- Raiteri, R. (2014), *Progettare progettisti. Un paradigma della formazione contemporanea*, Quodlibet, Macerata.
- Ridolfi, G. (2018), “BIM e Simulazione ambientale nelle fasi iniziali del progetto”, in Ceccherini Nelli, L. (ed), *Soluzioni innovative di risparmio energetico*, DiDA Press, Firenze, pp. 49- 54.
- Tedeschi, A. (2010), *Architettura parametrica. Introduzione a Grasshopper*, Le Penseur, Brienza.




Fig. 1 - From metadesign to verification with BPS and BPO tools of the energy performance of adaptive envelope systems: the SELFIE facade system