



# Plant Biosystems - An International Journal Dealing with all Aspects of Plant Biology

Official Journal of the Societa Botanica Italiana

ISSN: 1126-3504 (Print) 1724-5575 (Online) Journal homepage: <http://www.tandfonline.com/loi/tplb20>

## An updated checklist of the vascular flora native to Italy

F. Bartolucci, L. Peruzzi, G. Galasso, A. Albano, A. Alessandrini, N. M. G. Ardenghi, G. Astuti, G. Bacchetta, S. Ballelli, E. Banfi, G. Barberis, L. Bernardo, D. Bouvet, M. Bovio, L. Cecchi, R. Di Pietro, G. Domina, S. Fascetti, G. Fenu, F. Festi, B. Foggi, L. Gallo, G. Gottschlich, L. Gubellini, D. Iamonico, M. Iberite, P. Jiménez-Mejías, E. Lattanzi, D. Marchetti, E. Martinetto, R. R. Masin, P. Medagli, N. G. Passalacqua, S. Peccenini, R. Pennesi, B. Pierini, L. Poldini, F. Prosser, F. M. Raimondo, F. Roma-Marzio, L. Rosati, A. Santangelo, A. Scoppola, S. Scortegagna, A. Selvaggi, F. Selvi, A. Soldano, A. Stinca, R. P. Wagensommer, T. Wilhalm & F. Conti

**To cite this article:** F. Bartolucci, L. Peruzzi, G. Galasso, A. Albano, A. Alessandrini, N. M. G. Ardenghi, G. Astuti, G. Bacchetta, S. Ballelli, E. Banfi, G. Barberis, L. Bernardo, D. Bouvet, M. Bovio, L. Cecchi, R. Di Pietro, G. Domina, S. Fascetti, G. Fenu, F. Festi, B. Foggi, L. Gallo, G. Gottschlich, L. Gubellini, D. Iamonico, M. Iberite, P. Jiménez-Mejías, E. Lattanzi, D. Marchetti, E. Martinetto, R. R. Masin, P. Medagli, N. G. Passalacqua, S. Peccenini, R. Pennesi, B. Pierini, L. Poldini, F. Prosser, F. M. Raimondo, F. Roma-Marzio, L. Rosati, A. Santangelo, A. Scoppola, S. Scortegagna, A. Selvaggi, F. Selvi, A. Soldano, A. Stinca, R. P. Wagensommer, T. Wilhalm & F. Conti (2018) An updated checklist of the vascular flora native to Italy, *Plant Biosystems - An International Journal Dealing with all Aspects of Plant Biology*, 152:2, 179-303

**To link to this article:** <https://doi.org/10.1080/11263504.2017.1419996>



[View supplementary material](#)



Published online: 08 Feb 2018.



[Submit your article to this journal](#)



[View related articles](#)



[View Crossmark data](#)



Citing articles: [View citing articles](#)  
<http://www.tandfonline.com/action/journalInformation?journalCode=tplb20>



## An updated checklist of the vascular flora native to Italy

F. Bartolucci<sup>a†</sup> , L. Peruzzi<sup>b‡</sup> , G. Galasso<sup>c§</sup> , A. Albano<sup>d</sup> , A. Alessandrini<sup>e</sup>, N. M. G. Ardenghi<sup>f</sup> , G. Astuti<sup>b</sup> , G. Bacchetta<sup>g</sup> , S. Ballelli<sup>h</sup>, E. Banfi<sup>c</sup>, G. Barberis<sup>i</sup>, L. Bernardo<sup>j</sup>, D. Bouvet<sup>k</sup>, M. Bovio<sup>l</sup>, L. Cecchi<sup>m</sup> , R. Di Pietro<sup>n</sup>, G. Domina<sup>o</sup> , S. Fascati<sup>p</sup>, G. Fenoglio<sup>q</sup> , F. Festi<sup>r</sup> , B. Foggi<sup>s</sup> , L. Gallo<sup>t</sup>, G. Gottschlich<sup>u</sup>, L. Gubellini<sup>v</sup>, D. Iamponico<sup>w</sup> , M. Iberite<sup>x</sup>, P. Jiménez-Mejías<sup>y</sup>, E. Lattanzi<sup>v</sup>, D. Marchetti<sup>z</sup>, E. Martinetto<sup>z</sup> , R. R. Masin<sup>z</sup>, P. Medagli<sup>d</sup>, N. G. Passalacqua<sup>aa</sup> , S. Peccenini<sup>i</sup>, R. Pennesi<sup>ab</sup> , B. Pierini<sup>b</sup>, L. Poldini<sup>ab</sup>, F. Prosser<sup>q</sup>, F. M. Raimondo<sup>ac</sup>, F. Roma-Marzio<sup>b</sup> , L. Rosati<sup>p</sup>, A. Santangelo<sup>ad</sup> , A. Scoppola<sup>ae</sup> , S. Scortegagna<sup>af</sup>, A. Selvaggi<sup>ag</sup>, F. Selvi<sup>ah</sup> , A. Soldano<sup>ai</sup>, A. Stinca<sup>aj</sup> , R. P. Wagensommer<sup>ak</sup> , T. Wilhalm<sup>al</sup> and F. Conti<sup>at</sup> 

<sup>a</sup>Scuola di Bioscienze e Medicina Veterinaria, Università di Camerino – Centro Ricerche Floristiche dell'Appennino, Parco Nazionale del Gran Sasso e Monti della Laga, L'Aquila, Italy; <sup>b</sup>Dipartimento di Biologia, Unità di Botanica, Università di Pisa, Pisa, Italy; <sup>c</sup>Sezione di Botanica, Museo di Storia Naturale di Milano, Milano, Italy; <sup>d</sup>Dipartimento di Scienze e Tecnologie Biologiche ed Ambientali, Università del Salento, Lecce, Italy; <sup>e</sup>Istituto Beni Culturali Regione Emilia-Romagna, Bologna, Italy; <sup>f</sup>Dipartimento di Scienze della Terra e dell'Ambiente, Università di Pavia, Pavia, Italy; <sup>g</sup>Centro Conservazione Biodiversità (CCB), Dipartimento di Scienze della Vita e dell'Ambiente (DISVA), Università degli Studi di Cagliari, Cagliari, Italy; <sup>h</sup>Scuola di Bioscienze e Medicina Veterinaria, Università di Camerino, Camerino, Italy; <sup>i</sup>Dipartimento di Scienze della Terra, dell'Ambiente e della Vita, Università di Genova, Genova, Italy; <sup>j</sup>Dipartimento DiBEST, Università della Calabria, Cosenza, Italy; <sup>k</sup>Dipartimento di Scienze della Vita e Biologia dei Sistemi (DBIOS), Università di Torino, Torino, Italy; <sup>l</sup>Comitato Scientifico, Museo Regionale di Scienze Naturali "Efisio Noussan", Aosta, Italy; <sup>m</sup>Sezione di Botanica "Filippo Parlatore", Università degli Studi di Firenze, Museo di Storia Naturale, Firenze, Italy; <sup>n</sup>Dipartimento PDTA, Università di Roma "La Sapienza", Roma, Italy; <sup>o</sup>Dipartimento di Scienze Agrarie, Alimentari e Forestali, Università di Palermo, Palermo, Italy; <sup>p</sup>Scuola di Scienze Agrarie, Forestali, Alimentari ed Ambientali, Università della Basilicata, Potenza, Italy; <sup>q</sup>Fondazione Museo Civico di Rovereto, Trento, Italy; <sup>r</sup>Dipartimento di Biologia, Università di Firenze, Firenze, Italy; <sup>s</sup>Strada Val San Martino sup., Torino, Italy; <sup>t</sup>Hermann-Kurz Strasse, Tübingen, Germany; <sup>u</sup>Centro Ricerche Floristiche Marche, Pesaro, Italy; <sup>v</sup>Dipartimento di Biologia ambientale, Università di Roma "La Sapienza", Roma, Italy; <sup>w</sup>National Museum of Natural History, Smithsonian Institution, Washington, DC, USA; <sup>x</sup>Via Isonzo, Massa, Italy; <sup>y</sup>Dipartimento di Scienze della Terra, Università di Torino, Torino, Italy; <sup>z</sup>Via Regazzoni Bassa, Padova, Italy; <sup>aa</sup>Museo di Storia Naturale della Calabria ed Orto Botanico, Università della Calabria, Cosenza, Italy; <sup>ab</sup>Dipartimento di Scienze della Vita, Università di Trieste, Trieste, Italy; <sup>ac</sup>Dipartimento STEBICEF/Sezione di Botanica ed Ecologia vegetale, Università di Palermo, Palermo, Italy; <sup>ad</sup>Dipartimento di Biologia, Università degli Studi di Napoli Federico II, Napoli, Italy; <sup>ae</sup>Dipartimento di Scienze Agrarie e Forestali (DAFNE), Università della Tuscia, Viterbo, Italy; <sup>af</sup>Via Europa Unita, Schio, Italy; <sup>ag</sup>Istituto per le Piante da Legno e l'Ambiente (IPLA), Torino, Italy; <sup>ah</sup>Laboratori di Botanica, Dipartimento di Scienze delle Produzioni Agroalimentari e dell'Ambiente, Università di Firenze, Firenze, Italy; <sup>ai</sup>Largo Brigata Cagliari, Vercelli, Italy; <sup>aj</sup>Dipartimento di Scienze e Tecnologie Ambientali, Biologiche e Farmaceutiche, Università della Campania Luigi Vanvitelli, Caserta, Italy; <sup>ak</sup>Dipartimento di Chimica, Biologia e Biotecnologie, Università di Perugia, Perugia, Italy; <sup>al</sup>Museo di Scienze Naturali dell'Alto Adige, Bolzano, Italy

### ABSTRACT

An updated inventory of the native vascular flora of Italy, providing details on the occurrence at regional level, is presented. The checklist includes 8195 taxa (6417 species and 1778 subspecies), distributed in 1092 genera and 152 families; 23 taxa are lycophtyes, 108 ferns and fern allies, 30 gymnosperms and 8034 angiosperms. The taxa currently occurring in Italy are 7483, while 568 taxa have not been confirmed in recent times, 99 are doubtfully occurring in the country and 19 are data deficient. Out of the 568 not confirmed taxa, 26 are considered extinct or possibly extinct.

### ARTICLE HISTORY

Received 28 November 2017  
Accepted 19 December 2017

### KEYWORDS

Endemism; floristic diversity; Italy; Mediterranean flora; taxonomy

## Introduction

The last comprehensive checklist of the Italian vascular flora of native (including archaeophytes) and non-native established taxa was published 12 years ago, and included 7634 specific and subspecific taxa, of which 782 non-native (Conti et al. 2005), albeit these numbers were slightly modified by Conti et al. (2007). More recently, an inventory of alien (casual, naturalized and invasive taxa) and cryptogenic vascular flora to Italy, including archaeophytes and neophytes, listed 1023 species

and subspecies, of which 103 archaeophytes and 920 neophytes (Celesti-Grapow et al. 2009).

However, in the last years, there has been substantial progress in systematics, taxonomy, nomenclature and alien plant invasion research. Several new floristic and taxonomic data for Italy have been published in regional floras, local floristic contributions, taxonomic reviews and in the scientific reports published by the working group for Floristics, Systematics and Evolution of the Italian Botanical Society (e.g. Alessandrini et al. 2017; Bartolucci et

**CONTACT** F. Bartolucci  fabrizio.bartolucci@unicam.it, fabrizio.bartolucci@gmail.com

<sup>†</sup>These authors equally contributed to the paper

 Supplemental data for this article can be accessed at <https://doi.org/10.1080/11263504.2017.1419996>

al. 2017a, 2017b; Rosati et al. 2017). Furthermore, many taxa have been recently described for Italy as new to science (e.g. Bacchetta et al. 2012a, 2012b; Melai et al. 2012; Peruzzi and Gestri 2013; Troia and Azzella 2013; Peccenini and Polatschek 2014; Domina and Soldano 2015; Brullo et al. 2015b; Peccenini and Polatschek 2016; Conti and Bartolucci 2017). Therefore, there is a need of a new checklist to summarize the current state of the floristic and taxonomic knowledge of the Italian vascular flora.

In this context, we thought appropriate to publish two separate inventories: the present work, concerning only the native (including cryptogenic or doubtfully native) vascular flora (Bartolucci et al. 2016c), and a second one concerning only the alien taxa (archaeophytes and neophytes) (Galasso et al. 2016a).

This checklist is the result of a collective effort, thanks to the voluntary collaboration of many researchers who, as regional or taxonomic advisers (see Appendix S1 in supplementary material for details), have contributed to filling gaps in distribution or clarifying systematic and nomenclatural issues. This also served as a basis for an inventory of endemic taxa of Italy (Peruzzi et al. 2014a, 2015a), for the project “Italian Loci Classici Census” (Domina et al. 2012; Passalacqua et al. 2014; Peruzzi et al. 2015b; Brundu et al. 2017), for the revised Red List of Italian vascular plants (Rossi et al. 2013, 2014, 2016) and for the updated checklist of the Italian plants listed in the Habitat Directive (Fenu et al. 2017).

The aim of this contribution is to provide an updated inventory of the native vascular flora of Italy, to serve as a taxonomic and nomenclatural basis for botanical research and to promote new floristic investigations and biosystematic studies.

## Materials and methods

Starting from “An annotated checklist of the Italian vascular flora” (Conti et al. 2005, 2007), the nomenclature of specific and subspecific taxa was updated and critically checked according to more recent studies. In addition, numerous protoglosses and the following taxonomic databases were consulted: IPNI (2012 onwards), The Plant List (2013 onwards), Euro+Med (2006 onwards) and Tropicos (2017).

The systematic order and taxonomic circumscription of the families follow the classification proposed by PPG I (2016) for ferns and fern allies, by Christenhusz et al. (2011) for gymnosperms and by APG IV (2016) for angiosperms, with the exception of Dipsacales (Reveal 2011), Caryophyllales (Hernández-Ledesma et al. 2015) and Boraginales (Luebert et al. 2016). The author citations of plant names were standardized following the Rec. 46A Note 1 of the ICN (McNeill et al. 2012), i.e. according to IPNI (2012 onwards). The checklist includes also apomictic taxa belonging to *Alchemilla* and *Rubus* (Rosaceae), *Hieracium*, *Pilosella* and *Taraxacum* (Asteraceae), and *Ranunculus auricomus* group (Ranunculaceae). Taxa at varietal rank and hybrids were not considered.

The distribution of specific and subspecific taxa at regional scale was updated based on new data published in the period 2005–2015 in the column “Notulae alla checklist della flora vascolare italiana” (Informatore Botanico Italiano), which recently became “Notulae to the Italian native vascular Flora” (Bartolucci

**Table 1.** Most represented families ( $\geq 50$  taxa) and genera ( $\geq 40$  taxa) of the Italian native vascular flora.

Families	Taxa	Genera	Taxa
Asteraceae	2202	<i>Hieracium</i>	1167
Poaceae	550	<i>Taraxacum</i>	154
Fabaceae	495	<i>Carex</i>	126
Caryophyllaceae	359	<i>Centaurea</i>	116
Brassicaceae	333	<i>Limonium</i>	111
Rosaceae	312	<i>Ranunculus</i>	110
Apiaceae	263	<i>Ophrys</i>	103
Lamiaceae	240	<i>Pilosella</i>	100
Orchidaceae	236	<i>Alchemilla</i>	95
Ranunculaceae	231	<i>Silene</i>	87
Cyperaceae	187	<i>Festuca</i>	83
Plantaginaceae	160	<i>Trifolium</i>	81
Orobanchaceae	140	<i>Allium</i>	69
Plumbaginaceae	135	<i>Saxifraga</i>	66
Boraginaceae	115	<i>Euphorbia</i>	62
Campanulaceae	99	<i>Galium</i>	59
Rubiaceae	95	<i>Campanula</i>	58
Amaryllidaceae	93	<i>Viola</i>	56
Primulaceae	80	<i>Dianthus</i>	53
Asparagaceae	76	<i>Vicia</i>	53
Juncaceae	71	<i>Astragalus</i>	45
Saxifragaceae	69	<i>Genista</i>	45
Gentianaceae	68	<i>Potentilla</i>	45
Euphorbiaceae	67	<i>Veronica</i>	44
Chenopodiaceae	62	<i>Crepis</i>	43
Dipsacaceae	62	<i>Salix</i>	43
Crassulaceae	61	<i>Rosa</i>	42
Polygonaceae	60	<i>Cerastium</i>	40
Iridaceae	58	<i>Juncus</i>	40
Violaceae	56		
Cistaceae	55		

**Table 2.** Most represented families ( $\geq 20$  taxa) and genera ( $\geq 15$  taxa) of the Italian endemic vascular flora.

Families	Taxa	Genera	Taxa
Asteraceae	582	<i>Hieracium</i>	337
Plumbaginaceae	117	<i>Limonium</i>	98
Caryophyllaceae	97	<i>Centaurea</i>	73
Orchidaceae	87	<i>Ophrys</i>	61
Fabaceae	80	<i>Ranunculus</i>	37
Brassicaceae	78	<i>Taraxacum</i>	33
Poaceae	65	<i>Genista</i>	29
Ranunculaceae	60	<i>Silene</i>	29
Rosaceae	40	<i>Dianthus</i>	28
Apiaceae	39	<i>Allium</i>	25
Lamiaceae	38	<i>Viola</i>	20
Boraginaceae	34	<i>Campanula</i>	19
Amaryllidaceae	29	<i>Armeria</i>	17
Rubiaceae	28	<i>Festuca</i>	17
Campanulaceae	26	<i>Saxifraga</i>	17
Plantaginaceae	24	<i>Astragalus</i>	16
Iridaceae	23	<i>Erysimum</i>	16
Orobanchaceae	20	<i>Epipactis</i>	15
Violaceae	20	<i>Pilosella</i>	15

et al. 2016a, 2016b, 2017a, 2017b), and on floristic contributions and taxonomic reviews.

For Italian endemic taxa, we referred to the recent inventory proposed by Peruzzi et al. (2014a), which is continuously updated (see <http://goo.gl/x8QL4J>). According to these authors, the “Italian endemic” status was attributed to those taxa occurring only in Italy, or in Italy and Corsica (France) or in Italy and Malta.

**Table 3.** Most represented genera for each category of distribution data: P ( $\geq 60$  taxa), NC ( $\geq 2$ ), EX ( $\geq 1$ ), D ( $\geq 2$ ) and DD ( $\geq 1$ ).

Genera	P	Genera	NC	Genera	EX	Genera	D	Genera	DD
Hieracium	686	<i>Hieracium</i>	460	<i>Ranunculus</i>	5	<i>Hieracium</i>	21	<i>Taraxacum</i>	5
Taraxacum	135	<i>Taraxacum</i>	12	<i>Limonium</i>	3	<i>Polygala</i>	3	<i>Cotoneaster</i>	2
Carex	122	<i>Pilosella</i>	10	<i>Anthyllis</i>	2	<i>Alchemilla</i>	2	<i>Arenaria</i>	1
Centaurea	115	<i>Alchemilla</i>	6	<i>Aldrovanda</i>	1	<i>Alyssum</i>	2	<i>Bromopsis</i>	1
Limonium	108	<i>Atriplex</i>	3	<i>Bromus</i>	1	<i>Carex</i>	2	<i>Camelina</i>	1
Ranunculus	103	<i>Carduus</i>	3	<i>Bulbostylis</i>	1	<i>Juncus</i>	2	<i>Crataegus</i>	1
Ophrys	101	<i>Carex</i>	2	<i>Caldesia</i>	1	<i>Malva</i>	2	<i>Deschampsia</i>	1
Pilosella	90	<i>Dianthus</i>	2	<i>Camelina</i>	1	<i>Ophrys</i>	2	<i>Dryopteris</i>	1
Alchemilla	87	<i>Isolepis</i>	2	<i>Carlina</i>	1	<i>Paeonia</i>	2	<i>Helianthemum</i>	1
Silene	84	<i>Lythrum</i>	2	<i>Castroviejoa</i>	1	<i>Potentilla</i>	2	<i>Nocea</i>	1
Festuca	82	<i>Onosma</i>	2	<i>Clematis</i>	1	<i>Saxifraga</i>	2	<i>Persicaria</i>	1
Trifolium	78	<i>Polycnemum</i>	2	<i>Helianthemum</i>	1	<i>Spergularia</i>	2	<i>Phlomis</i>	1
Allium	68	<i>Silene</i>	2	<i>Helosciadium</i>	1	<i>Taraxacum</i>	2	<i>Scorpiurus</i>	1
Saxifraga	64			<i>Herniaria</i>	1	<i>Trifolium</i>	2	<i>Sesamoides</i>	1
Euphorbia	62			<i>Launaea</i>	1				
				<i>Puccinellia</i>	1				
				<i>Sonchus</i>	1				
				<i>Stratiotes</i>	1				
				<i>Suaeda</i>	1				

The distribution data (see Appendix S2 in supplementary material for detailed information about the regional distribution) given for each of the 20 administrative regions of Italy (not considering the two enclave-countries Republic of San Marino and Vatican City State) are coded as follows: Valle d'Aosta, VDA; Piemonte, PIE; Lombardia, LOM; Trentino-Alto Adige, TAA; Veneto, VEN; Friuli Venezia Giulia, FVG; Liguria, LIG; Emilia-Romagna, EMR; Toscana, TOS; Marche, MAR; Umbria, UMB; Lazio, LAZ; Abruzzo, ABR; Molise, MOL; Puglia, PUG; Campania, CAM; Basilicata, BAS; Calabria, CAL; Sicilia, SIC; Sardegna, SAR. In the Appendix S2, when the information concerning the distribution of a given subspecies for a region is missing, only the occurrence at species level was reported.

For each region, the occurrence status of each taxon is provided using the following categories:

- Occurring: “P”;
- Doubtfully occurring: “D”;
- No longer recorded (reliable historical record): “NC”;
- Extinct or possibly extinct: “EX”;
- Recorded by mistake: “NP”;
- Alien at regional level: “A” [“CAS” (Casual), “NAT” (Naturalized), “INV” (Invasive)].
- Other abbreviations or symbols used in the list before the species/subspecies name are as follows:
- Italian endemic: “E”;
- Cryptogenic: “C”, i.e. a doubtfully native taxon, whose origin of occurrence in Italy is unknown;
- Taxonomically doubtful: “T”;
- Data deficient at national level: “DD”.

The families in the checklist are systematically ordered and, within them, the genera, species and subspecies are alphabetically listed. The taxa doubtfully occurring in Italy are indicated in italics only (not in bold italics). Taxonomic references concerning genera are added below the families. Notes on taxonomy, nomenclature and distribution are included in the list after each taxon. The lists of synonyms, misapplied and included names (Appendix S3), along with the list of taxa to be excluded at national level (Appendix S4), are available as supplementary material.

**Table 4.** Number of taxa occurring in each of the 20 administrative regions.

	No. of taxa (N + C)	No. of taxa A (N + C + A [NAT, INV])	No. of taxa T (N + C + A [CAS, NAT, INV])
PIE	3464	3508	3535
TOS	3370	3391	3400
LOM	3272	3303	3429
ABR	3190	3207	3216
VEN	3169	3268	3338
TAA	3116	3238	3504
LAZ	3003	3028	3047
LIG	3002	3050	3080
FVG	2975	3134	3147
CAM	2813	2826	2828
EMR	2798	2827	2843
CAL	2768	2788	2799
SIC	2763	2782	2787
BAS	2598	2606	2607
PUG	2552	2568	2577
MAR	2497	2535	2540
UMB	2364	2400	2406
MOL	2305	2324	2327
SAR	2301	2378	2441
VDA	2289	2322	2333

Notes: No. of taxa (native “N” + cryptogenic “C”), No. of taxa A (native “N” + cryptogenic “C” + regionally non-native “A [NAT, INV]”), No. of taxa T (native “N” + cryptogenic “C” + regionally non-native “A [CAS, NAT, INV]”). Valle d'Aosta, VDA; Piemonte, PIE; Lombardia, LOM; Trentino-Alto Adige, TAA; Veneto, VEN; Friuli Venezia Giulia, FVG; Liguria, LIG; Emilia-Romagna, EMR; Toscana, TOS; Marche, MAR; Umbria, UMB; Lazio, LAZ; Abruzzo, ABR; Molise, MOL; Puglia, PUG; Campania, CAM; Basilicata, BAS; Calabria, CAL; Sicilia, SIC; Sardegna, SAR. CAS: Casual, NAT: Naturalized, INV: Invasive.

## Results

The checklist includes 8195 taxa (6417 species and 1778 subspecies), belonging to 1092 genera and 152 families (Table 1). The lycophtes are represented by 3 families, 6 genera, 23 taxa and ferns and fern allies by 17 families, 34 genera and 108 taxa. The gymnosperms are represented by 4 families, 7 genera and 30 taxa. The angiosperms consist of 8034 taxa grouped in 128 families and 1045 genera. The most represented families ( $> 300$  taxa) and genera ( $> 100$  taxa) are, respectively: Asteraceae, Poaceae, Fabaceae, Caryophyllaceae, Brassicaceae and Rosaceae;

**Table 5.** Number of taxa for each occurrence category in the 20 administrative regions.

	VDA	PIE	LOM	TAA	VEN	FVG	LIG	EMR	TOS	MAR	UMB	LAZ	ABR	MOL	CAM	PUG	BAS	CAL	SIC	SAR
P	1748	2972	2907	2746	2786	2745	2581	2550	3117	2291	2061	2776	2876	2180	2372	2192	2451	2471	2572	2177
NC	249	361	199	235	217	158	296	109	75	80	20	105	97	3	294	146	23	72	72	23
D	236	89	62	80	147	60	101	78	133	90	265	96	164	106	115	172	102	201	79	65
EX	10	18	85	32	5	3	6	34	16	16	0	3	26	0	4	8	2	5	8	1
PC	35	22	14	20	13	9	16	23	26	18	17	21	21	15	22	33	17	9	28	34
NC C	8	1	3	2	1	0	0	0	1	0	0	2	2	0	4	0	1	1	2	0
DC	1	1	1	1	0	0	2	3	2	2	1	0	0	3	1	2	1	4	2	1
EX C	2	0	1	0	0	0	0	1	0	0	0	0	0	1	0	0	0	1	0	0
PA	0	0	1	7	28	69	2	1	2	8	13	0	1	3	0	1	0	3	5	0
PA CAS	11	27	126	266	70	13	30	16	9	5	6	19	9	3	2	9	1	11	5	63
PA NAT	21	34	25	90	61	85	28	22	14	30	20	19	16	16	11	10	7	14	10	71
PA INV	0	0	4	3	1	0	0	1	0	0	1	0	0	1	0	1	0	0	0	3
NCA	7	6	0	3	7	4	18	4	2	0	1	4	0	0	1	4	0	0	2	3
DA	0	2	1	19	2	1	0	1	3	0	2	1	0	0	0	1	0	1	1	2
EXA	5	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NP	282	286	212	168	158	138	213	120	156	129	190	155	333	52	121	196	72	142	202	89

Notes: Valle d'Aosta, VDA; Piemonte, PIE; Lombardia, LOM; Trentino-Alto Adige, TAA; Veneto, VEN; Friuli Venezia Giulia, FVG; Liguria, LIG; Emilia-Romagna, EMR; Toscana, TOS; Marche, MAR; Umbria, UMB; Lazio, LAZ; Abruzzo, ABR; Molise, MOL; Puglia, PLG; Campania, CAM; Basilicata, BAS; Calabria, CAL; Sicilia, SIC; Sardegna, SAR. Occurring: "P"; Doubtfully occurring: "D"; Extinct or possibly extinct: "NC"; Naturalized: "NAT" (Naturalized), "INV" (Invasive).

**Table 6.** Genera with the most represented number of cryptogenic and taxonomically doubtful taxa: C ( $\geq 2$  taxa); T ( $\geq 5$  taxa).

Genera	C	Genera	T
<i>Papaver</i>	4	<i>Ophrys</i>	74
<i>Portulaca</i>	4	<i>Stipa</i>	16
<i>Triticum</i>	4	<i>Anthyllis</i>	15
<i>Cuscuta</i>	3	<i>Centaurea</i>	15
<i>Digitaria</i>	2	<i>Carduus</i>	10
<i>Gladiolus</i>	2	<i>Polygala</i>	10
<i>Lycium</i>	2	<i>Dianthus</i>	8
<i>Rumex</i>	2	<i>Daucus</i>	7
		<i>Sesleria</i>	6
		<i>Viola</i>	6
		<i>Anthemis</i>	5
		<i>Crepis</i>	5
		<i>Dactylis</i>	5
		<i>Helianthemum</i>	5
		<i>Helleborus</i>	5
		<i>Micromeria</i>	5
		<i>Rosa</i>	5
		<i>Stachys</i>	5

*Hieracium*, *Taraxacum*, *Carex*, *Centaurea*, *Limonium*, *Ranunculus*, *Ophrys* and *Pilosella*.

The taxa endemic to Italy are 1708, grouped in 70 families and 313 genera. Four genera are narrowly endemic to Italy: *Eokochia* (Chenopodiaceae), *Rhizobotrya* (Brassicaceae), *Petagnaea* and *Siculosciadium* (Apiaceae). Three genera are endemic to Sardegna and Corse (France): *Morisia* (Brassicaceae), *Castroviejoa* and *Nananthea* (Asteraceae).

The most represented families ( $>70$  taxa) and genera ( $>30$  taxa) concerning Italian endemic taxa are (Table 2): Asteraceae (582), Plumbaginaceae (117), Caryophyllaceae (97), Orchidaceae (87), Fabaceae (80), and Brassicaceae (78); *Hieracium* (337), *Limonium* (98), *Centaurea* (73), *Ophrys* (61), *Ranunculus* (37) and *Taraxacum* (33).

The taxa currently occurring in Italy are 7483, while 568 taxa have not been confirmed in recent times, 99 are doubtfully occurring in the country and 19 are data deficient (Table 3). Out of the 568 not confirmed taxa, 26 are considered extinct or possibly extinct: *Aldrovanda vesiculosa*, *Anthyllis hermanniae* subsp. *corsica*, *A. hermanniae* subsp. *sicula*, *Bromus grossus*, *Bulbostylis cioniana*, *Caldesia parnassifolia*, *Camelina alyssum* subsp. *alyssum*, *Carlinea acanthifolia* subsp. *utzka*, *Castroviejoa frigida*, *Clematis integrifolia*, *Helianthemum syriacum* subsp. *thibaudii*, *Helosciadium repens*, *Herniaria fontanesii* subsp. *empedocleana*, *Launaea nudicaulis*, *Limonium catanense*, *L. intermedium*, *L. peucetium*, *Puccinellia gussonei*, *Ranunculus fiorii*, *R. fraelensis*, *R. hostiliensis*, *R. monspeliacus* subsp. *saxatilis*, *R. mutinensis*, *Sonchus palustris*, *Stratiotes aloides* and *Suaeda kocheri*. The taxa to be excluded at national level are 177 (see Appendix S4).

The administrative regions showing the highest number of taxa (Tables 4 and 5), also considering the regionally non-native (CAS, NAT, INV) taxa, are: PIE (3535), TAA (3504), LOM (3429), TOS (3400), VEN (3338) and ABR (3216). By excluding the taxa regionally non-native (CAS, NAT, INV) at regional level, the regions with the highest number of taxa are: PIE (3464), TOS (3370), LOM (3272), ABR (3190), VEN (3169) and TAA (3116). Cryptogenic taxa are 56, while 430 taxa are taxonomically doubtful (Table 6).



## Checklist of the Italian native vascular flora

### Lycophtyes

#### Lycopodiaceae

*Diphasiastrum alpinum* (L.) Holub  
*Diphasiastrum complanatum* (L.) Holub

*Diphasiastrum issleri* (Rouy) Holub  
*Diphasiastrum oellgaardii* Stoor, Boudrie, Jérôme, Horn & Bennert  
*Diphasiastrum tristachyum* (Pursh) Holub  
*Diphasiastrum zeilleri* (Rouy) Holub  
*Huperzia selago* (L.) Bernh. ex Schrank & Mart. subsp. *selago*  
*Lycopodiella inundata* (L.) Holub  
*Lycopodium annotinum* L. subsp. *annotinum*

*Lycopodium clavatum* L. – Note: *Lycopodium lagopus* (Laest. ex Hartm.) Zinserl. ex Kuzen. is a reduced form of *L. clavatum*, without taxonomic value.

#### Isoëtaceae

Taxonomic references: *Isoëtes* (Troia and Greuter 2014; Bagella et al. 2015).

*Isoëtes durieui* Bory  
*Isoëtes echinospora* Durieu  
*Isoëtes gymnocarpa* (Gennari) A.Braun  
*Isoëtes histrix* Bory  
*Isoëtes longissima* Bory  
E *Isoëtes malinverniana* Ces. & De Not.  
E *Isoëtes sabatina* Troia & Azella  
*Isoëtes sicula* Tod.  
E *Isoëtes tiguliana* Gennari  
*Isoëtes todaroana* Troia & Raimondo

#### Selaginellaceae

*Selaginella denticulata* (L.) Spring  
*Selaginella helvetica* (L.) Spring  
*Selaginella selaginoides* (L.) P.Beauv. ex Schrank & Mart.

### Ferns and fern allies

#### Equisetaceae

*Equisetum arvense* L.  
*Equisetum fluviatile* L.  
*Equisetum hyemale* L.  
*Equisetum palustre* L.  
*Equisetum pratense* Ehrh.  
*Equisetum ramosissimum* Desf.  
*Equisetum sylvaticum* L.  
*Equisetum telmateia* Ehrh.  
*Equisetum variegatum* Schleich. ex F.Weber & D.Mohr

#### Ophioglossaceae

*Botrychium lanceolatum* (S.G.Gmel.) Ångstr.  
*Botrychium lunaria* (L.) Sw.  
*Botrychium matricariifolium* (A.Braun ex Döll) W.D.J.Koch  
*Botrychium simplex* E.Hitchc.  
*Botrypus virginianus* (L.) Michx.  
*Ophioglossum azoricum* C.Presl – Note: The taxonomic identity of the population from VEN is highly questionable (Peruzzi et al. 2015c). According to the same authors, three hybrid taxa, morphologically similar to *O. azoricum*, occur in Italy.  
*Ophioglossum lusitanicum* L.  
*Ophioglossum vulgatum* L.  
*Sceptridium multifidum* (S.G.Gmel.) M.Nishida ex Tagawa

#### Osmundaceae

*Osmunda regalis* L.

#### Hymenophyllaceae

*Hymenophyllum tunbrigense* (L.) Sm.  
*Vandenboschia speciosa* (Willd.) G.Kunkel – Note: In LIG and in Monte Pisano (TOS), only gametophytes can be found.

#### Marsileaceae

*Marsilea quadrifolia* L.  
*Marsilea strigosa* Willd.  
*Pilularia globulifera* L.  
*Pilularia minuta* Durieu ex A.Braun

#### Salviniaceae

*Salvinia natans* (L.) All.

#### Dennstaedtiaceae

*Pteridium aquilinum* (L.) Kuhn subsp. *aquilinum*

## Pteridaceae

- Adiantum capillus-veneris* L.  
*Allosorus acrosticus* (Balb.) Christenh.  
*Allosorus guanchicus* (Bolle) Christenh.  
*Allosorus persicus* (Bory) Christenh.  
*Allosorus pteridoides* (Reichard) Christenh.  
*Allosorus tinaei* (Tod.) Christenh.  
*Anogramma leptophylla* (L.) Link  
*Cosentinia vellea* (Aiton) Tod. subsp. *bivalens* (Reichst.) Rivas Mart. & Salvo  
*Cosentinia vellea* (Aiton) Tod. subsp. *velleia*  
*Cryptogramma crispa* (L.) R.Br. ex Hook.  
*Paragymnopteris marantae* (L.) K.H.Shing subsp. *marantae*  
*Pteris cretica* L.  
*Pteris vittata* L.

## Cystopteridaceae

- Cystopteris alpina* (Lam.) Desv.  
*Cystopteris diaphana* (Bory) Blasdell  
*Cystopteris dickieana* R.Sim  
*Cystopteris fragilis* (L.) Bernh.  
*Cystopteris montana* (Lam.) Bernh. ex Desv.  
*Cystopteris sudetica* A.Braun & Milde  
*Gymnocarpium dryopteris* (L.) Newman  
*Gymnocarpium robertianum* (Hoffm.) Newman

## Aspleniaceae

- E* *Asplenium adiantum-nigrum* L. subsp. *adiantum-nigrum*  
*Asplenium adulterinum* Milde subsp. *adulterinum*  
*Asplenium adulterinum* Milde subsp. *presolanense* Mokry, Rasbach & Reichst.  
*Asplenium balearicum* Shivas  
*Asplenium ceterach* L. subsp. *bivalens* (D.E.Mey.) Greuter & Burdet  
*Asplenium ceterach* L. subsp. *ceterach*  
*Asplenium ceterach* L. subsp. *cyprium* (Viane & Van den heede) Viane  
*Asplenium cuneifolium* Viv. subsp. *cuneifolium*  
*Asplenium fissum* Kit. ex Willd.  
*Asplenium fontanum* (L.) Bernh. subsp. *fontanum*  
*Asplenium forezienne* Le Grand ex Magnier – Note: For the nomenclature of this species, see Boudrie and Viane (2012).  
*Asplenium lepidum* C.Presl subsp. *lepidum*  
*Asplenium marinum* L.  
*Asplenium obovatum* Viv. subsp. *billotii* (F.W.Schultz) O.Bolòs, Vigo, Masalles & Ninot  
*Asplenium obovatum* Viv. subsp. *obovatum*  
*Asplenium onopteris* L.  
*Asplenium petrarchae* (Guérin) DC. subsp. *petrarchae*  
*Asplenium ruta-muraria* L. subsp. *dolomiticum* Lovis & Reichst.  
*Asplenium ruta-muraria* L. subsp. *ruta-muraria*  
*Asplenium sagittatum* (DC.) Bange  
*Asplenium scolopendrium* L. subsp. *scolopendrium*  
*Asplenium seelosii* Leyb. subsp. *seelosii*  
*Asplenium septentrionale* (L.) Hoffm. subsp. *septentrionale*  
*Asplenium trichomanes* L. subsp. *inexpectans* Lovis – Note: The records from BAS, SIC and SAR refer to *A. microphyllum* Tineo, which is provisionally included here.  
*Asplenium trichomanes* L. subsp. *quadrivalens* D.E.Mey.  
*Asplenium trichomanes* L. subsp. *pachyrachis* (Christ) Lovis & Reichst.  
*Asplenium trichomanes* L. subsp. *trichomanes*  
*Asplenium viride* Huds.

## Thelypteridaceae

- Oreopteris limbosperma* (All.) Holub  
*Phegopteris connectilis* (Michx.) Watt  
*Thelypteris palustris* Schott

## Woodsiaceae

- Woodsia alpina* (Bolton) Gray  
*Woodsia ilvensis* (L.) R.Br.  
*Woodsia pulchella* Bertol.

## Onocleaceae

- Matteuccia struthiopteris* (L.) Tod.

## Blechnaceae

- Struthiopteris spicant* (L.) Weiss  
*Woodwardia radicans* (L.) Sm.

## Athyriaceae

- Athyrium filix-femina* (L.) Roth  
*Pseudathyrium alpestre* (Hoppe) Newman – Note: For the nomenclature of this species, see Wei et al. (2018).



## Dryopteridaceae

Taxonomic references: *Dryopteris affinis* (Lowe) Fraser-Jenk. group (Fraser-Jenkins 2007).

***Dryopteris affinis*** (Lowe) Fraser-Jenk. subsp. ***affinis***

***Dryopteris borrei*** (Newman) Newman ex Oberh. & Tavel.

DD ***Dryopteris cambrensis*** (Fraser-Jenk.) Beitel & W.R.Buck subsp. ***distans*** (Viv.) Fraser-Jenk. – Note: Recorded for Italy by Fraser-Jenkins (2007), but without precise localities.

***Dryopteris cambrensis*** (Fraser-Jenk.) Beitel & W.R.Buck subsp. ***insubrica*** (Oberh. & Tavel ex Fraser-Jenk.) Fraser-Jenk.

***Dryopteris carthusiana*** (Vill.) H.P.Fuchs

***Dryopteris dilatata*** (Hoffm.) A.Gray

***Dryopteris expansa*** (C.Presl) Fraser-Jenk. & Jermy

***Dryopteris filix-mas*** (L.) Schott

***Dryopteris mindshelkensis*** Pavlov

***Dryopteris oreades*** Fomin

***Dryopteris pallida*** (Bory) Maire & Petitm. subsp. ***pallida***

***Dryopteris remota*** (A.Braun ex Döll) Druce

***Dryopteris tyrrhena*** Fraser-Jenk. & Reichst.

***Dryopteris villarii*** (Bellardi) Woyn. ex Schinz & Thell.

***Polystichum aculeatum*** (L.) Roth

***Polystichum braunii*** (Spenn.) Féé

***Polystichum lonchitis*** (L.) Roth

***Polystichum setiferum*** (Forssk.) T.Moore ex Woyn.

## Polypodiaceae

***Polypodium cambricum*** L.

***Polypodium interjectum*** Shivas

***Polypodium vulgare*** L.

## Gymnosperms

## Ephedraceae

***Ephedra distachya*** L. subsp. ***distachya***

***Ephedra distachya*** L. subsp. ***helvetica*** (C.A.Mey.) Asch. & Graebn.

***Ephedra foeminea*** Forssk.

***Ephedra fragilis*** Desf.

***Ephedra major*** Host subsp. ***major***

***Ephedra podostylax*** Boiss.

## Pinaceae

***Abies alba*** Mill.

E ***Abies nebrodensis*** (Lojac.) Mattei

***Larix decidua*** Mill.

***Picea abies*** (L.) H.Karst.

***Picea obovata*** Ledeb.

***Pinus cembra*** L.

***Pinus halepensis*** Mill. subsp. ***brutia*** (Ten.) Holmboe

***Pinus halepensis*** Mill. subsp. ***halepensis***

***Pinus heldreichii*** Christ subsp. ***leucodermis*** (Antoine) E.Murray

***Pinus mugo*** Turra subsp. ***mugo*** – Note: The records of *Pinus rotundata* Link [*Pinus mugo* Turra subsp. *rotundata* (Link) Janch. & H.Neumayer] from Italy actually refer to *Pinus ×ascendens* Businský nothosubsp. *ascendens* (Businský and Kirschner 2006, 2010).

***Pinus mugo*** Turra subsp. ***uncinata*** (Ramond ex DC.) Domin

E ***Pinus nigra*** J.F.Arnold subsp. ***laricio*** Palib. ex Maire

***Pinus nigra*** J.F.Arnold subsp. ***nigra***

***Pinus pinaster*** Aiton subsp. ***pinaster***

***Pinus sylvestris*** L.

## Cupressaceae

Taxonomic references: *Juniperus phoenicea* L. group (Mazur et al. 2016).

***Juniperus communis*** L.

***Juniperus deltoides*** R.P.Adams – Note: For a detailed study about the systematic relationships and the geographic distribution of this species in relation with *J. macrocarpa* and *J. oxycedrus*, see Roma-Marzio et al. (2017).

T ***Juniperus macrocarpa*** Sm.

***Juniperus oxycedrus*** L.

***Juniperus phoenicea*** L.

***Juniperus sabina*** L.

***Juniperus thurifera*** L.

***Juniperus turbinata*** Guss.

## Taxaceae

***Taxus baccata*** L.

## Angiosperms

## Nymphaeaceae

***Nuphar lutea*** (L.) Sm.

***Nymphaea alba*** L.

## Lauraceae

*Laurus nobilis* L.

## Aristolochiaceae

*Aristolochia clematitis* L.

E

*Aristolochia clusii* Lojac.*Aristolochia lutea* Desf.*Aristolochia navicularis* E.Nardi*Aristolochia pallida* Willd.*Aristolochia rotunda* L. subsp. *insularis* (E.Nardi & Arrigoni) Gamisans*Aristolochia rotunda* L. subsp. *rotunda**Aristolochia sempervirens* L.

E

*Aristolochia sicula* Tineo

E

*Aristolochia tyrrhena* E.Nardi & Arrigoni*Asarum europaeum* L.

## Araceae

*Ambrosina bassii* L.*Arisarum proboscideum* (L.) Savi

E

*Arisarum vulgare* O.Targ.Tozz. subsp. *vulgare**Arum apulum* (Carano) P.C.Boyce*Arum cylindraceum* Gasp. ex Guss.*Arum italicum* Mill. subsp. *italicum**Arum maculatum* L.*Arum pictum* L.f. subsp. *pictum**Biarum dispar* (Schott) Talavera*Biarum tenuifolium* (L.) Schott subsp. *abbreviatum* (Schott) K.Richt.*Biarum tenuifolium* (L.) Schott subsp. *tenuifolium**Dracunculus vulgaris* Schott*Helicodiceros muscivorus* (L.f.) Engl.*Lemna gibba* L.*Lemna minor* L.*Lemna trisulca* L.*Spirodela polyrhiza* (L.) Schleid.*Wolffia arrhiza* (L.) Horkel ex Wimm.

## Tofieldiaceae

*Tofieldia calyculata* (L.) Wahlenb.*Tofieldia pusilla* (Michx.) Pers.

## Alismataceae

*Alisma gramineum* Lej. subsp. *gramineum**Alisma lanceolatum* With.*Alisma plantago-aquatica* L.*Baldellia ranunculoides* (L.) Parl.*Caldesia parnassifolia* (Bassi ex L.) Parl. – Note: Possibly extinct in Italy (Rossi et al. 2013).*Damasonium alisma* Mill. subsp. *alisma**Damasonium alisma* Mill. subsp. *bourgaei* (Coss.) Maire*Damasonium polyspermum* Coss.*Sagittaria sagittifolia* L.

## Butomaceae

*Butomus umbellatus* L.

## Hydrocharitaceae

*Hydrocharis morsus-ranae* L.*Najas major* All.

T

*Najas marina* L. subsp. *armata* (H.Lindb.) Horn*Najas minor* All.*Stratiotes aloides* L. – Note: Possibly extinct in the wild (Rossi et al. 2013). Recently, this species was recorded as alien in VEN (Masin and Tietto 2006).*Vallisneria spiralis* L.

## Scheuchzeriaceae

*Scheuchzeria palustris* L.

## Juncaginaceae

*Triglochin barrelieri* Loisel.*Triglochin laxiflora* Guss.*Triglochin maritima* L.*Triglochin palustris* L.

## Zosteraceae

Taxonomic references: Tomlinson and Posluzny (2001), Kato et al. (2003).

*Nanozostera noltei* (Hornem.) Toml. & Posl.*Zostera marina* L.



## Cymodoceaceae

**Cymodocea nodosa** (Ucria) Asch.

## Potamogetonaceae

Taxonomic references: *Zannichellia* L. (Talavera et al. 1986).

**Althenia filiformis** Petit subsp. *filiformis*

**Groenlandia densa** (L.) Fourr.

**Posidonia oceanica** (L.) Delile

**Potamogeton acutifolius** Link

**Potamogeton alpinus** Balb.

**Potamogeton berchtoldii** Fieber

**Potamogeton coloratus** Hornem.

**Potamogeton compressus** L.

**Potamogeton crispus** L.

**Potamogeton friesii** Rupr.

**Potamogeton gramineus** L.

**Potamogeton lucens** L.

**Potamogeton natans** L.

**Potamogeton nodosus** Poir.

**Potamogeton obtusifolius** Mert. & W.D.J.Koch

**Potamogeton perfoliatus** L.

**Potamogeton polygonifolius** Pourr.

**Potamogeton paelongus** Wulfen

**Potamogeton pusillus** L.

**Potamogeton schweinfurthii** A.Benn.

**Potamogeton trichoides** Cham. & Schlehd.

**Stuckenia filiformis** (Pers.) Börner

**Stuckenia pectinata** (L.) Börner

**Zannichellia obtusifolia** Talavera, García-Mur. & H.Smit

**Zannichellia palustris** L.

**Zannichellia pedunculata** Rchb.

**Zannichellia peltata** Bertol.

T

## Ruppiaceae

**Ruppia maritima** L.

**Ruppia spiralis** L. ex Dumort.

## Dioscoreaceae

**Dioscorea communis** (L.) Caddick & Wilkin

## Colchicaceae

Taxonomic references: *Colchicum* L. (Persson 2007, 2008; Fridlender 2009, 2016).

**Colchicum alpinum** DC.

E

**Colchicum arenarium** Fridl.

**Colchicum autumnale** L.

**Colchicum bivonae** Guss.

**Colchicum bulbocodium** Ker Gawl. subsp. *bulbocodium*

**Colchicum bulbocodium** Ker Gawl. subsp. *versicolor* (Ker Gawl.) K.Perss.

**Colchicum cupanii** Guss. subsp. *cupanii*

E

**Colchicum gonarei** Camarda

**Colchicum longifolium** Castagne

**Colchicum lusitanum** Brot.

E

**Colchicum nanum** K.Perss.

ET

**Colchicum neapolitanum** (Ten.) Ten. subsp. *gracile* (K.Perss.) Fridl.

E

**Colchicum neapolitanum** (Ten.) Ten. subsp. *neapolitanum*

**Colchicum triphyllum** Kunze

E

**Colchicum verlaqueae** Fridl.

## Melanthiaceae

**Paris quadrifolia** L.

**Veratrum album** L.

**Veratrum nigrum** L.

## Smilacaceae

**Smilax aspera** L.

## Liliaceae

Taxonomic references: *Tulipa* L. (Christenhusz et al. 2013); *Gagea* Salisb. (Peruzzi et al. 2008b, 2008c; Peruzzi 2012; Tison et al. 2013).

**Erythronium dens-canis** L.

**Fritillaria burnatii** (Planch.) Backh. – Note: The records of *F. tubaeformis* subsp. *tubaeformis* from Italy (Conti et al. 2005) actually refer to this taxon (Bartolucci and Peruzzi 2012; Bovio 2014; Mucciarelli et al. 2016).

**Fritillaria involucrata** All.

**Fritillaria messanensis** Raf. subsp. *gracilis* (Ebel) Rix – Note: For the distribution of this subspecies, see Peruzzi et al. (2017).

**Fritillaria messanensis** Raf. subsp. *messanensis*

**Fritillaria montana** Hoppe ex W.D.J.Koch – Note: For the nomenclature, taxonomy and distribution of this taxon, see Bartolucci et al. (2009), Peruzzi and Bartolucci (2009).

**Fritillaria tubaeformis** Gren. & Godr. subsp. *moggridgei* (Boiss. & Reuter ex Planch.) Rix

- Gagea amblyopetala* Boiss. & Heldr.  
*Gagea apulica* Peruzzi & J.-M.Tison  
*Gagea bohemica* (Zauschn.) Schult. & Schult.f. – Note: For the taxonomy of this species, see Peterson et al. (2010).  
E *Gagea chrysanthia* Schult. & Schult.f.  
*Gagea foliosa* (C.Presl) Schult. & Schult.f.  
*Gagea fragifera* (Vill.) Ehr.Bayer & G.López – Note: For the nomenclature of this species, see Tison (2001).  
*Gagea granatellii* (Parl.) Parl.  
*Gagea lacaitae* A.Terracc.  
*Gagea lojaconoi* Peruzzi  
*Gagea luberonensis* J.-M.Tison  
*Gagea lutea* (L.) Ker Gawl.  
*Gagea minima* (L.) Ker Gawl.  
*Gagea peduncularis* (J.Presl & C.Presl) Pascher  
E *Gagea peruzzii* J.-M.Tison  
*Gagea polidorii* J.-M.Tison  
*Gagea pratensis* (Pers.) Dumort.  
*Gagea pusilla* (F.W.Schmidt) Sweet  
*Gagea ramulosa* A.Terracc.  
*Gagea serotina* (L.) Ker Gawl.  
E *Gagea sicula* Lojac.  
*Gagea soleirolii* F.W.Schultz ex Mutel  
*Gagea spathacea* (Hayne) Salisb.  
E *Gagea tisoniana* Peruzzi, Bartolucci, Frignani & Minut.  
*Gagea trinervia* (Viv.) Greuter  
*Gagea villosa* (M.Bieb.) Sweet  
T *Lilium bulbiferum* L. subsp. *bulbiferum*  
*Lilium bulbiferum* L. subsp. *croceum* (Chaix) Jan  
*Lilium carniolicum* Bernh. ex W.D.J.Koch  
*Lilium martagon* L.  
*Lilium pomponium* L.  
*Streptopus amplexifolius* (L.) DC.  
*Tulipa pumila* Moench  
*Tulipa sylvestris* L.

## Orchidaceae

Taxonomic references: *Ophrys* L. (Romolini and Souche 2012; GIROS 2016); *Coeloglossum* Hartm. (Devos et al. 2006).

- Anacamptis collina* (Banks & Sol. ex Russell) R.M.Bateman, Pridgeon & M.W.Chase  
*Anacamptis coriophora* (L.) R.M.Bateman, Pridgeon & M.W.Chase  
*Anacamptis laxiflora* (Lam.) R.M.Bateman, Pridgeon & M.W.Chase  
*Anacamptis longicornu* (Poir.) R.M.Bateman, Pridgeon & M.W.Chase  
*Anacamptis morio* (L.) R.M.Bateman, Pridgeon & M.W.Chase – Note: The record of *A. morio* subsp. *caucasica* (K.Koch) H.Kretzschmar from PUG (Griebl 2010) is included here.  
*Anacamptis palustris* (Jacq.) R.M.Bateman, Pridgeon & M.W.Chase  
*Anacamptis papilionacea* (L.) R.M.Bateman, Pridgeon & M.W.Chase  
*Anacamptis pyramidalis* (L.) Rich.  
*Barlia robertiana* (Loisel.) Greuter  
*Cephalanthera damasonium* (Mill.) Druce  
*Cephalanthera longifolia* (L.) Fritsch  
*Cephalanthera rubra* (L.) Rich.  
*Chamorchis alpina* (L.) Rich.  
*Coeloglossum viride* (L.) Hartm.  
*Corallorrhiza trifida* Châtel.  
*Cypripedium calceolus* L.  
*Dactylorhiza elata* (Poir.) Soó subsp. *sesquipedalis* (Willd.) Soó  
*Dactylorhiza incarnata* (L.) Soó subsp. *cruenta* (O.F.Müll.) P.D.Sell  
*Dactylorhiza incarnata* (L.) Soó subsp. *incarnata*  
*Dactylorhiza insularis* (Sommier) O.Sánchez & Herrero  
*Dactylorhiza lapponica* (Laest. ex Hartm.) Soó subsp. *angustata* (Arv.-Touv.) Kreutz  
*Dactylorhiza lapponica* (Laest. ex Hartm.) Soó subsp. *rhaetica* H.Baumann & R.Lorenz  
T *Dactylorhiza maculata* (L.) Soó subsp. *fuchsii* (Druce) Hyl.  
T *Dactylorhiza maculata* (L.) Soó subsp. *saccifera* (Brongn.) Diklić  
T *Dactylorhiza maculata* (L.) Soó subsp. *savogiensis* (D.Tytelea & Gathoye) Kreutz  
*Dactylorhiza majalis* (Rchb.) P.F.Hunt & Summerh.  
*Dactylorhiza romana* (Sebast.) Soó subsp. *markusii* (Tineo) Holub  
*Dactylorhiza romana* (Sebast.) Soó subsp. *romana*  
*Dactylorhiza sambucina* (L.) Soó  
*Dactylorhiza traunsteineri* (Saut. ex Rchb.) Soó  
E *Epipactis aspromontana* Bartolo, Pulv. & Robatsch  
E *Epipactis atrorubens* (Hoffm.) Besser  
E *Epipactis autumnalis* Doro  
*Epipactis bugensis* Robatsch  
E *Epipactis calabrica* U.Grabner, S.Hertel & Presser  
E *Epipactis collaris* S.Hertel  
E *Epipactis cupaniana* C.Brullo, D'Emerico & Pulv.  
*Epipactis distans* Art.-Touv.  
E *Epipactis etrusca* Presser & S.Hertel  
*Epipactis exilis* P.Delforge

- Epipactis fagetica*** (C.E.Hermos.) Devillers-Tersch. & Devillers  
***Epipactis greuteri*** H.Baumann & Künkele  
***Epipactis helleborine*** (L.) Crantz  
**E** ***Epipactis hybida*** Brullo & Zimmitti  
**ET** ***Epipactis ioessa*** Bongiorni, De Vivo, Fori & Romolini  
*Epipactis leptochila* (Godfery) Godfery – Note: *Epipactis savelliana* Bongiorni, De Vivo & Fori is provisionally included here.  
**E** ***Epipactis lucana*** Presser, S.Hertel & V.A.Romano  
**E** ***Epipactis mariae*** (Croce, Bongiorni, De Vivo & Fori) Presser & S.Hertel  
**E** ***Epipactis meridionalis*** H.Baumann & R.Lorenz  
*Epipactis microphylla* (Ehrh.) Sw.  
***Epipactis muelleri*** Godfery  
***Epipactis naousensis*** Robatsch  
*Epipactis neglecta* (Kümpel) Kümpel  
***Epipactis palustris*** (L.) Crantz  
*Epipactis placentina* Bongiorni & Grünanger  
***Epipactis pontica*** Taubenheim  
*Epipactis purpurata* Sm.  
***Epipactis rhodanensis*** Gévaudan & Robatsch  
***Epipactis rivularis*** Kranjčev & Čičmir  
**E** ***Epipactis sanguinea*** S.Hertel & Presser  
**E** ***Epipactis schubertiorum*** Bartolo, Pulv. & Robatsch  
**E** ***Epipactis thesaurensis*** Agrezz, Ovatoli & Bongiorni  
**E** ***Epipactis zaupolensis*** (Barbaro & Kreutz) Bongiorni, De Vivo & Fori  
*Epipogium aphyllum* Sw.  
*Gennaria diphyllea* (Link) Parl.  
*Goodyera repens* (L.) R.Br.  
*Gymnadenia conopsea* (L.) R.Br.  
*Gymnadenia densiflora* (Wahlenb.) A.Dietr.  
*Gymnadenia odoratissima* (L.) Rich.  
*Herminium monorchis* (L.) R.Br.  
*Himantoglossum adriaticum* H.Baumann  
*Himantoglossum hircinum* (L.) Spreng.  
**E** ***Limodorum abortivum*** (L.) Sw.  
***Limodorum brulloi*** Bartolo & Pulv.  
*Limodorum trabutianum* Batt.  
*Liparis loeselii* (L.) Rich.  
***Liparis nemoralis*** (Perazza, Decarli, Filippini, Bruna & Regattin) Bartolucci & Galasso – Note: This species was considered as endemic to Italy (Perazza et al. 2012; Perazza and Lorenz 2013; Peruzzi et al. 2014a; Bartolucci and Galasso 2016), but is has been recently recorded also for Austria by Stöhr (2016).  
***Malaxis monophyllos*** (L.) Sw.  
***Malaxis paludosa*** (L.) Sw.  
*Neotinea lactea* (Poir.) R.M.Bateman, Pridgeon & M.W.Chase  
*Neotinea maculata* (Desf.) Stearn  
*Neotinea tridentata* (Scop.) R.M.Bateman, Pridgeon & M.W.Chase  
*Neotinea ustulata* (L.) R.M.Bateman, Pridgeon & M.W.Chase  
*Neottia cordata* (L.) Rich.  
*Neottia nidus-avis* (L.) Rich.  
*Neottia ovata* (L.) Bluff & Fingerh.  
**E** ***Nigritella buschmanniae*** Teppner & Ster  
*Nigritella corneliana* (Beauverd) Götz & H.R.Reinhard  
*Nigritella lithopolitanica* Ravink  
*Nigritella miniata* (Crantz) Janch.  
***Nigritella nigra*** (L.) Rchb. subsp. ***austriaca*** Teppner & E.Klein – Note: This subspecies was discovered in 2017 in PIE by C. Lasen and A. Selvaggi (unpublished data).  
*Nigritella rheldicani* Teppner & E.Klein  
*Nigritella widderi* Teppner & E.Klein  
**ET** ***Ophrys annae*** Devillers-Tersch. & Devillers  
*Ophrys apifera* Huds.  
**ET** ***Ophrys appennina*** Romolini & Soca  
**ET** ***Ophrys apulica*** (O.Danesch & E.Danesch) O.Danesch & E.Danesch  
**ET** ***Ophrys archimedea*** P.Delforge & M.Walravens  
**ET** ***Ophrys argentaria*** Devillers-Tersch. & Devillers  
**ET** ***Ophrys ausonia*** Devillers, Devillers-Tersch. & P.Delforge  
**T** ***Ophrys bertolonii*** Moretti subsp. ***benacensis*** (Reisigl) P.Delforge  
*Ophrys bertolonii* Moretti subsp. ***bertolonii***  
**ET** ***Ophrys bertolonii*** Moretti subsp. ***bertoloniformis*** (O.Danesch & E.Danesch) H.Sund  
**ET** ***Ophrys bertolonii*** Moretti subsp. ***explanata*** (Lojac.) Soca  
**T** ***Ophrys bertolonii*** Moretti subsp. ***saratoi*** (E.G.Camus) Soca  
**E** ***Ophrys biancae*** (Tod.) Macch.  
*Ophrys bilundulata* Risso  
**E** ***Ophrys biscutella*** O.Danesch & E.Danesch  
*Ophrys bombyliflora* Link  
**ET** ***Ophrys brutia*** P.Delforge  
**T** ***Ophrys caesiella*** P.Delforge  
**ET** ***Ophrys calliantha*** Bartolo & Pulv.  
**T** ***Ophrys caloceraena*** Devillers-Tersch. & Devillers  
**T** ***Ophrys candica*** (E.Nelson ex Soó) H.Baumann & Künkele  
**ET** ***Ophrys chestermanii*** (J.J.Wood) Götz & H.R.Reinhard  
**ET** ***Ophrys cinnabarinia*** Romolini & Soca

ET	<i>Ophrys classica</i> Devillers-Tersch. & Devillers
ET	<i>Ophrys conradiæ</i> Melki & Deschartres
T	<i>Ophrys corsica</i> Soleiro ex G.Foelsche & W.Foelsche
E	<i>Ophrys crabronifera</i> Mauri
T	<i>Ophrys delforgei</i> Devillers-Tersch. & Devillers
T	<i>Ophrys dinarica</i> Kranjčev & P.Delforge
T	<i>Ophrys exaltata</i> Ten. subsp. <i>arachnitiformis</i> (Gren. & M.Philippe) Del Prete
T	<i>Ophrys exaltata</i> Ten. subsp. <i>archipelagi</i> (Gölz & H.R.Reinhard) Del Prete
E	<i>Ophrys exaltata</i> Ten. subsp. <i>exaltata</i>
ET	<i>Ophrys exaltata</i> Ten. subsp. <i>montis-leonis</i> (O.Danesch & E.Danesch) Soca
ET	<i>Ophrys exaltata</i> Ten. subsp. <i>morisii</i> (Martelli) Del Prete
T	<i>Ophrys exaltata</i> Ten. subsp. <i>splendida</i> (Gölz & H.R.Reinhard) Soca
ET	<i>Ophrys flammeola</i> P.Delforge
T	<i>Ophrys forestieri</i> (Rchb.f.) Lojac. <i>Ophrys funerea</i> Viv.
ET	<i>Ophrys gackiae</i> P.Delforge <i>Ophrys gracilis</i> (Büel, O.Danesch & E.Danesch) Paulus
ET	<i>Ophrys gravinensis</i> D'Alonzo <i>Ophrys gresivaudanica</i> O.Gerbaud
	<i>Ophrys holosericea</i> (Burnm.f.) Greuter subsp. <i>holosericea</i>
ET	<i>Ophrys holosericea</i> (Burnm.f.) Greuter subsp. <i>lorenae</i> (E.De Martino & Centur.) Kreutz
	<i>Ophrys incubacea</i> Bianca
	<i>Ophrys insectifera</i> L.
T	<i>Ophrys iricolor</i> Desf. subsp. <i>eleonorae</i> (Devillers-Tersch. & Devillers) Paulus & Gack ex Kreutz
	<i>Ophrys lacaitae</i> Lojac.
ET	<i>Ophrys laurensis</i> Geniez & Melki
ET	<i>Ophrys lepida</i> S.Moingeon & J.-M.Moingeon
T	<i>Ophrys ligustica</i> Romolini & Soca
T	<i>Ophrys litigiosa</i> E.G.Camus
ET	<i>Ophrys lojaconoi</i> P.Delforge
E	<i>Ophrys lucana</i> P.Delforge, Devillers-Tersch. & Devillers
ET	<i>Ophrys lucifera</i> Devillers-Tersch. & Devillers
E	<i>Ophrys lunulata</i> Parl. <i>Ophrys lutea</i> Cav.
ET	<i>Ophrys maritima</i> Pacifico & Soca
T	<i>Ophrys marmorata</i> G.Foelsche & W.Foelsche
T	<i>Ophrys massiliensis</i> Viglione & Véla
ET	<i>Ophrys mattinatae</i> Medagli, A.Rossini, Quitadamo, D'Emerico & Turco
ET	<i>Ophrys minipassionis</i> Romolini & Soca
T	<i>Ophrys mirabilis</i> Geniez & Melki
ET	<i>Ophrys molisana</i> P.Delforge
ET	<i>Ophrys murgiana</i> Cillo, Medagli & Margh.
ET	<i>Ophrys normanii</i> J.J.Wood
E	<i>Ophrys obaesa</i> Lojac.
ET	<i>Ophrys oestrifera</i> M.Bieb. subsp. <i>montis-gargani</i> Van de Vijver & W.Looken
ET	<i>Ophrys ortuabis</i> M.P.Grasso & Manca
ET	<i>Ophrys oxyrrhynchos</i> Tod. subsp. <i>celiensis</i> (O.Danesch & E.Danesch) Del Prete
ET	<i>Ophrys oxyrrhynchos</i> Tod. subsp. <i>ingrassiae</i> Dura, Turco, Gennaio & Medagli
E	<i>Ophrys oxyrrhynchos</i> Tod. subsp. <i>oxyrrhynchos</i>
	<i>Ophrys pallida</i> Raf.
ET	<i>Ophrys panattensis</i> Scrugli, Cogoni & Pessei
E	<i>Ophrys panormitana</i> (Tod.) Soó
ET	<i>Ophrys parvimaculata</i> (O.Danesch & E.Danesch) Paulus & Gack
ET	<i>Ophrys passionis</i> Sennen ex Devillers-Tersch. & Devillers subsp. <i>majellensis</i> (Helga Daiss & Herm.Daiss) Soca
	<i>Ophrys passionis</i> Sennen ex Devillers-Tersch. & Devillers subsp. <i>passionis</i>
ET	<i>Ophrys peucetiae</i> Lozito, D'Emerico, Medagli & Turco
ET	<i>Ophrys pinguis</i> Romolini & Soca
ET	<i>Ophrys pollinensis</i> E.Nelson ex Devillers-Tersch. & Devillers
E	<i>Ophrys promontorii</i> O.Danesch & E.Danesch
ET	<i>Ophrys pseudoatra</i> S.Hertel & Presser
ET	<i>Ophrys pseudomelena</i> Turco, Medagli & D'Emerico
T	<i>Ophrys pseudoscolopax</i> (Mogr.) Paulus & Gack
T	<i>Ophrys riojana</i> C.E.Hermos.
T	<i>Ophrys santonica</i> J.M.Mathé & Melki
	<i>Ophrys scolopax</i> Cav. subsp. <i>apiformis</i> (Desf.) Maire & Weiller
	<i>Ophrys scolopax</i> Cav. subsp. <i>cornuta</i> (Steven) E.G.Camus
	<i>Ophrys sicula</i> Tineo
ET	<i>Ophrys sipontensis</i> (Gumpr.) O.Danesch & E.Danesch
	<i>Ophrys speculum</i> Link
ET	<i>Ophrys sphegodes</i> Mill. subsp. <i>grassoana</i> Cristaudo, Galesi, R.Lorenz & Zelesny
	<i>Ophrys sphegodes</i> Mill. subsp. <i>sphegodes</i>
ET	<i>Ophrys tardans</i> O.Danesch & E.Danesch
ET	<i>Ophrys tarentina</i> Gölz & H.R.Reinhard
ET	<i>Ophrys tarquinia</i> P.Delforge
ET	<i>Ophrys tenthredinifera</i> Willd. subsp. <i>aprilis</i> (Devillers & Devillers-Tersch.) Kreutz
ET	<i>Ophrys tenthredinifera</i> Willd. subsp. <i>grandiflora</i> (Ten.) Kreutz
ET	<i>Ophrys tenthredinifera</i> Willd. subsp. <i>neglecta</i> (Parl.) E.G.Camus
T	<i>Ophrys tetraloniae</i> W.P.Teschner

- T *Ophrys untcjii* (M.Schulze) P.Delforge  
 T *Ophrys vetula* Rissó  
*Orchis anthropophora* (L.) All.  
 E *Orchis brancifortii* Biv.  
*Orchis italica* Poir.  
 ET *Orchis mascula* (L.) L. subsp. *ichnusae* Corrias  
*Orchis mascula* (L.) L. subsp. *mascula*  
 T *Orchis mascula* (L.) L. subsp. *olbiensis* (Reut. ex Gren.) Asch. & Graebn.  
 T *Orchis mascula* (L.) L. subsp. *speciosa* (Mutel) Hegi  
*Orchis militaris* L.  
*Orchis pallens* L.  
*Orchis patens* Desf.  
*Orchis pauciflora* Ten.  
*Orchis provincialis* Balb. ex Lam. & DC.  
*Orchis purpurea* Huds.  
*Orchis quadripunctata* Cirillo ex Ten.  
*Orchis simia* Lam.  
*Orchis spitzelli* Saut. ex W.D.J.Koch  
*Platanthera algeriensis* Batt. & Trab.  
*Platanthera bifolia* (L.) Rich.  
*Platanthera chlorantha* (Custer) Rchb.  
*Platanthera kuenkelei* H.Baumann subsp. *kuenkelei*  
*Pseudorchis albida* (L.) Å.Löve & D.Löve  
*Serapias bergenii* E.G.Camus  
 ET *Serapias cordigera* L. subsp. *lucana* R.Lorenz & V.A.Romano  
*Serapias cordigera* L. subsp. *cordigera*  
 E *Serapias cossyrensis* B.Baumann & H.Baumann  
 E *Serapias francavillae* Cristaldo, Galesi & R.Lorenz  
 E *Serapias intermedia* Forest. ex F.W.Schultz subsp. *hyblaea* Cristaldo, Galesi & R.Lorenz  
*Serapias lingua* L.  
*Serapias neglecta* De Not.  
*Serapias nurrica* Corrias subsp. *nurrica*  
 ET *Serapias nurrica* Corrias subsp. *santuengensis* (Senis, M.P.Grasso & Orrù) Senis, M.P.Grasso & Orrù  
 E *Serapias orientalis* (Greuter) H.Baumann & Künkele subsp. *apulica* H.Baumann & Künkele  
 E *Serapias orientalis* (Greuter) H.Baumann & Künkele subsp. *siciliensis* Bartolo & Pulv.  
*Serapias parviflora* Parl.  
*Serapias politissii* Renz  
*Serapias strictiflora* Welw. ex Veiga subsp. *gregaria* (Godf.) Kreutz  
*Serapias vomeracea* (Burm.f.) Briq.  
*Spiranthes aestivalis* (Poir.) Rich.  
*Spiranthes spiralis* (L.) Chevall.  
*Traunsteinera globosa* (L.) Rchb.

## Iridaceae

Taxonomic references: *Chamaeiris* Medik., *Hermodactylus* Mill., *Iris* L. s.str., *Juno* Tratt., *Limniris* (Tausch) Rchb., *Moraea* Mill., and *Xiphion* Mill. (Peruzzi et al. 2014b; Crespo et al. 2015); *Crocus* L. ser. *Verni* B.Mathew (Harpke et al. 2015).

*Chamaeiris foetidissima* (L.) Medik.  
*Chamaeiris graminea* (L.) Medik.

*Chamaeiris lorea* (Janka) Peruzzi, F.Conti & Bartolucci

E *Crocus biflorus* Mill. – Note: For the taxonomy and distribution of this species, see Harpke et al. (2016).

E *Crocus etruscus* Parl.

*Crocus heuffelianus* Herb. – Note: For the taxonomy and distribution of this species, see Peruzzi (2016).

E *Crocus ilvensis* Peruzzi & Carta – Note: For the taxonomy and distribution of this species, see Peruzzi and Carta (2011).

E *Crocus imperati* Ten.

*Crocus ligusticus* Mariotti

*Crocus longiflorus* Raf.

E *Crocus minimus* DC.

*Crocus neapolitanus* (Ker Gawl.) Loisel.

*Crocus neglectus* Peruzzi & Carta

E *Crocus siculus* Tineo ex Guss.

E *Crocus suaveolens* Bertol.

*Crocus thomasii* Ten.

*Crocus variegatus* Hoppe & Hornsch. – Note: For the taxonomy of this species, see Harpke et al. (2014).

*Crocus vernus* (L.) Hill – Note: For the typification of this name, see Peruzzi et al. (2013b).

*Crocus versicolor* Ker Gawl.

*Crocus weldenii* Hoppe & Fürnr.

C *Gladiolus byzantinus* Mill.

*Gladiolus dubius* Guss.

*Gladiolus illyricus* W.D.J.Koch

C *Gladiolus imbricatus* L.

*Gladiolus italicus* Mill.

*Gladiolus palustris* Gaudin

*Hermodactylus tuberosus* (L.) Mill.

*Iris benacensis* A.Kern. ex Stapf

E *Iris bicapitata* Colas.

ET *Iris calabra* (N.Terracc.) Peruzzi

E *Iris cengialti* Ambrosi ex A.Kern. subsp. *cengialti*

- E *Iris cengialti* Ambrosi ex A.Kern. subsp. *illyrica* (Asch. & Graebn.) Poldini  
 E *Iris cengialti* Ambrosi ex A.Kern. subsp. *veneta* (Pamp.) Trinajstić  
*Iris lutescens* Lam.  
 E *Iris marsica* I.Ricci & Colas.  
*Iris perrieri* Simonet ex N.Service  
 E *Iris pseudopumila* Tineo  
 E *Iris relicta* Colas.  
 E *Iris revoluta* Colas.  
 E *Iris sabina* N.Terracc.  
 E *Iris setina* Colas.  
*Juno planifolia* (Mill.) Asch.  
*Limniris pseudacorus* (L.) Fuss  
*Limniris sibirica* (L.) Fuss  
*Moraea sisyrinchium* (L.) Ker Gawl.  
 E *Romulea bocchieri* Frignani & Iriti  
*Romulea bulbocodium* (L.) Sebast. & Mauri  
*Romulea columnae* Sebast. & Mauri  
 E *Romulea insularis* Sommier  
*Romulea ligustica* Parl.  
 E *Romulea linaresii* Parl. subsp. *linaresii*  
*Romulea ramiflora* Ten. subsp. *ramiflora*  
 E *Romulea requienii* Parl.  
 E *Romulea revelierei* Jord. & Fourr.  
*Romulea rollii* Parl.  
 E *Romulea variicolor* Mifsud  
*Xiphion junceum* (Poir.) Parl.  
*Xiphion vulgare* Mill.

## Asphodelaceae

- Asphodeline liburnica* (Scop.) Rchb.  
*Asphodeline lutea* (L.) Rchb.  
 T *Asphodelus albus* Mill. subsp. *delphinensis* (Gren. & Godr.) Z.Díaz & Valdés  
*Asphodelus ayardii* Jahand. & Maire  
*Asphodelus cerasiferus* J.Gay  
*Asphodelus fistulosus* L.  
*Asphodelus macrocarpus* Parl. subsp. *macrocarpus*  
*Asphodelus ramosus* L. subsp. *ramosus*  
*Asphodelus tenuifolius* Cav.  
*Hemerocallis liliastrum* L.  
*Simethis mattiazzii* (Vandelli) Saccardo

## Amaryllidaceae

Taxonomic references: *Sternbergia* Waldst. & Kit. (Peruzzi et al. 2008a).

- Acis autumnalis* (L.) Sweet  
*Acis nicaeensis* (Ardoino) Lledó, A.P.Davis & M.B.Crespo  
 E *Acis rosea* (F.Martin bis) Sweet  
*Allium acutiflorum* Loisel.  
 E *Allium aetnense* Brullo, Pavone & Salmeri  
 E *Allium agrimoninum* Brullo & Pavone  
*Allium amethystinum* Tausch  
*Allium angulosum* L.  
 E *Allium anzalonei* Brullo, Pavone & Salmeri  
 E *Allium apulum* Brullo, Guglielmo, Pavone & Salmeri  
*Allium atroviolaceum* Boiss.  
 E *Allium calabrum* (N.Terracc.) Brullo, Pavone & Salmeri  
*Allium carinatum* L.  
 E *Allium castellanense* (Garbari, Miceli & Raimondo) Brullo, Guglielmo, Pavone & Salmeri  
*Allium chamaemoly* L. subsp. *chamaemoly*  
*Allium chamaespathum* Boiss.  
*Allium coloratum* Spreng.  
*Allium commutatum* Guss.  
 E *Allium cupaniifolium* Raf.  
*Allium cyrilli* Ten. – Note: For the taxonomy and distribution of this species, see Peruzzi et al. (2012a).

- E *Allium diomedaeum* Brullo, Guglielmo, Pavone & Salmeri  
*Allium ericerorum* Thore  
*Allium flavum* L. subsp. *flavum*  
 E *Allium franciniae* Brullo & Pavone  
 E *Allium garbarii* Peruzzi  
 E *Allium garganicum* Brullo, Pavone, Salmeri & Terrasi  
 E *Allium hemisphaericum* (Sommier) Brullo  
*Allium horvaticum* Lovrić  
 E *Allium insubricum* Boiss. & Reut. ex Reut.  
 E *Allium julianum* Brullo, Gangale & Uzunov  
 E *Allium lehmannii* Lojac.

*Allium longispathum* Redouté – Note: There is a nomenclatural dispute concerning the application of the name *A. longispathum* Redouté. This name, if treated as conspecific with *A. dentiferum*, holds priority (a view supported by Jauzein and Tison 2001; which is followed here). On the contrary, Brullo et al. (2008) consider *A. dentiferum* as a taxon different from *A. longispathum*. The latter name, according to Brullo and Guarino (2017), should be applied to plants historically known in FVG, for Trieste area, and formerly called *A. paniculatum* L. The latter species, repeatedly wrongly recorded for Italy, is actually limited to Europe (S Russia, Ukraine; Salmeri et al. 2016).

- E *Allium lopadusanum* Bartolo, Brullo & Pavone  
*Allium lusitanicum* Lam.  
*Allium moschatum* L.  
*Allium narcissiflorum* Vill.  
*Allium neapolitanum* Cirillo  
ET *Allium nebrodense* Guss.  
*Allium nigrum* L.  
E *Allium obtusiflorum* DC.  
*Allium ochroleucum* Waldst. & Kit.  
*Allium oleraceum* L. subsp. *oleraceum*  
*Allium oporinanthum* Brullo, Pavone & Salmeri  
*Allium pallens* L.  
E *Allium panormitanum* Brullo, Pavone & Salmeri  
E *Allium parciflorum* Viv.  
E *Allium pelagicum* Brullo, Pavone & Salmeri  
*Allium pendulinum* Ten.  
E *Allium pentadactylis* Brullo, Pavone & Spamp.  
*Allium permixtum* Guss.  
*Allium polyanthum* Schult. & Schult.f.  
*Allium roseum* L. subsp. *roseum*  
*Allium rotundum* L.  
E *Allium samniticum* Brullo, Pavone & Salmeri  
*Allium sardoum* Moris  
*Allium savii* Parl.  
*Allium scaberrimum* M.Serres  
*Allium schoenoprasum* L. subsp. *schoenoprasum*  
*Allium siculum* Ucria  
*Allium sphaerocephalon* L. subsp. *arvense* (Guss.) Arcang.  
ET *Allium sphaerocephalon* L. subsp. *laxiflorum* (Guss.) Giardina & Raimondo  
*Allium sphaerocephalon* L. subsp. *sphaerocephalon*  
*Allium strictum* Schrad.  
*Allium suaveolens* Jacq.  
*Allium subhirsutum* L. subsp. *subhirsutum*  
*Allium tenuiflorum* Ten.  
*Allium trifoliatum* Cirillo  
*Allium triquetrum* L.  
E *Allium ursinum* L.  
E *Allium vernale* Tineo  
*Allium victorialis* L.  
*Allium vineale* L.  
*Galanthus nivalis* L.  
T *Galanthus reginae-olgae* Orph. subsp. *reginae-olgae*  
*Galanthus reginae-olgae* Orph. subsp. *vernalis* Kamari  
*Leucojum aestivum* L. subsp. *aestivum*  
*Leucojum aestivum* L. subsp. *pulchellum* (Salisb.) Briq.  
*Leucojum vernum* L.  
*Narcissus miniatus* Donn.-Morg., Koop. & Zonn.  
*Narcissus obsoletus* (Haw.) Steud.  
*Narcissus poëticus* L.  
*Narcissus pseudonarcissus* L. subsp. *provincialis* (Pugsley) J.-M.Tison – Note: The taxonomic identity of the populations from Italian Alps (LIG and PIE) is doubtful and needs further studies.  
*Narcissus pseudonarcissus* L. subsp. *pseudonarcissus* – Note: Some populations from LIG and PIE are native.  
E *Narcissus supramontanus* Arrigoni subsp. *cunicularium* Arrigoni  
E *Narcissus supramontanus* Arrigoni subsp. *supramontanus*  
*Narcissus tazetta* L. subsp. *aureus* (Loisel.) Baker  
*Narcissus tazetta* L. subsp. *italicus* (Ker Gawl.) Baker  
*Narcissus tazetta* L. subsp. *tazetta*  
E *Pancratium illyricum* L. – Note: For the typification of this name, see Peruzzi et al. (2013c).  
*Pancratium maritimum* L.  
*Sternbergia colchiciflora* Waldst. & Kit.  
*Sternbergia lutea* (L.) Ker Gawl. ex Spreng.  
T *Sternbergia sicula* Tineo ex Guss.

## Asparagaceae

- Anthericum liliago* L.  
*Anthericum ramosum* L.  
*Aphyllanthes monspeliensis* L.  
*Asparagus acutifolius* L.  
*Asparagus albus* L.  
*Asparagus aphyllus* L.  
*Asparagus horridus* L.  
*Asparagus maritimus* (L.) Mill.  
*Asparagus officinalis* L. subsp. *officinalis*  
*Asparagus pastorianus* Webb & Berthel.  
*Asparagus tenuifolius* Lam.  
*Bellevalia boissieri* Freyn – Note: For the taxonomy of this species with respect to *B. dubia*, see Borzatti von Loewenstein et al. (2013).  
*Bellevalia ciliata* (Cirillo) T.Nees

- E *Bellevalia dubia* (Guss.) Rchb.  
 E *Bellevalia pelagica* C.Brullo, Brullo & Pasta – Note: Unique Italian representative of a N African tetraploid group (Astuti et al. 2017a).  
*Bellevalia romana* (L.) Sweet  
*Bellevalia trifolia* (Ten.) Kunth  
 E *Bellevalia webbiana* Parl. – Note: For the biology and distribution of this species, see Astuti et al. (2018) and literature cited therein.  
*Brimeura fastigiata* (Viv.) Chouard  
 E *Charybdis glaucophylla* Bacch., Brullo, D'Emerico, Pontec. & Salmeri  
*Charybdis maritima* (L.) Speta  
*Charybdis numidica* (Jord. & Fourr.) Speta  
*Charybdis pancratia* (Steinh.) Speta  
*Charybdis undulata* (Desf.) Speta  
*Chouardia litardierei* (Breistr.) Speta  
*Convallaria majalis* L.  
*Dipcadi serotinum* (L.) Medik.  
*Hyacinthoides italicica* (L.) Rothm.  
*Loncomelos brevistylus* (Wolfner) Dostál  
*Loncomelos narbonensis* (L.) Raf.  
*Loncomelos pyrenaicus* (L.) L.D.Hrouda subsp. *pyrenaicus*  
 T *Loncomelos pyrenaicus* (L.) L.D.Hrouda subsp. *sphaerocarpus* (A.Kern.) Holub  
*Maianthemum bifolium* (L.) F.W.Schmidt  
*Melomphis arabica* (L.) Raf.  
*Muscari botryoides* (L.) Mill. subsp. *botryoides*  
 ET *Muscari botryoides* (L.) Mill. subsp. *longifolium* (Rigo) Garbari  
*Muscari commutatum* Guss.  
*Muscari comosum* (L.) Mill.  
 E *Muscari gussonei* (Parl.) Nyman  
*Muscari kernerii* (Marches.) Soldano  
*Muscari neglectum* Guss. ex Ten.  
*Muscari parviflorum* Desf.  
*Muscari tenuiflorum* Tausch  
*Oncostema ceruleum* (Raf.) Speta  
 E *Oncostema dimartinoi* (Brullo & Pavone) F.Conti & Soldano  
*Oncostema elongatum* (Parl.) Speta  
 E *Oncostema siculum* (Tineo) Speta  
 E *Oncostema ughii* (Tineo) Speta  
*Ornithogalum collinum* Guss. subsp. *collinum*  
*Ornithogalum comosum* L.  
 E *Ornithogalum corsicum* Jord. & Fourr.  
*Ornithogalum divergens* Boreau  
 E *Ornithogalum etruscum* Parl. subsp. *etruscum*  
 ET *Ornithogalum etruscum* Parl. subsp. *umbratile* (Tornad. & Garbari) Peruzzi & Bartolucci  
 E *Ornithogalum exscapum* Ten.  
*Ornithogalum gussonei* Ten.  
*Ornithogalum kochii* Parl. subsp. *kochii*  
*Ornithogalum kochii* Parl. subsp. *monticola* (Jord. & Fourr.) Peruzzi  
*Ornithogalum montanum* Cirillo ex Ten.  
 ET *Ornithogalum orthophyllum* Ten. – Note: Its systematic relationships with *O. etruscum* need further biosystematic studies. In addition, both names are yet to be typified.  
*Ornithogalum refractum* Willd.  
*Ornithogalum umbellatum* L.  
*Paradisea liliastrum* (L.) Bertol.  
*Polygonatum multiflorum* (L.) All.  
*Polygonatum odoratum* (Mill.) Druce  
*Polygonatum verticillatum* (L.) All.  
*Prospero autumnale* (L.) Speta  
 E *Prospero corsicum* (Boullu) J.-M.Tison  
*Prospero elisae* Speta  
 E *Prospero hierae* Brullo, C.Brullo, Giusso, Pavone & Salmeri  
*Prospero obtusifolium* (Poir.) Speta subsp. *intermedium* (Guss.) Soldano & F.Conti  
*Ruscus aculeatus* L.  
*Ruscus hypoglossum* L.  
 C *Ruscus hypophyllum* L.  
*Scilla bifolia* L.  
*Urginea fugax* (Moris) Steinh.
- Arecaceae  
*Chamaerops humilis* L.
- Typhaceae  
*Sparganium angustifolium* Michx.  
*Sparganium emersum* Rehmann  
*Sparganium erectum* L.  
*Sparganium hyperboreum* Laest. ex Beurl.  
*Sparganium microcarpum* (Neuman) Čelak.  
*Sparganium natans* L.  
*Sparganium neglectum* Beeby  
*Typha angustifolia* L.  
*Typha domingensis* (Pers.) Steud.



*Typha latifolia* L.

*Typha laxmannii* Lepech.

*Typha minima* Funk ex Hoppe

*Typha shuttleworthii* W.D.J.Koch & Sond.

Juncaceae

Taxonomic references: *Oreojuncus* Záv.Drábk. & Kirschner (Záveská Drábková and Kirschner 2013).

*Juncus acutiflorus* Ehrh. ex Hoffm.

*Juncus acutus* L. subsp. *acutus*

*Juncus alpinoarticulatus* Chaix subsp. *alpinoarticulatus*

*Juncus anceps* Laharpe

*Juncus arcticus* Willd.

*Juncus articulatus* L. subsp. *articulatus*

*Juncus atratus* Krock.

*Juncus bufonius* L.

*Juncus bulbosus* L.

*Juncus capitatus* Weigel

*Juncus castaneus* Sm.

*Juncus compressus* Jacq.

*Juncus conglomeratus* L.

*Juncus effusus* L. subsp. *effusus*

*Juncus filiformis* L.

*Juncus foliosus* Desf.

*Juncus fontanesii* J.Gay subsp. *fontanesii*

*Juncus fontanesii* J.Gay subsp. *pyramidalatus* (Laharpe) Snogerup

*Juncus gerardi* Loisel. subsp. *gerardi*

*Juncus heterophyllus* Dufour

*Juncus hybrida* Brot. – Note: According to Kirschner (2002), *J. ambiguus* Guss. is included here.

*Juncus inflexus* L. subsp. *inflexus*

*Juncus jacquinii* L.

*Juncus littoralis* C.A.Mey.

*Juncus maritimus* Lam.

*Juncus minutulus* (Albert & Jahand.) Prain.

*Juncus pygmaeus* Rich. ex Thuill.

*Juncus ranarius* Songeon & E.P.Perrier

*Juncus rigidus* Desf.

*Juncus sorrentinii* Parl.

*Juncus sphaerocarpus* Nees

*Juncus squarrosum* L.

*Juncus striatus* Schousb. ex E.Mey.

*Juncus subnodulosus* Schrank

*Juncus subulatus* Forssk.

*Juncus tenageia* L.f. subsp. *tenageia*

*Juncus thomasi* Ten.

*Juncus tingitanus* Maire & Weiller

*Juncus triglumis* L. subsp. *triglumis*

C *Juncus valvatus* Link

*Luzula alpina* Hoppe

*Luzula alpinopilosa* (Chaix) Breistr. subsp. *alpinopilosa*

E *Luzula calabria* Ten.

*Luzula campestris* (L.) DC. subsp. *campestris*

*Luzula congesta* (Thuill.) Lej.

*Luzula divulgata* Kirschner

*Luzula divulgatiformis* Bačič & Jogan

*Luzula expectata* Bačič & Jogan

*Luzula forsteri* (Sm.) DC.

*Luzula glabrata* (Hoppe) Desv.

*Luzula lutea* (All.) DC. subsp. *lutea*

*Luzula luzulina* (Vill.) Racib.

*Luzula luzuloides* (Lam.) Dandy & Wilmott subsp. *luzuloides*

*Luzula luzuloides* (Lam.) Dandy & Wilmott subsp. *rubella* (Hoppe ex Mert. & W.D.J.Koch) Holub

*Luzula multiflora* (Ehrh.) Lej. subsp. *multiflora*

*Luzula nivea* (Nathh.) DC.

*Luzula nutans* (Vill.) Duval-Jouve

*Luzula pedemontana* Boiss. & Reut.

*Luzula pilosa* (L.) Willd.

*Luzula pindica* (Hausskn.) Chrték & Křísa

*Luzula spicata* (L.) DC. subsp. *bulgarica* (Chrték & Křísa) Gamisans

*Luzula spicata* (L.) DC. subsp. *conglomerata* (W.D.J.Koch) Murr

E *Luzula spicata* (L.) DC. subsp. *italica* (Parl.) Arcang.

*Luzula spicata* (L.) DC. subsp. *spicata*

*Luzula sudetica* (Willd.) Schult.

E *Luzula sylvatica* (Huds.) Gaudin subsp. *sicula* (Parl.) K.Richt.

*Luzula sylvatica* (Huds.) Gaudin subsp. *sieberi* (Tausch) K.Richt.

*Luzula sylvatica* (Huds.) Gaudin subsp. *sylvatica*

*Luzula taurica* (V.I.Krecz.) Novikov

*Oreojuncus monanthos* (Jacq.) Záv.Drábk. & Kirschner

*Oreojuncus trifidus* (Jacq.) Záv.Drábk. & Kirschner

## Cyperaceae

Taxonomic references: *Schoenoplectiella* Lye (Lye 2003; Shiels et al. 2014; Glon et al. 2017).

*Blysmus compressus* (L.) Panz. ex Link

*Bolboschoenus glaucus* (Lam.) S.G.Sm.

*Bolboschoenus laticarpus* Marhold, Hroudová, Ducháček & Zákr.

*Bolboschoenus maritimus* (L.) Palla

*Bolboschoenus planiculmis* (F.W.Schmidt) T.V.Egorova

*Bulbostylis cioniana* (Pi.Savi) Lye – Note: Possibly extinct in Italy (D'Antraccoli et al. 2017).

*Carex acuta* L.

*Carex acutiformis* Ehrh.

*Carex alba* Scop.

*Carex appropinquata* Schumach.

*Carex aterrima* Hoppe

*Carex atrata* L.

*Carex atrofusca* Schkuhr

*Carex austroalpina* Bech.

*Carex baldensis* L.

*Carex bicolor* All.

*Carex bohemica* Schreb.

*Carex brachystachys* Schrank

*Carex brizoides* L.

*Carex brunnescens* (Pers.) Poir.

*Carex buckii* Wimm.

*Carex buxbaumii* Wahlenb.

*Carex canescens* L.

*Carex capillaris* L. subsp. *capillaris*

*Carex capitata* L.

*Carex caryophyllea* Latourr.

*Carex chordorrhiza* L.f.

*Carex colchica* J.Gay

*Carex curvula* All. subsp. *curvula*

*Carex curvula* All. subsp. *rosae* Gilomen

*Carex davalliana* Sm.

*Carex demissa* Hornem.

*Carex depauperata* Curtis ex With.

*Carex depressa* Link subsp. *basilaris* (Jord.) Cif. & Giacom.

*Carex diandra* Schrank

*Carex digitata* L.

*Carex dioica* L.

*Carex distachya* Desf.

*Carex distans* L.

*Carex disticha* Huds.

*Carex divisa* Huds.

*Carex divulsa* Stokes

*Carex echinata* Murray

*Carex elata* All. subsp. *elata*

*Carex elongata* L.

*Carex ericetorum* Pollich

*Carex extensa* Gooden.

*Carex ferruginea* Scop.

*Carex fimbriata* Schkuhr

*Carex firma* Host

T

*Carex flacca* Schreb. subsp. *erythrostachys* (Hoppe) Holub

*Carex flacca* Schreb. subsp. *flacca*

*Carex flava* L.

*Carex foetida* All.

*Carex frigida* All.

*Carex fritschii* Waisb.

*Carex fuliginosa* Schkuhr subsp. *fuliginosa*

*Carex grioviellii* Roem.

*Carex halleriana* Asso

*Carex hartmanii* Cajander

*Carex heleonastes* L.f.

*Carex hirta* L.

*Carex hispida* Willd.

*Carex hostiana* DC.

*Carex humilis* Leyss.

*Carex illegitima* Ces.

*Carex kitaibeliana* Degen ex Bech.

*Carex lachenalii* Schkuhr

*Carex laevigata* Sm.

*Carex lasiocarpa* Ehrh.

*Carex laxula* Tin. ex Boott

*Carex leersii* F.W.Schultz

*Carex lepidocarpa* Tausch subsp. *lepidocarpa*

*Carex leporina* L.

*Carex limosa* L.

*Carex liparocarpos* Gaudin subsp. *liparocarpos*



- E *Carex macrolepis* DC.  
*Carex macrostachys* Bertol.  
*Carex magellanica* Lam. subsp. *irrigua* (Wahlenb.) Hiitonen  
*Carex mairei* Coss. & Germ.  
*Carex maritima* Gunnerus  
*Carex melanostachya* Willd.  
*Carex michelii* Host  
E *Carex microcarpa* Bertol. ex Moris  
*Carex microglochin* Wahlenb.  
*Carex montana* L.  
*Carex mucronata* All.  
*Carex muricata* L.  
*Carex myosuroides* Vill.  
*Carex nigra* (L.) Reichard subsp. *intricata* (Tineo) Rivas Mart.  
*Carex nigra* (L.) Reichard subsp. *nigra*  
*Carex norvegica* Retz.  
*Carex oedipostyla* Duval-Jouve  
*Carex olbiensis* Jord.  
*Carex ornithopoda* Willd.  
*Carex ornithopodioides* Haussm.  
*Carex otrubae* Pöpp.  
*Carex pairae* F.W.Schultz  
*Carex pallescens* L.  
*Carex panicula* L. subsp. *paniculata*  
*Carex panormitana* Guss.  
*Carex parviflora* Host  
*Carex pauciflora* Lightf.  
*Carex pediformis* C.A.Mey. subsp. *pediformis*  
*Carex pendula* Huds.  
*Carex phyllostachys* C.A.Mey.  
*Carex pilosa* Scop.  
*Carex pilulifera* L. subsp. *pilulifera*  
*Carex praecox* Schreb.  
*Carex pseudocyperus* L.  
*Carex pulicaris* L.  
*Carex punctata* Gaudin  
*Carex randalpina* B.Walln.  
*Carex remota* L.  
*Carex repens* Bellardi  
*Carex riparia* Curtis  
*Carex rostrata* Stokes  
*Carex rupestris* All.  
*Carex sempervirens* Vill. subsp. *sempervirens*  
*Carex simpliciuscula* Wahlenb.  
*Carex spicata* Huds.  
*Carex stenophylla* Wahlenb. subsp. *stenophylla*  
*Carex strigosa* Huds.  
*Carex supina* Wahlenb.  
*Carex sylvatica* Huds.  
*Carex tomentosa* L.  
*Carex umbrosa* Host subsp. *umbrosa*  
*Carex vaginata* Tausch  
*Carex vesicaria* L.  
*Carex viridula* Michx.  
*Carex vulpina* L.  
*Cladium mariscus* (L.) Pohl  
*Cyperus alopecuroides* Rottb.  
*Cyperus badius* Desf.  
*Cyperus capitatus* Vand.  
*Cyperus distachyos* All.  
*Cyperus flavescens* L.  
*Cyperus flavidus* Retz.  
*Cyperus fuscus* L.  
*Cyperus glaber* L.  
*Cyperus laevigatus* L.  
*Cyperus longus* L.  
*Cyperus michelianus* (L.) Delile  
*Cyperus polystachyos* Rottb.  
C *Cyperus rotundus* L.  
*Eleocharis acicularis* (L.) Roem. & Schult.  
*Eleocharis caduca* (Delile) Schult.  
*Eleocharis carniolica* W.D.J.Koch  
*Eleocharis mamillata* (H.Lindb.) H.Lindb. subsp. *austriaca* (Hayek) Strandh.  
*Eleocharis mamillata* (H.Lindb.) H.Lindb. subsp. *mamillata*  
*Eleocharis multicaulis* (Sm.) Desv.  
*Eleocharis ovata* (Roth) Roem. & Schult.  
*Eleocharis palustris* (L.) Roem. & Schult. subsp. *palustris*

- Eleocharis parvula* (Roem. & Schult.) Link ex Bluff, Nees & Schauer  
*Eleocharis quinqueflora* (Hartmann) O.Schwarz  
*Eleocharis uniglumis* (Link) Schult.  
*Eriophorum angustifolium* Honck. subsp. *angustifolium*  
*Eriophorum gracile* W.D.J.Koch ex Roth  
*Eriophorum latifolium* Hoppe  
*Eriophorum scheuchzeri* Hoppe  
*Eriophorum vaginatum* L.  
*Fimbristylis bisumbellata* (Forssk.) Bubani  
*Fimbristylis dichotoma* (L.) Vahl  
*Fimbristylis squarrosa* Vahl  
*Fuirena pubescens* (Poir.) Kunth  
*Isolepis cernua* (Vahl) Roem. & Schult.  
*Isolepis fluitans* (L.) R.Br.  
*Isolepis pseudosetacea* (Daveau) Gand.  
*Isolepis setacea* (L.) R.Br.  
*Rhynchospora alba* (L.) Vahl  
*Rhynchospora fusca* (L.) W.T.Aiton  
*Schoenoplectella mucronata* (L.) J.Jung & H.K.Choi  
*Schoenoplectella supina* (L.) Lye  
*Schoenoplectus lacustris* (L.) Palla – Note: *Schoenoplectus × carinatus* (Sm.) Palla (*S. lacustris* (L.) Palla × *S. triquetus* (L.) Palla) is also recorded for Italy.  
*Schoenoplectus litoralis* (Schrad.) Palla  
*Schoenoplectus pungens* (Vahl) Palla  
*Schoenoplectus tabernaemontani* (C.C.Gmel.) Palla  
*Schoenoplectus triquetus* (L.) Palla  
*Schoenus ferrugineus* L.  
*Schoenus nigricans* L.  
*Scirpoidea holoschoenus* (L.) Soják  
*Scirpus radicans* Schkuhr  
*Scirpus sylvaticus* L.  
*Trichophorum alpinum* (L.) Pers.  
*Trichophorum cespitosum* (L.) Hartm. subsp. *cespitosum*  
*Trichophorum pumilum* (Vahl) Schinz & Thell.

#### Poaceae

Taxonomic references: *Festuca* L. (incl. *Ctenopsis* De Not., *Micropyrum* (Gaudin) Link, *Psilurus* Trin., *Vulpia* C.C.Gmel.) (Soreng et al. 2017); *Lolium* L. (Ardenghi and Foggi 2015; Banfi et al. 2018); *Triticum* L. (Perrino et al. 2014); according to Kellogg (2015) and Saarela et al. (2017), *Avellinia* Parl., *Gaudinia* P.Beauv., *Koeleria* Pers. and *Rostraria* Trin. should be included in *Trisetaria* Forssk. as well as *Trisetum* Pers. We currently have considered only *Trisetum* within *Trisetaria* according to Soldano (1993), Banfi and Soldano (1996) and Banfi (2000).

*Achnatherum bromoides* (L.) P.Beauv. – Note: The nomenclature follows the phylogenetic classification proposed by Soreng et al. (2017).

*Achnatherum calamagrostis* (L.) P.Beauv.

*Achnatherum virescens* (Trin.) Banfi, Galasso & Bartolucci – Note: For the nomenclature of this species, see Banfi et al. (2018).

*Aeluropus lagopoides* (L.) Trin. ex Thwaites

*Aeluropus littoralis* (Gouan) Parl. subsp. *littoralis*

*Agropyron pectiniforme* Roem. & Schult.

*Agrostis alpina* Scop.

ET *Agrostis canina* L. subsp. *aspromontana* Brullo, Scelsi & Spamp.

*Agrostis canina* L. subsp. *canina*

ET *Agrostis canina* L. subsp. *monteluccii* Selvi

*Agrostis capillaris* L. subsp. *capillaris*

*Agrostis castellana* Boiss. & Reut.

*Agrostis curtisiae* Kerguélen

*Agrostis gigantea* Roth subsp. *gigantea*

*Agrostis linkii* Banfi, Galasso & Bartolucci subsp. *linkii* – Note: For the nomenclature of this species, see Banfi et al. (2018).

*Agrostis pourretii* Willd.

*Agrostis rupestris* All. subsp. *rupestris*

*Agrostis schleicheri* Jord. & Verl.

*Agrostis schraderiana* Bech.

*Agrostis stolonifera* L. subsp. *maritima* (Lam.) Vasc.

*Agrostis stolonifera* L. subsp. *scabriglumis* (Boiss. & Reut.) Maire

*Agrostis stolonifera* L. subsp. *stolonifera*

*Agrostis vinealis* Schreb.

*Aira caryophyllea* L.

*Aira cupaniana* Guss.

*Aira elegantissima* Schur subsp. *elegantissima*

*Aira intermedia* Guss.

*Aira multiculmis* Dumort.

*Aira praecox* L.

*Aira provincialis* Jord.

*Aira tenorei* Guss.

*Airopsis tenella* (Cav.) Coss. & Durieu

*Alopecurus aequalis* Sobol.

*Alopecurus arundinaceus* Poir. subsp. *arundinaceus*

*Alopecurus bulbosus* Gouan subsp. *bulbosus*

*Alopecurus geniculatus* L.

*Alopecurus gerardi* Vill.

*Alopecurus myosuroides* Huds. subsp. *myosuroides*

- Alopecurus pratensis* L. subsp. *pratensis*  
*Alopecurus rendlei* Eig  
*Ampelodesmos mauritanicus* (Poir.) T.Durand & Schinz  
*Andropogon distachyos* L.  
*Anisantha diandra* (Roth) Tutin ex Tzvelev  
*Anisantha fasciculata* (C.Presl) Nevski subsp. *fasciculata*  
*Anisantha macranthera* (Hack. ex Trab.) P.Silva  
*Anisantha madritensis* (L.) Nevski subsp. *madritensis*  
*Anisantha rigida* (Roth) Hyl.  
*Anisantha rubens* (L.) Nevski  
*Anisantha sterilis* (L.) Nevski  
*Anisantha tectorum* (L.) Nevski  
*Anthoxanthum aristatum* Boiss.  
*Anthoxanthum australe* (Schrad.) Veldkamp – Note: For the nomenclature of this species, see Soreng et al. (2017).  
*Anthoxanthum gracile* Biv.  
*Anthoxanthum nipponicum* Honda  
*Anthoxanthum nitens* (Weber) Y.Schouten & Veldkamp – Note: For the nomenclature of this species, see Soreng et al. (2017).  
*Anthoxanthum odoratum* L.  
*Anthoxanthum ovatum* Lag.  
*Antinoria insularis* Parl.  
*Apera interrupta* (L.) P.Beauv.  
*Apera spica-venti* (L.) P.Beauv. subsp. *spica-venti*  
*Aristida adscensionis* L. subsp. *coerulescens* (Desf.) Auquier & J.Duvign.  
*Arrhenatherum album* (Vahl) Clayton  
*Arrhenatherum elatius* (L.) P.Beauv. ex J.Presl & C.Presl subsp. *bulbosum* (Willd.) Schübl. & G.Martens  
*Arrhenatherum elatius* (L.) P.Beauv. ex J.Presl & C.Presl subsp. *elatius*  
E *Arrhenatherum elatius* (L.) P.Beauv. ex J.Presl & C.Presl subsp. *nebrodense* (Brullo, Miniss. & Spamp.) Giardina & Raimondo  
*Arrhenatherum elatius* (L.) P.Beauv. ex J.Presl & C.Presl subsp. *sardoum* (Em.Schmid) Gamisans  
*Arundo donaciformis* (Loisel.) Hardion, Verlaque & B.Vila  
*Arundo micrantha* Lam.  
*Arundo plinii* Turra  
*Avellinia festucoides* (Link) Valdés & H.Scholz  
*Avena barbata* Pott ex Link  
*Avena clauda* Durieu  
*Avena insularis* Ladiz.  
*Avena longiglumis* Durieu  
*Avena lusitanica* (Tab.Morais) B.R.Baum  
*Avena saxatilis* (Lojac.) Rocha Afonso  
*Avena wiestii* Steud.  
*Avenella flexuosa* (L.) Drejer subsp. *flexuosa*  
*Avenula pubescens* (Huds.) Dumort. subsp. *laevigata* (Schur) Holub  
*Avenula pubescens* (Huds.) Dumort. subsp. *pubescens*  
*Beckmannia eruciformis* (L.) Host subsp. *eruciformis*  
E *Bellardiochloa variegata* (Lam.) Kerguélen subsp. *aetnensis* (C.Presl) Giardina & Raimondo  
E *Bellardiochloa variegata* (Lam.) Kerguélen subsp. *nebrodensis* (Asch. & Graebn.) C.Brullo, Brullo & Giusso  
*Bellardiochloa variegata* (Lam.) Kerguélen subsp. *variegata*  
*Bothriochloa insculpta* (A.Rich.) A.Camus subsp. *panormitana* (Parl.) Giardina & Raimondo  
*Bothriochloa ischaemum* (L.) Keng  
*Brachypodium distachyon* (L.) P.Beauv.  
E *Brachypodium genuense* (DC.) Roem. & Schult.  
*Brachypodium glaucovirens* (Murb.) T.Durand & B.D.Jacks.  
*Brachypodium hybridum* Catalán, Joch.Müll., Hasterok & Jenkins – Note: For the nomenclature and distribution of this species, see Catalán et al. (2012, 2016).  
*Brachypodium phoenicoides* (L.) Roem. & Schult.  
*Brachypodium pinnatum* (L.) P.Beauv.  
*Brachypodium retusum* (Pers.) P.Beauv.  
*Brachypodium rupestre* (Host) Roem. & Schult.  
*Brachypodium stacei* Catalán, Joch.Müll., Mur & Langdon – Note: For the nomenclature and distribution of this species, see Catalán et al. (2012, 2016).  
*Brachypodium sylvaticum* (Huds.) P.Beauv.  
*Briza maxima* L.  
*Briza media* L.  
*Briza minor* L.  
*Bromopsis benekenii* (Lange) Holub  
E *Bromopsis caprina* (A.Kern. ex Hack.) Banfi & N.G.Passal.  
*Bromopsis condensata* (Hack.) Holub subsp. *condensata*  
*Bromopsis condensata* (Hack.) Holub subsp. *microtricha* (Borbás) Jogan & Bačić  
*Bromopsis erecta* (Huds.) Fourr. subsp. *erecta*  
*Bromopsis erecta* (Huds.) Fourr. subsp. *stenophylla* (Link) H.Scholz & Valdés  
*Bromopsis erecta* (Huds.) Fourr. subsp. *transsilvanica* (Steud.) H.Scholz & Valdés  
*Bromopsis pannonica* (Kumm. & Sendtn.) Holub subsp. *pannonica*  
DD *Bromopsis pumpeiana* (Scribn.) Holub  
*Bromopsis ramosa* (Huds.) Holub subsp. *ramosa*  
*Bromus alopecuros* Poir. subsp. *alopecuros*  
*Bromus arvensis* L. subsp. *arvensis*  
*Bromus arvensis* L. subsp. *segetalis* H.Scholz  
*Bromus commutatus* Schrad. subsp. *commutatus*  
*Bromus commutatus* Schrad. subsp. *decipiens* (Bomble & H.Scholz) H.Scholz  
*Bromus commutatus* Schrad. subsp. *neglectus* (Parl.) P.M.Sm.

- Bromus grossus* Desf. ex DC. – Note: Possibly extinct in Italy (Rossi et al. 2013).
- Bromus hordeaceus* L. subsp. *hordeaceus*
- Bromus hordeaceus* L. subsp. *longipedicellatus* Spalton
- Bromus hordeaceus* L. subsp. *molliformis* (J.Lloyd ex Billot) Maire & Weiller
- Bromus hordeaceus* L. subsp. *pseudothominei* (P.M.Sm.) H.Scholz
- Bromus hordeaceus* L. subsp. *thominei* (Hardouin) Braun-Blanq.
- Bromus intermedius* Guss.
- Bromus japonicus* Thunb. subsp. *anatolicus* (Boiss. & Heldr.) Pénzes
- Bromus japonicus* Thunb. subsp. *japonicus*
- Bromus japonicus* Thunb. subsp. *subsquarrosum* (Borbás) Pénzes
- Bromus lanceolatus* Roth
- Bromus parvispiculatus* H.Scholz
- Bromus racemosus* L. subsp. *racemosus*
- Bromus scoparius* L.
- Bromus secalinus* L.
- Bromus squarrosum* L. subsp. *squarrosum*
- Calamagrostis arenaria* (L.) Roth subsp. *arundinacea* (Husn.) Banfi, Galasso & Bartolucci – Note: For the nomenclature of this taxon, see Banfi et al. (2018).
- Calamagrostis arundinacea* (L.) Roth
- Calamagrostis canescens* (Weber) Roth subsp. *canescens*
- E *Calamagrostis corsica* (Hack. ex Briq.) Prain
- Calamagrostis epigejos* (L.) Roth subsp. *epigejos*
- Calamagrostis pseudophragmites* (Haller f.) Koeler subsp. *pseudophragmites*
- Calamagrostis varia* (Schrad.) Host
- Calamagrostis villosa* (Chaix) J.F.Gmel.
- Castellia tuberculosa* (Moris) Bor
- Catabrosa aquatica* (L.) P.Beauv.
- Catapodium balearicum* (Willk.) H.Scholz
- Catapodium hemipoa* (Delile ex Spreng.) M.Laínz
- Catapodium pauciflorum* (Merino) Brullo, Giusto, Miniss. & Spamp.
- Catapodium rigidum* (L.) C.E.Hubb. subsp. *majus* (C.Presl) F.H.Perring & P.D.Sell
- Catapodium rigidum* (L.) C.E.Hubb. subsp. *rigidum*
- Catapodium zwierleinii* (Lojac.) Brullo
- Cenchrus ciliaris* L.
- Chrysopogon gryllus* (L.) Trin.
- Cleistogenes serotina* (L.) Keng subsp. *serotina*
- T *Coleanthus subtilis* (Tratt.) Seidl – Note: This species is recorded only for TAA, but it lacks recent confirmations. According to Rossi et al. (2013), *C. subtilis* is possibly extinct in Italy.
- Cornucopiae cucullatum* L.
- Corynephorus articulatus* (Desf.) P.Beauv.
- Corynephorus canescens* (L.) P.Beauv.
- Corynephorus divaricatus* (Pourr.) Breistr.
- Cynodon dactylon* (L.) Pers.
- Cynosurus cristatus* L.
- Cynosurus echinatus* L.
- Cynosurus effusus* Link
- Cynosurus polybracteatus* Poir.
- T *Dactylis glomerata* L. subsp. *glomerata*
- Dactylis glomerata* L. subsp. *hachelii* (Asch. & Graebn.) Cif. & Giacom.
- T *Dactylis glomerata* L. subsp. *hispanica* (Roth) Nyman
- T *Dactylis glomerata* L. subsp. *lobata* (Drejer) H.Lindb.
- T *Dactylis glomerata* L. subsp. *reichenbachii* (Dalla Torre & Sarnth.) Stebbins & D.Zohary
- T *Dactylis glomerata* L. subsp. *slovenica* (Domin) Domin
- Danthonia alpina* Vest
- Danthonia decumbens* (L.) DC. subsp. *decumbens*
- Dasyperymum villosum* (L.) P.Candargy
- Deschampsia cespitosa* (L.) P.Beauv. subsp. *cespitosa*
- DD *Deschampsia cespitosa* (L.) P.Beauv. subsp. *gaudinii* K.Richt.
- Deschampsia cespitosa* (L.) P.Beauv. subsp. *parviflora* (Thuill.) Dumort.
- Deschampsia cespitosa* (L.) P.Beauv. subsp. *rhenana* (Greml.) Kerguélen
- Deschampsia media* (Gouan) Roem. & Schult. subsp. *media*
- E *Desmazeria pignattii* Brullo & Pavone
- Desmazeria sicula* (Jacq.) Dumort.
- Digitaria debilis* (Desf.) Willd.
- C *Digitaria ischaemum* (Schreb. ex Schweigg.) Schreb. ex Muhl. subsp. *ischaemum*
- C *Digitaria sanguinalis* (L.) Scop.
- E *Drymochloa drymeja* (Mert. & W.D.J.Koch) Holub subsp. *exaltata* (C.Presl) Foggi & Signorini
- Drymochloa sylvatica* (Pollich) Holub
- Echinaria capitata* (L.) Desf.
- Echinochloa crus-galli* (L.) P.Beauv. subsp. *crus-galli*
- Elymus acutus* (DC.) M.A.Thiébaud
- Elymus caninus* (L.).
- Elymus elongatus* (Host) Runemark subsp. *elongatus*
- Elymus farctus* (Viv.) Runemark ex Melderis
- Elymus flaccidifolius* (Boiss. & Heldr.) Melderis
- Elymus hispidus* (Opiz) Melderis subsp. *barbulatus* (Schur) Melderis
- Elymus hispidus* (Opiz) Melderis subsp. *hispidus*
- Elymus hispidus* (Opiz) Melderis subsp. *pouzolzii* (Godr.) Melderis

- Elymus panormitanus* (Parl.) Tzvelev  
*Elymus repens* (L.) Gould subsp. *repens*  
*Eragrostis barrelieri* Daveau subsp. *barrelieri*  
*Eragrostis ciliaris* (All.) Vignolo ex Janch. subsp. *ciliaris*  
*Eragrostis minor* Host subsp. *minor*  
*Eragrostis pilosa* (L.) P.Beauv. subsp. *pilosa*  
*Festuca acuminata* Gaudin  
E *Festuca alfrediana* Foggi & Signorini subsp. *alfrediana*  
E *Festuca alfrediana* Foggi & Signorini subsp. *ferrariniana* Foggi, Parolo & Gr.Rossi  
*Festuca alopecuros* Schousb.  
*Festuca alpestris* Roem. & Schult.  
*Festuca alpina* Suter  
E *Festuca apuanica* Markgr.-Dann.  
*Festuca arvernensis* Auquier, Kerguélen & Markgr.-Dann. subsp. *costei* (St.-Yves) Auquier & Kerguélen  
E *Festuca austrodolomitica* Pils & Prosser  
*Festuca bauzanina* (Pils) S.Arndt subsp. *bauzanina*  
*Festuca bauzanina* (Pils) S.Arndt subsp. *rhaetica* S.Arndt  
*Festuca billyi* Kerguélen & Plonka  
*Festuca bosniaca* Kumm. & Sendtn. subsp. *bosniaca*  
*Festuca bromoides* L.  
*Festuca calva* (Hack.) K.Richt.  
E *Festuca centroapenninica* (Markgr.-Dann.) Foggi, F.Conti & Pignatti  
*Festuca cinerea* Vill.  
*Festuca circummediterranea* Patzke  
*Festuca cyrnea* (Litard. & St.-Yves) Signorini, Foggi & Nardi  
*Festuca danthonii* Asch. & Graebn. Subsp. *danthonii*  
*Festuca divaricata* Desf.  
*Festuca fasciculata* Forssk.  
*Festuca filiformis* Pourr.  
*Festuca flavescens* Bellardi  
E *Festuca gamisansii* Kerguélen subsp. *aethaliae* Signorini & Foggi  
*Festuca geniculata* (L.) Lag. & Rodr. subsp. *geniculata*  
*Festuca guinochetii* (Bidault) S.Arndt  
*Festuca gypsophila* Hack.  
*Festuca halleri* All. subsp. *halleri*  
*Festuca heteromalla* Pourr.  
*Festuca heterophylla* Lam.  
E *Festuca humifusa* Brullo & Guarino  
ET *Festuca imperatrix* Catonica  
*Festuca incurva* (Gouan) Gutermann  
*Festuca inops* De Not.  
*Festuca intercedens* (Hack.) Lüdi ex Bech.  
*Festuca jeanpertii* (St.-Yves) Markgr.-Dann. subsp. *campana* (N.Terracc.) Markgr.-Dann.  
*Festuca lachenalii* (C.C.Gmel.) Spenn.  
*Festuca laevigata* Gaudin  
*Festuca lanceolata* Forssk.  
*Festuca ligistica* (All.) Bertol.  
*Festuca luedii* (Markgr.-Dann.) Foggi, Gr.Rossi, Parolo & Wallossek  
*Festuca marginata* (Hack.) K.Richt. subsp. *gallica* (Hack.) Breistr. ex Ardenghi & Foggi  
*Festuca maritima* L.  
E *Festuca morisiana* Parl. subsp. *morisiana*  
E *Festuca morisiana* Parl. subsp. *sicula* Cristaldo, Foggi, Galesi & Maugeri  
*Festuca muralis* Kunth  
*Festuca myuros* L. subsp. *myuros*  
*Festuca nigricans* (Hack.) K.Richt.  
*Festuca nitida* Kit. ex Schult. subsp. *nitida*  
*Festuca norica* (Hack.) K.Richt.  
*Festuca ovina* L. subsp. *guestfalica* (Boenn. ex Rchb.) K.Richt.  
*Festuca ovina* L. subsp. *molinieri* (Litard.) O.Bolös & Vigo  
*Festuca picturata* Pils  
E *Festuca pignattiorum* Markgr.-Dann.  
*Festuca plonkae* Foggi & Signorini  
*Festuca pseudodura* Steud.  
*Festuca pseudovaria* J.Vetter  
*Festuca pumila* Chaix  
*Festuca pyramidata* Link  
E *Festuca riccerii* Foggi & Gr.Rossi  
*Festuca rivularis* Boiss. subsp. *rivularis*  
E *Festuca robustifolia* Markgr.-Dann.  
*Festuca rubra* L. subsp. *commutata* (Gaudin) Markgr.-Dann.  
*Festuca rubra* L. subsp. *juncea* (Hack.) K.Richt.  
*Festuca rubra* L. subsp. *microphylla* St.-Yves  
*Festuca rubra* L. subsp. *rubra* – Note: This is a doubtfully native taxon, used as a turf grass. Most literature records from natural environments may refer to other subspecies of *F. rubra* or to *F. trichophylla* (Ducros ex Gaudin) K.Richt.  
*Festuca rupicaprina* (Hack.) A.Kern.  
*Festuca sardoa* (Hack.) K.Richt.  
*Festuca scabriculmis* (Hack.) K.Richt.  
*Festuca sicula* C.Presl

- Festuca stenantha** (Hack.) K.Richt.  
**Festuca stricta** Host subsp. *sulcata* (Hack.) Patzke ex Pils  
**Festuca stricta** Host subsp. *trachyphylla* (Hack.) Patzke ex Pils  
**Festuca ticiensis** (Markgr.-Dann.) Markgr.-Dann.  
**Festuca trichophylla** (Ducros ex Gaudin) K.Richt. subsp. *asperifolia* (St.-Yves) Al-Bermani  
**Festuca trichophylla** (Ducros ex Gaudin) K.Richt. subsp. *trichophylla*  
**Festuca valesiaca** Schleich. ex Gaudin subsp. *valesiaca*  
**E Festuca veneris** Gr.Rossi, Foggi & Signorini  
**E Festuca violacea** Ser. ex Gaudin subsp. *italica* Foggi, Gr.Rossi & Signorini  
**E Festuca violacea** Ser. ex Gaudin subsp. *puccinellii* (Parl.) Foggi, Gr.Rossi & Signorini  
**Festuca violacea** Ser. ex Gaudin subsp. *violacea*  
**Festuca winnebachensis** (Wallossek & Markgr.-Dann.) Foggi, Gr.Rossi, Parolo & Wallossek  
**Gastridium phleoides** (Nees & Meyen) C.E.Hubb. subsp. *phleoides* – Note: It is often confused with *G. ventricosum* (Gouan) Schinz & Thell.  
**Gastridium scabrum** C.Presl  
**Gastridium ventricosum** (Gouan) Schinz & Thell.  
**Gaudinia fragilis** (L.) P.Beauv.  
**Glyceria declinata** Bréb.  
**Glyceria fluitans** (L.) R.Br.  
**Glyceria maxima** (Hartm.) Holmb. subsp. *maxima*  
**Glyceria notata** Chevall.  
**Glyceria pedicellata** F.Towns.  
**Glyceria spicata** Guss.  
**Hainardia cylindrica** (Willd.) Greuter  
**Helictochloa adsurgens** (Simonk.) Romero Zarco subsp. *ausserdorferi* (Asch. & Graebn.) Romero Zarco  
**Helictochloa bromoides** (Gouan) Romero Zarco subsp. *bromoides*  
**Helictochloa cincinnata** (Ten.) Romero Zarco  
**E Helictochloa praetutiana** (Parl. ex Arcang.) Bartolucci, F.Conti, Peruzzi & Banfi subsp. *praetutiana*  
**E Helictochloa praetutiana** (Parl. ex Arcang.) Bartolucci, F.Conti, Peruzzi & Banfi subsp. *rigida* (Sarfatti) Bartolucci, F.Conti, Peruzzi & Banfi  
**Helictochloa praeusta** (Rchb.) Romero Zarco subsp. *pseudoviolacea* (Dalla Torre) H.Scholz  
**Helictochloa pratensis** (L.) Romero Zarco subsp. *pratensis* – Note: This taxon has been detected once by A. Saint-Yves near Fenestrelle (Torino, Piemonte), while all other records for the Italian Alps are unreliable (Banfi 2017).  
**Helictochloa versicolor** (Vill.) Romero Zarco subsp. *versicolor*  
**Helictotrichon convolutum** (C.Presl) Henrard  
**Helictotrichon parlatorei** (Woods) Pilg.  
**Helictotrichon petzense** Melzer  
**Helictotrichon sedenense** (Clarion ex DC.) Holub subsp. *sedenense*  
**Helictotrichon sempervirens** (Vill.) Pilg.  
**Helictotrichon setaceum** (Vill.) Henrard  
**Hemarthria altissima** (Poir.) Stapf & C.E.Hubb.  
**Heteropogon contortus** (L.) P.Beauv. ex Roem. & Schult.  
**Holcus annuus** C.A.Mey. subsp. *setiglumis* (Boiss. & Reut) M.Seq. & Castrov.  
**Holcus lanatus** L. subsp. *lanatus*  
**Holcus mollis** L. subsp. *mollis*  
**ET Holcus notarisi** Nyman – Note: Since this species was only recorded for its *locus classicus*, where it has never been found again, we can suspect that it just represents a teratological expression of *H. mollis* (widespread in the same habitat), rather than a truly distinct species.  
**Hordeolum europaeus** (L.) Harz  
**Hordeum bulbosum** L.  
**Hordeum geniculatum** All.  
**Hordeum marinum** Huds.  
**Hordeum murinum** L. subsp. *glaucum* (Steud.) Tzvelev  
**Hordeum murinum** L. subsp. *leporinum* (Link) Arcang.  
**Hordeum murinum** L. subsp. *murinum*  
**Hordeum secalinum** Schreb.  
**Hyparrhenia hirta** (L.) Stapf subsp. *hirta*  
**Hyparrhenia sinica** (Delile) Llauroadó ex G.López  
**Imperata cylindrica** (L.) Raeusch.  
**Koeleria australis** A.Kern.  
**Koeleria callieri** (Domin) Ujhelyi  
**Koeleria cenisia** Reut. ex E.Rev.  
**Koeleria eriostachya** Pančić  
**Koeleria hirsuta** Gaudin  
**T Koeleria insubrica** Brullo, Giusso & Miniss.  
**ET Koeleria lucana** Brullo, Giusso & Miniss.  
**Koeleria macrantha** (Ledeb.) Schult. subsp. *macrantha*  
**E Koeleria pyramidata** (Lam.) P.Beauv.  
**Koeleria splendens** C.Presl  
**Koeleria subcaudata** (Asch. & Graebn.) Ujhelyi  
**Koeleria vallesiana** (Honck.) Gaudin subsp. *alpicola* (Gren. & Godr.) Asch. & Graebn.  
**Koeleria vallesiana** (Honck.) Gaudin subsp. *vallesiana*  
**Lagurus ovatus** L. subsp. *nanus* (Guss.) Messeri  
**Lagurus ovatus** L. subsp. *ovatus*  
**Lagurus ovatus** L. subsp. *vestitus* (Messerli) Brullo  
**Lamarckia aurea** (L.) Moench  
**Leersia oryzoides** (L.) Sw.  
**E Leucopoa calabrica** (Huter, Porta & Rigo) H.Scholz & Foggi  
**Leucopoa dimorpha** (Guss.) H.Scholz & Foggi  
**Leucopoa laxa** (Host) H.Scholz & Foggi  
**Leucopoa pulchella** (Schrad.) H.Scholz & Foggi subsp. *jurana* (Gren.) H.Scholz & Foggi



- Leucopoa pulchella* (Schrad.) H.Scholz & Foggi subsp. **pulchella**  
*Leucopoa spectabilis* (Jan ex Bertol.) H.Scholz & Foggi subsp. **carniolica** (Hack.) H.Scholz & Foggi  
*Leucopoa spectabilis* (Jan ex Bertol.) H.Scholz & Foggi subsp. **croatica** (A.Kern.) Foggi, Parolo, Gr.Rossi, Ardenghi & Quercioli  
*Leucopoa spectabilis* (Jan ex Bertol.) H.Scholz & Foggi subsp. **spectabilis**  
*Lolium apenninum* (De Not.) Ardenghi & Foggi  
*Lolium arundinaceum* (Schreb.) Darbysh. subsp. **arundinaceum**  
*Lolium giganteum* (L.) Darbysh.  
*Lolium interruptum* (Desf.) Banfi, Galasso, Foggi, Kopecký & Ardenghi subsp. **corsicum** (Hack.) Banfi, Galasso, Kopecký & Ardenghi  
*Lolium interruptum* (Desf.) Banfi, Galasso, Foggi, Kopecký & Ardenghi subsp. **interruptum**  
*Lolium multiflorum* Lam.  
*Lolium perenne* L.  
*Lolium pluriflorum* (Schult.) Banfi, Galasso, Foggi, Kopecký & Ardenghi  
*Lolium pratense* (Huds.) Darbysh.  
*Lolium rigidum* Gaudin subsp. **lepturoides** (Boiss.) Sennen & Mauricio  
*Lolium rigidum* Gaudin subsp. **rigidum**  
*Lolium siculum* Parl.  
*Lygeum spartum* L.
- E *Megathyrsus bivonanus* (Brullo, Miniss., Scelsi & Spamp.) Verloove  
*Melica amethystina* Pourr.  
*Melica ciliata* L. subsp. **ciliata**  
*Melica ciliata* L. subsp. **magnolii** (Godr. & Gren.) K.Richt.  
E *Melica cupanii* Guss. subsp. **cupanii**  
*Melica minuta* L. subsp. **latifolia** (Coss.) W.Hempel  
*Melica minuta* L. subsp. **minuta**  
*Melica nutans* L.  
*Melica picta* K.Koch  
*Melica transsilvanica* Schur subsp. **klokovii** Tzvelev  
*Melica transsilvanica* Schur subsp. **transsilvanica** – Note: According to Hempel (2011), both *M. transsilvanica* subsp. *klokovii* and *M. transsilvanica* s.str. occur in Italy. The northern populations constantly show character states typical of *M. transsilvanica* subsp. *klokovii*, albeit in this area only the autonymic subspecies should occur.  
*Melica uniflora* Retz.  
*Mibora minima* (L.) Desv.  
*Milium effusum* L. subsp. **alpicola** Chrték  
*Milium effusum* L. subsp. **effusum**  
*Milium montianum* (Parl.) K.Richt.  
*Milium vernale* M.Bieb. subsp. **scabrum** (Rich.) K.Richt.  
*Milium vernale* M.Bieb. subsp. **verna**  
*Molinierella minuta* (L.) Rouy  
*Molinia arundinacea* Schrank  
*Molinia caerulea* (L.) Moench  
*Moorochloa eruciformis* (Sm.) Veldkamp  
*Nardus stricta* L.  
*Oloptum miliaceum* (L.) Röser & H.R.Hamasha  
*Oloptum thomasi* (Duby) Banfi & Galasso  
*Oplismenus undulatifolius* (Ard.) P.Beauv.  
*Oreochloa disticha* (Wulfen) Link subsp. **disticha**  
*Oreochloa sesleriooides* (All.) K.Richt.  
*Panicum repens* L.  
*Parapholis filiformis* (Roth) C.E.Hubb.  
*Parapholis incurva* (L.) C.E.Hubb. subsp. **incurva**  
*Parapholis marginata* Runemark  
*Parapholis pycnantha* (Hack.) C.E.Hubb.  
*Parapholis strigosa* (Dumort.) C.E.Hubb.  
*Parvotisetum myrianthum* (Bertol.) Chrték  
*Patzkea coeruleescens* (Desf.) H.Scholz  
*Patzkea paniculata* (L.) G.H.Loops subsp. **paniculata**  
*Phalaris aquatica* L.  
*Phalaris arundinacea* L. subsp. **arundinacea**  
E *Phalaris arundinacea* L. subsp. **rotgesii** (Husn.) Kerguélen  
*Phalaris brachystachys* Link  
*Phalaris coerulescens* Desf.  
*Phalaris elongata* Braun-Blanq.  
*Phalaris minor* Retz.  
*Phalaris paradoxa* L.  
*Phalaris truncata* Guss. ex Bertol.  
*Phleum alpinum* L.  
*Phleum arenarium* L. subsp. **caesium** H.Scholz  
*Phleum echinatum* Host  
*Phleum exaratum* Hochst. ex Griseb. subsp. **exaratum**  
*Phleum hirsutum* Honck. subsp. **ambiguum** (Ten.) Cif. & Giacom.  
*Phleum hirsutum* Honck. subsp. **hirsutum**  
*Phleum nodosum* L.  
*Phleum paniculatum* Huds. subsp. **paniculatum**  
*Phleum phleoides* (L.) H.Karst.  
*Phleum pratense* L. subsp. **pratense**  
*Phleum rhaeticum* (Humphries) Rauschert  
*Phleum sardoum* (Hack.) Hack.  
E *Phleum subulatum* (Savi) Asch. & Graebn. subsp. **subulatum**

- Pholiurus pannonicus*** (Host) Trin.  
***Phragmites australis*** (Cav.) Trin. ex Steud. subsp. ***altissimus*** (Benth.) Clayton  
***Phragmites australis*** (Cav.) Trin. ex Steud. subsp. ***australis***  
***Piptatherum coerulescens*** (Desf.) P.Beauv.  
***Poa alpina*** L. subsp. ***alpina***  
***Poa angustifolia*** L.  
***Poa annua*** L.  
***Poa badensis*** Haenke ex Willd.  
**E** ***Poa balbisii*** Parl.  
***Poa bivonae*** Parl. ex Guss.  
***Poa bulbosa*** L. subsp. ***bulbosa***  
***Poa bulbosa*** L. subsp. ***pseudococcinea*** (Schur) Asch. & Graebn.  
***Poa cenisia*** All.  
***Poa chaixii*** Vill.  
***Poa compressa*** L.  
***Poa glauca*** Vahl subsp. ***glauca***  
***Poa hybrida*** Gaudin  
***Poa infirma*** Kunth  
***Poa laxa*** Haenke subsp. ***laxa***  
***Poa minor*** Gaudin  
***Poa molinerii*** Balb.  
***Poa nemoralis*** L. subsp. ***glaucantha*** (Gaudin) Banfi  
***Poa nemoralis*** L. subsp. ***nemoralis***  
***Poa palustris*** L. subsp. ***palustris***  
***Poa perconcinna*** J.R.Edm.  
***Poa perigularis*** H.Scholz  
***Poa pratensis*** L. subsp. ***pratensis***  
***Poa pumila*** Host  
***Poa remota*** Forselles  
***Poa supina*** Schrad.  
***Poa sylvicola*** Guss.  
***Poa timoleontis*** Heldr. ex Boiss.  
***Poa trivialis*** L.  
***Polypogon maritimus*** Willd. subsp. ***maritimus***  
***Polypogon monspeliensis*** (L.) Desf.  
***Polypogon subspathaceus*** Red.  
***Polypogon viridis*** (Gouan) Breistr.  
***Psilathera ovata*** (Hoppe) Deyl  
***Puccinellia distans*** (Jacq.) Parl. subsp. ***distans***  
***Puccinellia fasciculata*** (Torr.) E.P.Bicknell subsp. ***fasciculata***  
***Puccinellia festuciformis*** (Host) Parl. subsp. ***festuciformis***  
***Puccinellia festuciformis*** (Host) Parl. subsp. ***lagascana*** M.A.Juliá & J.M.Monts.  
**ET** ***Puccinellia gussonei*** Parl. – Note: Possibly extinct (Rossi et al. 2013).  
***Rostraria cristata*** (L.) Tzvelev  
***Rostraria hispida*** (Savi) Doğan – Note: Most of the records from Italy need confirmation because of confusion with *R. cristata*.  
***Rostraria pubescens*** (Lam.) Trin.  
***Sclerochloa dura*** (L.) P.Beauv.  
**E** ***Secale strictum*** (C.Presl) C.Presl subsp. ***strictum***  
**T** ***Sesleria apennina*** Ujhelyi  
***Sesleria argentea*** (Savi) Savi  
***Sesleria autumnalis*** (Scop.) F.W.Schultz  
***Sesleria caerulea*** (L.) Ard. subsp. ***angustifolia*** (Hack. & Beck) Jogan  
***Sesleria caerulea*** (L.) Ard. subsp. ***caerulea***  
**E** ***Sesleria calabrica*** (Deyl) Di Pietro  
**ET** ***Sesleria insularis*** Sommier subsp. ***barbaricina*** Arrigoni  
***Sesleria insularis*** Sommier subsp. ***insularis***  
**ET** ***Sesleria insularis*** Sommier subsp. ***morisiana*** Arrigoni  
**E** ***Sesleria italicica*** (Pamp.) Ujhelyi – Note: According to Ubaldi (2016), *S. italicica* subsp. *mariculensis* Ubaldi would differ from the typical *Sesleria italicica* for a number of quantitative character states, mainly concerning panicle length and leaf width. Considering the high morphological variability in the whole genus *Sesleria*, the continuous variation and the absence of any ecological or geographical discontinuity between the two putative subspecies, it is very difficult to justify their recognition. The study of the type specimens designated by Ujhelyi (1959), kept in BP and Fl, and of living and dried specimens collected in Galeata (*locus classicus* of *S. italicica*) confirmed that the features putatively diagnostic of *S. italicica* subsp. *mariculensis* are also shown by *S. italicica* s.str.  
***Sesleria juncifolia*** Wulfen ex Suffren subsp. ***juncifolia***  
***Sesleria kalmikensis*** Jav.  
**E** ***Sesleria nitida*** Ten. subsp. ***nitida***  
**ET** ***Sesleria nitida*** Ten. subsp. ***sicula*** Brullo & Giusso  
**E** ***Sesleria pichiana*** Foggi, Gr.Rossi & Pignotti  
**ET** ***Sesleria pulchella*** (Chiosi) Ubaldi – Note: The taxonomic value of this taxon is doubtful. Apparently, *S. pulchella* is mainly related to *S. italicica* (Pamp.) Ujhelyi, and, at a first glance, it seems simply marked by extremely reduced dimensions. Waiting for further karyological, molecular and biometric studies, we provisionally accept *S. pulchella* as a good species.  
**ET** ***Sesleria tuzsonii*** Ujhelyi  
***Sesleria uliginosa*** Opiz  
***Sesleriella leucocephala*** (DC.) Deyl  
***Sesleriella sphaerocephala*** (Ard.) Deyl  
**C** ***Setaria italicica*** (L.) P.Beauv. subsp. ***viridis*** (L.) Thell.  
***Setaria pumila*** (Poir.) Roem. & Schult.  
***Setaria verticillata*** (L.) P.Beauv.  
***Sphenopus divaricatus*** (Gouan) Rchb. subsp. ***divaricatus***

	<i>Sporobolus aculeatus</i> (L.) P.M.Peterson
	<i>Sporobolus alopecuroides</i> (Piller & Mitterp.) P.M.Peterson
	<i>Sporobolus maritimus</i> (Curtis) P.M.Peterson & Saarela
	<i>Sporobolus schoenoides</i> (L.) P.M.Peterson
	<i>Sporobolus virginicus</i> (L.) Kunth
ET	<i>Stipa aquilana</i> Moraldo
ET	<i>Stipa austroitalica</i> Martinovský subsp. <i>appendiculata</i> (Čelak.) Moraldo
ET	<i>Stipa austroitalica</i> Martinovský subsp. <i>austroitalica</i>
ET	<i>Stipa austroitalica</i> Martinovský subsp. <i>frentana</i> Moraldo & Ricceri
ET	<i>Stipa austroitalica</i> Martinovský subsp. <i>theresiae</i> Martinovský & Moraldo
	<i>Stipa barbata</i> Desf. subsp. <i>barbata</i>
	<i>Stipa capillata</i> L.
ET	<i>Stipa dasystachys</i> Martinovský subsp. <i>apenninicola</i> Martinovský & Moraldo
T	<i>Stipa epilosa</i> Martinovský
T	<i>Stipa eriocaulis</i> Borbás subsp. <i>eriocaulis</i>
ET	<i>Stipa etrusca</i> Moraldo
ET	<i>Stipa feltrina</i> Moraldo, Lasen & Argenti
	<i>Stipa juncea</i> L.
T	<i>Stipa letourneuxii</i> Trabut subsp. <i>letourneuxii</i>
ET	<i>Stipa oligotricha</i> Moraldo subsp. <i>kiemii</i> (Martinovský) Moraldo
ET	<i>Stipa oligotricha</i> Moraldo subsp. <i>oligotricha</i>
	<i>Stipa pennata</i> L. subsp. <i>pennata</i>
	<i>Stipa pulcherrima</i> K.Koch subsp. <i>crassicalyx</i> (P.A.Smirn.) Tzvelev
	<i>Stipa pulcherrima</i> K.Koch subsp. <i>pulcherrima</i>
ET	<i>Stipa sicula</i> Moraldo, La Valva, Ricciardi & Caputo
	<i>Stipa tirsia</i> Steven subsp. <i>tirsia</i>
ET	<i>Stipa valdemonensis</i> Cataldo, S.A.Giardina, Moraldo & Raimondo
ET	<i>Stipa veneta</i> Moraldo
	<i>Stipellula capensis</i> (Thunb.) Röser & H.R.Hamasha
	<i>Taeniatherum asperum</i> (Simonk.) Nevski
	<i>Taeniatherum caput-medusae</i> (L.) Nevski
	<i>Tragus racemosus</i> (L.) All.
	<i>Tricholaena teneriffae</i> (L.f.) Link
	<i>Tripidium ravennae</i> (L.) H.Scholz subsp. <i>ravennae</i>
	<i>Tripidium strictum</i> (Host) H.Scholz
	<i>Triplachne nitens</i> (Guss.) Link
	<i>Trisetaria alpestris</i> (Host) Baumg.
	<i>Trisetaria argentea</i> (Willd.) Banfi, Galasso & Soldano
	<i>Trisetaria aurea</i> (Ten.) Pignatti
E	<i>Trisetaria burnoufii</i> (Req. ex Parl.) Banfi & Soldano
	<i>Trisetaria distichophylla</i> (Vill.) Paunero
	<i>Trisetaria flavescens</i> (L.) Baumg. subsp. <i>flavescens</i>
	<i>Trisetaria flavescens</i> (L.) Baumg. subsp. <i>purpurascens</i> (DC.) Banfi & Soldano
E	<i>Trisetaria flavescens</i> (L.) Baumg. subsp. <i>splendens</i> (C.Presl) Banfi & Soldano
	<i>Trisetaria gracilis</i> (Moris) Banfi & Arrigoni
	<i>Trisetaria loeflingiana</i> (L.) Paunero subsp. <i>loeflingiana</i>
	<i>Trisetaria panicea</i> (Lam.) Paunero
	<i>Trisetaria segetum</i> (Savi) Soldano
	<i>Trisetaria spicata</i> (L.) Paunero subsp. <i>ovatipaniculata</i> (Hultén ex Jonsell) Banfi & Soldano
E	<i>Trisetaria villosa</i> (Bertol.) Banfi & Soldano
C	<i>Triticum biunciale</i> (Vis.) K.Rich.
	<i>Triticum neglectum</i> (Req. ex Bertol.) Greuter
C	<i>Triticum triunciale</i> (L.) Raspail subsp. <i>triunciale</i>
C	<i>Triticum uniaristatum</i> (Vis.) K.Richt.
	<i>Triticum vagans</i> (Jord. & Fourr.) Greuter
C	<i>Triticum ventricosum</i> (Tausch) Ces., Pass. & Gibelli
	<i>Venetia dubia</i> (Leers) Coss.
	<i>Vulpia tenuis</i> (Tineo) Kerguélen
	Ceratophyllaceae
	<i>Ceratophyllum demersum</i> L.
	<i>Ceratophyllum submersum</i> L. subsp. <i>submersum</i>
	Berberidaceae
	Taxonomic references: <i>Berberis</i> L. (Harber and Raab-Straube 2015).
E	<i>Berberis aetnensis</i> C.Presl
	<i>Berberis vulgaris</i> L.
	<i>Epimedium alpinum</i> L.
CT	<i>Gymnospermium scipetarum</i> Paparisto & Qosja ex E.Mayer & Pulević

## Ranunculaceae

Taxonomic references: *Aquilegia* L. (Nardi 2015); *Ranunculus* sect. *Batrachium* DC. (Desfayes 2011; Wieglob et al. 2017); *Ranunculus auricomus* L. group (Dunkel2010, 2011; Dunkel and Poldini 2016; Conti and Bartolucci 2017); *Thalictrum* L. (Hand 2001).*Aconitum angustifolium* Rchb.*Aconitum anthora* L.*Aconitum burnatii* Gáyer subsp. *burnatii*

- Aconitum degenii* Gáyer subsp. *paniculatum* (Arcang.) Mucher  
*Aconitum degenii* Gáyer subsp. *valesiacum* (Gáyer) Mucher  
*Aconitum lycoctonum* L. emend. Koelle  
*Aconitum napellus* L. emend. Skalicky  
*Aconitum tauricum* Wulfen  
*Aconitum variegatum* L. subsp. *nasutum* (Fisch. ex Rchb.) Götz  
*Aconitum variegatum* L. subsp. *variegatum*  
*Aconitum vitosanum* Gáyer  
*Actaea spicata* L.  
*Adonis aestivalis* L. subsp. *aestivalis*  
*Adonis aestivalis* L. subsp. *squarrosa* (Steven) Nyman  
*Adonis annua* L.  
E *Adonis distorta* Ten.  
*Adonis flammea* Jacq. subsp. *cortiana* (Jacq.) C.H. Steinb.  
*Adonis flammea* Jacq. subsp. *flammea*  
*Adonis microcarpa* DC. subsp. *microcarpa*  
*Adonis vernalis* L.  
*Anemonastrum narcissiflorum* (L.) Holub subsp. *narcissiflorum*  
*Anemone apennina* L.  
*Anemone coronaria* L.  
*Anemone hortensis* L. subsp. *hortensis*  
*Anemone palmata* L.  
*Anemonoides baldensis* (L.) Galasso, Banfi & Soldano  
*Anemonoides nemorosa* (L.) Holub  
*Anemonoides ranunculoides* (L.) Holub  
ET *Anemonoides trifolia* (L.) Holub subsp. *brevidentata* (Ubaldi & Puppi) Galasso, Banfi & Soldano  
*Anemonoides trifolia* (L.) Holub subsp. *trifolia*  
*Aquilegia alpina* L.  
E *Aquilegia apuana* (Marchetti) E.Nardi  
*Aquilegia atrata* W.D.J. Koch  
E *Aquilegia barbaricina* Arrigoni & E.Nardi  
E *Aquilegia bertolonii* Schott  
E *Aquilegia champagnatii* Moraldo, E.Nardi & la Valva  
*Aquilegia confusa* Rota  
ET *Aquilegia cremophila* Bacch., Brullo, Congiu, Fenu, J.L. Garrido & Mattana – Note: Although Nardi (2015) considered this plant as a synonym of *Aquilegia nuragica*, *A. cremophila* is morphologically, ecologically and genetically well differentiated from the other Sardinian congeneric taxa (Bacchetta et al. 2012; Garrido et al. 2012; Mattana et al. 2012).  
*Aquilegia dumeticola* Jord.  
*Aquilegia einseleana* F.W.Schultz  
E *Aquilegia lucensis* E.Nardi  
E *Aquilegia magellensis* F.Conti & Soldano  
E *Aquilegia marcelliana* E.Nardi  
E *Aquilegia nugorensis* Arrigoni & E.Nardi  
E *Aquilegia nuragica* Arrigoni & E.Nardi  
E *Aquilegia ophiolithica* Barberis & E.Nardi  
*Aquilegia reuteri* Boiss.  
E *Aquilegia sicula* (Strobl) E.Nardi  
*Aquilegia vulgaris* L.  
*Callianthemum coriandrifolium* Rchb.  
E *Callianthemum kernerianum* Freyn ex A.Kern.  
*Caltha palustris* L.  
*Ceratocephala falcata* (L.) Cramer  
*Clematis alpina* (L.) Mill.  
*Clematis cirrhosa* L.  
*Clematis flammula* L.  
*Clematis integrifolia* L. – Note: Extinct in Italy (Poldini 2009).  
*Clematis recta* L.  
E *Clematis rigoi* W.T. Wang  
*Clematis vitalba* L.  
*Clematis viticella* L.  
*Delphinium ajacis* L.  
*Delphinium consolida* L. subsp. *consolida*  
*Delphinium consolida* L. subsp. *paniculatum* (Host) N.Busch  
*Delphinium dubium* (Rouy & Foucaud) Pawl.  
*Delphinium elatum* L. subsp. *helveticum* Pawl.  
*Delphinium emarginatum* C.Presl subsp. *emarginatum*  
*Delphinium fissum* Waldst. & Kit. subsp. *fissum*  
C *Delphinium gracile* DC.  
*Delphinium halteratum* Sm. subsp. *halteratum*  
E *Delphinium longipes* Moris  
*Delphinium peregrinum* L.  
*Delphinium pubescens* DC.  
*Eranthis hyemalis* (L.) Salisb.  
*Ficaria verna* Huds. subsp. *calthifolia* (Rchb.) Nyman  
*Ficaria verna* Huds. subsp. *fertilis* (Lawalrée ex Laegaard) Stace  
*Ficaria verna* Huds. subsp. *ficariiformis* (F.W.Schultz) B.Walln.  
*Ficaria verna* Huds. subsp. *verna*  
*Helleborus dumetorum* Waldst. & Kit. ex Willd. subsp. *illyricus* Starmühler



- E *Helleborus foetidus* L. subsp. *foetidus*  
E *Helleborus lividus* Aiton subsp. *corsicus* (Briq.) P.Fourn.  
E *Helleborus niger* L. subsp. *macranthus* (Frey) Schiffn.  
T *Helleborus niger* L. subsp. *niger*  
T *Helleborus odorus* Waldst. & Kit. subsp. *laxus* (Host) Merxm. & Podlech  
ET *Helleborus viridis* L. subsp. *bocconeii* (Ten.) Peruzzi  
ET *Helleborus viridis* L. subsp. *abruzzicus* (M.Thomsen, McLewin & B.Mathew) Bartolucci, F.Conti & Peruzzi  
T *Helleborus viridis* L. subsp. *istriacus* (Schiffn.) Cristof. & Zanotti  
ET *Helleborus viridis* L. subsp. *liguricus* (M.Thomsen, McLewin & B.Mathew) Bartolucci, F.Conti & Peruzzi  
*Helleborus viridis* L. subsp. *viridis*  
*Hepatica nobilis* Mill.  
*Isopyrum thalictroides* L.  
*Myosurus minimus* L.  
E *Nigella arvensis* L. subsp. *arvensis*  
E *Nigella arvensis* L. subsp. *glaucescens* (Guss.) Greuter & Burdet  
*Nigella damascena* L.  
*Nigella papillosa* G.López subsp. *atlantica* (Murb.) Amich ex G.López  
*Pulsatilla alpina* (L.) Delarbre subsp. *alpina*  
*Pulsatilla alpina* (L.) Delarbre subsp. *apiifolia* (Scop.) Nyman  
T *Pulsatilla alpina* (L.) Delarbre subsp. *austriaca* Aichele & Schwegler  
T *Pulsatilla alpina* (L.) Delarbre subsp. *austroalpina* D.M.Moser  
T *Pulsatilla alpina* (L.) Delarbre subsp. *cottianaea* (Beauverd) D.M.Moser  
T *Pulsatilla alpina* (L.) Delarbre subsp. *millefoliata* (Bertol.) D.M.Moser  
*Pulsatilla halleri* (All.) Willd. subsp. *halleri*  
*Pulsatilla montana* (Hoppe) Rchb. subsp. *montana*  
*Pulsatilla vernalis* (L.) Mill.  
E *Ranunculus abbaianus* Dunkel  
*Ranunculus aconitifolius* L.  
*Ranunculus acris* L. subsp. *acris*  
*Ranunculus acris* L. subsp. *friesianus* (Jord.) Syme  
*Ranunculus aduncus* Gren. & Godr.  
*Ranunculus allemannii* Braun-Blanq.  
*Ranunculus alpestris* L.  
ET *Ranunculus angulatus* C.Presl  
E *Ranunculus apenninus* (Chiov.) Pignatti  
*Ranunculus arvensis* L.  
E *Ranunculus baldensis* Dunkel  
E *Ranunculus bariscianus* Dunkel  
*Ranunculus batrachioides* Pomel  
*Ranunculus baudotii* Godr.  
E *Ranunculus bilobus* Bertol.  
*Ranunculus boreoapenninus* Pignatti  
E *Ranunculus bovioi* Dunkel  
E *Ranunculus braun-blanquetii* Pignatti  
*Ranunculus brevifolius* Ten.  
*Ranunculus breyninus* Crantz  
*Ranunculus brutius* Ten.  
*Ranunculus bulbosus* L.  
*Ranunculus bullatus* L.  
*Ranunculus carinthiacus* Hoppe  
*Ranunculus cassubicifolius* W.Koch  
*Ranunculus chius* DC.  
*Ranunculus circinatus* Sibth.  
E *Ranunculus cochlearifer* Dunkel  
E *Ranunculus cordiger* Viv. subsp. *cordiger*  
E *Ranunculus cordiger* Viv. subsp. *diffusus* (Moris) Arrigoni  
E *Ranunculus cymbalariaefolius* Balb. ex Moris  
E *Ranunculus farraensis* Dunkel & Poldini  
E *Ranunculus fiorii* Pignatti – Note: Possibly extinct (Dunkel 2010).  
*Ranunculus flammula* L.  
*Ranunculus fluitans* Lam.  
*Ranunculus fontanus* C.Presl  
E *Ranunculus fraelensis* Dunkel – Note: Possibly extinct (Dunkel 2010).  
*Ranunculus gargaricus* Ten.  
E *Ranunculus giordanoi* F.Conti & Bartolucci – Note: For the taxonomy and distribution of this species, see Conti and Bartolucci (2017); Conti et al. (2018a).  
*Ranunculus glacialis* L.  
E *Ranunculus gortanii* Pignatti  
*Ranunculus gracilis* E.D.Clarke  
*Ranunculus gramineus* L.  
E *Ranunculus hostiliensis* Pignatti – Note: Extinct (Dunkel 2010).  
*Ranunculus hybridus* Birk  
*Ranunculus illyricus* L.  
*Ranunculus isthmicus* Boiss.  
*Ranunculus kuepferi* Greuter & Burdet subsp. *kuepferi*  
*Ranunculus kuepferi* Greuter & Burdet subsp. *orientalis* W.Huber  
*Ranunculus lanuginosus* L.  
*Ranunculus lateriflorus* DC.

- E *Ranunculus lingua* L.  
E *Ranunculus luminarius* Rigo ex Pignatti  
E *Ranunculus macrophyllus* Desf.  
E *Ranunculus magellensis* Ten.  
E *Ranunculus marginatus* d'Urv.  
E *Ranunculus marsicus* Guss. & Ten.  
E *Ranunculus mediogracilis* Dunkel  
*Ranunculus melzeri* Hörndl & Guterm.  
*Ranunculus millefoliatus* Vahl  
E *Ranunculus monspeliacus* L. subsp. *aspromontanus* (Huter) Peruzzi & N.G.Passal.  
*Ranunculus monspeliacus* L. subsp. *monspeliacus*  
*Ranunculus monspeliacus* L. subsp. *saxatilis* (Balb.) Nyman – Note: Possibly extinct in Italy.  
*Ranunculus montanus* Willd.  
E *Ranunculus multidens* Dunkel  
*Ranunculus muricatus* L.  
E *Ranunculus mutinensis* Pignatti – Note: Extinct (Dunkel 2010).  
*Ranunculus neapolitanus* Ten.  
*Ranunculus omiophyllus* Ten.  
*Ranunculus ophioglossifolius* Vill.  
E *Ranunculus palaeoeuganeus* Pignatti  
*Ranunculus paludosus* Poir.  
*Ranunculus parnassifolius* L. subsp. *heterocarpus* P.Küpfner  
*Ranunculus parviflorus* L.  
E *Ranunculus pedemontanus* Dunkel  
E *Ranunculus pedrottii* Spinosi ex Dunkel  
*Ranunculus peltatus* Schrank  
*Ranunculus penicillatus* (Dumort.) Bab.  
*Ranunculus platanifolius* L.  
E *Ranunculus plavensis* Dunkel  
E *Ranunculus poldinii* Dunkel  
E *Ranunculus pollinensis* (N.Terracc.) Chiov.  
*Ranunculus polyanthemoides* Boreau  
*Ranunculus polyanthemophyllus* W.Koch & H.E.Hess  
E *Ranunculus pratensis* C.Presl  
E *Ranunculus prosseri* Dunkel  
*Ranunculus pseudofluitans* (Syme) Newbould ex Beker & Foggitt  
*Ranunculus pygmaeus* Wahlenb.  
*Ranunculus repens* L.  
*Ranunculus reptans* L.  
*Ranunculus revelierei* Boreau  
*Ranunculus rionii* Lagger  
*Ranunculus saniculifolius* Viv.  
*Ranunculus sardous* Crantz  
*Ranunculus sceleratus* L.  
*Ranunculus seguieri* Vill. subsp. *seguieri*  
*Ranunculus serbicus* Vis.  
*Ranunculus serpens* Schrank  
E *Ranunculus silanus* Pignatti  
E *Ranunculus spicatus* Desf. subsp. *rupestris* (Guss.) Maire  
E *Ranunculus thomasi* Ten.  
*Ranunculus thora* L.  
*Ranunculus traunfellneri* Hoppe  
*Ranunculus trichophyllus* Chaix – Note: *Ranunculus eradicatus* (Laest.) Johans. [= *R. confervoides* (Fr.) Fr.] has to be excluded from Italy (Wieglob et al. 2017), and probably its records from Alps belong to forms of the polymorphic *R. trichophyllus*. The name *Barachium eradicatum* (Laest.) Fr., establishing the priority of the specific epithet at the species rank, is a combination validly published according to the Arts. 30.18 and 41.3 of the ICN (McNeill et al. 2012).  
*Ranunculus trilobus* Desf.  
*Ranunculus tuberosus* Lapeyr.  
*Ranunculus variabilis* Hörndl & Guterm.  
*Ranunculus velutinus* Ten.  
E *Ranunculus venetus* Huter ex Landolt  
*Ranunculus villarsii* DC.  
*Staphisagria macrosperma* Spach  
*Staphisagria requienii* (Dc.) Spach subsp. *picta* (Willd.) Peruzzi  
*Staphisagria requienii* (DC.) Spach subsp. *requienii*  
*Thalictrum alpinum* L.  
*Thalictrum aquilegiifolium* L. subsp. *aquilegiifolium*  
E *Thalictrum calabricum* Spreng.  
*Thalictrum flavum* L.  
*Thalictrum foetidum* L. subsp. *foetidum*  
*Thalictrum lucidum* L.  
*Thalictrum minus* L. subsp. *minus*  
*Thalictrum minus* L. subsp. *pratense* (F.W.Schultz) Hand  
*Thalictrum minus* L. subsp. *saxatile* Ces.  
T *Thalictrum simplex* L. subsp. *galioides* (DC.) Korsh.  
*Thalictrum simplex* L. subsp. *simplex*  
*Thalictrum simplex* L. subsp. *tenuifolium* (Sw. ex Hartm.) Sterner  
*Trollius europaeus* L.



- Papaveraceae
- Chelidonium majus* L.  
*Corydalis capnoides* (L.) Pers.  
*Corydalis cava* (L.) Schweigg. & Körte subsp. *cava*  
**E** *Corydalis densiflora* C.Presl  
*Corydalis intermedia* (L.) Mérat  
*Corydalis pumila* (Host) Rchb.  
*Corydalis solida* (L.) Clairv. subsp. *solida*  
*Fumaria agraria* Lag.  
*Fumaria barnolae* Sennen & Pau subsp. *barnolae*  
*Fumaria bastardii* Boreau  
*Fumaria bicolor* Nicotra  
*Fumaria capreolata* L. subsp. *capreolata*  
*Fumaria densiflora* DC.  
*Fumaria flabellata* Gasp.  
*Fumaria gaillardotii* Boiss.  
*Fumaria judaica* Boiss. subsp. *judaica*  
*Fumaria muralis* W.D.J.Koch subsp. *muralis*  
*Fumaria nemorosa* Lojac.  
*Fumaria officinalis* L. subsp. *officinalis*  
*Fumaria officinalis* L. subsp. *wirtgenii* (W.D.J.Koch) Arcang.  
*Fumaria parviflora* Lam.  
*Fumaria petteri* Rchb. subsp. *petteri*  
*Fumaria schleicheri* Soy.-Will.  
*Fumaria vaillantii* Loisel.  
*Glaucium corniculatum* (L.) Rudolph subsp. *corniculatum*  
*Glaucium flavum* Crantz  
*Hypecoum imberbe* Sm.  
*Hypecoum procumbens* L. subsp. *procumbens*  
*Hypecoum torulosum* Å.E.Dahl  
**C** *Papaver alpinum* L. subsp. *alpinum*  
*Papaver apulum* Ten.  
**C** *Papaver argemone* L. subsp. *argemone*  
**C** *Papaver dubium* L.  
**C** *Papaver hybridum* L.  
**C** *Papaver pinnatifidum* Moris  
**C** *Papaver rhoeas* L. subsp. *rhoeas*  
*Papaver setigerum* DC.  
*Platycapnos spicatus* (L.) Bernh.  
*Pseudofumaria alba* (Mill.) Lidén subsp. *alba*  
*Pseudofumaria lutea* (L.) Borkh.
- Buxaceae
- Buxus balearica* Lam.  
*Buxus sempervirens* L.
- Paeoniaceae
- Paeonia coriacea* Boiss.  
**E** *Paeonia corsica* Sieber ex Tausch  
*Paeonia mascula* (L.) Mill. subsp. *mascula*  
**ET** *Paeonia mascula* (L.) Mill. subsp. *russoi* (Biv.) Cullen & Heywood  
**E** *Paeonia morisii* Cesca, Bernardo & N.G.Passal.  
*Paeonia officinalis* L. subsp. *arietina* (G.Anderson) N.G.Passal.  
*Paeonia officinalis* L. subsp. *banatica* (Rochel) Soó  
*Paeonia officinalis* L. subsp. *huthii* Soldano  
**E** *Paeonia officinalis* L. subsp. *italica* N.G.Passal. & Bernardo  
*Paeonia officinalis* L. subsp. *officinalis*  
*Paeonia peregrina* Mill.  
**ET** *Paeonia sandrae* Camarda
- Crassulaceae
- Bulliarda vaillantii* (Willd.) DC  
**C** *Crassula alata* (Viv.) A.Berger  
*Crassula tillaea* Lest.-Gawl.  
*Hylotelephium anacampseros* (L.) H.Ohba  
*Hylotelephium maximum* (L.) Holub subsp. *maximum*  
*Jovibarba allionii* (Jord. & Fourr.) D.A.Webb  
*Jovibarba arenaria* (W.D.J.Koch) Opiz  
*Jovibarba globifera* (L.) J.Parn. subsp. *hirta* (L.) J.Parn.  
**E** *Jovibarba globifera* (L.) J.Parn. subsp. *lagariniana* L.Gallo  
*Petrosedum amplexicaule* (DC.) Velayos  
*Petrosedum montanum* (Songeon & E.P.Perrier) Grulich  
**E** *Petrosedum ochroleucum* (Chaix) Niederle subsp. *mediterraneum* (L.Gallo) Niederle – Note: The populations from Sic deserve further studies.  
*Petrosedum ochroleucum* (Chaix) Niederle subsp. *ochroleucum*  
*Petrosedum rupestre* (L.) P.V.Heath  
*Petrosedum sediforme* (Jacq.) Grulich  
*Petrosedum tenuifolium* (Sm.) Grulich  
*Petrosedum thartii* (L.P.Hébert) Niederle

- Phedimus stellatus** (L.) Raf.  
**Rhodiola rosea** L.  
**Sedum acre** L.  
**Sedum aetnense** Tineo  
**Sedum album** L. subsp. **album**  
**Sedum album** L. subsp. **micranthum** (Bast. ex DC.) Syme  
**Sedum alpestre** Vill.  
**E** **Sedum alsinifolium** All.  
**Sedum andegavense** (DC.) Desv.  
**Sedum annuum** L.  
**E** **Sedum aquilatum** L. Gallo & F. Conti – Note: For the taxonomy and distribution of this species, see Gallo and Conti (2015).  
**Sedum atratum** L.  
**Sedum brevifolium** DC.  
**Sedum caeruleum** L.  
**Sedum caespitosum** (Cav.) DC.  
**Sedum cepaea** L.  
**Sedum dasypphyllum** L. subsp. **dasypphyllum**  
**Sedum dasypphyllum** L. subsp. **glanduliferum** (Guss.) Nyman  
**Sedum fragrans** 't Hart  
**Sedum glandulosum** Moris – Note: The taxonomic identity of the population from TOS is doubtful and needs further studies.  
**Sedum gypsicola** Boiss. & Reut.  
**Sedum hirsutum** All. subsp. **hirsutum**  
**Sedum hispanicum** L.  
**Sedum litoreum** Guss.  
**E** **Sedum magellense** Ten. subsp. **magellense**  
**Sedum magellense** Ten. subsp. **olympicum** (Boiss.) Grande  
**Sedum monregaleNSE** Balb.  
**Sedum rubens** L.  
**Sedum sexangulare** L.  
**Sedum villosum** L.  
**Sempervivum alpinum** Griseb. & Schenk – Note: *Sempervivum soculense* D. Donati & G. Dumont is here provisionally included.  
**Sempervivum arachnoideum** L.  
**C** **Sempervivum calcareum** Jord.  
**E** **Sempervivum dolomiticum** Facchini  
**Sempervivum glaucum** Ten.  
**Sempervivum grandiflorum** Haw.  
**Sempervivum montanum** L. subsp. **burnatii** Wettst. ex Hayek  
**Sempervivum montanum** L. subsp. **montanum**  
**E** **Sempervivum ricci** Iberite & Anzal.  
**Sempervivum tectorum** L. – Note: *Sempervivum tectorum* is native to Italy but cultivated since 2000 years or more, especially in Northern Italy. In the North-Central Apennines it likely cohabits with *S. alpinum* Griseb. & Schenk.  
**Sempervivum wulfenii** Hoppe ex Mert. & W.D.J. Koch subsp. **wulfenii**  
**C** **Umbilicus chloranthus** Heldr. & Sartori ex Boiss.  
**Umbilicus horizontalis** (Guss.) DC. – Note: Some populations from SIC deserve further studies because of variability in flower morphology.  
**Umbilicus rupestris** (Salisb.) Dandy
- Haloragaceae  
**Myriophyllum alterniflorum** DC.  
**Myriophyllum spicatum** L.  
**Myriophyllum verticillatum** L.
- Grossulariaceae  
**Ribes alpinum** L.  
**Ribes multiflorum** Kit. ex Roem. & Schult. subsp. **multiflorum**  
**E** **Ribes multiflorum** Kit. ex Roem. & Schult. subsp. **sandalioticum** Arrigoni  
**Ribes petraeum** Wulfen  
**Ribes rubrum** L. – Note: The native *R. rubrum* s.str. and the alien *R. spicatum* E. Robson are both included here.  
**E** **Ribes sardoum** Martelli  
**Ribes uva-crispa** L. subsp. **austro-europeum** Bornm.  
**Ribes uva-crispa** L. subsp. **uva-crispa**
- Saxifragaceae  
**Chrysosplenium alternifolium** L.  
**Chrysosplenium dubium** Gay ex Ser.  
**Micranthes engelmannii** (Dalla Torre) Galasso, Banfi & Soldano  
**Saxifraga adscendens** L. subsp. **adscendens**  
**Saxifraga adscendens** L. subsp. **parnassica** (Boiss. & Heldr.) Hayek  
**Saxifraga aizoides** L.  
**Saxifraga androsacea** L.  
**Saxifraga aphylla** Sternb.  
**E** **Saxifraga arachnoidea** Sternb.  
**Saxifraga aspera** L.  
**E** **Saxifraga berica** (Bég.) D.A. Webb  
**Saxifraga biflora** All. subsp. **biflora**  
**Saxifraga bryoides** L.  
**Saxifraga bulbifera** L.  
**Saxifraga burseriana** L.  
**Saxifraga caesia** L.



- E *Saxifraga callosa* Sm. subsp. ***callosa*** – Note: *Saxifraga australis* Moric. is poorly differentiated from *S. callosa* s.str.  
E *Saxifraga caprariae* Mannocci, Ferretti, Mazzoncini & Viciani  
*Saxifraga carpetana* Boiss. & Reut. subsp. ***graeca*** (Boiss. & Heldr.) D.A.Webb  
*Saxifraga cernua* L.  
E *Saxifraga cochlearis* Rchb.  
E *Saxifraga corsica* (Ser. ex Duby) Gren. & Godr. subsp. ***corsica***  
*Saxifraga cotyledon* L.  
*Saxifraga crustata* Vest  
*Saxifraga cuneifolia* L. subsp. ***cuneifolia***  
T *Saxifraga cuneifolia* L. subsp. ***robusta*** D.A.Webb  
E *Saxifraga depressa* Sternb.  
*Saxifraga diapensioides* Bellardi  
E *Saxifraga exarata* Vill. subsp. ***ampullacea*** (Ten.) D.A.Webb  
*Saxifraga exarata* Vill. subsp. ***carniolica*** (Huter) T.Wraber  
*Saxifraga exarata* Vill. subsp. ***exarata***  
*Saxifraga exarata* Vill. subsp. ***moschata*** (Wulfen) Cavill.  
*Saxifraga exarata* Vill. subsp. ***pseudoexarata*** (Braun-Blanq.) D.A.Webb  
E *Saxifraga facchinii* W.D.J.Koch  
*Saxifraga florulenta* Moretti  
*Saxifraga glabella* Bertol.  
*Saxifraga granulata* L. subsp. ***granulata***  
*Saxifraga hederacea* L.  
*Saxifraga hirculus* L.  
*Saxifraga hostii* Tausch subsp. ***hostii***  
E *Saxifraga hostii* Tausch subsp. ***rhaetica*** (A.Kern. ex Engl.) Braun-Blanq.  
E *Saxifraga italicica* D.A.Webb  
*Saxifraga marginata* Sternb.  
E *Saxifraga montis-christi* Mannocci, Ferretti, Mazzoncini & Viciani  
*Saxifraga muscoidea* All.  
*Saxifraga mutata* L. subsp. ***mutata***  
T *Saxifraga oppositifolia* L. subsp. ***glandulifera*** Vacc.  
*Saxifraga oppositifolia* L. subsp. ***oppositifolia***  
T *Saxifraga oppositifolia* L. subsp. ***rudolphiana*** (Hornschr. ex W.D.J.Koch) Nyman  
ET *Saxifraga oppositifolia* L. subsp. ***speciosa*** (Dörfel. & Hayek) Engl. & Irmsch.  
*Saxifraga paniculata* Mill.  
E *Saxifraga pedemontana* All. subsp. ***cervicornis*** (Viv.) Engl.  
*Saxifraga pedemontana* All. subsp. ***pedemontana***  
*Saxifraga petraea* L.  
E *Saxifraga porophylla* Bertol. subsp. ***porophylla***  
E *Saxifraga presolanensis* Engl.  
*Saxifraga retusa* Gouan subsp. ***augustana*** (Vacc.) D.A.Webb  
*Saxifraga retusa* Gouan subsp. ***retusa***  
*Saxifraga rotundifolia* L. subsp. ***rotundifolia***  
*Saxifraga sedoides* L. subsp. ***sedoides***  
E *Saxifraga sedoides* L. subsp. ***tomentosa*** (Zenari) Poldini  
*Saxifraga seguieri* Spreng.  
*Saxifraga squarrosa* Sieber  
*Saxifraga taygetea* Boiss. & Heldr.  
*Saxifraga tenella* Wulfen  
E *Saxifraga tombeanensis* Boiss. ex Engl.  
*Saxifraga tridactylites* L.  
*Saxifraga valdensis* DC.  
E *Saxifraga vandellii* Sternb.

## Cynomoriaceae

*Cynomorium coccineum* L. subsp. ***coccineum***

## Vitaceae

*Vitis vinifera* L.

## Zygophyllaceae

*Fagonia cretica* L.  
*Tribulus terrestris* L.

## Fabaceae

*Colutea* L. (Browicz 1963); *Cytisus* Desf. sect. *Calicotome* (Link) DC. (Cristofolini and Troia 2006); *Lathyrus* L., *Ervilia* Link, *Ervum* L., *Lathyrus* L., and *Vicia* L. (Schaefer et al. 2012); *Trifolium* sect. *Vesicastrum* subsect. *Mystillus* (C.Presl) Coulot & Rebaute (Scoppola and Lattanzi 2016; Scoppola et al. 2016); *Trigonella* L. (Bena 2001).

- E *Adenocarpus complicatus* (L.) J.Gay subsp. ***bivonae*** (C.Presl) Peruzzi  
E *Adenocarpus complicatus* (L.) J.Gay subsp. ***brutius*** (Brullo, De Marco & Siracusa) Peruzzi & Bernardo  
E *Adenocarpus complicatus* (L.) J.Gay subsp. ***commutatus*** (Guss.) Cout.  
E *Adenocarpus complicatus* (L.) J.Gay subsp. ***samniticus*** (Brullo, De Marco & Siracusa) Peruzzi  
E *Adenocarpus complicatus* (L.) J.Gay subsp. ***tenoreanrus*** (Brullo, Gangale & Uzunov) Peruzzi & Bernardo  
*Anagyris foetida* L.  
*Anthyllis barba-jovis* L.  
E *Anthyllis hermanniae* L. subsp. ***brutia*** Brullo & Giusso  
ET *Anthyllis hermanniae* L. subsp. ***corsica*** Brullo & Giusso – Note: Possibly extinct in Italy.

- E *Anthyllis hermanniae* L. subsp. *ichnusae* Brullo & Giusso  
 E *Anthyllis hermanniae* L. subsp. *japygica* Brullo & Giusso  
 E *Anthyllis hermanniae* L. subsp. *sicula* Brullo & Giusso – Note: Possibly extinct.  
*Anthyllis montana* L. subsp. *jacquinii* (A.Kern.) Hayek  
*Anthyllis montana* L. subsp. *montana*  
 T *Anthyllis vulneraria* L. subsp. *alpicola* (Brügger) Gutermann  
 T *Anthyllis vulneraria* L. subsp. *baldensis* (A.Kern. ex Sagorski) Pignatti ex Kerguélen  
 ET *Anthyllis vulneraria* L. subsp. *busambarensis* (Lojac.) Pignatti  
 T *Anthyllis vulneraria* L. subsp. *carpatica* (Pant.) Nyman  
 T *Anthyllis vulneraria* L. subsp. *maura* (Beck) Maire  
 ET *Anthyllis vulneraria* L. subsp. *nana* (Ten.) Tammaro  
 T *Anthyllis vulneraria* L. subsp. *pulchella* (Vis.) Bornm.  
 T *Anthyllis vulneraria* L. subsp. *polyphylla* (DC.) Nyman  
 T *Anthyllis vulneraria* L. subsp. *rubriflora* (DC.) Arcang.  
 T *Anthyllis vulneraria* L. subsp. *sampaioana* (Rothm.) Vasc.  
 T *Anthyllis vulneraria* L. subsp. *valesiaca* (Beck) Guyot  
 T *Anthyllis vulneraria* L. subsp. *versicolor* (Dalla Torre & Sarnth.) Gutermann  
 T *Anthyllis vulneraria* L. subsp. *vulnerarioides* (All.) Arcang. – Note: For the nomenclature and distribution of this subspecies, see Conti et al. (2016).  
 T *Anthyllis vulneraria* L. subsp. *weldeniana* (Rchb.) Cullen  
*Argyrolobium zanonii* (Turra) P.W.Ball subsp. *zanonii*  
*Astragalus alopecurus* Pall.  
*Astragalus alpinus* L.  
 E *Astragalus aquilanus* Anzal.  
*Astragalus australis* (L.) Lam.  
*Astragalus austriacus* Jacq.  
*Astragalus boeticus* L.  
 E *Astragalus caprinus* L. subsp. *huetii* (Bunge) Podlech  
*Astragalus cicer* L.  
*Astragalus danicus* Retz.  
*Astragalus depressus* L. subsp. *depressus*  
*Astragalus echinatus* Murray  
*Astragalus epiglottis* L. subsp. *epiglottis*  
*Astragalus excapus* L. subsp. *exscapus*  
*Astragalus frigidus* (L.) A.Gray  
 E *Astragalus genargenteus* Moris  
 E *Astragalus gennarii* Bacch. & Brullo  
*Astragalus glycyphyllos* L.  
*Astragalus hamosus* L.  
*Astragalus hypoglottis* L. subsp. *gremlii* (Burnat) Greuter & Burdet  
*Astragalus hypoglottis* L. subsp. *hypoglottis*  
 E *Astragalus kamarinensis* C.Brullo, Brullo, Giusso, Miniss. & Sciandr.  
*Astragalus leontinus* Wulfen  
 E *Astragalus maritimus* Moris  
*Astragalus monspessulanus* L. subsp. *monspessulanus*  
*Astragalus monspessulanus* L. subsp. *wulfenii* (W.D.J.Koch) Arcang.  
 E *Astragalus muelleri* Steud. & Hochst. subsp. *etruscus* Peruzzi, Gestri & Pierini – Note: For the taxonomy and distribution of this subspecies, see Peruzzi et al. (2014c).  
 E *Astragalus nebrodensis* (Guss.) Strobl  
*Astragalus onobrychis* L.  
 E *Astragalus parnassi* Boiss. subsp. *calabricus* (Fisch.) Maassoumi  
*Astragalus pastellianus* Pollini  
*Astragalus pelecinus* (L.) Barneby subsp. *pelecinus*  
*Astragalus penduliflorus* Lam.  
*Astragalus peregrinus* Vahl subsp. *warionis* (Gand.) Maire  
 E *Astragalus raphaelis* Ferro  
*Astragalus scorpioides* Willd.  
*Astragalus sempervirens* Lam.  
*Astragalus sesameus* L.  
 E *Astragalus siculus* Biv.  
 E *Astragalus sibiricus* Ten.  
 E *Astragalus tegulensis* Bacch. & Brullo  
 E *Astragalus terraccianoi* Vals.  
 E *Astragalus thermensis* Vals.  
 E *Astragalus verrucosus* Moris  
*Astragalus vesicarius* L. subsp. *carniolicus* (A.Kern.) Chater  
*Astragalus vesicarius* L. subsp. *vesicarius*  
 ET *Bituminaria basaltica* Miniss., C.Brullo, Brullo, Giusso & Sciandr.  
*Bituminaria bituminosa* (L.) C.H.Stirt.  
 E *Bituminaria morisiana* (Pignatti & Metlesics) Greuter  
*Cercis siliquastrum* L. subsp. *siliquastrum*  
*Colutea arborescens* L.  
 T *Colutea brevialata* Lange  
*Coronilla coronata* L.  
*Coronilla juncea* L.  
*Coronilla minima* L. subsp. *minima*  
*Coronilla repanda* (Poir.) Guss. subsp. *repanda*  
*Coronilla scorpioides* (L.) W.D.J.Koch  
*Coronilla vaginalis* Lam.

- E *Coronilla valentina* L.  
*Cytisophyllum sessilifolium* (L.) O.Lang  
*Cytisus aeolicus* Guss.  
*Cytisus decumbens* (Durande) Spach  
*Cytisus emeriflorus* Rchb.  
*Cytisus hirsutus* L.  
*Cytisus infestus* (C.Presl) Guss. subsp. *infestus*  
*Cytisus infestus* (C.Presl) Guss. subsp. *intermedius* (Salzm. ex C.Presl) Cristof. & Troia  
*Cytisus laniger* DC.  
*Cytisus nigricans* L. subsp. *atratus* (Schur) Nyman  
*Cytisus nigricans* L. subsp. *nigricans*  
E *Cytisus proteus* Zumagl.  
*Cytisus pseudoprocumbens* Markgr.  
*Cytisus purpureus* Scop.  
*Cytisus scoparius* (L.) Link subsp. *scoparius*  
*Cytisus spinescens* C.Presl  
*Cytisus spinosus* (L.) Lam.  
*Cytisus villosus* Pourr.  
*Dorycnopsis gerardi* (L.) Boiss.  
T *Emerus major* Mill. subsp. *emeroides* (Boiss. & Spruner) Soldano & F.Conti  
*Emerus major* Mill. subsp. *major*  
*Ervilia articulata* (Hornem.) H.Schaef.  
*Ervilia hirsuta* (L.) Opiz  
*Ervilia loiseleurii* (M.Bieb.) H.Schaef.  
*Ervilia sylvatica* (L.) Schur  
*Ervum gracile* DC.  
*Ervum pubescens* DC.  
*Ervum tetraspermum* L.  
*Genista anglica* L.  
E *Genista arbusensis* Vals.  
E *Genista aristata* C.Presl  
*Genista aspalathoides* Lam.  
E *Genista bocchieri* Bacch., Brullo & Feoli Chiapella  
E *Genista cadasonensis* Vals.  
E *Genista clementina* Vals.  
*Genista cinerea* (Vill.) DC.  
E *Genista corsica* (Loisel.) DC.  
E *Genista cupanii* Guss.  
E *Genista demarcoi* Brullo, Scelsi & Siracusa  
E *Genista desoleana* Vals.  
E *Genista ephedroides* DC.  
E *Genista etnensis* (Raf.) DC.  
*Genista ferox* (Poir.) Poir.  
E *Genista gasparrini* (Guss.) C.Presl  
*Genista germanica* L.  
*Genista hispanica* L. subsp. *hispanica*  
*Genista holopetala* (Koch) Bald.  
E *Genista insularis* Bacch., Brullo & Feoli Chiapella subsp. *fodinae* Bacch., Brullo & Feoli Chiapella  
E *Genista insularis* Bacch., Brullo & Feoli Chiapella subsp. *insularis*  
*Genista januensis* Viv. subsp. *januensis*  
C *Genista linifolia* L.  
E *Genista madoniensis* Raimondo  
E *Genista michelii* Spach  
*Genista monspessulana* (L.) L.A.S.Johnson  
E *Genista morisii* Colla  
E *Genista ovina* Bacch., Brullo & Feoli Chiapella  
E *Genista pichisermolliana* Vals.  
*Genista pilosa* L.  
E *Genista pulchella* Vis. subsp. *aquilana* F.Conti & Manzi  
*Genista radiata* (L.) Scop.  
*Genista sagittalis* L.  
E *Genista salzmannii* DC.  
E *Genista sardoa* Vals.  
E *Genista sericea* Wulfen subsp. *pollinensis* F.Conti, Feoli Chiapella & Bernardo  
*Genista sericea* Wulfen subsp. *sericea* – Note: For the taxonomy and distribution of this species, see Conti et al. (2014).  
E *Genista sulcitana* Vals.  
*Genista sylvestris* Scop.  
ET *Genista tenorei* G.Don  
*Genista tinctoria* L.  
E *Genista toluensis* Vals.  
E *Genista tyrrhenia* Vals. subsp. *pontiana* Brullo & De Marco  
E *Genista tyrrhenia* Vals. subsp. *tyrrhenia*  
E *Genista valsecchiae* Brullo & De Marco  
*Glycyrrhiza glabra* L.  
*Hedysarum brigantiacum* Bourn., Chas & Kerguélen  
*Hedysarum confertum* Desf.  
*Hedysarum hedysaroides* (L.) Schinz & Thell. subsp. *exaltatum* (A.Kern.) Chrtková  
*Hedysarum hedysaroides* (L.) Schinz & Thell. subsp. *hedysaroides*

- Hippocrepis biflora* Spreng.  
*Hippocrepis ciliata* Willd.  
*Hippocrepis comosa* L. subsp. *comosa*  
*Hippocrepis glauca* Ten.  
*Hippocrepis multisiliquosa* L.  
*Hymenocarpos circinnatus* (L.) Savi  
*Laburnum alpinum* (Mill.) Bercht. & J.Presl  
*Laburnum anagyroides* Medik. subsp. *alschingeri* (Vis.) Hayek  
*Laburnum anagyroides* Medik. subsp. *anagyroides*  
*Lathyrus amphicarpus* L.  
*Lathyrus angulatus* L.  
*Lathyrus annuus* L.
- E *Lathyrus apenninus* F.Conti – Note: For the taxonomy and distribution of this species, see Conti (2010).  
*Lathyrus aphaca* L. subsp. *aphaca*  
*Lathyrus cicera* L.  
*Lathyrus cirrhosus* Ser.  
*Lathyrus clymenum* L.  
*Lathyrus digitatus* (M.Bieb.) Fiori  
*Lathyrus filiformis* (Lam.) J.Gay  
*Lathyrus gorgoni* Parl.  
*Lathyrus grandiflorus* Sm.  
*Lathyrus heterophyllus* L.  
*Lathyrus hirsutus* L.  
*Lathyrus inconspicuus* L.
- E *Lathyrus jordanii* (Ten.) Ces., Pass. & Gibelli  
*Lathyrus laevigatus* (Waldst. & Kit.) Gren. subsp. *laevigatus*  
*Lathyrus laevigatus* (Waldst. & Kit.) Gren. subsp. *occidentalis* (Fisch. & C.A.Mey.) Breistr.  
*Lathyrus latifolius* L.  
*Lathyrus laxiflorus* (Desf.) Kuntze subsp. *laxiflorus*  
*Lathyrus linifolius* (Reichard) Bässler  
*Lathyrus niger* (L.) Bernh.  
*Lathyrus nissolia* L.  
*Lathyrus ochrus* (L.) DC.
- E *Lathyrus odoratus* L.  
*Lathyrus oleraceus* Lam. subsp. *biflorus* (Raf.) H.Schaef., Coulot & Rabaute  
*Lathyrus palustris* L.  
*Lathyrus pannonicus* (Jacq.) Garccke subsp. *aspodeloides* (Gouan) Bässler  
*Lathyrus pannonicus* (Jacq.) Garccke subsp. *varius* (Hill) P.W.Ball  
*Lathyrus pratensis* L. subsp. *lusseri* (Heer ex W.D.J.Koch) Soják  
*Lathyrus pratensis* L. subsp. *pratensis*  
*Lathyrus setifolius* L.  
*Lathyrus sphaericus* Retz.  
*Lathyrus sylvestris* L. subsp. *sylvestris*  
*Lathyrus tingitanus* L.  
*Lathyrus tuberosus* L.  
*Lathyrus venetus* (Mill.) Wohlf.  
*Lathyrus vernus* (L.) Bernh.  
*Lotus angustissimus* L.  
*Lotus biflorus* Desr.  
*Lotus conimbricensis* Brot.  
*Lotus conjugatus* L. subsp. *conjugatus*  
*Lotus conjugatus* L. subsp. *requienii* (Mauri ex Sanguin.) Greuter
- T *Lotus corniculatus* L. subsp. *alpinus* (DC.) Rothm.  
*Lotus corniculatus* L. subsp. *corniculatus*
- T *Lotus corniculatus* L. subsp. *delortii* (Timb.-Lagr.) Nyman  
T *Lotus corniculatus* L. subsp. *preslii* (Ten.) P.Fourn.  
*Lotus creticus* L.  
*Lotus cytisoides* L.  
*Lotus dorycnium* L.  
*Lotus edulis* L.  
*Lotus germanicus* (Greml.) Peruzzi  
*Lotus halophilus* Boiss. & Spruner  
*Lotus herbaceus* (Vill.) Jauzein  
*Lotus hirsutus* L.  
*Lotus hispidus* DC.  
*Lotus longisiliquosus* R.Roem.  
*Lotus maritimus* L.  
*Lotus ornithopodioides* L.  
*Lotus parviflorus* Desf.  
*Lotus pedunculatus* Cav.  
*Lotus peregrinus* L.  
*Lotus rectus* L.  
*Lotus tenuis* Waldst. & Kit. ex Willd.  
*Lotus tetragonolobus* L.  
*Lupinus albus* L. subsp. *graecus* (Boiss. & Spruner) Franco & P.Silva  
*Lupinus angustifolius* L.  
*Lupinus cosentinii* Guss.  
*Lupinus gussoneanus* J.Agardh



- Lupinus luteus* L.  
*Medicago arabica* (L.) Huds.  
*Medicago arborea* L.  
*Medicago carstiensis* Wulfen  
*Medicago ciliaris* (L.) All.  
*Medicago coronata* (L.) Bartal.  
*Medicago disciformis* DC.  
*Medicago doliata* Carmign.  
*Medicago falcata* L. subsp. **falcata**  
*Medicago glutinosa* M.Bieb.  
*Medicago intertexta* (L.) Mill.  
*Medicago italicica* (Mill.) Grande  
*Medicago lesinsii* E.Small  
*Medicago littoralis* Loisel.  
*Medicago lupulina* L.  
*Medicago marina* L.  
*Medicago minima* (L.) L.  
*Medicago monspeliacia* (L.) Trautv.  
*Medicago murex* Willd.  
*Medicago muricoleptis* Tineo  
*Medicago orbicularis* (L.) Bartal.  
*Medicago pironae* Vis.  
*Medicago polymorpha* L.  
*Medicago praecox* DC.  
*Medicago prostrata* Jacq. subsp. **prostrata**  
*Medicago rigidula* (L.) All.  
*Medicago rugosa* Desr.  
*Medicago scutellata* (L.) Mill.  
*Medicago secundiflora* Durieu  
*Medicago soleirolii* Duby  
*Medicago tenoreana* DC.  
*Medicago truncatula* Gaertn.  
*Medicago turbinata* (L.) All.  
*Onobrychis aequidentata* (Sm.) d'Urv.  
**E** *Onobrychis alba* (Waldst. & Kit.) Desv. subsp. **alba**  
*Onobrychis alba* (Waldst. & Kit.) Desv. subsp. **echinata** (Guss.) P.W.Ball  
*Onobrychis alba* (Waldst. & Kit.) Desv. subsp. **pentelica** (Hausskn.) Nyman  
*Onobrychis arenaria* (Kit.) DC. subsp. **arenaria**  
*Onobrychis arenaria* (Kit.) DC. subsp. **tauerica** Hand.-Mazz.  
*Onobrychis arenaria* (Kit.) DC. subsp. **tommasinii** (Jord.) Asch. & Graebn.  
**ET** *Onobrychis calabrica* Sirjaev  
*Onobrychis caput-galli* (L.) Lam.  
*Onobrychis montana* DC. subsp. **montana**  
*Onobrychis saxatilis* (L.) Lam.  
*Onobrychis supina* (Chaix ex Vill.) DC.  
*Onobrychis viciifolia* Scop.  
*Ononis alba* Poir. subsp. **alba**  
*Ononis alopecuroides* L. subsp. **exalopecuroides** (G.López) Greuter & Burdet  
*Ononis biflora* Desf.  
**E** *Ononis cristata* Mill. subsp. **apennina** Tammaro & Catonica  
*Ononis cristata* Mill. subsp. **cristata**  
*Ononis dentata* Lowe  
*Ononis diffusa* Ten.  
*Ononis hispida* Desf. subsp. **hispida**  
**E** *Ononis masquillieri* Bertol.  
*Ononis minutissima* L.  
*Ononis mitissima* L.  
*Ononis natrix* L. subsp. **hispanica** (L.f.) Cout.  
*Ononis natrix* L. subsp. **natrix**  
*Ononis natrix* L. subsp. **ramosissima** (Desf.) Batt.  
**E** *Ononis oligophylla* Ten.  
*Ononis ornithopodioides* L.  
*Ononis pendula* Desf. subsp. **boissieri** (Sirj.) Devesa  
*Ononis pubescens* L.  
*Ononis pusilla* L. subsp. **pusilla**  
*Ononis reclinata* L.  
*Ononis rotundifolia* L.  
*Ononis serrata* Forssk.  
*Ononis sicula* Guss.  
*Ononis sieberi* DC.  
*Ononis spinosa* L. subsp. **antiquorum** (L.) Arcang.  
*Ononis spinosa* L. subsp. **arvensis** (L.) Greuter & Burdet  
*Ononis spinosa* L. subsp. **austriaca** (Beck) Gams  
*Ononis spinosa* L. subsp. **procurrens** (Wallr.) Briq.  
*Ononis spinosa* L. subsp. **spinosa**  
*Ononis variegata* L.  
*Ononis viscosa* L. subsp. **breviflora** (DC.) Nyman  
*Ornithopus compressus* L.

- Ornithopus perpusillus* L.  
*Ornithopus pinnatus* (Mill.) Druce  
*Oxytropis campestris* (L.) DC.  
*Oxytropis fetida* (Vill.) DC.  
*Oxytropis halleri* Bunge ex W.D.J.Koch  
*Oxytropis helvetica* Scheele  
*Oxytropis lapponica* (Wahlenb.) J.Gay  
*Oxytropis montana* L.  
*Oxytropis neglecta* J.Gay ex Ten.
- E *Oxytropis ocrensis* F.Conti & Bartolucci – Note: For the taxonomy and distribution of this species, see Conti et al. (2018b).
- E *Oxytropis pilosa* (L.) DC. subsp. *caputoi* (Moraldo & la Valva) Brilli-Catt., Di Massimo & Gubellini  
*Oxytropis pilosa* (L.) DC. subsp. *pilosa*  
*Oxytropis xerophila* Gutermann
- E *Retama raetam* (Forssk.) Webb & Berthel. subsp. *gussonei* (Webb) Greuter  
*Scorpiurus muricatus* L.  
*Scorpiurus subvillosum* L.
- DD *Scorpiurus sulcatus* L.  
*Scorpiurus vermiculatus* L.  
*Securigera cretica* (L.) Lassen  
*Securigera securidaca* (L.) Degen & Dörfel.  
*Securigera varia* (L.) Lassen  
*Spartium junceum* L.  
*Sulla capitata* (Desf.) B.H.Choi & H.Ohashi  
*Sulla coronaria* (L.) Medik.  
*Sulla spinosissima* (L.) B.H.Choi & H.Ohashi  
*Trifolium alpestre* L.  
*Trifolium alpinum* L.  
*Trifolium angustifolium* L. subsp. *angustifolium*  
*Trifolium arvense* L. subsp. *arvense*  
*Trifolium arvense* L. subsp. *gracile* (Thuill.) Nyman  
*Trifolium aureum* Pollich subsp. *aureum*  
*Trifolium badium* Schreb.  
E *Trifolium bivonae* Guss.  
*Trifolium bocconeii* Savi – Note: For the typification of this name, see Roma-Marzio et al. (2018).
- E *Trifolium brutum* Ten.  
*Trifolium campestre* Schreb.  
*Trifolium cernuum* Brot.  
*Trifolium cherleria* L.  
*Trifolium clusii* Gren. & Godr.  
*Trifolium congestum* Guss.  
*Trifolium diffusum* Ehrh.  
*Trifolium dubium* Sibth.  
*Trifolium echinatum* M.Bieb.  
*Trifolium fragiferum* L. subsp. *fragiferum*  
*Trifolium glomeratum* L.  
*Trifolium grandiflorum* Schreb.  
*Trifolium hirtum* All.  
*Trifolium hybridum* L. subsp. *elegans* (Savi) Asch. & Graebn.  
*Trifolium hybridum* L. subsp. *hybridum*  
*Trifolium incarnatum* L. subsp. *molinieri* (Balb. ex Hornem.) Ces.  
*Trifolium infamia-ponertii* Greuter  
*Trifolium isthmocarpum* Brot. subsp. *jaminianum* (Boiss.) Murb.  
*Trifolium lappaceum* L.  
*Trifolium latinum* Sebast. – Note: For the typification of this name, see Iamonico et al. (2011).  
*Trifolium leucanthum* M.Bieb.  
*Trifolium ligusticum* Loisel.  
*Trifolium lucanicum* Gasp. ex Guss.  
*Trifolium medium* L. subsp. *medium*  
*Trifolium michelianum* Savi – Note: For the typification of this name, see Roma-Marzio et al. (2018).  
*Trifolium micranthum* Viv.  
*Trifolium montanum* L. subsp. *montanum*  
*Trifolium montanum* L. subsp. *rupestre* (Ten.) Nyman  
*Trifolium multistriatum* W.D.J.Koch  
*Trifolium mutabile* Port.  
*Trifolium nigrescens* Viv. subsp. *nigrescens*  
*Trifolium nigrescens* Viv. subsp. *petrisavii* (Clementi) Holmboe  
*Trifolium noricum* Wulfen subsp. *noricum*  
*Trifolium noricum* Wulfen subsp. *praetutianum* (Savi) Arcang.  
*Trifolium obscurum* Savi – Note: For the typification of this name, see Roma-Marzio et al. (2018).  
*Trifolium ochroleucon* Huds.  
*Trifolium ornithopodioides* L.  
*Trifolium pallescens* Schreb.  
*Trifolium pallidum* Waldst. & Kit.  
*Trifolium pannonicum* Jacq. subsp. *pannonicum*  
*Trifolium patens* Schreb.  
*Trifolium patulum* Tausch  
*Trifolium phleoides* Willd.  
*Trifolium physodes* M.Bieb.  
*Trifolium pratense* L. subsp. *nivale* Ces.



- E *Trifolium pratense* L. subsp. *pratense*  
*Trifolium pratense* L. subsp. *semipurpureum* (Strobl) Pignatti  
*Trifolium purpureum* Loisel.  
*Trifolium repens* L.  
*Trifolium resupinatum* L.  
*Trifolium rubens* L.  
*Trifolium saxatile* All.  
*Trifolium scabrum* L.  
*Trifolium sebastiani* Savi – Note: For the typification of this name, see Roma-Marzio et al. (2018).  
*Trifolium spadiceum* L.  
*Trifolium spumosum* L.  
*Trifolium squamosum* L.  
*Trifolium squarrosum* L.  
*Trifolium stellatum* L.  
*Trifolium striatum* L. subsp. *striatum*  
*Trifolium striatum* L. subsp. *tenuiflorum* (Ten.) Arcang.  
*Trifolium strictum* L.  
*Trifolium subterraneum* L. subsp. *oxaloides* Nyman  
*Trifolium subterraneum* L. subsp. *subterraneum*  
C *Trifolium subterraneum* L. subsp. *yanninicum* Katzn. & F.H.W.Morley  
*Trifolium suffocatum* L.  
*Trifolium sylvaticum* Gérard ex Loisel.  
*Trifolium tenuifolium* Ten.  
*Trifolium thalii* VIII.  
*Trifolium tomentosum* L.  
E *Trifolium uniflorum* L. subsp. *savianum* (Guss.) Asch. & Graebn.  
*Trifolium vesiculosum* Savi – Note: For the typification of this name, see Roma-Marzio et al. (2018).  
*Trigonella alba* (Medik.) Coulot & Rabaute  
*Trigonella altissima* (Thuill.) Coulot & Rabaute  
*Trigonella elegans* (Salzm. ex Ser.) Coulot & Rabaute  
*Trigonella esculenta* Willd.  
*Trigonella gladiata* M.Bieb.  
*Trigonella infesta* (Guss.) Coulot & Rabaute  
*Trigonella italica* (L.) Coulot & Rabaute  
*Trigonella maritima* Delile ex Poir.  
*Trigonella officinalis* (L.) Coulot & Rabaute  
*Trigonella segetalis* (Brot.) Coulot & Rabaute  
*Trigonella sicula* (Turra) Coulot & Rabaute  
*Trigonella smalii* Coulot & Rabaute  
*Trigonella sulcata* (Desf.) Coulot & Rabaute  
*Trigonella wojciechowskii* Coulot & Rabaute  
*Tripodion tetraphyllum* (L.) Fourr.  
*Ulex europaeus* L. subsp. *europaeus*  
*Vicia altissima* Desf.  
*Vicia amphicarpa* L.  
*Vicia angustifolia* L.  
*Vicia benghalensis* L.  
*Vicia bitynica* (L.) L.  
*Vicia cassubica* L.  
E *Vicia consentina* Spreng.  
*Vicia cordata* Wulfen ex Hoppe  
*Vicia cracca* L.  
*Vicia cusnae* Foggi & Ricceri  
*Vicia dalmatica* A.Kern.  
*Vicia dasycarpa* Ten.  
*Vicia disperma* DC.  
*Vicia dumetorum* L.  
*Vicia eriocarpa* (Hausskn.) Halácsy  
*Vicia ervoides* (Brign.) Hampe  
E *Vicia giacominiiana* Segelb.  
*Vicia glauca* C.Presl subsp. *glauca*  
*Vicia grandiflora* Scop.  
*Vicia hybrida* L.  
*Vicia incana* Gouan  
*Vicia incisa* M.Bieb. – Note: For the taxonomy of this species, see Iberite et al. (2017).  
*Vicia johannis* Tamamsch.  
*Vicia laeta* Ces.  
*Vicia lathyroides* L.  
*Vicia leucantha* Biv.  
*Vicia lutea* L.  
*Vicia macrocarpa* (Moris) Bertol.  
*Vicia melanops* Sm.  
*Vicia microphylla* d'Urv.  
*Vicia monantha* Retz. subsp. *calcarata* (Desf.) Romero Zarco  
*Vicia narbonensis* L.  
*Vicia nigricans* (M.Bieb.) Coss. & Germ.  
E *Vicia ochroleuca* Ten. subsp. *ochroleuca*  
*Vicia onobrychioides* L.

- Vicia oreophila* Zertová  
*Vicia oroboides* Wulfen  
*Vicia pannonica* Crantz subsp. *pannonica*  
*Vicia pannonica* Crantz subsp. *striata* (M.Bieb.) Nyman  
*Vicia peregrina* L.  
*Vicia pisiformis* L.  
*Vicia pseudocracca* Bertol.  
*Vicia sativa* L.  
*Vicia saxatilis* (Vent.) Tropea  
*Vicia segetalis* Thuill.  
*Vicia sepium* L.  
*Vicia serinica* R.Uechtr. & Huter ex Porta  
*Vicia serratifolia* Jacq.  
*Vicia sicula* (Raf.) Guss.  
*Vicia sparsiflora* Ten.  
E *Vicia tenuifolia* Roth subsp. *elegans* (Guss.) Nyman  
*Vicia tenuifolia* Roth subsp. *tenuifolia*  
*Vicia villosa* Roth

- Polygalaceae  
Taxonomic references: *Polygala* L. (Arrigoni 2014).  
***Polygala alpestris*** Rchb. subsp. *alpestris*  
ET *Polygala alpestris* Rchb. subsp. *angelisii* (Ten.) Nyman  
ET *Polygala alpestris* Rchb. subsp. *meridionalis* Arrigoni  
*Polygala alpina* (Poir. ex DC.) Steud.  
T *Polygala amara* L. subsp. *brachyptera* (Chodat) Hayek  
*Polygala amarella* Crantz  
E *Polygala apiculata* Huter, Porta & Rigo  
*Polygala calcarea* F.W.Schultz  
E *Polygala carueliana* (Burnat ex A.W.Benn.) Caruel  
*Polygala chamaebuxus* L.  
*Polygala comosa* Schkuhr  
*Polygala exilis* DC.  
E *Polygala flavescens* DC. subsp. *flavescens* – Note: For the typification of this name, see Roma-Marzio and Peruzzi (2017).  
ET *Polygala flavescens* DC. subsp. *maremmana* (Fiori) Arrigoni  
E *Polygala flavescens* DC. subsp. *pisaurensis* (Caldesi) Arcang.  
T *Polygala forojuvensis* A.Kern. subsp. *adriatica* (Chodat) Arrigoni  
T *Polygala forojuvensis* A.Kern. subsp. *carniolica* (A.Kern.) Arrigoni  
*Polygala forojuvensis* A.Kern. subsp. *forojuvensis*  
*Polygala major* Jacq.  
*Polygala monspeliacia* L.  
*Polygala nicaeensis* Risso ex W.D.J.Koch subsp. *gariodiana* (Jord. & Fourr.) Chodat  
ET *Polygala nicaeensis* Risso ex W.D.J.Koch subsp. *italiana* (Chodat) Arrigoni  
T *Polygala nicaeensis* Risso ex W.D.J.Koch subsp. *mediterranea* Chodat  
*Polygala nicaeensis* Risso ex W.D.J.Koch subsp. *nicaeensis*  
ET *Polygala nicaeensis* Risso ex W.D.J.Koch subsp. *peninsularis* Arrigoni  
E *Polygala padulæ* Arrigoni  
*Polygala pedemontana* E.P.Perrier & B.Verl.  
E *Polygala preslii* Spreng.  
*Polygala pseudoalpestris* (Gren.) Dalla Torre & Sarnth.  
*Polygala rupestris* Pourr.  
E *Polygala sardoa* Chodat  
*Polygala saxatilis* Desf.  
*Polygala serpyllifolia* Hosé  
E *Polygala sinisica* Arrigoni  
T *Polygala vulgaris* L. subsp. *oxyptera* (Rchb.) Schübl. & G.Martens  
ET *Polygala vulgaris* L. subsp. *valdarnensis* (Fiori) Arrigoni  
*Polygala vulgaris* L. subsp. *vulgaris*

## Rosaceae

- Taxonomic references: *Alchemilla* L. (Festi 2000; Tondi et al. 2005; Fröhner et al. 2012).  
***Agrimonia eupatoria*** L. subsp. *eupatoria* – Note: *Agrimonia eupatoria* L. subsp. *grandis* (Asch. & Graebn.) Bornm. is included within the variability of *A. eupatoria* s.str. For the morphological variability of *A. eupatoria*, see Iamonico (2017).  
*Agrimonia procera* Wallr.  
*Alchemilla acrodon* S.E.Fröhner  
*Alchemilla acutata* Buser  
*Alchemilla aggregata* Buser  
*Alchemilla alpigena* Buser ex Hegi  
*Alchemilla alpina* L.  
*Alchemilla alpinula* S.E.Fröhner  
*Alchemilla amphisericea* Buser  
E *Alchemilla austroitalica* Brullo, Scelsi & Spamp.  
E *Alchemilla bonae* S.E.Fröhner  
*Alchemilla carniolica* (Paulin) Fritsch  
*Alchemilla cataractarum* S.E.Fröhner  
ET *Alchemilla cavillieri* (Briq.) Camus  
ET *Alchemilla ceroniana* Buser



- T** *Alchemilla chirophylla* Buser  
*Alchemilla cinerea* Buser – Note: Considering the records of related species (“pubescentes” group) from central Apennines, the distribution of *A. cinerea* in the Italian peninsula needs further investigations. Moreover, the taxonomic autonomy of this species is doubtful and it could represent just an extreme form of *A. colorata* Buser.  
*Alchemilla colorata* Buser  
*Alchemilla compta* Buser  
*Alchemilla conjuncta* Bab.  
*Alchemilla connivens* Buser  
*Alchemilla coriacea* Buser  
*Alchemilla crinita* Buser  
*Alchemilla croatica* Gand.  
**E** *Alchemilla cuneata* Gaudin  
*Alchemilla cymatophylla* Juz.  
*Alchemilla debilicaulis* Buser  
*Alchemilla decumbens* Buser  
*Alchemilla demissa* Buser  
**ET** *Alchemilla diversiloba* Buser  
*Alchemilla effusa* Buser  
*Alchemilla exigua* Buser ex Paulin  
*Alchemilla fallax* Buser  
**E** *Alchemilla federicana* S.E.Fröhner  
*Alchemilla filicaulis* Buser  
*Alchemilla firminiana* Buser  
*Alchemilla fissa* Günther & Schummel  
*Alchemilla flabellata* Buser  
*Alchemilla flavicoma* Buser ex Schröt.  
*Alchemilla flavovirens* Buser  
*Alchemilla frigens* Buser ex Jaquet  
*Alchemilla glabra* Neygenf.  
*Alchemilla glacialis* Buser  
*Alchemilla glaucescens* Wallr.  
*Alchemilla glomerulans* Buser  
*Alchemilla grossidens* Buser  
*Alchemilla helvetica* Brügger  
*Alchemilla hirtipes* Buser  
*Alchemilla hoppeana* (Rchb.) Dalla Torre  
*Alchemilla impexa* Buser  
*Alchemilla incisa* Buser  
*Alchemilla inconcinna* Buser  
**E** *Alchemilla lasenii* S.E.Fröhner  
*Alchemilla leptoclada* Buser  
*Alchemilla lineata* Buser  
*Alchemilla longana* Buser  
*Alchemilla longiuscula* Buser  
*Alchemilla lucida* Buser  
*Alchemilla lunaria* S.E.Fröhner  
**E** *Alchemilla marsica* Buser  
**E** *Alchemilla martinii* S.E.Fröhner  
*Alchemilla micans* Buser  
*Alchemilla monticola* Opiz  
**E** *Alchemilla niphogeron* Buser ex Pamp.  
*Alchemilla nitida* Buser  
**E** *Alchemilla nydeggeriana* S.E.Fröhner  
*Alchemilla obtusa* Buser  
*Alchemilla opaca* Buser  
*Alchemilla othmarii* Buser  
*Alchemilla pallens* Buser  
*Alchemilla pentaphyllea* L.  
*Alchemilla plicata* Buser  
*Alchemilla propinqua* H.Lindb. ex Juz.  
*Alchemilla radiisecta* Buser  
*Alchemilla reniformis* Buser  
*Alchemilla rhododendrophila* Buser  
*Alchemilla rubristipula* Buser  
*Alchemilla saxatilis* Buser  
*Alchemilla sericoneura* Buser  
*Alchemilla sinuata* Buser  
*Alchemilla straminea* Buser  
*Alchemilla strigosula* Buser  
*Alchemilla subcrenata* Buser  
*Alchemilla subglobosa* C.G.Westerl.  
*Alchemilla subsericea* Reut.  
*Alchemilla tenerima* S.E.Fröhner  
*Alchemilla tenuis* Buser  
*Alchemilla tirolensis* Buser ex Dalla Torre & Sarnth.  
*Alchemilla transiens* (Buser) Buser  
*Alchemilla trunciloba* Buser  
*Alchemilla undulata* Buser

- E *Alchemilla vaccariana* Buser  
*Alchemilla venosula* Buser  
*Alchemilla versipila* Buser  
*Alchemilla vetteri* Buser  
*Alchemilla vulgaris* L.  
*Alchemilla xanthochlora* Rothm.  
*Amelanchier ovalis* Medik. subsp. *cretica* (Willd.) Maire & Petitm.  
*Amelanchier ovalis* Medik. subsp. *embergeri* Favarger & Stearn  
*Amelanchier ovalis* Medik. subsp. *ovalis*  
*Aphanes arvensis* L.  
*Aphanes australis* Rydb.  
*Aphanes floribunda* (Murb.) Rothm.  
*Aphanes minutiflora* (Azn.) Holub  
*Aphanes pusilla* (Pomel) Batt.  
*Aremonia agrimonoides* (L.) DC. subsp. *agrimonoides*  
*Argentina anserina* (L.) Rydb. subsp. *anserina*  
*Aruncus dioicus* (Walter) Fernald  
*Comarum palustre* L.  
DD *Cotoneaster favargeri* J.Fryer & B.Hylmö  
*Cotoneaster intermedius* (Lecoq & Lamotte) H.J.Coste  
DD *Cotoneaster juranus* Gand.  
E *Cotoneaster nebrodensis* (Guss.) K.Koch  
*Cotoneaster pyrenaicus* Gand.  
*Cotoneaster tomentosus* (Aiton) Lindl.  
E *Crataegus insegnae* (Tineo) Bertol.  
*Crataegus laciniata* Ucria  
*Crataegus laevigata* (Poir.) DC.  
DD *Crataegus macrocarpa* Hegetschw.  
*Crataegus monogyna* Jacq.  
*Crataegus orientalis* M.Bieb. subsp. *orientalis*  
*Crataegus orientalis* M.Bieb. subsp. *presliana* K.I.Chr.  
*Dasiphora fruticosa* (L.) Rydb.  
*Dryas octopetala* L. subsp. *octopetala*  
E *Drymocallis corsica* (Soleiro ex Lehm.) Kurto  
*Drymocallis rupestris* (L.) Soják  
*Filipendula ulmaria* (L.) Maxim.  
*Filipendula vulgaris* Moench  
*Fragaria moschata* Weston  
*Fragaria vesca* L. subsp. *vesca*  
*Fragaria viridis* Weston subsp. *viridis*  
*Geum heterocarpum* Boiss. – Note: For the taxonomy and distribution of this species, see Bartolucci and Conti (2013).  
*Geum molle* Vis. & Pančić  
*Geum montanum* L.  
*Geum reptans* L.  
*Geum rivale* L.  
*Geum sylvaticum* Pourr.  
*Geum urbanum* L.  
E *Malus crescimannoii* Raimondo  
*Malus florentina* (Zuccagni) C.K.Schneid.  
*Malus sylvestris* (L.) Mill.  
*Potentilla alba* L.  
*Potentilla alpicola* De la Soie ex Fauc.  
*Potentilla anglica* Laichard.  
*Potentilla apennina* Ten. subsp. *apennina*  
*Potentilla argentea* L. – Note: This species seems restricted to few localities of the Alps. Most records of *P. argentea* are likely to be referred to *P. neglecta* Baumg. or *P. argentea* var. *pseudocalabria* Th.Wolf (see Paule et al. 2011).  
*Potentilla aurea* L. subsp. *aurea*  
*Potentilla brauneana* Hoppe  
E *Potentilla calabra* Ten.  
*Potentilla caulescens* L. subsp. *caulescens*  
E *Potentilla caulescens* L. subsp. *nebrodensis* (Strobl ex Zimmerer) Arrigoni  
*Potentilla cinerea* Chaix ex Vill.  
*Potentilla clusiana* Jacq.  
*Potentilla collina* Wibel  
*Potentilla crantzii* (Crantz) Beck ex Fritsch subsp. *crantzii*  
E *Potentilla crassinervia* Viv.  
*Potentilla detommasii* Ten.  
*Potentilla erecta* (L.) Raeusch.  
*Potentilla frigida* Vill.  
*Potentilla grammopetala* Moretti  
*Potentilla grandiflora* L.  
*Potentilla heptaphylla* L. subsp. *australis* (Nyman) Gams  
*Potentilla heptaphylla* L. subsp. *heptaphylla*  
*Potentilla incana* G.Gaertn., B.Mey. & Scherb.  
*Potentilla inclinata* Vill.  
E *Potentilla johanniniana* Goiran  
*Potentilla leucopolitana* P.J.Müll.  
*Potentilla micrantha* Ramond ex DC.



- Potentilla multifida** L.  
**Potentilla neglecta** Baumg. – Note: This species is likely more widespread than currently documented, as it is usually confused with *P. argentea* Ten.  
**Potentilla nitida** L.  
**Potentilla nivea** L. subsp. **nivea**  
**Potentilla pedata** Willd. ex Hornem.  
**Potentilla pensylvanica** L.  
**Potentilla pusilla** Host  
**Potentilla recta** L. subsp. **obscura** (Willd.) Ces.  
**Potentilla recta** L. subsp. **recta**  
**Potentilla reptans** L.  
**Potentilla rigoana** Th.Wolf  
**Potentilla saxifraga** Ardoino ex De Not.  
**Potentilla sterilis** (L.) Garcke  
**Potentilla supina** L. subsp. **supina**  
**Potentilla thuringiaca** Bernh. ex Link  
**Potentilla tommasiniana** F.W.Schultz  
**Potentilla valderia** L.  
**Potentilla verna** L.  
**Poterium rupiculum** Boiss. & Reut.  
**Poterium sanguisorba** L. subsp. **balearicum** (Bourg. ex Nyman) Stace  
**Poterium sanguisorba** L. subsp. **sanguisorba**  
**C** **Poterium spinosum** L.  
**Poterium verrucosum** Link ex G.Don  
**Prunus avium** (L.) L.  
**Prunus brigantina** Vill.  
**Prunus cocomilia** Ten.  
**Prunus fruticosa** Pall.  
**ET** **Prunus mahaleb** L. subsp. **cupaniana** (Guss. ex É.Huet & A.Huet) Arcang.  
**Prunus mahaleb** L. subsp. **mahaleb**  
**Prunus padus** L. subsp. **borealis** (A.Blytt) Nyman  
**Prunus padus** L. subsp. **padus**  
**Prunus prostrata** Labill.  
**Prunus spinosa** L. subsp. **spinosa**  
**Prunus webbii** (Spach) Vierh.  
**Pyracantha coccinea** M.Roem.  
**ET** **Pyrus castribonensis** Raimondo, Schicchi & Mazzola  
**ET** **Pyrus ciancioi** P.Marino, Spadaro, G.Castellano & Raimondo  
**Pyrus communis** L. subsp. **pyraster** (L.) Ehrh. – Note: This subspecies is hardly discernible from cultivated forms (i.e. *P. communis* s.str.; Roma-Marzio et al. 2016a).  
**C** **Pyrus cordata** Desv.  
**Pyrus nivalis** Jacq.  
**ET** **Pyrus sicanorum** Raimondo, Schicchi & P.Marino  
**Pyrus spinosa** Forssk.  
**ET** **Pyrus vallis-demonis** Raimondo & Schicchi  
**Rosa abietina** Gren. ex Christ  
**T** **Rosa agrestis** Savi – Note: For the typification of this name, see Roma-Marzio et al. (2016b).  
**Rosa andegavensis** Bastard  
**Rosa arvensis** Huds.  
**Rosa balsamica** Besser  
**Rosa caesia** Sm.  
**Rosa canina** L.  
**Rosa chavinii** Rapin ex Reut.  
**Rosa corymbifera** Borkh.  
**T** **Rosa deseglisei** Boreau  
**Rosa dumalis** Bechst.  
**Rosa elliptica** Tausch  
**Rosa gallica** L.  
**Rosa glauca** Pourr.  
**Rosa heckeliana** Tratt.  
**Rosa inodora** Fr.  
**Rosa majalis** Herm.  
**Rosa marginata** Wallr.  
**Rosa micrantha** Borrer ex Sm.  
**Rosa mollis** Sm.  
**Rosa montana** Chaix  
**T** **Rosa nitidula** Besser  
**Rosa pendulina** L.  
**Rosa pouzinii** Tratt.  
**Rosa pseudoscabriuscula** (R.Keller) Henker & G.Schulze  
**Rosa pulverulenta** M.Bieb.  
**Rosa rhoetica** Gremli  
**Rosa rubiginosa** L. – Note: *Rosa gremlii* Christ, recorded for TAA, is here regarded as a synonym of this species.  
**Rosa sempervirens** L.  
**Rosa serafinii** Viv.  
**Rosa sherardii** Davies  
**Rosa sicula** Tratt.  
**Rosa spinosissima** L.  
**T** **Rosa squarrosa** (A.Rau) Boreau

- T *Rosa strobliana* Burnat & Greml.  
*Rosa stylosa* Desv.  
*Rosa subcanina* (Christ) Vuk.  
*Rosa subcollina* (Christ) Vuk.  
*Rosa tomentosa* Sm.  
*Rosa uriensis* Lagger & Puget ex Cottet  
*Rosa villosa* L.
- E *Rosa viscosa* Jan ex Guss.  
*Rubus acheruntinus* Ten.
- E *Rubus aetneus* Tornab.
- E *Rubus arrigonii* Camarda  
*Rubus austrotirolensis* (Sabr.) Dalla Torre & Sarnth.  
*Rubus bicolor* Opiz  
*Rubus bifrons* Vest  
*Rubus caesius* L.  
*Rubus canescens* DC.  
*Rubus constrictus* Lefèvre & P.J.Müll.
- E *Rubus cupanianus* Guss.  
*Rubus epipsilos* Focke  
*Rubus euprepes* Focke  
*Rubus fasciculatus* P.J.Müll.
- E *Rubus festii* H.E.Weber  
*Rubus glaucellus* Sudre  
*Rubus grabowskii* Weihe  
*Rubus guttiferus* Trávn. & Holub  
*Rubus henrici-egonis* Holub  
*Rubus hirtus* Waldst. & Kit. group – Note: Including *R. hirtus* s.str. and *R. glandulosus* Bellardi.  
*Rubus idaeus* L. subsp. *idaeus*  
*Rubus incanescens* (DC.) Bertol.
- ET *Rubus laconensis* Camarda
- ET *Rubus limbariae* Camarda  
*Rubus macrophyllus* Weihe & Nees  
*Rubus montanus* Lib. ex Lej.  
*Rubus nessensis* Hall subsp. *nessensis*  
*Rubus obtusangulus* Gremli  
*Rubus pericrispatus* Holub & Trávn.  
*Rubus perrobustus* Holub  
*Rubus pignattii* Camarda  
*Rubus plicatus* Weihe & Nees  
*Rubus praecox* Bertol.  
*Rubus radula* Weihe  
*Rubus saxatilis* L.  
*Rubus sulcatus* Vest  
*Rubus ulmifolius* Schott  
*Rubus vestitus* Weihe  
*Rubus* sect. *Corylifolia* Lindl. – Note: We are not able to specify which species belonging to this section, besides *R. festii* H.E.Weber and *R. fasciculatus* P.J.Müll., occur in Italy.
- E *Sanguisorba dodecandra* Moretti  
*Sanguisorba officinalis* L.  
*Sibbaldia procumbens* L.  
*Sorbus aria* (L.) Crantz – Note: Recently, Sennikov and Kurtto (2017) proposed the splitting of *Sorbus* into several distinct genera. These authors relied on previous phylogenetic data (e.g. Li et al. 2012; Lo and Donoghue 2012), which highlighted the non-monophyletic nature of *Sorbus* in its traditional circumscription. However, in our opinion, the resolution and detail of the current phylogenetic knowledge within the tribe Pyreae is still not sufficient for a safe recircumscription of its genera. For this reason, we decided to provisionally maintain a wide concept of the genus *Sorbus*.
- T *Sorbus aucuparia* L. subsp. *aucuparia*  
*Sorbus aucuparia* L. subsp. *glabrata* (Wimm. & Grab.) Hedl.
- ET *Sorbus aucuparia* L. subsp. *praemorsa* (Guss.) Nyman  
*Sorbus austriaca* (Beck) Hayek
- ET *Sorbus busambarensis* G.Castellano, P.Marino, Raimondo & Spadaro  
*Sorbus chamaemespilus* (L.) Crantz  
*Sorbus domestica* L.  
*Sorbus graeca* (Spach) Lodd. ex S.Schauer – Note: The taxonomically highly questionable *Aria tergestina* (H.Lindb.) Sennikov & Kurtto is provisionally included here.
- T *Sorbus istriaca* Kárpáti
- ET *Sorbus madoniensis* Raimondo, G.Castellano, Bazan & Schicchi  
*Sorbus mougeotii* Soy.-Will. & Godr.  
*Sorbus torminalis* (L.) Crantz  
*Sorbus umbellata* (Desf.) Fritsch  
*Spiraea cana* Waldst. & Kit.  
*Spiraea chamaedryfolia* L.  
*Spiraea decumbens* W.D.J.Koch subsp. *decumbens*
- E *Spiraea decumbens* W.D.J.Koch subsp. *tomentosa* (Poech) Dostál
- Rhamnaceae  
Taxonomic references: *Oreokerogia* W.Vent (Hauenschmid et al. 2016).
- Frangula alnus* Mill. subsp. *alnus*  
*Frangula rupestris* (Scop.) Schur  
*Oreokerogia alpina* (L.) W.Vent



- T *Oreokerzogia fallax* (Boiss.) W.Vent – Note: Records for TOS fall within the variability of *O. alpina* (Roma-Marzio et al. 2016a). Similar pictures may apply to other Italian regions.
- E *Oreokerzogia glaucophylla* (Sommier) W.Vent  
*Oreokerzogia pumila* (Turra) W.Vent subsp. *pumila*  
*Paliurus spina-christi* Mill.  
*Rhamnus alaternus* L. subsp. *alaternus*  
*Rhamnus cathartica* L.  
*Rhamnus intermedia* Steud. & Hochst.
- E *Rhamnus lojaconoi* Raimondo  
*Rhamnus lycioides* L. subsp. *oleoides* (L.) Jahand. & Maire
- E *Rhamnus persicifolia* Moris  
*Rhamnus saxatilis* Jacq.  
*Ziziphus lotus* (L.) Lam. subsp. *lotus*
- Elaeagnaceae  
*Hippophaë fluviatilis* (Soest) Rivas Mart.
- Ulmaceae  
*Ulmus glabra* Huds.  
C *Ulmus laevis* Pall.  
*Ulmus minor* Mill. subsp. *canescens* (Melville) Browicz & Ziel.  
*Ulmus minor* Mill. subsp. *minor*
- E *Zelkova sicula* Di Pasq., Garfi & Quézel
- Cannabaceae  
*Celtis australis* L. subsp. *australis*  
E *Celtis tournefortii* Lam. subsp. *aetnensis* (Tornab.) Raimondo & Schicchi  
E *Celtis tournefortii* Lam. subsp. *asperrima* (Lojac.) Raimondo & Schicchi  
*Humulus lupulus* L.
- Moraceae  
*Ficus carica* L.
- Urticaceae  
Taxonomic references: *Urtica dioica* L. (Weigend 2006).  
*Parietaria cretica* L.  
*Parietaria judaica* L.  
*Parietaria lusitanica* L. subsp. *lusitanica*  
*Parietaria mauritanica* Durieu  
*Parietaria officinalis* L.  
*Soleirolia soleirolii* (Req.) Dandy  
*Urtica atrovirens* Req. ex Loisel.  
*Urtica dioica* L. subsp. *dioica*  
T *Urtica dioica* L. subsp. *pubescens* (Ledeb.) Domin  
*Urtica membranacea* Poir.  
*Urtica pilulifera* L.  
E *Urtica rupestris* Guss.  
*Urtica urens* L.
- Fagaceae  
*Castanea sativa* Mill.  
*Fagus sylvatica* L. subsp. *sylvatica*  
*Quercus cerris* L.  
*Quercus coccifera* L.  
T *Quercus congesta* C.Presl  
T *Quercus dalechampii* Ten. – Note: For the taxonomy and distribution of this species, see Di Pietro et al. (2012, 2016).  
*Quercus frainetto* Ten.
- ET *Quercus ichnusae* Mossa, Bacch. & Brullo  
*Quercus ilex* L. subsp. *ilex*
- C *Quercus ithaburensis* Decne. subsp. *macrolepis* (Kotschy) Hedge & Yalt.  
ET *Quercus leptobalana* Guss.
- E *Quercus petraea* (Matt.) Liebl. subsp. *austrotyrrhenica* Brullo, Guarino & Siracusa  
*Quercus petraea* (Matt.) Liebl. subsp. *petraea*  
*Quercus pubescens* Willd. subsp. *pubescens*  
*Quercus pyrenaica* Willd.  
*Quercus robur* L. subsp. *brutia* (Ten.) O.Schwarz  
*Quercus robur* L. subsp. *robur*  
*Quercus suber* L.  
*Quercus trojana* Webb subsp. *trojana*
- Juglandaceae  
C *Juglans regia* L. – Note: According to Accorsi et al. (1989) and Mercuri et al. (2013), this species could be native at least in VEN.
- Betulaceae  
*Alnus alnobetula* (Ehrh.) K.Koch  
E *Alnus cordata* (Loisel.) Duby  
*Alnus glutinosa* (L.) Gaertn.  
*Alnus incana* (L.) Moench

- ET *Betula etnensis* Raf.  
*Betula nana* L. subsp. *nana*  
*Betula pendula* Roth  
*Betula pubescens* Ehrh.  
*Carpinus betulus* L.  
*Carpinus orientalis* Mill. subsp. *orientalis*  
*Corylus avellana* L.  
*Ostrya carpinifolia* Scop.
- Coriariaceae  
*Coriaria myrtifolia* L.
- Cucurbitaceae  
*Bryonia acuta* Desf.  
C *Bryonia alba* L.  
*Bryonia dioica* Jacq.
- E *Bryonia marmorata* E.Petit  
*Citrullus colocynthis* (L.) Schrad.  
*Ecballium elaterium* (L.) A.Rich.
- Celastraceae  
*Euonymus europaeus* L.  
*Euonymus latifolius* (L.) Mill.  
*Euonymus verrucosus* Scop.  
*Parnassia palustris* L. subsp. *palustris*
- Oxalidaceae  
*Oxalis acetosella* L.  
*Oxalis corniculata* L.
- Violaceae  
E *Viola aethnensis* (Ging. & DC.) Strobl subsp. *aethnensis*  
E *Viola aethnensis* (Ging. & DC.) Strobl subsp. *messanensis* (W.Becker) Merxm. & Lippert  
E *Viola aethnensis* (Ging. & DC.) Strobl subsp. *splendida* (W.Becker) Merxm. & Lippert  
*Viola alba* Besser subsp. *alba*  
T *Viola alba* Besser subsp. *dehnhardtii* (Ten.) W.Becker  
*Viola ambigua* Waldst. & Kit.  
*Viola arborescens* L.  
*Viola argenteria* Moraldo & Forneris  
*Viola arvensis* Murray subsp. *arvensis*  
*Viola arvensis* Murray subsp. *megalantha* Nauenb.  
E *Viola bertolonii* Pio  
*Viola biflora* L.  
*Viola calcarata* L. subsp. *calcarata*  
*Viola calcarata* L. subsp. *villarsiana* (Roem. & Schult.) Merxm.  
*Viola canina* L. subsp. *canina*  
E *Viola cassinensis* Strobl subsp. *cassinensis*  
ET *Viola cassinensis* Strobl subsp. *pseudogracilis* (A.Terracc.) Bartolucci, Galasso & Wagens. – Note: For the nomenclature of this species, see Bartolucci et al. (2018).  
*Viola cavillieri* W.Becker  
*Viola cenisia* L.  
*Viola collina* Besser  
E *Viola comollia* Massara  
E *Viola corsica* Nyman subsp. *ilvensis* (W.Becker) Merxm.  
E *Viola culminis* F.Fen. & Moraldo  
E *Viola dubiana* Burnat ex Gremli  
*Viola elatior* Fr.  
E *Viola etrusca* Erben  
E *Viola eugeniae* Parl. subsp. *eugeniae*  
ET *Viola eugeniae* Parl. subsp. *levieri* (Parl.) Arcang.  
ET *Viola ferrarinii* Moraldo & Ricceri  
*Viola hirta* L.  
*Viola hymettia* Boiss. & Heldr.  
*Viola jordanii* Hanry  
*Viola kitaibeliana* Schult.  
*Viola laricicola* Marcussen  
E *Viola limbaria* (Merxm. & W.Lippert) Arrigoni  
E *Viola magellensis* Porta & Rigo ex Strobl  
E *Viola merxmulleri* Erben  
*Viola mirabilis* L.  
E *Viola nebrodensis* C.Presl  
*Viola odorata* L.  
*Viola palustris* L.  
*Viola parvula* Tineo  
*Viola pinnata* L.  
*Viola pumila* Chaix  
*Viola pyrenaica* Ramond ex DC.  
*Viola reichenbachiana* Jord. ex Boreau



- Violaceae**
- T *Viola riviniana* Rchb. subsp. *riviniana*  
T *Viola rupestris* F.W.Schmidt subsp. *rupestris*  
T *Viola suavis* M.Bieb. subsp. *adriatica* (Freyn) Hasler  
T *Viola suavis* M.Bieb. subsp. *suavis*  
T *Viola thomasiiana* Songeon & E.P.Perrier  
T *Viola tineorum* Erben & Raimondo  
T *Viola tricolor* L. subsp. *saxatilis* (F.W.Schmidt) Jan  
E *Viola tricolor* L. subsp. *tricolor*  
E *Viola ucriana* Erben & Raimondo  
E *Viola valderia* All.
- Salicaceae
- T *Populus alba* L.  
*Populus canescens* (Aiton) Sm.  
T *Populus nigra* L. subsp. *neapolitana* (Ten.) Asch. & Graebn.  
*Populus nigra* L. subsp. *nigra*  
*Populus tremula* L.  
*Salix alba* L.  
*Salix alpina* Scop.  
*Salix amplexicaulis* Bory  
*Salix apennina* A.K.Skvortsov  
*Salix appendiculata* Vill.  
ET *Salix arrigonii* Brullo  
*Salix atrocinerea* Brot. subsp. *atrocinerea*  
*Salix aurita* L.  
*Salix breviserrata* Flod.  
E *Salix brutia* Brullo & Spamp.  
*Salix caesia* Vill.  
*Salix caprea* L.  
E *Salix cinerea* L.  
*Salix crataegifolia* Bertol.  
*Salix daphnoides* Vill.  
*Salix eleagnos* Scop.  
*Salix foetida* Schleich. ex DC.  
*Salix glabra* Scop.  
*Salix glaucoosericea* Flod.  
E *Salix gussonei* Brullo & Spamp.  
*Salix hastata* L.  
*Salix hegetschweileri* Heer  
*Salix helvetica* Vill.  
*Salix herbacea* L.  
E *Salix ionica* Brullo, Scelsi & Spamp.  
*Salix laggeri* Wimm.  
*Salix mielichhoferi* Saut.  
*Salix myrsinifolia* Salisb.  
E *Salix nebrodensis* C.Brullo, Brullo, Cambria & Giusso  
E *Salix oropotamica* Brullo, Scelsi & Spamp.  
*Salix pedicellata* Desf.  
*Salix pentandra* L.  
*Salix purpurea* L. subsp. *angustior* Lautenschl.  
ET *Salix purpurea* L. subsp. *eburnea* (Borzi) Cif. & Giacom. ex Pignatti  
*Salix purpurea* L. subsp. *purpurea*  
*Salix repens* L. subsp. *repens*  
*Salix reticulata* L.  
*Salix retusa* L.  
*Salix rosmarinifolia* L.  
*Salix serpillifolia* Scop.  
E *Salix triandra* L. subsp. *triandra*  
E *Salix tyrrhenica* Brullo, Scelsi & Spamp.  
*Salix waldsteiniana* Willd.
- Linaceae
- T *Linum alpinum* Jacq.  
*Linum campanulatum* L.  
*Linum capitatum* Kit. ex Schult. subsp. *serrulatum* (Bertol.) Hartvig  
*Linum catharticum* L. subsp. *catharticum*  
T *Linum catharticum* L. subsp. *sueicum* Hayek  
*Linum corymbulosum* Rchb.  
*Linum decumbens* Desf.  
*Linum elegans* Spruner ex Boiss. – Note: For the distribution and morphology of this species, see Wagensommer et al. (2017).  
*Linum flavum* L.  
E *Linum katiae* Peruzzi – Note: For the taxonomy and distribution of this species, see Peruzzi (2011).  
T *Linum maritimum* L. subsp. *ligusticum* (Rouy) P.Fourn.  
*Linum maritimum* L. subsp. *maritimum*  
E *Linum mulleri* Moris  
*Linum narbonense* L.  
*Linum nodiflorum* L.  
E *Linum punctatum* C.Presl subsp. *punctatum*

- Linum radiola* L.  
*Linum strictum* L.  
*Linum suffruticosum* L. subsp. *appressum* (Caball.) Rivas Mart.  
*Linum tenuifolium* L.  
*Linum tommasinii* (Rchb.) Nyman  
*Linum trigynum* L.  
*Linum usitatissimum* L. subsp. *angustifolium* (Huds.) Thell.  
*Linum viscosum* L.
- Hypericaceae
- Hypericum aegypticum* L.  
*Hypericum androsaemum* L.  
*Hypericum annulatum* Moris  
*Hypericum australe* Ten.  
ET *Hypericum barbatum* Jacq. subsp. *calabricum* (Spreng.) Peruzzi & N.G.Passal.  
*Hypericum coris* L.  
E *Hypericum corsicum* Steud.  
*Hypericum elodes* L. – Note: For the biology and distribution of this species, see Carta et al. (2016) and literature cited therein.  
E *Hypericum hircinum* L. subsp. *hircinum*  
*Hypericum hircinum* L. subsp. *majus* (Aiton) N.Robson  
*Hypericum hirsutum* L.  
*Hypericum humifusum* L.  
*Hypericum hyssopifolium* Chaix  
*Hypericum maculatum* Crantz subsp. *maculatum*  
*Hypericum montanum* L.  
*Hypericum nummularium* L.  
*Hypericum perforatum* L.  
*Hypericum perforatum* L. subsp. *perforatum*  
*Hypericum perforatum* L. subsp. *veronense* (Schrank) Ces.  
*Hypericum pubescens* Boiss.  
*Hypericum richeri* Vill. subsp. *richeri*  
E *Hypericum scruglii* Bacch., Brullo & Salmeri  
*Hypericum sprunieri* Boiss.  
*Hypericum tetrapterum* Fr.  
*Hypericum tomentosum* L.  
*Hypericum triquetrifolium* Turra
- Elatinaceae
- Elatine alsinastrum* L.  
*Elatine campylosperra* Seub.  
*Elatine gussonei* (Sommier) Brullo, Lanfr., Pavone & Ronsisv.  
C *Elatine hexandra* (Lapierre) DC. – Note: It is an allopolyploid species, probably originated in Spain or Morocco (Razifard et al. 2017).  
*Elatine hydropiper* L.  
*Elatine macropoda* Guss.  
*Elatine triandra* Schkuhr
- Euphorbiaceae
- Taxonomic references: *Euphorbia barrelieri* Savi group (Frajman and Schönswetter 2017).  
*Chrozophora tinctoria* (L.) A.Juss.  
*Euphorbia akenocarpa* Guss.  
*Euphorbia aleppica* L.  
*Euphorbia amygdaloides* L.  
*Euphorbia angulata* Jacq.  
*Euphorbia apios* L.  
*Euphorbia barrelieri* Savi – Note: According to Frajman and Schönswetter (2017), *E. thessala* (Formanek) Degen & Dorfl. [= *E. barrelieri* Savi subsp. *thesala* (Formánek) Bornm.] does not occur in Italy.  
*Euphorbia biumbellata* Poir.  
*Euphorbia bivonae* Steud. subsp. *bivonae*  
*Euphorbia carnatica* Jacq.  
E *Euphorbia ceratocarpa* Ten.  
*Euphorbia chamaesyce* L.  
*Euphorbia characias* L.  
E *Euphorbia corallioides* L.  
*Euphorbia cuneifolia* Guss.  
*Euphorbia cyparissias* L.  
*Euphorbia dendroides* L.  
*Euphorbia dulcis* L.  
*Euphorbia esula* L. subsp. *esula*  
*Euphorbia esula* L. subsp. *tommasiniana* (Bertol.) Kuzmanov  
*Euphorbia exigua* L. subsp. *exigua*  
*Euphorbia falcata* L. subsp. *falcata*  
*Euphorbia flavidoma* DC. subsp. *flavidoma*  
*Euphorbia fragifera* Jan  
E *Euphorbia gasparrini* Boiss. subsp. *gasparrini*  
E *Euphorbia gasparrini* Boiss. subsp. *samnitica* (Fiori) Pignatti  
*Euphorbia gayi* Salis  
*Euphorbia helioscopia* L. subsp. *helioscopia*  
*Euphorbia hirsuta* L.



- E *Euphorbia hyberna* L. subsp. *canuti* (Parl.) Tutin  
 E *Euphorbia hyberna* L. subsp. *gibelliana* (Peola) Raffaelli  
 E *Euphorbia hyberna* L. subsp. *insularis* (Boiss.) Briq.  
*Euphorbia illirica* Lam.  
*Euphorbia kernerii* Huter ex A.Kern.  
*Euphorbia lagascae* Spreng.  
*Euphorbia lucida* Waldst. & Kit.  
 E *Euphorbia meuselii* Geltman  
*Euphorbia myrsinites* L. subsp. *myrsinites*  
 ET *Euphorbia nicaeensis* All. subsp. *japygica* (Ten.) Arcang.  
*Euphorbia nicaeensis* All. subsp. *nicaeensis*  
*Euphorbia palustris* L.  
 E *Euphorbia papillaris* (Boiss.) Raffaelli & Ricceri  
*Euphorbia paralias* L.  
*Euphorbia peplos* L.  
*Euphorbia peplus* L.  
*Euphorbia phymatosperma* Boiss. subsp. *cernua* (Coss. & Durieu ex Boiss.) Vindt  
 E *Euphorbia pithysa* L. subsp. *cupanii* (Guss. ex Bertol.) Radcl.-Sm.  
*Euphorbia pithysa* L. subsp. *pithysa*  
*Euphorbia platyphyllos* L.  
*Euphorbia pterococca* Brot.  
*Euphorbia rigida* M.Bieb.  
*Euphorbia segetalis* L.  
*Euphorbia seguieriana* Neck. subsp. *seguieriana*  
 E *Euphorbia semiperfoliata* Viv.  
*Euphorbia serrata* L.  
*Euphorbia spinosa* L.  
*Euphorbia stricta* L.  
*Euphorbia sulcata* Lens ex Loisel.  
*Euphorbia taurinensis* All.  
*Euphorbia terracina* L.  
*Euphorbia valliniana* Belli  
 E *Euphorbia variabilis* Ces.  
*Euphorbia verrucosa* L.  
*Mercurialis annua* L.  
 E *Mercurialis corsica* Coss. & Kralik  
*Mercurialis ovata* Sternb. & Hoppe  
*Mercurialis perennis* L.

Phyllanthaceae  
*Andrachne telephiooides* L.

- Geraniaceae  
*Erodium acaule* (L.) Bech. & Thell.  
*Erodium alnifolium* Guss.  
 E *Erodium alpinum* (Burm.f.) L'Hér.  
*Erodium botrys* (Cav.) Bertol.  
*Erodium chium* (L.) Willd.  
*Erodium ciconium* (L.) L'Hér.  
*Erodium cicutarium* (L.) L'Hér.  
 E *Erodium corsicum* Léman  
*Erodium gruinum* (L.) L'Hér.  
*Erodium laciniatum* (Cav.) Willd. subsp. *laciniatum* – Note: According to Domina et al. (2017b), we include *E. soluntinum* Tod. here, as a heterotypic synonym.  
*Erodium lebelii* Jord. subsp. *maruccii* (Parl.) Guitt.  
*Erodium malacoides* (L.) L'Hér. subsp. *malacoides*  
*Erodium maritimum* (L.) L'Hér.  
*Erodium moschatum* (L.) L'Hér.  
 E *Erodium nervulosum* L'Hér.  
*Erodium neuradifolium* Delile ex Godr.  
*Erodium salzmannii* Delile  
*Geranium argenteum* L.  
*Geranium asphodeloides* Burm.f. subsp. *asphodeloides*  
 E *Geranium austroapenninum* Aedo  
*Geranium bohemicum* L.  
*Geranium columbinum* L.  
*Geranium dissectum* L.  
*Geranium divaricatum* Ehrh.  
*Geranium lanuginosum* Lam.  
*Geranium lucidum* L.  
*Geranium macrorrhizum* L.  
*Geranium molle* L.  
*Geranium nodosum* L.  
*Geranium palustre* L.  
*Geranium phaeum* L.  
*Geranium pratense* L. subsp. *pratense*  
*Geranium purpureum* Vill.  
*Geranium pusillum* L.  
*Geranium pyrenaicum* Burm.f. subsp. *pyrenaicum*

*Geranium reflexum* L.  
*Geranium rivulare* Vill.  
*Geranium robertianum* L.  
*Geranium rotundifolium* L.  
*Geranium sanguineum* L.  
*Geranium sibiricum* L.  
*Geranium sylvaticum* L.  
*Geranium tuberosum* L. subsp. *tuberosum*  
*Geranium versicolor* L.

Onagraceae  
Taxonomic references: *Chamaenerion* Ség. (Sennikov 2011).

*Chamaenerion angustifolium* (L.) Scop.  
*Chamaenerion dodonaei* (Vill.) Schur ex Fuss  
*Chamaenerion fleischeri* (Hochst.) Fritsch  
*Circaea alpina* L. subsp. *alpina*  
*Circaea lutetiana* L. subsp. *lutetiana*  
*Epilobium alpestre* (Jacq.) Krock.  
*Epilobium alsinifolium* Vill.  
*Epilobium anagallidifolium* Lam.  
*Epilobium collinum* C.C.Gmel.  
*Epilobium hirsutum* L.  
*Epilobium lanceolatum* Sebast. & Mauri  
*Epilobium montanum* L.  
*Epilobium nutans* F.W.Schmidt  
*Epilobium obscurum* Schreb.  
*Epilobium palustre* L.  
*Epilobium parviflorum* Schreb.  
*Epilobium roseum* Schreb. subsp. *roseum*  
T *Epilobium tetragonum* L. subsp. *lamiyi* (F.W.Schultz) Nyman  
*Epilobium tetragonum* L. subsp. *tetragonum*  
T *Epilobium tetragonum* L. subsp. *tournefortii* (Michalet) H.Lév.  
*Ludwigia palustris* (L.) Elliott

Lythraceae  
*Lythrum acutangulum* Lag.  
*Lythrum hyssopifolia* L.  
*Lythrum junceum* Banks & Sol.  
*Lythrum salicaria* L.  
*Lythrum thesioides* M.Bieb.  
*Lythrum thymifolia* L.  
*Lythrum tribracteatum* Salzm. ex Spreng.  
*Lythrum virgatum* L.  
*Middendorfia borystanica* (Schrank) Trautv.  
*Pepis portula* L.  
*Trapa natans* L.

Myrtaceae  
*Myrtus communis* L.

Staphyleaceae  
*Staphylea pinnata* L.

Nitrariaceae  
*Peganum harmala* L.

Anacardiaceae  
*Cotinus coggygria* Scop.  
*Pistacia lentiscus* L.  
*Pistacia terebinthus* L. subsp. *terebinthus*  
C *Rhus coraria* L.  
*Rhus pentaphylla* (Jacq.) Desf.  
*Rhus tripartita* (Ucria) Grande

Sapindaceae  
*Acer campestre* L.  
E *Acer cappadocicum* Gled. subsp. *lobelii* (Ten.) A.E.Murray  
*Acer monspessulanum* L. subsp. *monspessulanum*  
T *Acer opalus* Mill. subsp. *obtusatum* (Waldst. & Kit. ex Willd.) Gams – Note: Herbarium specimens from TOS show often morphological features intermediate among *A. opalus* s.str. and *A. opalus* subsp. *obtusatum* (Roma-Marzio et al. 2016a).  
*Acer opalus* Mill. subsp. *opalus*  
*Acer platanoides* L.  
*Acer pseudoplatanus* L.

Rutaceae  
*Cneorum tricoccon* L.  
*Dictamnus albus* L.



- Haplophyllum patavinum** (L.) G.Don  
**Ruta angustifolia** Pers.  
**Ruta chalepensis** L.  
**Ruta graveolens** L.  
**E Ruta lamarmorae** Bacch., Brullo & Giusso  
**Ruta montana** (L.) L.
- Thymelaeaceae  
**Daphne alpina** L. subsp. **alpina**  
**Daphne alpina** L. subsp. **scopoliana** Urbani  
**Daphne blagayana** Freyer  
**Daphne cneorum** L.  
**Daphne gnidium** L.  
**Daphne laureola** L.  
**Daphne mezereum** L.  
**Daphne oleoides** Schreb. subsp. **oleoides**  
**E Daphne petraea** Leyb.  
**Daphne reichsteinii** Landolt & E.J.P.Hauser  
**Daphne sericea** Vahl  
**Daphne striata** Tratt.  
**Thymelaea dioica** (Gouan) All.  
**Thymelaea gussonei** Boreau  
**Thymelaea hirsuta** (L.) Endl.  
**Thymelaea passerina** (L.) Coss. & Germ.  
**Thymelaea tartonraira** (L.) All. subsp. **tartonraira**
- Cistaceae  
**Cistus albidus** L.  
**Cistus clusii** Dunal  
**Cistus creticus** L. subsp. **corsicus** (Loisel.) Greuter & Burdet  
**Cistus creticus** L. subsp. **creticus**  
**Cistus creticus** L. subsp. **eriocephalus** (Viv.) Greuter & Burdet  
**Cistus crispus** L.  
**Cistus laurifolius** L. subsp. **laurifolius** – Note: For the biology and distribution of this species, see Astuti et al. (2017b) and literature cited therein.  
**Cistus monspeliensis** L.  
**Cistus parviflorus** Lam.  
**Cistus salviifolius** L.  
**Fumana arabica** (L.) Spach  
**Fumana ericifolia** Wallr.  
**Fumana juniperina** (Lag. ex Dunal) Pau  
**Fumana laevipes** (L.) Spach  
**Fumana laevis** (Cav.) Pau  
**Fumana procumbens** (Dunal) Gren. & Godr.  
**Fumana scoparia** Pomel  
**Fumana thymifolia** (L.) Spach ex Webb  
**Halimium halimifolium** (L.) Willk. subsp. **halimifolium**  
**Helianthemum aegyptiacum** (L.) Mill.  
**Helianthemum apenninum** (L.) Mill. subsp. **apenninum**  
**Helianthemum caput-felis** Boiss.  
**Helianthemum cinereum** (Cav.) Pers. subsp. **rotundifolium** (Dunal) Greuter & Burdet  
**E Helianthemum croceum** (Desf.) Pers.  
**Helianthemum farinulentum** Lacaita  
**Helianthemum jonium** Lacaita & Grosser  
**Helianthemum ledifolium** (L.) Mill.  
**Helianthemum leptophyllum** Dunal  
**Helianthemum lippii** (L.) Dum.Cours.  
**Helianthemum lunulatum** (All.) DC.  
**E Helianthemum morisianum** Bertol.  
**T Helianthemum nummularium** (L.) Mill. subsp. **berteroanum** (Bertol.) Breistr.  
**T Helianthemum nummularium** (L.) Mill. subsp. **glabrum** (W.D.J.Koch) Wilczek  
**Helianthemum nummularium** (L.) Mill. subsp. **grandiflorum** (Scop.) Schinz & Thell.  
**Helianthemum nummularium** (L.) Mill. subsp. **nummularium**  
**T Helianthemum nummularium** (L.) Mill. subsp. **obscurum** (Čelak.) Holub  
**T Helianthemum nummularium** (L.) Mill. subsp. **semiglabrum** (Badarò) M.Proctor  
**T Helianthemum nummularium** (L.) Mill. subsp. **tomentosum** (Scop.) Schinz & Thell.  
**E Helianthemum oelandicum** (L.) Dum.Cours. subsp. **allionii** (Tineo) Greuter & Burdet  
**Helianthemum oelandicum** (L.) Dum.Cours. subsp. **alpestre** (Jacq.) Ces.  
**Helianthemum oelandicum** (L.) Dum.Cours. subsp. **incanum** (Willk.) G.López  
**Helianthemum oelandicum** (L.) Dum.Cours. subsp. **italicum** (L.) Ces.  
**E Helianthemum oelandicum** (L.) Dum.Cours. subsp. **nebrodense** (Heldr. ex Guss.) Greuter & Burdet  
**DD Helianthemum oelandicum** (L.) Dum.Cours. subsp. **pourretii** (Timb.-Lagr.) Greuter & Burdet  
**Helianthemum pilosum** (L.) Pers.  
**Helianthemum salicifolium** (L.) Mill.  
**Helianthemum sanguineum** (Lag.) Lag. ex Dunal  
**E Helianthemum sicanorum** Brullo, Giusso & Sciandr.  
**Helianthemum syriacum** (Jacq.) Dum.Cours. subsp. **thibaudii** (Pers.) Meikle – Note: Possibly extinct in Italy.  
**Tuberaria acuminata** (Viv.) Grosser  
**Tuberaria guttata** (L.) Fourr.

- T *Tuberaria inconspicua* (Pers.) Willk.  
*Tuberaria lignosa* (Sweet) Samp.  
*Tuberaria praecox* Grosser  
*Tuberaria villosissima* (Pomel) Grosser
- Cytinaceae  
*Cytinus hypocistis* (L.) L.  
*Cytinus ruber* Fourr. ex Fritsch
- Malvaceae  
Taxonomic references: *Malva* L. (incl. *Lavatera* L.) (Banfi et al. 2005; Molero and Montserrat 2005; Iamonico 2010; Valdés 2011; Conti and Bartolucci 2012; Iamonico et al. 2015).  
*Althaea cannabina* L.  
*Althaea officinalis* L.  
*Hibiscus pentacarpos* L.  
*Malope malacoides* L. subsp. *malacoides*  
*Malope malacoides* L. subsp. *tripartita* (Boiss. & Reut.) Maire  
E *Malva agrigentina* (Tineo) Soldano, Banfi & Galasso  
*Malva alcea* L.  
*Malva arborea* (L.) Webb & Berthel.  
*Malva cretica* Cav. subsp. *althaeoides* (Cav.) Bég.  
*Malva cretica* Cav. subsp. *cretica*  
*Malva lusitanica* (L.) Valdés subsp. *lusitanica*  
E *Malva lusitanica* (L.) Valdés subsp. *pallescens* (Moris) Valdés  
*Malva moschata* L.  
*Malva multiflora* (Cav.) Soldano, Banfi & Galasso  
*Malva neglecta* Wallr.  
*Malva nicaeensis* All.  
*Malva olbia* (L.) Alef.  
*Malva oxyloba* Boiss.  
*Malva parviflora* L.  
*Malva punctata* (All.) Alef.  
*Malva pusilla* Sm.  
*Malva setigera* K.F.Schimp. & Spenn.  
E *Malva stenopetala* (Coss. & Durieu ex Batt.) Soldano, Banfi & Galasso subsp. *plazzae* (Atzei) Iamonico, Bartolucci & Peruzzi – Note: For the taxonomy of this taxon, see Iamonico (2014a).  
*Malva subovata* (DC.) Molero & J.M. Monts. subsp. *bicolor* (Rouy) Iamonico  
*Malva subovata* (DC.) Molero & J.M. Monts. subsp. *subovata* – Note: For the taxonomy and distribution of this species, see Iamonico (2016a).  
*Malva sylvestris* L.  
*Malva thuringiaca* (L.) Vis.  
*Malva trimestris* (L.) Salisb.  
*Malva unguiculata* (Desf.) Alef.  
*Tilia cordata* Mill.  
T *Tilia platyphyllos* Scop. subsp. *cordifolia* (Besser) C.K.Schneid.  
T *Tilia platyphyllos* Scop. subsp. *platyphyllos*  
T *Tilia platyphyllos* Scop. subsp. *pseudorubra* C.K.Schneid.
- Resedaceae  
*Reseda alba* L. subsp. *alba*  
T *Reseda alba* L. subsp. *hookeri* (Guss.) Arcang.  
*Reseda lutea* L. subsp. *lutea*  
*Reseda luteola* L.  
*Reseda phytisma* L. subsp. *phytisma*  
DD *Sesamoides interrupta* (Bureau) G.López  
*Sesamoides purpurascens* (L.) G.López  
*Sesamoides spathulifolia* (Revelière ex Bureau) Rothm.
- Capparaceae  
*Capparis orientalis* Veill.  
*Capparis sicula* Veill.  
*Capparis spinosa* L. – Note: Probably *C. spinosa* is a species of hybrid origin, involving *C. orientalis* Veill. and *C. sicula* Veill. as parental species (Inocencio et al. 2006).
- Brassicaceae  
Taxonomic references: *Aubrieta* Adans. (Koch et al. 2017); *Erysimum* L. (Peccenini 2012; Peccenini and Polatschek 2014, 2016); *Malcolmia* W.T.Aiton s.str., *Maresia* Pomel, *Marcus-Kochia* Al-Shehbaz, and *Strigosella* Boiss. (Al-Shehbaz et al. 2014).  
*Aethionema marginatum* (Lapeyr.) Montemurro  
*Aethionema saxatile* (L.) R.Br.  
*Aethionema thomasianum* J.Gay  
*Alliaria petiolata* (M.Bieb.) Cavara & Grande  
*Alyssoides utriculata* (L.) Medik. subsp. *utriculata*  
*Alyssum alyssoides* (L.) L.  
E *Alyssum cuneifolium* Ten.  
*Alyssum desertorum* Stapf – Note: For the Italian distribution of this species, see Bertolli and Prosser (2014), Bartolucci and Conti (2016).  
E *Alyssum diffusum* Ten. subsp. *calabricum* Španiel, Marhold, N.G.Passal. & Lihová  
E *Alyssum diffusum* Ten. subsp. *diffusum*  
E *Alyssum diffusum* Ten. subsp. *garganicum* Španiel, Marhold, N.G.Passal. & Lihová



- Alyssum doerfleri* Degen – Note: For the distribution and taxonomy of this species, see Bernardo et al. (2018).
- Alyssum minutum* Schlecht. ex DC.
- Alyssum montanum* L. – Note: This species is excluded from the Italian flora by Španiel et al. (2011, 2012) and Zozomová-Lihová et al. (2014). Some doubtful populations, previously indicated as *A. montanum*, are provisionally still included here.
- Alyssum orophilum* Jord. & Fourr.
- Alyssum repens* Baumg.
- Alyssum siculum* Jord.
- Alyssum simplex* Rudolphi
- Alyssum strigosum* Banks & Sol. subsp. *strigosum*
- Alyssum wulfenianum* Bernh. subsp. *ovirensis* (A.Kern.) Magauer, Schönsw. & Frajman
- Alyssum wulfenianum* Bernh. subsp. *wulfenianum*
- Arabidopsis arenosa* (L.) Lawalrée
- Arabidopsis halleri* (L.) O'Kane & Al-Shehbaz subsp. *halleri*
- Arabidopsis halleri* (L.) O'Kane & Al-Shehbaz subsp. *ovirensis* (Wulff) O'Kane & Al-Shehbaz
- E *Arabidopsis pedemontana* (Boiss.) O'Kane & Al-Shehbaz
- Arabidopsis petraea* (L.) V.I.Dorof.
- Arabidopsis thaliana* (L.) Heynh.
- Arabis allionii* DC.
- T *Arabis alpina* L. subsp. *alpina*
- Arabis alpina* L. subsp. *caucasica* (Willd.) Briq.
- Arabis arabiformis* (Hohenw.) Soldano
- Arabis auriculata* Lam.
- Arabis bellidifolia* Crantz subsp. *bellidifolia*
- Arabis bellidifolia* Crantz subsp. *stellulata* (Bertol.) Greuter & Burdet
- Arabis caerulea* All.
- Arabis ciliata* Clairv.
- Arabis collina* Ten. subsp. *collina*
- E *Arabis collina* Ten. subsp. *rosea* (DC.) Minuto
- Arabis hirsuta* (L.) Scop.
- ET *Arabis madonia* C.Presl
- Arabis nova* Vill. subsp. *nova*
- Arabis planisiliqua* (Pers.) Rchb.
- Arabis sagittata* (Bertol.) DC.
- Arabis serpillifolia* Vill.
- Arabis soyeri* Reut. & A.Huet subsp. *subcoriacea* (Gren.) Breistr.
- Arabis surculosa* N.Terracc.
- Arabis verna* (L.) R.Br.
- E *Aubrieta columnae* Guss. subsp. *columnae*
- E *Aubrieta columnae* Guss. subsp. *italica* (Boiss.) Mattf.
- E *Aubrieta columnae* Guss. subsp. *sicula* (Steven) Phitos
- Aurinia leucadea* (Guss.) K.Koch
- Aurinia petrea* (Ard.) Schur
- Aurinia saxatilis* (L.) Desv. subsp. *megalocarpa* (Hausskn.) T.R.Dudley
- Aurinia sinuata* (L.) Griseb.
- Barbarea bracteosa* Guss.
- Barbarea intermedia* Boreau
- E *Barbarea rupicola* Moris
- Barbarea sicula* C.Presl
- Barbarea stricta* Andr.
- Barbarea verna* (Mill.) Asch.
- Barbarea vulgaris* R.Br.
- Berteroa incana* (L.) DC.
- Berteroa mutabilis* (Vent.) DC.
- Berteroa obliqua* (Sm.) DC.
- Biscutella ambigua* DC.
- E *Biscutella apuana* Raffaelli
- Biscutella brevicaulis* Jord.
- Biscutella cichoriifolia* Loisel.
- Biscutella coronopifolia* L.
- Biscutella didyma* L. subsp. *apula* Nyman
- Biscutella didyma* L. subsp. *didyma*
- E *Biscutella incana* Ten.
- E *Biscutella laevigata* L. subsp. *australis* Raffaelli & Baldoin
- Biscutella laevigata* L. subsp. *laevigata*
- E *Biscutella laevigata* L. subsp. *lucida* (Balb. ex DC.) Arcang.
- E *Biscutella laevigata* L. subsp. *ossolana* Raffaelli & Baldoin
- E *Biscutella laevigata* L. subsp. *prinzerae* Raffaelli & Baldoin
- E *Biscutella laevigata* L. subsp. *raffaelliana* Galasso & Banfi
- E *Biscutella maritima* Ten.
- E *Biscutella mollis* Loisel.
- E *Biscutella morisiana* Raffaelli
- E *Biscutella pichiana* Raffaelli subsp. *ilvensis* Raffaelli
- E *Biscutella pichiana* Raffaelli subsp. *pichiana*
- E *Biscutella prealpina* Raffaelli & Baldoin
- Bivonaea lutea* (Biv.) DC.
- E *Brassica baldensis* (Prosser & Bertolli) Prosser & Bertolli
- Brassica fruticulosa* Cirillo subsp. *fruticulosa*
- E *Brassica glabrescens* Poldini

- Brassica gravinae* Ten.  
*Brassica incana* Ten.  
*Brassica insularis* Moris  
E *Brassica macrocarpa* Guss.  
*Brassica montana* Pourr.  
C *Brassica nigra* (L.) W.D.J.Koch  
*Brassica procumbens* (Poir.) O.E.Schulz  
*Brassica rapa* L. subsp. *campestris* (L.) A.R.Clapham  
*Brassica repanda* (Willd.) DC.  
E *Brassica rupestris* Raf. subsp. *hispida* Raimondo & Mazzola  
E *Brassica rupestris* Raf. subsp. *rupestris*  
*Brassica souliei* (Batt.) Batt. subsp. *amplexicaulis* (Desf.) Greuter & Burdet  
*Brassica tournefortii* Gouan  
E *Brassica trichocarpa* C.Brullo, Brullo, Giusso, Ildari  
E *Brassica tyrrhena* Giotta, Piccitto & Arrigoni  
E *Brassica villosa* Biv. subsp. *bivonana* (Mazzola & Raimondo) Raimondo & Mazzola  
E *Brassica villosa* Biv. subsp. *brevisiliqua* (Raimondo & Mazzola) Raimondo & Geraci  
E *Brassica villosa* Biv. subsp. *drepanensis* (Caruel) Raimondo & Mazzola  
E *Brassica villosa* Biv. subsp. *tineoi* (Lojac.) Raimondo & Mazzola  
E *Brassica villosa* Biv. subsp. *villosa*  
*Braya alpina* Sternb. & Hoppe  
*Bunias erucago* L.  
*Cakile maritima* Scop. subsp. *maritima*  
*Calepina irregularis* (Asso) Thell.  
DD *Camelina alyssum* (Mill.) Thell. subsp. *alyssum* – Note: Possibly extinct in Italy.  
*Camelina alyssum* (Mill.) Thell. subsp. *integerrima* (Čelak.) Smejkal  
*Camelina microcarpa* Andr. ex DC.  
*Camelina sativa* (L.) Crantz  
*Capsella bursa-pastoris* (L.) Medik. subsp. *bursa-pastoris*  
T *Capsella rubella* Reut.  
*Cardamine alpina* Willd.  
*Cardamine amara* L. subsp. *amara*  
*Cardamine amara* L. subsp. *austriaca* Marhold  
*Cardamine amporitana* Sennen & Pau  
E *Cardamine apennina* Lihová & Marhold  
*Cardamine asarifolia* L.  
E *Cardamine battagliae* Cesca & Peruzzi  
*Cardamine bulbifera* (L.) Crantz  
*Cardamine chelidonia* L.  
E *Cardamine dubia* Nicotra  
*Cardamine enneaphyllos* (L.) Crantz  
*Cardamine flexuosa* With.  
*Cardamine glauca* Spreng. ex DC. subsp. *glauca*  
*Cardamine graeca* L.  
E *Cardamine granulosa* All.  
*Cardamine heptaphylla* (Vill.) O.E.Schulz  
*Cardamine hirsuta* L.  
*Cardamine impatiens* L. subsp. *impatiens*  
*Cardamine kitaibelii* Bech.  
*Cardamine matthioli* Moretti  
E *Cardamine monteluccii* Brilli-Catt. & Gubellini  
*Cardamine parviflora* L.  
*Cardamine pentaphyllos* (L.) Crantz  
*Cardamine plumieri* Vill.  
*Cardamine pratensis* L.  
*Cardamine resedifolia* L.  
E *Cardamine silana* Marhold & Perný  
*Cardamine trifolia* L.  
*Carrichtera annua* (L.) DC.  
*Clypeola jonthaspi* L.  
*Coincya monensis* (L.) Greuter & Burdet subsp. *cheiranthos* (Franco) Aedo, Leadlay & Muñoz Garm.  
*Coincya richeri* (Vill.) Greuter & Burdet  
*Conringia austriaca* (Jacq.) Sweet  
*Crambe hispanica* L.  
*Crambe tataria* Sebeók  
*Descurainia sophia* (L.) Webb ex Prantl  
*Diplostaxis erucoides* (L.) DC. subsp. *erucoides*  
*Diplostaxis harra* (Forssk.) Boiss. subsp. *crassifolia* (Raf.) Maire  
*Diplostaxis muralis* (L.) DC.  
E *Diplostaxis scaposa* DC.  
*Diplostaxis tenuifolia* (L.) DC.  
*Diplostaxis viminea* (L.) DC.  
*Draba aizoides* L. subsp. *aizoides*  
*Draba aspera* Bertol.  
*Draba dolomitica* Buttler  
*Draba dubia* Suter subsp. *dubia*  
*Draba fladnizensis* Wulfen  
*Draba hoppeana* Rchb.



- Draba ladina* Braun-Blanq.  
*Draba nemorosa* L.  
*Draba siliquosa* M.Bieb.  
*Draba stylaris* J.Gay ex W.D.J.Koch  
*Draba tomentosa* Clairv. subsp. **tomentosa**  
E *Draba turgida* É.Huet & A.Huet ex Ces., Pass. & Gibelli  
T *Draba verna* L. subsp. **praecox** (Steven) Rouy & Foucaud  
T *Draba verna* L. subsp. **spathulata** (Láng) Rouy & Foucaud  
*Draba verna* L. subsp. **verna**  
*Drabellula muralis* (L.) Fourr.  
C *Eruca vesicaria* (L.) Cav.  
*Erucastrum gallicum* (Willd.) O.E.Schulz  
E *Erucastrum nasturtiifolium* (Poir.) O.E.Schulz subsp. **benacense** F.Martini & F.Fen.  
*Erucastrum nasturtiifolium* (Poir.) O.E.Schulz subsp. **nasturtiifolium**  
E *Erucastrum palustre* (Pirona) Vis.  
E *Erucastrum virgatum* C.Presl subsp. **virgatum**  
E *Erysimum apenninum* Peccenini & Polatschek  
E *Erysimum aurantiacum* (Leyb.) Leyb.  
E *Erysimum bonannianum* C.Presl  
E *Erysimum brulloi* G.Ferro  
*Erysimum burnatii* G.Vidal  
*Erysimum collisparsum* Jord.  
*Erysimum crassistylum* C.Presl subsp. **crassistylum**  
E *Erysimum crassistylum* C.Presl subsp. **garganicum** Peccenini & Polatschek  
E *Erysimum crassistylum* C.Presl subsp. **verresianum** Peccenini & Polatschek  
E *Erysimum etnense* Jord.  
E *Erysimum etruscum* Peccenini & Polatschek  
E *Erysimum insubricum* Peccenini & Polatschek  
*Erysimum jugicola* Jord.  
E *Erysimum ligisticum* Peccenini & Polatschek  
E *Erysimum majellense* Polatschek  
E *Erysimum marenmanum* Peccenini & Polatschek  
E *Erysimum metlesicsii* Polatschek  
E *Erysimum montis-argentarii* Peccenini & Polatschek  
*Erysimum odoratum* Ehrh.  
E *Erysimum pignattii* Peccenini & Polatschek  
E *Erysimum pseudorhaeticum* Polatschek  
*Erysimum rhaeticum* (Schleich. ex Hornem.) DC.  
*Erysimum sylvestre* (Crantz) Scop.  
*Erysimum virgatum* Roth  
*Fibigia clypeata* (L.) Medik. subsp. **clypeata**  
*Fourraea alpina* (L.) Greuter & Burdet  
*Hesperis inodora* L.  
E *Hesperis laciniata* All. subsp. **cupaniana** (Guss.) Giardina & Raimondo  
*Hesperis laciniata* All. subsp. **laciniata**  
T *Hesperis matronalis* L. subsp. **matronalis**  
T *Hesperis matronalis* L. subsp. **nivea** (Baumg.) E.P.Perrier  
*Hirschfeldia incana* (L.) Lagr.-Foss. subsp. **incana**  
*Hormathophylla ligistica* (Breistr.) Španiel, Al-Shehbaz, D.A.German & Marhold  
*Hornungia alpina* (L.) O.Appel subsp. **alpina**  
*Hornungia alpina* (L.) O.Appel subsp. **austroalpina** (Trpin) O.Appel  
*Hornungia alpina* (L.) O.Appel subsp. **brevicaulis** (Spreng.) O.Appel  
*Hornungia pauciflora* (W.D.J.Koch) Soldano, F.Conti, Banfi & Galasso  
*Hornungia petraea* (L.) Rchb. subsp. **petraea**  
*Hornungia procumbens* (L.) Hayek  
*Hugueninia tanacetifolia* (L.) Rchb. subsp. **tanacetifolia**  
*Iberis aurasica* Chaix subsp. **nana** (All.) Moreno  
E *Iberis integrifolia* Moris  
*Iberis linifolia* L. subsp. **linifolia**  
*Iberis linifolia* L. subsp. **stricta** (Jord.) P.Fourn.  
*Iberis pinnata* L.  
*Iberis saxatilis* L. subsp. **saxatilis**  
*Iberis semperflorens* L.  
*Iberis sempervirens* L.  
*Iberis umbellata* L.  
*Iberis violacea* R.Br.  
*Ihsanalsherebazia granatensis* (Boiss. & Reut.) Tahir Ali & Thines  
*Ionopsisidium albiflorum* Durieu  
*Ionopsisidium savianum* (Caruel) Arcang.  
*Isatis apennina* Ten. ex Grande  
T *Isatis praecox* Kit. ex Tratt.  
ET *Isatis raimondoi* Di Grist., Scafidi & Domina  
*Kernera saxatilis* (L.) Sweet subsp. **saxatilis**  
*Lepidium campestre* (L.) R.Br.  
*Lepidium coronopus* (L.) Al-Shehbaz  
*Lepidium draba* L. subsp. **draba**  
*Lepidium graminifolium* L. subsp. **graminifolium**  
*Lepidium hirtum* (L.) Sm. subsp. **hirtum**

- Lepidium hirtum* (L.) Sm. subsp. *nebrodense* (Raf.) Thell.  
*Lepidium latifolium* L.  
*Lepidium ruderale* L.  
*Lepidium villarsii* Gren. & Godr. subsp. *villarsii*  
*Lobularia libyca* (Viv.) Meisn.  
*Lobularia maritima* (L.) Desv.  
*Lunaria annua* L.  
*Lunaria rediviva* L.  
*Malcolmia flexuosa* (Sm.) Sm.  
*Malcolmia maritima* (L.) W.T.Aiton  
*Malcolmia orsiniana* (Ten.) Ten. subsp. *orsiniana*  
*Marcus-kochia littorea* (L.) Al-Shehbaz  
*Marcus-kochia ramosissima* (Desf.) Al-Shehbaz  
*Maresia nana* (DC.) Batt.  
*Matthiola fruticulosa* (L.) Maire subsp. *coronopifolia* (Sm.) Giardina & Raimondo  
*Matthiola fruticulosa* (L.) Maire subsp. *fruticulosa*  
*Matthiola fruticulosa* (L.) Maire subsp. *valesiaca* (Boiss.) P.W.Ball  
*Matthiola incana* (L.) W.T.Aiton subsp. *incana*  
E *Matthiola incana* (L.) W.T.Aiton subsp. *pulchella* (Conti) Greuter & Burdet  
E *Matthiola incana* (L.) W.T.Aiton subsp. *rupestris* (Raf.) Nyman  
*Matthiola sinuata* (L.) W.T.Aiton  
*Matthiola tricuspidata* (L.) R.Br.  
*Microthlaspi perfoliatum* (L.) F.K.Mey.  
*Moricandia arvensis* (L.) DC.  
*Moricandia longirostris* Pomel  
E *Morisia monanthos* (Viv.) Asch.  
*Murbeckiella pinnatifida* (Lam.) Rothm.  
*Murbeckiella zanonii* (Ball) Rothm.  
*Myagrum perfoliatum* L.  
*Nasturtium microphyllum* (Boenn.) Rchb.  
*Nasturtium officinale* R.Br.  
*Nasturtium sterile* (Airy Shaw) Oefelein  
*Neslia paniculata* (L.) Desv. subsp. *paniculata*  
*Neslia paniculata* (L.) Desv. subsp. *thracica* (Velen.) Bornm.  
*Noccaea brachypetala* (Jord.) F.K.Mey.  
*Noccaea brevistyla* (DC.) Steud.  
*Noccaea caerulescens* (J.Presl & C.Presl) F.K.Mey.  
*Noccaea cepaeifolia* (Wulfen) Rchb.  
*Noccaea corymbosa* (J.Gay) F.K.Mey.  
*Noccaea limosellifolia* (Reut. ex Burnat) F.K.Mey.  
*Noccaea minima* (Ard.) F.K.Mey.  
*Noccaea montana* (L.) F.K.Mey.  
*Noccaea praecox* (Wulfen) F.K.Mey.  
*Noccaea rotundifolia* (L.) Moench  
*Noccaea salisii* (Brügger) F.K.Mey.  
E *Noccaea stylosa* (Ten.) Rchb.  
*Noccaea sylvia* (Gaudin) F.K.Mey.  
E *Noccaea torreana* (Ten.) Bartolucci, Galasso & Peruzzi  
*Noccaea virens* (Jord.) F.K.Mey.  
*Odontarrhenia alpestris* (L.) Ledeb.  
E *Odontarrhenia argentea* (All.) Ledeb.  
E *Odontarrhenia bertolonii* (Desv.) Jord. & Fourr.  
E *Odontarrhenia nebrodensis* (Tineo) L.Cecchi & Selvi subsp. *nebrodensis*  
E *Odontarrhenia tavolarae* (Briq.) L.Cecchi & Selvi  
*Petrocallis pyrenaica* (L.) R.Br.  
E *Phyllolepidium rupestre* (Sweet) Trinajstić  
*Pseudoturritis turrita* (L.) Al-Shehbaz  
*Raphanus raphanistrum* L. subsp. *landra* (Moretti ex DC.) Bonnier & Layens  
*Raphanus raphanistrum* L. subsp. *raphanistrum*  
*Rapistrum rugosum* (L.) All.  
E *Rhizobryta alpina* Tausch – Note: For a history of this name, see Villani et al. (2015).  
*Rorippa amphibia* (L.) Besser  
*Rorippa islandica* (Oeder) Borbás  
*Rorippa lippizensis* (Wulfen) Rchb.  
*Rorippa palustris* (L.) Besser  
*Rorippa prostrata* (J.P.Bergeret) Schinz & Thell.  
*Rorippa pyrenaica* (All.) Rchb.  
*Rorippa sylvestris* (L.) Besser subsp. *sylvestris*  
*Sinapis alba* L. subsp. *alba*  
T *Sinapis alba* L. subsp. *dissecta* (Lag.) Bonnier  
T *Sinapis alba* L. subsp. *mairei* (H.Lindb.) Maire  
*Sinapis arvensis* L. subsp. *arvensis*  
*Sinapis pubescens* L. subsp. *pubescens*  
E *Sisymbrella dentata* (L.) O.E.Schulz – Note: For the typification of this name, see Peruzzi et al. (2013c).  
*Sisymbrium altissimum* L.  
*Sisymbrium austriacum* Jacq. subsp. *austriacum*  
*Sisymbrium erysimoides* Desf.  
*Sisymbrium irio* L.



- C *Sisymbrium officinale* (L.) Scop.  
*Sisymbrium orientale* L.  
*Sisymbrium polyceratum* L.  
*Sisymbrium strictissimum* L.  
*Strigosella africana* (L.) Botsch.  
*Succowia balearica* (L.) Medik.  
*Teesdalia coronopifolia* (J.P.Bergeret) Thell.  
*Teesdalia nudicaulis* (L.) R.Br.  
*Thlaspi alliaceum* L.  
*Thlaspi arvense* L.  
*Turritis glabra* L.

## Loranthaceae

*Loranthus europaeus* Jacq.

## Santalaceae

- Arceuthobium oxycedri* (DC.) M.Bieb.  
*Osyris alba* L.  
*Thesium alpinum* L.  
*Thesium arvense* Horv.  
*Thesium bavarum* Schrank  
*Thesium ebracteatum* Hayne  
*Thesium humifusum* DC.  
*Thesium humile* Vahl  
E *Thesium italicum* A.DC.  
*Thesium linophyllum* L.  
*Thesium parnassi* A.DC.  
*Thesium pyrenaicum* Pourr. subsp. *grandiflorum* (DC.) Hendrych  
*Thesium pyrenaicum* Pourr. subsp. *pyrenaicum*  
*Thesium rostratum* Mert. & W.D.J.Koch  
E *Thesium sommieri* Hendrych  
*Viscum album* L. subsp. *abietis* (Wiesb.) Abrom.  
*Viscum album* L. subsp. *album*  
*Viscum album* L. subsp. *austriacum* (Wiesb.) Vollm.

## Plumbaginaceae

Taxonomic references: *Armeria* Willd. (Arrigoni 2015).

- E *Armeria alpina* Willd.  
ET *Armeria arenaria* (Pers.) Schult. subsp. *apennina* Arrigoni  
*Armeria arenaria* (Pers.) Schult. subsp. *arenaria*  
ET *Armeria arenaria* (Pers.) Schult. subsp. *marginata* (Levier) Arrigoni  
E *Armeria aspromontana* Brullo, Scelsi & Spamp.  
E *Armeria brutia* Brullo, Gangale & Uzunov  
E *Armeria denticulata* (Bertol.) DC.  
E *Armeria gorganica* Arrigoni  
E *Armeria gracilis* Ten. subsp. *gracilis*  
ET *Armeria gracilis* Ten. subsp. *majellensis* (Boiss.) Arrigoni  
E *Armeria gussonei* Boiss.  
E *Armeria helodes* F.Martini & Poldini  
E *Armeria macropoda* Boiss.  
E *Armeria morisii* Boiss.  
E *Armeria nebrodensis* (Guss.) Boiss.  
*Armeria pungens* (Link) Hoffmanns. & Link  
E *Armeria sardoa* Spreng. subsp. *genargentea* Arrigoni  
E *Armeria sardoa* Spreng. subsp. *sardoa*  
E *Armeria saviana* Selvi  
E *Armeria sulcitana* Arrigoni  
E *Goniolimon italicum* Tammaro, Pignatti & Frizzi – Note: For the biology and distribution of this species, see Conti et al. (2008) and Morretti et al. (2015).  
*Limoniastrum monopetalum* (L.) Boiss.  
E *Limonium acutifolium* (Rchb.) Salmon subsp. *acutifolium*  
E *Limonium acutifolium* (Rchb.) Salmon subsp. *bosanum* (Arrigoni & Diana) Arrigoni  
E *Limonium acutifolium* (Rchb.) Salmon subsp. *cornusianum* (Arrigoni & Diana) Arrigoni  
E *Limonium acutifolium* (Rchb.) Salmon subsp. *nymphaeum* (Erben) Arrigoni  
E *Limonium acutifolium* (Rchb.) Salmon subsp. *tenuifolium* (Bertol. ex Moris) Arrigoni  
E *Limonium acutifolium* (Rchb.) Salmon subsp. *tharrosianum* (Arrigoni & Diana) Arrigoni  
E *Limonium aegusae* Brullo  
E *Limonium albidum* (Guss.) Pignatti  
E *Limonium algusae* (Brullo) Greuter  
E *Limonium ampiicense* Arrigoni & Diana  
E *Limonium amynclaeum* Pignatti  
E *Limonium apulum* Brullo  
*Limonium avei* (De Not.) Brullo & Erben  
*Limonium bellidifolium* (Gouan) Dumort.  
E *Limonium bocconei* (Lojac.) Litard.  
E *Limonium brutium* Brullo  
E *Limonium calabrum* Brullo  
E *Limonium calcareum* (Tod. ex Janka.) Pignatti

- E *Limonium capitis-eliae* Erben  
 E *Limonium capitis-marci* Arrigoni & Diana  
 E *Limonium caprariae* Rizzotto  
 E *Limonium carisae* Erben  
 E *Limonium catanense* (Tineo ex Lojac.) Brullo – Note: Extinct (Rossi et al. 2013).  
 E *Limonium catanzaroi* Brullo  
 E *Limonium circaeum* Pignatti  
 E *Limonium contortirameum* (Mabille) Erben  
 E *Limonium cophanense* C.Brullo, Brullo, Cambria, Giusso & Ilardi  
 E *Limonium coralliforme* Alf.Mayer  
*Limonium cordatum* (L.) Mill.  
 E *Limonium cosyrense* (Guss.) Kuntze  
 E *Limonium cumanum* (Ten.) Kuntze  
 E *Limonium cunicularium* Arrigoni & Diana  
*Limonium densiflorum* (Guss.) Kuntze  
*Limonium densissimum* (Pignatti) Pignatti  
 E *Limonium diomedaeum* Brullo  
*Limonium divaricatum* (Rouy) Brullo  
 E *Limonium dolcheri* Pignatti  
 E *Limonium doriae* (Sommier) Pignatti  
 E *Limonium dubium* (Andrews ex Guss.) Litard.  
*Limonium echooides* (L.) Mill.  
 E *Limonium etruscum* Arrigoni & Rizzotto  
 E *Limonium flagellare* (Lojac.) Brullo  
 E *Limonium furnarii* Brullo  
 E *Limonium gallurensis* Arrigoni & Diana  
*Limonium glomeratum* (Tausch) Erben  
 E *Limonium gorgonae* Pignatti  
 E *Limonium hermaeum* (Pignatti) Pignatti  
*Limonium hyblaeum* Brullo  
 E *Limonium ilvae* Pignatti  
*Limonium inarimense* (Guss.) Pignatti  
 E *Limonium insulare* (Bég. & Landi) Arrigoni & Diana  
 E *Limonium intermedium* (Guss.) Brullo – Note: Extinct in the wild. At present, some individuals of *L. intermedium* survive in the Botanical Garden of Catania, grown from seeds sampled in the field about 40 years ago (Rossi et al. 2013; Domina et al. 2015).  
*Limonium ionicum* Brullo  
*Limonium jankae* (Lojac.) Giardina & Raimondo  
*Limonium japyicum* (E.Groves) Pignatti ex Pignatti, Galasso & Nicolella  
*Limonium laciniatum* Arrigoni  
*Limonium laetum* (Nyman) Pignatti  
*Limonium lausianum* Pignatti  
*Limonium lilybaeum* Brullo  
 E *Limonium lojaconoi* Brullo  
*Limonium lopadusanum* Brullo  
*Limonium malfatanicum* Erben  
*Limonium mazarae* Pignatti  
*Limonium melancholicum* Brullo, Marcenò & S.Romano  
*Limonium merxmulleri* Erben subsp. *merxmulleri*  
*Limonium merxmulleri* Erben subsp. *oristanum* (Alf.Mayer) Arrigoni  
*Limonium merxmulleri* Erben subsp. *sulcitanum* (Arrigoni) Arrigoni  
*Limonium merxmulleri* Erben subsp. *tigulianum* (Arrigoni & Diana) Arrigoni  
*Limonium minutiflorum* (Guss.) Kuntze  
*Limonium morisanum* Arrigoni  
*Limonium multifforme* Pignatti  
*Limonium multifurcatum* Erben  
*Limonium narbonense* Mill.  
 E *Limonium optimae* Raimondo  
*Limonium opulentum* (Lojac.) Brullo  
*Limonium pachynense* Brullo  
*Limonium pandatariae* Pignatti  
*Limonium panormitanum* (Tod.) Pignatti  
*Limonium parvifolium* (Tineo) Pignatti  
*Limonium pavonianum* Brullo  
*Limonium peucetium* Pignatti – Note: Possibly extinct (Rossi et al. 2013).  
*Limonium planesiae* Pignatti  
*Limonium poimenum* Ilardi, Brullo, D.Cusimano & Giusso  
*Limonium pontium* Pignatti  
*Limonium ponzoi* (Fiori) Brullo  
*Limonium protohermaeum* Arrigoni & Diana  
*Limonium pseudolaetum* Arrigoni & Diana  
*Limonium pulviniforme* Arrigoni & Diana  
*Limonium racemosum* (Lojac.) Diana  
*Limonium ramosissimum* (Poir.) Maire  
*Limonium remotispiculum* (Lacaita) Pignatti  
*Limonium retirameum* Greuter & Burdet subsp. *caralitanum* Arrigoni  
*Limonium retirameum* Greuter & Burdet subsp. *retirameum*  
*Limonium secundirameum* (Lojac.) Brullo  
*Limonium selinuntinum* Brullo



- E *Limonium sibthorpiatum* (Guss.) Kuntze  
*Limonium sinuatum* (L.) Mill.  
E *Limonium sommierianum* (Fiori) Arrigoni  
E *Limonium strictissimum* (Salzmn.) Arrigoni  
E *Limonium syracusanum* Brullo  
E *Limonium tauromenitanum* Brullo  
E *Limonium tenoreanum* (Guss.) Pignatti – Note: For the taxonomy and distribution of this species, see Iamonico et al. (2017).  
E *Limonium tenuiculum* (Tineo ex Guss.) Pignatti  
E *Limonium tubulatum* Pignatti  
E *Limonium tineoi* (Lojac.) Giardina & Raimondo  
E *Limonium todarоanum* Raimondo & Pignatti  
E *Limonium tyrrhenicum* Arrigoni & Diana  
E *Limonium ursanum* Erben  
E *Limonium usticanum* Giardina & Raimondo  
E *Limonium viniolae* Arrigoni & Diana  
*Limonium virgatum* (Willd.) Fourr.  
*Myriolimon ferulaceum* (L.) Lledó, Erben & M.B.Crespo  
*Plumbago europaea* L.

## Polygonaceae

Taxonomic references: *Persicaria* (L.) Mill. (Galasso et al. 2014).

- Bistorta officinalis* Delarbre  
*Bistorta vivipara* (L.) Delarbre  
*Fallopia convolvulus* (L.) Á.Löve  
*Fallopia dumetorum* (L.) Holub  
*Koenigia alpina* (All.) T.M.Schust. & Reveal – Note: According to Schuster et al. (2015), the genus *Aconogonon* (Meisn.) Rchb. is nested within *Koenigia* L.  
*Oxyria digyna* (L.) Hill  
*Persicaria amphibia* (L.) Delarbre  
*Persicaria decipiens* (R.Br.) K.L.Wilson  
*Persicaria dubia* (Stein.) Fourr.  
*Persicaria hydropiper* (L.) Delarbre  
DD *Persicaria lapathifolia* (L.) Delarbre subsp. *brittingeri* (Opiz) Soják  
*Persicaria lapathifolia* (L.) Delarbre subsp. *lapathifolia*  
*Persicaria lapathifolia* (L.) Delarbre subsp. *pallida* (With.) Á.Löve  
*Persicaria maculosa* Gray  
*Persicaria minor* (Huds.) Opiz  
*Polygonum arenarium* Waldst. & Kit. subsp. *pulchellum* (Loisel.) Thell.  
*Polygonum arenastrum* Boreau  
*Polygonum aviculare* L. subsp. *aviculare*  
*Polygonum bellardii* All.  
*Polygonum equisetiforme* Sm.  
*Polygonum maritimum* L.  
*Polygonum robertii* Loisel.  
*Polygonum romanum* Jacq.  
*Polygonum rurivagum* Jord. ex Boreau  
E *Polygonum scoparium* Req. ex Loisel.  
E *Polygonum tenorei* C.Presl  
*Rumex acetosa* L. subsp. *acetosa*  
*Rumex acetosella* L. subsp. *acetosella*  
*Rumex acetosella* L. subsp. *acetoselloides* (Balansa) Den Nijls  
*Rumex acetosella* L. subsp. *multifidus* (L.) Schübl. & G.Martens  
*Rumex acetosella* L. subsp. *pyrenaicus* (Pourr. ex Lapeyr.) Akeroyd  
*Rumex alpinus* L.  
*Rumex aquaticus* L.  
*Rumex arifolius* All.  
*Rumex bucephalophorus* L. subsp. *bucephalophorus*  
*Rumex bucephalophorus* L. subsp. *gallicus* (Steinh.) Rech.f.  
*Rumex confertus* Willd.  
*Rumex conglomeratus* Murray  
*Rumex crispus* L.  
C *Rumex cristatus* DC.  
C *Rumex dentatus* L.  
*Rumex hydrolapathum* Huds.  
*Rumex intermedius* DC.  
*Rumex maritimus* L.  
*Rumex nebroides* Campd.  
*Rumex nepalensis* Spreng.  
*Rumex obtusifolius* L. subsp. *obtusifolius*  
*Rumex obtusifolius* L. subsp. *sylvestris* (Wallr. ex Becker) Čelak.  
*Rumex obtusifolius* L. subsp. *transiens* (Simonk.) Rech.f.  
*Rumex palustris* Sm.  
*Rumex pulcher* L. subsp. *pulcher*  
E *Rumex pulcher* L. subsp. *suffocatus* (Moris ex Bertol.) Nyman  
*Rumex pulcher* L. subsp. *woodsii* (De Not.) Arcang.  
*Rumex sanguineus* L.  
ET *Rumex scutatus* L. subsp. *aetnensis* (C.Presl) Cif. & Giacom.  
ET *Rumex scutatus* L. subsp. *glaucescens* (Guss.) Brullo, Scelsi & Spamp.  
*Rumex scutatus* L. subsp. *scutatus*

*Rumex spinosus* L. – Note: According to Schuster et al. (2015), the genus *Emex* Neck. ex Campd. is nested within *Rumex* L.

*Rumex thyrsoides* Desf.

*Rumex tuberosus* L. subsp. *tuberosus*

Droseraceae

*Aldrovanda vesiculosa* L. – Note: Extinct in Italy (Rossi et al. 2013).

*Drosera anglica* Huds.

*Drosera intermedia* Hayne

*Drosera rotundifolia* L.

Frankeniaceae

*Frankenia hirsuta* L.

*Frankenia laevis* L. subsp. *laevis*

*Frankenia pulverulenta* L. subsp. *pulverulenta*

Tamaricaceae

*Myricaria germanica* (L.) Desv.

*Reaumuria vermiculata* L.

*Tamarix africana* Poir.

*Tamarix arborea* Ehrenb. ex Bunge

*Tamarix canariensis* Willd.

*Tamarix dalmatica* Baum

*Tamarix gallica* L.

*Tamarix hampeana* Boiss. & Heldr.

C *Tamarix tetragyna* Ehrenb.

Caryophyllaceae

Taxonomic references: *Polycarpon tetraphyllum* (L.) L. (Iamónico and Domínguez 2015); *Spergula* L. and *Spergularia* (Pers.) J.Presl & C.Presl (Kool and Thulin 2017); *Cherleria* L., *Facchinia* Rchb., *Sabulina* Rchb., *Mcneillia* Dillenb. & Kadereit, and *Minuartia* L. s.str. (Bartolucci et al. 2014a; Dillenberger and Kadereit 2014, 2015; Iamónico 2016b; Moore and Dillenberger 2017).

*Arenaria aggregata* (L.) Loisel. subsp. *aggregata*

*Arenaria balearica* L.

E *Arenaria bertolonii* Fiori – Note: For the taxonomy and distribution of this species, see Iamónico (2013a).

*Arenaria biflora* L.

DD *Arenaria ciliata* L. subsp. *bernenensis* Favarger

*Arenaria ciliata* L. subsp. *ciliata*

*Arenaria gothica* Fr. subsp. *moehringioides* (Murr) M.B.Wyse Jacks. & J.Parn.

*Arenaria grandiflora* L. subsp. *grandiflora*

E *Arenaria heteri* A.Kern.

*Arenaria leptoclados* (Rchb.) Guss. subsp. *leptoclados*

*Arenaria marschalinii* W.D.J.Koch

*Arenaria montana* L. subsp. *intricata* (Ser.) Pau

*Arenaria serpyllifolia* L. subsp. *serpyllifolia*

*Atocion armeria* (L.) Raf.

*Atocion rupestre* (L.) Oxelman

*Buferina paniculata* Dubois ex Delarbre

*Buferina tenuifolia* L.

*Cerastium alpinum* L.

E *Cerastium apuanum* Parl.

*Cerastium arvense* L. subsp. *arvense*

*Cerastium arvense* L. subsp. *strictum* Gaudin

*Cerastium arvense* L. subsp. *suffruticosum* (L.) Ces.

*Cerastium boissierianum* Greuter & Burdet

*Cerastium brachypetalum* Desp. ex Pers. subsp. *brachypetalum*

*Cerastium brachypetalum* Desp. ex Pers. subsp. *roeseri* (Boiss. & Heldr.) Nyman

*Cerastium brachypetalum* Desp. ex Pers. subsp. *tenoreanum* (Ser.) Soó

*Cerastium carinthiacum* Vest subsp. *austroalpinum* (Kunz) Janch.

*Cerastium carinthiacum* Vest subsp. *carinthiacum*

*Cerastium cerastoides* (L.) Britton

*Cerastium diffusum* Pers. subsp. *diffusum*

*Cerastium diffusum* Pers. subsp. *gussonei* (Lojac.) P.D.Sell & Whitehead

*Cerastium dubium* (Bastard) Guépin

*Cerastium fontanum* Baumg.

*Cerastium glomeratum* Thuill.

*Cerastium glutinosum* Fr.

E *Cerastium granulatum* (Huter, Porta & Rigo) Porta

*Cerastium holosteoides* Fr.

E *Cerastium lacaitae* Barberis, Bechi & Miceli

*Cerastium latifolium* L.

*Cerastium ligusticum* Viv.

*Cerastium lineare* All.

*Cerastium lucorum* (Schur) Möschl

E *Cerastium palustre* Moris

*Cerastium pedunculatum* Gaudin

*Cerastium pentandrum* L.

E *Cerastium pospischalii* Soldano & F.Conti

*Cerastium pumilum* Curtis

E *Cerastium scaranoi* Ten.



- Cerastium semidecandrum* L.  
*Cerastium siculum* Guss.  
*Cerastium subtriflorum* (Rchb.) Pacher  
E *Cerastium supramontanum* Arrigoni  
*Cerastium sylvaticum* Waldst. & Kit.  
E *Cerastium thomasii* Ten.  
E *Cerastium tomentosum* L.  
*Cerastium uniflorum* Clairv.  
E *Cerastium utriense* Barberis  
*Chaetonychia cymosa* (L.) Sweet  
*Cherleria biflora* (L.) A.J.Moore & Dillenb.  
*Cherleria capillacea* (All.) A.J.Moore & Dillenb.  
*Cherleria laricifolia* (L.) Iamonico subsp. *laricifolia*  
ET *Cherleria laricifolia* (L.) Iamonico subsp. *ophiolitica* (Pignatti) Iamonico  
*Cherleria sedoides* L.  
*Corrigiola litoralis* L. subsp. *litoralis*  
*Corrigiola telephifolia* Pourr.  
*Dianthus armeria* L. subsp. *armeria*  
*Dianthus arrostii* C.Presl  
*Dianthus balbisii* Ser. subsp. *balbisii*  
T *Dianthus balbisii* Ser. subsp. *liburnicus* (Bartl.) Pignatti  
*Dianthus barbatus* L. subsp. *barbatus*  
T *Dianthus barbatus* L. subsp. *compactus* (Kit.) Heuff.  
E *Dianthus borbonicus* Brullo, C.Brullo, Colombo, Giacco, Ilardi & R.Perrone  
E *Dianthus brachycalyx* A.Huet & É.Huet ex Bacch., Brullo, Casti & Giacco  
ET *Dianthus brutius* Brullo, Scelsi & Spamp. subsp. *brutius*  
ET *Dianthus brutius* Brullo, Scelsi & Spamp. subsp. *pentadactyli* Brullo, Scelsi & Spamp.  
E *Dianthus busambrae* Soldano & F.Conti  
T *Dianthus carthusianorum* L. subsp. *atrorubens* (All.) Pers.  
*Dianthus carthusianorum* L. subsp. *carthusianorum*  
E *Dianthus carthusianorum* L. subsp. *tenorei* (Lacaita) Pignatti  
*Dianthus ciliatus* Guss. subsp. *ciliatus*  
E *Dianthus cyatophorus* Moris subsp. *cyatophorus*  
E *Dianthus cyatophorus* Moris subsp. *minae* (Mazzola, Raimondo, Ilardi) Raimondo  
*Dianthus deltoides* L. subsp. *deltoides*  
E *Dianthus furcatus* Balb. subsp. *dissimilis* (Burnat) Pignatti  
*Dianthus furcatus* Balb. subsp. *furcatus*  
E *Dianthus furcatus* Balb. subsp. *lereschii* (Burnat) Pignatti  
E *Dianthus gasparinii* Guss.  
E *Dianthus genargenteus* Bacch., Brullo, Casti & Giacco  
*Dianthus glacialis* Haenke subsp. *glacialis*  
E *Dianthus graminifolius* C.Presl  
E *Dianthus guliae* Janka  
*Dianthus hyssopifolius* L.  
E *Dianthus ichnusae* Bacch., Brullo, Casti & Giacco subsp. *ichnusae*  
E *Dianthus ichnusae* Bacch., Brullo, Casti & Giacco subsp. *toddei* Bacch., Brullo, Casti & Giacco  
E *Dianthus insularis* Bacch., Brullo, Casti & Giacco  
E *Dianthus japigicus* Bianco & Brullo  
*Dianthus longicaulis* Ten.  
E *Dianthus morisianus* Vals.  
E *Dianthus mossanus* Bacch. & Brullo  
E *Dianthus oliastrae* Bacch., Brullo, Casti & Giacco  
*Dianthus pavonius* Tausch  
E *Dianthus rupicola* Biv. subsp. *aeolicus* (Lojac.) Brullo & Miniss.  
E *Dianthus rupicola* Biv. subsp. *Iopadusanus* Brullo & Miniss.  
*Dianthus rupicola* Biv. subsp. *rupicola*  
*Dianthus sanguineus* Vis.  
E *Dianthus sardous* Bacch., Brullo, Casti & Giacco  
*Dianthus seguieri* Vill. subsp. *seguieri*  
*Dianthus siculus* C.Presl  
*Dianthus sternbergii* Sieber ex Capelli  
T *Dianthus superbus* L. subsp. *alpestris* (R.Uechtr.) Kablík. ex Čelak.  
*Dianthus superbus* L. subsp. *superbus*  
*Dianthus sylvestris* Wulfen subsp. *sylvestris*  
T *Dianthus sylvestris* Wulfen subsp. *tergestinus* (Rchb.) Hayek  
E *Dianthus tarentinus* Lacaita  
*Dianthus tripunctatus* Sm.  
E *Dianthus virgatus* Pasq.  
ET *Dianthus vulturius* Guss. & Ten. subsp. *aspromontanus* Brullo, Scelsi & Spamp.  
E *Dianthus vulturius* Guss. & Ten. subsp. *vulturius*  
*Drypis spinosa* L. subsp. *jacquiniana* Wettst. & Murb.  
*Drypis spinosa* L. subsp. *spinosa*  
*Eudianthe coeli-rosa* (L.) Endl.  
*Eudianthe laeta* Rchb. ex Willk.  
*Facchinia cherleroides* (Sieber) Dillenb. & Kadereit subsp. *cherleroides*  
E *Facchinia grignensis* (Rchb.) Dillenb. & Kadereit  
*Facchinia herniaroides* (Rion) Dillenb. & Kadereit  
*Facchinia lanceolata* (All.) Rchb.

- E *Facchinia rupestris* (Scop.) Dillenb. & Kadereit  
 E *Gypsophila arrostii* Guss. subsp. *arrostii*  
 E *Gypsophila papillosa* Porta  
*Gypsophila repens* L.  
*Heliosperma alpestre* (Jacq.) Griseb.  
*Heliosperma pusillum* (Waldst. & Kit.) Rchb. subsp. *pudibundum* (Hoffmanns.) Gutermann  
*Heliosperma pusillum* (Waldst. & Kit.) Rchb. subsp. *pusillum*  
*Herniaria alpina* Chaix  
E *Herniaria bornmuelleri* Chaudhri  
*Herniaria cinerea* DC.  
E *Herniaria fontanesii* Gay subsp. *empedocleana* (Lojac.) Brullo – Note: Extinct (Rossi et al. 2013).  
*Herniaria glabra* L. subsp. *glabra*  
*Herniaria glabra* L. subsp. *nebrodensis* Jan ex Nyman  
E *Herniaria hirsuta* L. subsp. *aprutia* Chaudhri  
*Herniaria hirsuta* L. subsp. *hirsuta*  
*Herniaria incana* Lam.  
E *Herniaria litardierei* (Gaminsans) Greuter & Burdet  
*Herniaria permixta* Guss.  
*Holosteum umbellatum* L. subsp. *glutinosum* (M.Bieb.) Nyman  
*Holosteum umbellatum* L. subsp. *umbellatum*  
*Illecebrum verticillatum* L.  
*Loeflingia hispanica* L.  
*Lychnis coronaria* (L.) Desr.  
*Lychnis flos-cuculi* L. subsp. *flos-cuculi*  
*Lychnis flos-jovis* (L.) Desr.  
*Mceallia graminifolia* (Ard.) Dillenb. & Kadereit subsp. *clandestina* (Port.) Dillenb. & Kadereit  
E *Mceallia graminifolia* (Ard.) Dillenb. & Kadereit subsp. *graminifolia*  
E *Mceallia graminifolia* (Ard.) Dillenb. & Kadereit subsp. *rosanoi* (Ten.) F.Conti, Bartolucci, Iamonico & Del Guacchio  
E *Mceallia moraldoi* (F.Conti) Dillenb. & Kadereit  
E *Minuartia glomerata* (M.Bieb.) Degen subsp. *trichocalycina* (Ten. & Guss.) F.Conti  
*Minuartia recurva* (All.) Schinz & Thell. subsp. *condensata* (C.Presl) Greuter & Burdet  
*Minuartia recurva* (All.) Schinz & Thell. subsp. *recurva*  
*Minuartia rostrata* (Pers.) Rchb.  
*Minuartia rubra* (Scop.) McNeill  
*Moehringia argenteria* Casazza & Minuto  
*Moehringia bavarica* (L.) Gren.  
*Moehringia ciliata* (Scop.) Dalla Torre  
E *Moehringia concareae* F.Fen. & F.Martini  
E *Moehringia dielsiana* Mattf.  
E *Moehringia glaucovirens* Bertol.  
E *Moehringia insubrica* Degen  
*Moehringia intermedia* (Loisel.) Panizzi  
*Moehringia lebrunii* Merxm.  
E *Moehringia markgraffii* Merxm. & Gutermann  
*Moehringia muscosa* L.  
E *Moehringia papulosa* Bertol.  
*Moehringia pentandra* Gay  
*Moehringia sedoides* (Pers.) Loisel.  
*Moehringia tommasinii* Marches.  
*Moehringia trinervia* (L.) Clairv.  
*Moehringia villosa* (Wulfen) Fenzl subsp. *glabrescens* (Rchb. ex Nyman) Starm.  
*Moenchia erecta* (L.) G.Gaertn., B.Mey. & Scherb. subsp. *erecta*  
*Moenchia erecta* (L.) G.Gaertn., B.Mey. & Scherb. subsp. *octandra* (Ziz ex Mert. & W.D.J.Koch) Gürke ex Cout.  
*Moenchia mantica* (L.) Bartl. subsp. *mantica*  
*Paronychia arabica* (L.) DC. subsp. *longiseta* Batt.  
*Paronychia argentea* Lam.  
*Paronychia capitata* (L.) Lam. subsp. *capitata*  
*Paronychia echinulata* Chater  
*Paronychia kapela* (Hacq.) A.Kern. subsp. *kapela*  
*Paronychia kapela* (Hacq.) A.Kern. subsp. *serpyllifolia* (Chaix) Graebn.  
*Paronychia polygonifolia* (Vill.) DC.  
*Petrorhagia dubia* (Raf.) G.López & Romo  
*Petrorhagia illyrica* (Ard.) P.W.Ball & Heywood subsp. *haynaldiana* (F.N.Williams) P.W.Ball & Heywood  
*Petrorhagia nanteuilii* (Burnat) P.W.Ball & Heywood  
*Petrorhagia prolifera* (L.) P.W.Ball & Heywood  
T *Petrorhagia saxifraga* (L.) Link subsp. *gasparrinii* (Guss.) Greuter & Burdet  
*Petrorhagia saxifraga* (L.) Link subsp. *saxifraga*  
*Polycarpon tetraphyllum* (L.) L. subsp. *alsinifolium* (Biv.) Ball  
*Polycarpon tetraphyllum* (L.) L. subsp. *diphyllum* (Cav.) O.Bolòs & Font Quer  
*Polycarpon tetraphyllum* (L.) L. subsp. *polycarpoides* (Biv.) Iamonico  
*Polycarpon tetraphyllum* (L.) L. subsp. *tetraphyllum*  
*Psammophiliella muralis* (L.) Ikonn.  
*Pseudostellaria europaea* Schaeftl.  
*Rhodalsine geniculata* (Poir.) F.N.Williams  
*Sabulina attica* (Boiss. & Sprun.) Dillenb. & Kadereit  
*Sabulina austriaca* (Jacq.) Rchb.  
T *Sabulina glauicina* (Dvořáková) Dillenb. & Kadereit  
*Sabulina mediterranea* (Ledeb. ex Link) Rchb.

- Sabulina tenuifolia*** (L.) Rchb. subsp. ***tenuifolia*** – Note: For the nomenclature of this species, see lamonico (2014b).  
***Sabulina tenuifolia*** (L.) Rchb. subsp. ***vallantiana*** (DC.) Dillenb. & Kadereit  
***Sabulina verna*** (L.) Rchb. subsp. ***grandiflora*** (C.Presl) Dillenb. & Kadereit  
***Sabulina verna*** (L.) Rchb. subsp. ***verna***  
***Sabulina villarsii*** (Balb.) Rchb.  
***Sabulina viscosa*** (Schreb.) Rchb.  
***Sagina alexandri*** lamonico – Note: For the nomenclature of this species, see lamonico (2016c).  
***Sagina apetala*** Ard. subsp. ***apetala***  
***Sagina glabra*** (Willd.) Fenzl  
***Sagina maritima*** Don  
***Sagina micropetala*** Rauschert  
***Sagina nodosa*** (L.) Fenzl  
**E** ***Sagina pilifera*** (DC.) Fenzl  
***Sagina procumbens*** L.  
**E** ***Sagina revelierei*** Jord. & Fourr.  
***Sagina saginoides*** (L.) H.Karst. subsp. ***saginoides***  
***Saponaria bellidifolia*** Sm.  
***Saponaria calabrica*** Guss.  
***Saponaria lutea*** L.  
**E** ***Saponaria ocymoides*** L. subsp. ***alsinoides*** (Viv.) Arcang.  
***Saponaria ocymoides*** L. subsp. ***ocymoides***  
***Saponaria officinalis*** L.  
***Saponaria pumila*** Janch.  
***Saponaria sicula*** Raf.  
**E** ***Scleranthus aetnensis*** Strobl  
***Scleranthus annuus*** L.  
***Scleranthus perennis*** L. subsp. ***burnatii*** (Briq.) P.D.Sell  
***Scleranthus perennis*** L. subsp. ***dichotomus*** (Schur) Nyman  
***Scleranthus perennis*** L. subsp. ***marginatus*** (Guss.) Nyman  
***Scleranthus perennis*** L. subsp. ***perennis***  
**E** ***Scleranthus perennis*** L. subsp. ***stroblii*** (Rchb. ex Strobl) Giardina & Raimondo  
**E** ***Scleranthus perennis*** L. subsp. ***vulcanicus*** (Strobl) Bég.  
***Scleranthus polycarpus*** L.  
***Scleranthus uncinatus*** Schur  
***Scleranthus verticillatus*** Tausch  
**T** ***Silene acaulis*** (L.) Jacq. subsp. ***acaulis***  
**T** ***Silene acaulis*** (L.) Jacq. subsp. ***bryoides*** (Jord.) Nyman  
***Silene acaulis*** (L.) Jacq. subsp. ***cenisia*** Vierh.  
***Silene apetala*** Willd.  
***Silene arghireica*** Vals.  
***Silene baccifera*** (L.) Durande  
***Silene badaroi*** Breistr.  
**E** ***Silene beguinotii*** Vals.  
***Silene behen*** L.  
***Silene bellidifolia*** Jacq.  
**E** ***Silene calabra*** Brullo, Scelsi & Spamp.  
***Silene campanula*** Pers.  
***Silene canescens*** Ten.  
***Silene catholica*** (L.) W.T.Aiton  
**E** ***Silene cattariniana*** Ferrarini & Cecchi  
***Silene ciliata*** Pourr. subsp. ***graefferi*** (Guss.) Nyman  
***Silene colorata*** Poir.  
***Silene conica*** L.  
***Silene cordifolia*** All.  
**E** ***Silene crassiuscula*** Brullo, C.Brullo, Cambria, Bacch., Giusso & Ilardi  
***Silene cretica*** L.  
***Silene dichotoma*** Ehrh.  
***Silene dioica*** (L.) Clairv.  
***Silene diversifolia*** Otth  
**E** ***Silene echinata*** Otth  
**E** ***Silene elisabethae*** Jan  
***Silene fruticosa*** L.  
***Silene fuscata*** Brot.  
***Silene gallica*** L.  
***Silene gallinii*** Heuff. ex Rchb.  
**E** ***Silene giraldii*** Guss.  
***Silene hayekiana*** Hand.-Mazz. & Janch.  
**E** ***Silene hicesia*** Brullo & Signor.  
**E** ***Silene ichnusae*** Brullo, De Marco & De Marco f.  
***Silene inaperta*** L.  
***Silene italicica*** (L.) Pers. subsp. ***italicica***  
**E** ***Silene italicica*** (L.) Pers. subsp. ***sicula*** (Ucria) Jeanm.  
**E** ***Silene kemoniana*** C.Brullo, Brullo, Giusso, Ilardi & Sciandr.  
**E** ***Silene lanuginosa*** Bertol.  
***Silene latifolia*** Poir. – Note: *Silene latifolia* Poir. subsp. *alba* (Mill.) Greuter & Burdet [= *S. pratensis* (Rafn) Godr.] is included here.  
***Silene linicola*** C.C.Gmel.  
**E** ***Silene martinolii*** Bocchieri & Mulas  
**E** ***Silene miniae*** Strobl

- E *Silene morisiana* Bég. & Ravano  
*Silene multicaulis* Guss. subsp. *multicaulis*  
*Silene muscipula* L. subsp. *muscipula*  
*Silene mutabilis* L. – Note: For the nomenclature of this species, see Peruzzi et al. (2014b).  
E *Silene nefelites* C.Brullo, Brullo, Giusso & llardi  
*Silene nemoralis* Waldst. & Kit.  
*Silene niceensis* All.  
*Silene noctiflora* L.  
*Silene nocturna* L. subsp. *boullui* (Jord. ex Rouy & Foucaud) Gamisans – Note: For the taxonomy and distribution of this subspecies, see Bacchetta et al. (2014).  
*Silene nocturna* L. subsp. *nocturna*  
E *Silene nodulosa* Viv.  
E *Silene notarisi* Ces.  
E *Silene nummica* Vals.  
T *Silene nutans* L. subsp. *insubrica* (Gaudin) Soldano  
*Silene nutans* L. subsp. *nutans*  
E *Silene oenotriae* Brullo  
*Silene otites* (L.) Wibel  
*Silene paradoxa* L.  
E *Silene peloritana* C.Brullo, Brullo, Giusso, Miniss. & Sciandr.  
*Silene pendula* L.  
E *Silene pichiana* Ferrarini & Cecchi  
*Silene portensis* L.  
*Silene pseudoatoacion* Desf.  
*Silene pudibunda* Hoffmannss. ex Rchb.  
E *Silene roemerii* Friv. subsp. *staminea* (Bertol.) Nyman  
E *Silene rosulata* Soy.-Will. & Godr. subsp. *sanctaे-theresiae* (Jeanm.) Jeanm.  
*Silene saxifraga* L.  
*Silene sedoides* Poir. subsp. *sedoides*  
*Silene sericea* All.  
*Silene subconica* Friv.  
E *Silene succulenta* Forssk. subsp. *corsica* (DC.) Nyman  
*Silene tenuiflora* Guss.  
E *Silene turbinata* Guss.  
*Silene vallesia* L.  
E *Silene valsechiae* Bocchieri  
E *Silene velutina* Pourr. ex Loisel.  
*Silene velutinoides* Pomel  
*Silene viridiflora* L.  
E *Silene vulgaris* (Moench) Garcke subsp. *aetnensis* (Strobl) Pignatti  
*Silene vulgaris* (Moench) Garcke subsp. *commutata* (Guss.) Hayek  
*Silene vulgaris* (Moench) Garcke subsp. *glareosa* (Jord.) Marsden-Jones & Turrill  
*Silene vulgaris* (Moench) Garcke subsp. *prostrata* (Gaudin) Schinz & Thell.  
*Silene vulgaris* (Moench) Garcke subsp. *tenoreana* (Colla) Soldano & F.Conti  
*Silene vulgaris* (Moench) Garcke subsp. *vulgaris*  
*Spergula arvensis* L.  
*Spergula pentandra* L.  
*Spergularia boccone* (Scheele) Graebn.  
*Spergularia diandra* (Guss.) Boiss.  
*Spergularia flaccida* (Madden) I.M.Turner – Note: For the nomenclature of this species, see Turner (2017).  
*Spergularia heldreichii* E.Simon & P.Monnier  
E *Spergularia macrorhiza* (Req. ex Loisel.) Heynh.  
ET *Spergularia madoniaca* Lojac.  
*Spergularia marina* (L.) Besser  
*Spergularia media* (L.) C.Presl  
*Spergularia nicaeensis* Burnat  
*Spergularia radicans* C.Presl  
*Spergularia rubra* (L.) J.Presl & C.Presl  
*Spergularia segetalis* (L.) G.Don  
*Spergularia tunetana* (Maire) Jalas  
*Stellaria alsine* Grimm  
*Stellaria aquatica* (L.) Scop.  
*Stellaria graminea* L.  
*Stellaria holostea* L. subsp. *holostea*  
*Stellaria longifolia* Willd.  
*Stellaria media* (L.) Vill. subsp. *media*  
ET *Stellaria media* (L.) Vill. subsp. *romana* Bég.  
*Stellaria neglecta* Weihe subsp. *cupaniana* (Jord. & Fourr.) Gutermann  
*Stellaria neglecta* Weihe subsp. *neglecta*  
*Stellaria nemorum* L. subsp. *montana* (Pierrat) Berher  
*Stellaria nemorum* L. subsp. *nemorum*  
*Stellaria pallida* (Dumort.) Crép.  
*Stellaria palustris* Ehrh. ex Hoffm.  
*Telephium imperati* L. subsp. *imperati*  
C *Vaccaria hispanica* (Mill.) Rauschert  
*Velezia rigida* L.  
*Viscaria alpina* (L.) G.Don  
*Viscaria vulgaris* Bernh. subsp. *vulgaris*



## Chenopodiaceae

Taxonomic references: *Caroxylon* Thunb., *Salsola* L. (incl. *Kali* Mill.), and *Soda* (Dumort.) Fourr. (Rike 1999; Akhani et al. 2007; Brullo et al. 2013, 2015a; Domina et al. 2014; Galasso and Bartolucci 2014; Sukhorukov 2014; Mosyakin 2017a; 2017c; Mosyakin et al. 2017; Wilson 2017); *Chenopodium* L. (Iamonico 2013b); *Salicornia* L. (incl. *Sarcocornia* A.J.Scott) (Kadereit et al. 2012; Piirainen et al. 2017).

***Arthrocaulon macrostachyum*** (Moric.) Piirainen & G.Kadereit

***Atriplex glauca*** L.

***Atriplex halimus*** L.

***Atriplex littoralis*** L.

***Atriplex mollis*** Desf.

***Atriplex oblongifolia*** Waldst. & Kit.

***Atriplex patula*** L.

***Atriplex prostrata*** Boucher ex DC.

***Atriplex rosea*** L.

T ***Atriplex tatarica*** L.

***Atriplex tornabenei*** Tineo subsp. ***tornabenei*** – Note: According to Iamonico (2013c), only the autonymic subspecies occurs in Italy.

***Bassia hyssopifolia*** (Pall.) Kuntze

***Bassia laniflora*** (S.G.Gmel.) A.J.Scott

***Bassia prostrata*** (L.) Beck

***Beta macrocarpa*** Guss.

***Beta vulgaris*** L. subsp. ***maritima*** (L.) Arcang.

***Blitum bonus-henricus*** (L.) Rchb.

***Blitum virgatum*** L. subsp. ***virgatum***

ET ***Camphorosma monspeliacum*** L. subsp. ***monspeliacum***

***Caroxylon agrigentinum*** (Guss.) C.Brullo, Brullo, Giusso, Guarino & Iamonico

***Caroxylon vermiculatum*** (L.) Akhani & E.H.Roalson – Note: *Salsola flavescens* Cav., recorded for SAR (Botschantzev 1975; Arrigoni 2006), is provisionally included here.

***Chenopodiastrum hybridum*** (L.) S.Fuentes, Uotila & Borsch

***Chenopodiastrum murale*** (L.) S.Fuentes, Uotila & Borsch

C ***Chenopodium album*** L. subsp. ***album*** – Note: *Chenopodium album* is a highly polymorphic species. The three subspecies, provisionally accepted here, differ on the basis of the shape and margins of leaf blades, inflorescence structure and hairness. However, further taxonomic studies including similar species such as *C. betaceum* Andrz., *C. probstii* Aellen and *C. sueicum* Murr are needed.

***Chenopodium album*** L. subsp. ***borbasi*** (Murr) Soó

***Chenopodium album*** L. subsp. ***pedunculare*** (Bertol.) Arcang.

***Chenopodium betaceum*** Andrz. – Note: For the nomenclature of this species, see Mosyakin (2017b).

***Chenopodium ficifolium*** Sm.

***Chenopodium opulifolium*** Schrad. ex W.D.J.Koch & Ziz

***Chenopodium sueicum*** Murr

***Chenopodium vulvaria*** L.

C ***Corispermum hyssopifolium*** L. group – Note: The taxonomic identity of the Italian plants (possibly *Corispermum bracteatum* Viv., *C. gallicum* Iljin or *C. pallasii* Steven (= *C. leptopterum* (Asch.) Iljin) remains obscure and needs further studies (S.L. Mosyakin, in litteris). Some authors have erroneously identified the Italian plants with the Baltic species *C. intermedium* Schweigg..

E ***Dysphania botrys*** (L.) Mosyakin & Clements

***Eokochia saxicola*** (Guss.) Freitag & G.Kadereit

***Halimione portulacoides*** (L.) Aellen

***Halocnemum cruciatum*** (Forssk.) Tod.

***Halocnemum strobilaceum*** (Pall.) M.Bieb.

***Haloepelis amplexicaulis*** (Vahl) Ces., Pass. & Gibelli

***Lipandra polysperma*** (L.) S.Fuentes, Uotila & Borsch

***Oxybasis chenopodioides*** (L.) S.Fuentes, Uotila & Borsch – Note: For the taxonomy and distribution of this species, see Iamonico (2014c).

***Oxybasis glauca*** (L.) S.Fuentes, Uotila & Borsch

***Oxybasis rubra*** (L.) S.Fuentes, Uotila & Borsch

***Oxybasis urbica*** (L.) S.Fuentes, Uotila & Borsch

***Patellifolia procumbens*** (C.Sm.) A.J.Scott

***Salicornia fruticosa*** (L.) L.

***Salicornia perennans*** Willd. subsp. ***perennans***

***Salicornia perennis*** Mill. subsp. ***alpini*** (Lag.) Castrov.

***Salicornia perennis*** Mill. subsp. ***perennis***

T ***Salicornia procumbens*** Sm. subsp. ***procumbens***

***Salicornia veneta*** Pignatti & Lausi – Note: Kadereit et al. (2012) consider *S. veneta* as a synonym of *S. procumbens*. On the contrary, Iberite and Iamonico (2016), based on preliminary morphological studies, treat *S. veneta* as a distinct unit. Further molecular studies are ongoing by M. Iberite and collaborators.

***Salsola squarrosa*** Steven ex Moq. subsp. ***controversa*** (Tod. ex Lojac.) Mosyakin

***Salsola tragus*** L. – Note: *Kali basalticum* C.Brullo, Brullo, Gaskin, Giusso, Hrusa & Salmeri is very similar to this species (S.L. Mosyakin and H. Freitag, in litteris), so that it is provisionally included here.

***Salsola oppositifolia*** Desf. – Note: *Salsola oppositifolia* is phylogenetically close to several other *Salsola* species which are neatly separated (Schüssler et al. 2017) from the clade including the generitype *S. kali* L. However, the phylogenetic position of *S. oppositifolia* is not yet clear (S.L. Mosyakin and H. Freitag, in litteris) and, for this reason, we provisionally abstain from proposing nomenclatural changes.

***Soda inermis*** Fourr.

***Spirobassia hirsuta*** (L.) Freitag & G.Kadereit

E ***Suaeda kocheri*** Guss. ex C.Brullo, Brullo & Giusso – Note: Possibly extinct.

***Suaeda maritima*** (L.) Dumort.

E ***Suaeda pelagica*** Bartolo, Brullo & Pavone

***Suaeda spicata*** (Willd.) Moq.

***Suaeda splendens*** (Pourr.) Gren. & Godr.

***Suaeda vera*** J.F.Gmel.

***Suaeda vermiculata*** Forssk. ex J.F.Gmel.

## Amaranthaceae

Taxonomic references: *Amaranthus* L., and *Polyneum* L. (lamonico 2012, 2015).

***Achyranthes sicula*** (L.) All.

***Amaranthus blitum*** L. subsp. ***blitum*** – Note: *Amaranthus blitum* is a polymorphic taxon, especially concerning characters referred to the shape of leaf blade, seed diameter and seed surface (lamonico 2015). Moreover, *A. blitum* belongs to a taxonomically critical group in which other species can be recognized, i.e. *A. emarginatus* Moq. ex Uline & Bray (naturalized alien in Italy, see lamonico 2015), and *A. bengalense* Saubhik & lamonico (from West Bengal, India) (Das and lamonico 2014).

***Amaranthus graecizans*** L. subsp. ***graecizans***

***Amaranthus graecizans*** L. subsp. ***silvestris*** (Vill.) Brenan

***Polyneum arvense*** L.

C ***Polyneum heuffelii*** Láng

***Polyneum majus*** A.Braun

***Polyneum verrucosum*** Láng – Note: For the distribution of this species, see lamonico (2013d).

## Aizoaceae

***Aizoanthemopsis hispanicum*** (L.) Klak – Note: For the nomenclature of this species, see Klak et al. (2017).

***Mesembryanthemum cristallinum*** L.

***Mesembryanthemum nodiflorum*** L.

## Montiaceae

***Montia arvensis*** Wallr.

***Montia fontana*** L.

***Montia hallii*** (A.Gray) Greene

***Montia variabilis*** (Walters) Landolt

## Portulacaceae

C ***Portulaca cypria*** Danin

C ***Portulaca granulatostellulata*** (Poelln.) Ricceri & Arrigoni

C ***Portulaca nitida*** (Danin & H.G.Baker) Ricceri & Arrigoni

C ***Portulaca oleracea*** L.

***Portulaca papillatostellulata*** (Danin & H.G.Baker) Danin

***Portulaca rausii*** Danin

E ***Portulaca sardoa*** Danin, Bagella & Marrosu

E ***Portulaca sicula*** Danin, Domina & Raimondo

***Portulaca trituberculata*** Danin, Domina & Raimondo

***Portulaca zaffranii*** Danin

## Cornaceae

***Cornus mas*** L.

T ***Cornus sanguinea*** L. subsp. ***australis*** (C.A.Mey.) Jáv.

T ***Cornus sanguinea*** L. subsp. ***hungarica*** (Kárpáti) Soó

***Cornus sanguinea*** L. subsp. ***sanguinea***

## Hydrangeaceae

***Philadelphus coronarius*** L.

## Balsaminaceae

***Impatiens noli-tangere*** L.

## Polemoniaceae

***Polemonium caeruleum*** L.

## Primulaceae

***Androsace adfinis*** Biroli subsp. ***adfinis***

***Androsace adfinis*** Biroli subsp. ***brigantiaca*** (Jord. & Fourr.) Kress

***Androsace adfinis*** Biroli subsp. ***puberula*** (Jord. & Fourr.) Kress

***Androsace alpina*** (L.) Lam.

***Androsace brevis*** (Hegetschw.) Ces.

***Androsace chamaejasme*** Wulfen

***Androsace elongata*** L. subsp. ***breistrofferi*** (Charpin & Greuter) Molero & J.M.Monts.

***Androsace hausmannii*** Leyb.

***Androsace helvetica*** (L.) All.

***Androsace lactea*** L.

E ***Androsace mathildae*** Levier

***Androsace maxima*** L.

***Androsace obtusifolia*** All.

***Androsace pubescens*** DC.

***Androsace septentrionalis*** L.

***Androsace vandellii*** (Turra) Chiov.

***Androsace villosa*** L. subsp. ***villosa***

***Androsace vitaliana*** (L.) Lapeyr. subsp. ***cinerea*** (Sünd.) Kress

***Androsace vitaliana*** (L.) Lapeyr. subsp. ***leptonina*** (Chiurugi) Dixon, Gutermann & Schneew.

E ***Androsace vitaliana*** (L.) Lapeyr. subsp. ***praetutiana*** (Buser ex Sünd.) Kress

***Androsace vitaliana*** (L.) Lapeyr. subsp. ***sesleri*** (Buser ex Sünd.) Kress

***Androsace wulfeniana*** Sieber ex W.D.J.Koch

***Coris monspeliensis*** L. subsp. ***annua*** (Halász & Bald.) Arrigoni

***Coris monspeliensis*** L. subsp. ***monspeliensis***

***Cyclamen africanum*** Boiss. & Reut.



- Cyclamen hederifolium* Aiton subsp. *confusum* (Grey-Wilson) Grey-Wilson  
*Cyclamen hederifolium* Aiton subsp. *hederifolium*  
*Cyclamen purpurascens* Mill. subsp. *purpurascens*  
*Cyclamen repandum* Sm. subsp. *repandum*  
*Hottonia palustris* L.  
*Lysimachia arvensis* (L.) U.Manns & Anderb. subsp. *arvensis*  
*Lysimachia arvensis* (L.) U.Manns & Anderb. subsp. *latifolia* (L.) Peruzzi  
*Lysimachia arvensis* (L.) U.Manns & Anderb. subsp. *parviflora* (Hoffmanns. & Link) Peruzzi  
*Lysimachia europaea* (L.) U.Manns & Anderb.  
*Lysimachia foemina* (Mill.) U.Manns & Anderb.  
*Lysimachia linum-stellatum* L.  
*Lysimachia minima* (L.) U.Manns & Anderb.  
*Lysimachia monelli* (L.) U.Manns & Anderb. subsp. *linifolia* (L.) Peruzzi  
*Lysimachia monelli* (L.) U.Manns & Anderb. subsp. *monelli*  
*Lysimachia nemorum* L.  
*Lysimachia nummularia* L.  
*Lysimachia punctata* L.  
*Lysimachia tenella* L.  
*Lysimachia tyrrhenia* U.Manns & Anderb.  
*Lysimachia vulgaris* L.  
E *Primula albenensis* Banfi & Ferl.  
*Primula allionii* Loisel.  
E *Primula apennina* Widmer  
*Primula auricula* L.  
E *Primula coccinea* Widmer  
*Primula daonensis* (Leyb.) Leyb.  
*Primula elatior* (L.) Hill  
*Primula farinosa* L.  
E *Primula glaucescens* Moretti  
*Primula glutinosa* Wulfen  
*Primula halleri* J.F.Gmel.  
*Primula hirsuta* All.  
E *Primula infecta* (Kress) Landolt  
*Primula integrifolia* L.  
*Primula intricata* Gren. & Godr.  
*Primula latifolia* Lapeyr. subsp. *graveolens* (Hegetschw.) Rouy  
*Primula marginata* Curtis  
*Primula matthioli* (L.) V.A.Richt.  
*Primula minima* L.  
E *Primula palinuri* Petagna  
*Primula pedemontana* Thomas ex Gaudin  
E *Primula polliniana* Moretti  
E *Primula recubariensis* Prosser & Scorteg.  
E *Primula tyrolensis* Schott ex Rchb.f.  
*Primula veris* L. subsp. *columnae* (Ten.) Maire & Petitm.  
*Primula veris* L. subsp. *veris*  
*Primula vulgaris* Huds. subsp. *vulgaris*  
*Primula wulfeniana* Schott subsp. *wulfeniana*  
*Samolus valerandi* L.  
*Soldanella alpina* L. subsp. *alpina*  
E *Soldanella calabrella* Kress  
*Soldanella minima* Hoppe subsp. *minima*  
E *Soldanella minima* Hoppe subsp. *samnitica* Cristof. & Pignatti  
*Soldanella pusilla* Baumg. subsp. *alpicola* (F.K.Mey.) Chrk.  
ET *Soldanella sacra* A.Bellino & L.Bellino  
  
Styracaceae  
*Styrax officinalis* L.  
  
Ericaceae  
*Andromeda polifolia* L.  
*Arbutus unedo* L.  
*Arctostaphylos alpinus* (L.) Spreng.  
*Arctostaphylos uva-ursi* (L.) Spreng.  
*Calluna vulgaris* (L.) Hull  
*Empetrum hermaphroditum* Hagerup  
*Empetrum nigrum* L.  
*Erica arborea* L.  
*Erica carnea* L. subsp. *carnea*  
*Erica cinerea* L.  
*Erica forskalii* Vitm.  
E *Erica multiflora* L. subsp. *hyblaea* Domina & Raimondo  
*Erica multiflora* L. subsp. *multiflora*  
*Erica scoparia* L. subsp. *scoparia*  
E *Erica sicula* Guss. subsp. *sicula*  
*Erica terminalis* Salisb.  
*Kalmia procumbens* (L.) Gift, Kron & Stevens ex Galasso, Banfi & F.Conti  
*Moneses uniflora* (L.) A.Gray

*Monotropa hypophegea* Wallr.  
*Monotropa hypopitys* L.  
*Orthilia secunda* (L.) House  
*Pyrola chlorantha* Sw.  
*Pyrola media* Sw.  
*Pyrola minor* L.  
*Pyrola rotundifolia* L. subsp. *rotundifolia*  
*Rhododendron ferrugineum* L.  
*Rhododendron hirsutum* L.  
*Rhodothamnus chamaecistus* (L.) Rchb.  
*Vaccinium microcarpum* (Turcz. ex Rupr.) Schmalh.  
*Vaccinium myrtillus* L.  
*Vaccinium oxyccos* L.  
*Vaccinium uliginosum* L. subsp. *microphyllum* (Lange) Tolm.  
*Vaccinium uliginosum* L. subsp. *uliginosum*  
*Vaccinium vitis-idaea* L.

## Rubiacae

Taxonomic references: *Asperula* L. sect. *Cynanchicae* (DC.) Boiss. (Del Guacchio and Caputo 2013a, 2013b; Gargiulo et al. 2015; Del Guacchio et al. 2017).

- ET *Asperula apuana* (Fiori) Arrigoni  
*Asperula aristata* L.f. subsp. *aristata*
- E *Asperula aristata* L.f. subsp. *calabria* (Fiori) Del Guacchio & P.Caputo  
*Asperula aristata* L.f. subsp. *scabra* Nyman  
*Asperula arvensis* L.
- E *Asperula crassifolia* L. – Note: For the typification of this name, see Peruzzi et al. (2013c).  
*Asperula cynanchica* L. subsp. *cynanchica*  
E *Asperula cynanchica* L. subsp. *neglecta* (Guss.) Arcang.  
E *Asperula deficiens* Viv.  
E *Asperula garganica* Huter ex Ehrend. & Krendl  
E *Asperula gussonei* Boiss.  
*Asperula hexaphylla* All.  
E *Asperula lactea* (Huter, Porta & Rigo ex Galasso) Brullo, Gargano, N.G.Passal. & Peruzzi  
*Asperula laevigata* L.  
E *Asperula peloritana* C.Brullo, Brullo, Giusso & Scuderi  
E *Asperula pumila* Moris  
*Asperula purpurea* (L.) Ehrend.  
E *Asperula rupestris* Tineo  
E *Asperula staliana* Vis. subsp. *diomedea* Korica, Lausi & Ehrend.  
*Asperula taurina* L. subsp. *taurina*  
*Asperula tinctoria* L.  
*Crucianella angustifolia* L.  
*Crucianella latifolia* L.  
*Crucianella maritima* L.  
*Crucianella rupestris* Guss.  
*Cruciata glabra* (L.) C.Bauhin ex Opiz  
*Cruciata laevisipes* Opiz  
*Cruciata pedemontana* (Bellardii) Ehrend.  
E *Galium aetnicum* Biv.  
*Galium album* Mill. subsp. *album*  
*Galium album* Mill. subsp. *pycnotrichum* (Heinr.Braun) Krendl  
*Galium anisophyllum* Vill.  
*Galium aparine* L.  
*Galium aristatum* L.  
*Galium austriacum* Jacq.  
E *Galium baldense* Spreng.  
*Galium boreale* L.  
E *Galium caprarium* Natali  
*Galium carmineum* Beauverd  
*Galium centroniae* Cariot  
*Galium cinereum* All.  
*Galium corrudifolium* Vill.  
E *Galium corsicum* Spreng.  
*Galium debile* Desv.  
*Galium divaricatum* Lam.  
E *Galium glaucophyllum* Em.Schmid  
*Galium glaucum* L.  
*Galium intermedium* Schult.  
*Galium laevigatum* L.  
E *Galium litorale* Guss.  
*Galium lucidum* All. subsp. *lucidum*  
ET *Galium lucidum* All. subsp. *venustum* (Jord.) Arcang.  
E *Galium magellense* Ten.  
E *Galium margaritaceum* A.Kern.  
*Galium megalospermum* All.  
*Galium minutulum* Jord.  
*Galium mollugo* L.  
E *Galium montis-arerae* Merxm. & Ehrend.  
*Galium murale* (L.) All.



- Galium noricum* Ehrend.  
*Galium obliquum* Vill.  
*Galium odoratum* (L.) Scop.  
E *Galium palaeoitalicum* Ehrend.  
E *Galium pallidum* C.Presl  
T *Galium palustre* L. subsp. *elongatum* (C.Presl) Lange  
*Galium palustre* L. subsp. *palustre*  
*Galium parisiense* L.  
*Galium pseudohelveticum* Ehrend.  
*Galium pumilum* Murray  
*Galium pusillum* L.  
*Galium rotundifolium* L. subsp. *rotundifolium*  
*Galium rubrum* L.  
*Galium saxatile* L.  
*Galium scabrum* L.  
E *Galium schmidii* Arrigoni  
*Galium setaceum* Lam.  
*Galium spurium* L.  
*Galium sylvaticum* L.  
*Galium tendae* Rchb.f.  
*Galium tricornutum* Dandy  
*Galium tunetanum* Lam.  
*Galium uliginosum* L.  
ET *Galium verrucosum* Huds. subsp. *halophilum* (Ponzo) Lambinon  
*Galium verrucosum* Huds. subsp. *verrucosum*  
*Galium verticillatum* Danhoine  
*Galium verum* L. subsp. *verum*  
T *Galium verum* L. subsp. *wirtgeni* (F.W.Schultz) Oborny  
*Plocama calabrica* (L.f.) M.Backlund & Thulin  
*Rubia peregrina* L.  
*Sherardia arvensis* L.  
*Theligonium cynocrambe* L.  
E *Valantia calva* Brullo  
E *Valantia deltoidea* Brullo  
*Valantia hispida* L.  
*Valantia muralis* L.

- Gentianaceae  
*Blackstonia acuminata* (W.D.J.Koch & Ziz) Domin subsp. *acuminata*  
T *Blackstonia acuminata* (W.D.J.Koch & Ziz) Domin subsp. *aestiva* (K.Mály) Zeltner  
*Blackstonia grandiflora* (Viv.) Pau  
*Blackstonia imperfoliata* (L.f.) Samp.  
T *Blackstonia perfoliata* (L.) Huds. subsp. *intermedia* (Ten.) Zeltner  
*Blackstonia perfoliata* (L.) Huds. subsp. *perfoliata*  
*Centaurea erythraea* Rafn subsp. *erythraea*  
T *Centaurea erythraea* Rafn subsp. *rhodense* (Boiss. & Reut.) Melderis  
T *Centaurea erythraea* Rafn subsp. *rumelicum* (Velen.) Melderis  
*Centaureum grandiflorum* (Pers.) Ronniger subsp. *grandiflorum*  
T *Centaureum grandiflorum* (Pers.) Ronniger subsp. *majus* (Hoffmanns. & Link) Z.Díaz  
*Centaureum littorale* (Turner) Gilmour subsp. *littorale*  
*Centaureum maritimum* (L.) Fritsch  
*Centaureum pulchellum* (Sw.) Druce subsp. *pulchellum*  
T *Centaureum tenuiflorum* (Hoffmanns. & Link) Fritsch subsp. *acutiflorum* (Schott) Zeltner  
*Centaureum tenuiflorum* (Hoffmanns. & Link) Fritsch subsp. *tenuiflorum*  
*Cicendia filiformis* (L.) Delarbre  
*Exaculum pusillum* (Lam.) Caruel  
*Gentiana acaulis* L.  
*Gentiana alpina* Vill.  
*Gentiana asclepiadea* L.  
*Gentiana bavarica* L.  
*Gentiana brachphylla* Vill.  
E *Gentiana brentae* Prosser & Bertolli  
*Gentiana burseri* Lapeyr. subsp. *actinocalyx* Polidori  
*Gentiana burseri* Lapeyr. subsp. *villarsii* (Griseb.) Rouy  
*Gentiana clusii* E.P.Perrier & Songeon  
*Gentiana cruciata* L. subsp. *cruciata*  
*Gentiana dinarica* Beck  
*Gentiana froelichii* Jan ex Rchb. subsp. *froelichii*  
E *Gentiana froelichii* Jan ex Rchb. subsp. *zenariae* F.Martini & Poldini  
*Gentiana ligistica* R.Vilm. & Chopinet  
*Gentiana lutea* L. subsp. *lutea*  
*Gentiana lutea* L. subsp. *symphyandra* (Murb.) Hayek  
*Gentiana lutea* L. subsp. *vardjanii* Wraber  
*Gentiana nivalis* L.  
*Gentiana orbicularis* Schur  
*Gentiana pannonica* Scop.  
*Gentiana pneumonanthe* L. subsp. *pneumonanthe*

- Gentiana prostrata** Haenke  
**Gentiana pumila** Jacq. subsp. **delphinensis** (Beauverd) P.Fourn.  
**Gentiana pumila** Jacq. subsp. **pumila**  
**Gentiana punctata** L.  
**Gentiana purpurea** L.  
**Gentiana rostanii** Reut. ex Verl.  
**Gentiana terglouensis** Hacq. subsp. **schleicheri** (Vacc.) Tutin  
**Gentiana terglouensis** Hacq. subsp. **terglouensis**  
**Gentiana utriculosa** L.  
**Gentiana verna** L. subsp. **tergestina** (Beck) Hayek  
**Gentiana verna** L. subsp. **verna**  
**Gentianella amarella** (L.) Börner  
**Gentianella anisodonta** (Borbás) Á.Löve & D.Löve  
**Gentianella austriaca** (A.Kern. & Jos.Kern.) Holub  
**Gentianella campestris** (L.) Börner subsp. **campestris**  
**Gentianella carinthiaca** (Wulfen) Galasso, Banfi & Soldano  
E **Gentianella columnae** (Ten.) Holub  
**Gentianella crispata** (Vis.) Holub  
**Gentianella engadinensis** (Wettst.) Holub  
**Gentianella insubrica** (Kunz) Holub  
**Gentianella lutescens** (Velen.) Holub  
**Gentianella nana** (Wulfen) N.M.Pritch.  
**Gentianella pilosa** (Wettst.) Holub  
**Gentianella ramosa** (Hegetschw.) Holub  
**Gentianella rhaetica** (A.Kern. & Jos.Kern.) Á.Löve & D.Löve  
**Gentianella tenella** (Rottb.) Börner  
**Gentianopsis ciliata** (L.) Ma subsp. **ciliata**  
**Schenkia spicata** (L.) G.Mans.  
**Swertia perennis** L.
- Apocynaceae  
**Caralluma europaea** (Guss.) N.E.Br. subsp. **europaea**  
**Cynanchum acutum** L. subsp. **acutum**  
**Nerium oleander** L. subsp. **oleander**  
C **Periploca angustifolia** Labill.  
**Periploca graeca** L.  
**Trachomitum venetum** (L.) Woodson subsp. **venetum**
- Vinca difformis Pourr. subsp. **diformis**  
E **Vinca difformis** Pourr. subsp. **sardoa** Stearn  
**Vinca major** L. subsp. **major**  
**Vinca minor** L.
- T **Vincetoxicum hirundinaria** Medik. subsp. **adriaticum** (Beck) Markgr.  
T **Vincetoxicum hirundinaria** Medik. subsp. **contiguum** (W.D.J.Koch) Markgr.  
**Vincetoxicum hirundinaria** Medik. subsp. **hirundinaria**  
T **Vincetoxicum hirundinaria** Medik. subsp. **laxum** (Bartl.) Poldini  
T **Vincetoxicum hirundinaria** Medik. subsp. **luteolum** (Jord. & Fourr.) La Valva, Moraldo & Caputo  
**Vincetoxicum nigrum** (L.) Moench
- Convolvulaceae  
Taxonomic references: *Convolvulus* L. (incl. *Calystegia* R.Br.) (Stefanović et al. 2002, 2003; Carine et al. 2004; Williams et al. 2014).  
**Convolvulus althaeoides** L.  
**Convolvulus arvensis** L.  
**Convolvulus cantabrica** L.  
**Convolvulus cneorum** L.  
**Convolvulus elegantissimus** Mill.  
**Convolvulus humilis** Jacq.  
**Convolvulus lineatus** L.  
**Convolvulus oleifolius** Desr.  
**Convolvulus pentapetaloides** L.  
**Convolvulus sabatius** Viv. subsp. **sabatius**  
**Convolvulus sepium** L.  
**Convolvulus siculus** L. subsp. **elongatus** Batt.  
**Convolvulus siculus** L. subsp. **siculus**  
**Convolvulus silvaticus** Kit.  
**Convolvulus soldanella** L.  
**Convolvulus tricolor** L. subsp. **cupanianus** (Tod.) Cavara & Grande  
**Convolvulus tricolor** L. subsp. **meonanthus** (Hoffmanns. & Link) Arcang.  
**Cressa cretica** L.  
**Cuscuta approximata** Bab. subsp. **approximata**  
**Cuscuta approximata** Bab. subsp. **macranthera** (Heldr. & Sartoni ex Boiss.) Feinbrun & Greuter  
C **Cuscuta cesattiana** Bertol. – Note: This species could correspond to *Cuscuta obtusiflora* Kunth var. *glandulosa* Engelm. (Campanile 1926). *Cuscuta cesattiana* is usually misidentified with the alien invasive *C. campestris* Yunck. The specific epithet was published with double “t”, possibly to avoid the pronunciation “tz” in the name “Cesati”, and it is not be corrected.  
E **Cuscuta epithymum** (L.) L. subsp. **corsicana** (Yunck.) Lambinon  
**Cuscuta epithymum** (L.) L. subsp. **epithymum**  
T **Cuscuta epithymum** (L.) L. subsp. **kotschy** (Des Moul.) Arcang.  
**Cuscuta europaea** L.



- C *Cuscuta monogyna* Vahl subsp. *monogyna*  
*Cuscuta palaestina* Boiss. subsp. *palaestina*  
*Cuscuta planiflora* Ten.  
C *Cuscuta scandens* Brot.  
*Ipomoea sagittata* Poir.  
*Ipomoea stolonifera* (Cyr.) J.F.Gmel.
- Solanaceae  
*Alkekengi officinarum* Moench  
*Atropa bella-donna* L.  
*Hyoscyamus albus* L.  
*Hyoscyamus niger* L.  
C *Lycium europaeum* L.  
C *Lycium intricatum* Boiss. subsp. *intricatum*  
*Mandragora autumnalis* Bertol.  
*Mandragora officinarum* L.  
*Scopolia carniolica* Jacq.  
*Solanum dulcamara* L.  
*Solanum nigrum* L.  
*Solanum villosum* Mill.
- Boraginaceae  
Taxonomic references: *Onosma echoioides* (L.) L. group (Peruzzi and Passalacqua 2008).  
E *Aegonychon calabrum* (Ten.) Holub.  
*Aegonychon purpurocaeruleum* (L.) Holub  
*Alkanna lutea* Moris  
*Alkanna tinctoria* Tausch subsp. *tinctoria*  
*Anchusa azurea* Mill.  
E *Anchusa capillii* Moris  
E *Anchusa crispa* Viv. subsp. *crispa*  
E *Anchusa crispa* Viv. subsp. *maritima* (Vals.) Selvi & Bigazzi  
E *Anchusa formosa* Selvi, Bigazzi & Bacch.  
E *Anchusa litorea* Moris  
E *Anchusa montelinasana* Angius, Pontec. & Selvi  
*Anchusa officinalis* L.  
E *Anchusa sardoa* (Illario) Selvi & Bigazzi  
*Anchusa undulata* L. subsp. *hybrida* (Ten.) Bég.  
*Anchusella cretica* (Mill.) Bigazzi, E.Nardi & Selvi  
*Asperugo procumbens* L.  
E *Borago morisiana* Bigazzi & Ricceri  
*Borago officinalis* L.  
E *Borago pygmaea* (DC.) Chater & Greuter  
*Buglossoides arvensis* (L.) I.M.Johnst. subsp. *arvensis*  
*Buglossoides incrassata* (Guss.) I.M.Johnst. subsp. *incrassata*  
*Buglossoides incrassata* (Guss.) I.M.Johnst. subsp. *permixta* (Jord.) L.Cecchi & Selvi  
E *Buglossoides incrassata* (Guss.) I.M.Johnst. subsp. *splitgerberi* (Guss.) E.Zippel & Selvi  
E *Buglossoides minima* (Moris) R.Fern.  
*Cerinthe alpina* Kit. ex Schult. subsp. *alpina*  
*Cerinthe major* L. subsp. *major*  
*Cerinthe minor* L. subsp. *auriculata* (Ten.) Domac  
*Cerinthe minor* L. subsp. *minor*  
*Cerinthe retorta* Sm.  
E *Cynoglossum apenninum* L.  
E *Cynoglossum barbaricum* Arrigoni & Selvi  
*Cynoglossum cheirifolium* L.  
*Cynoglossum clandestinum* Desf.  
*Cynoglossum columnae* Ten.  
*Cynoglossum creticum* Mill.  
E *Cynoglossum magellense* Ten.  
*Cynoglossum montanum* L.  
E *Cynoglossum nebrodense* Guss. subsp. *lucanum* Selvi & Sutorý  
*Cynoglossum nebrodense* Guss. subsp. *nebrodense*  
*Cynoglossum officinale* L.  
*Cynoglossum pustulatum* Boiss. subsp. *pustulatum*  
*Cynoglottis barrelieri* (All.) Vural & Kit Tan subsp. *barrelieri*  
E *Echium anchusoides* Bacch., Brullo & Selvi  
*Echium arenarium* Guss.  
*Echium aspernum* Lam.  
*Echium creticum* L. subsp. *coyncianum* (Lacaiza) R.Fern.  
*Echium creticum* L. subsp. *creticum*  
*Echium italicum* L. subsp. *italicum*  
ET *Echium italicum* L. subsp. *siculum* (Lacaiza) Greuter & Burdet  
*Echium parviflorum* Moench  
*Echium plantagineum* L.  
*Echium sabulicola* Pomel subsp. *sabulicola*  
T *Echium vulgare* L. subsp. *pustulatum* (Sm.) Em.Schmid & Gams  
*Echium vulgare* L. subsp. *vulgare*

- Eritrichium nanum** (L.) Schrad. ex Gaudin  
**Glandora rosmarinifolia** (Ten.) D.C.Thomas  
**Hackelia deflexa** (Wahlenb.) Opiz  
**Hormuzakia aggregata** (Lehm.) Guşul.  
*Lappula heteracantha* (Ledeb.) Gürke  
*Lappula squarrosa* (Retz.) Dumort.  
*Lithospermum officinale* L.  
*Lycopsis arvensis* L.
- E *Moltkia suffruticosa* (L.) Brand subsp. *bigazziana* Peruzzi & Soldano  
E *Moltkia suffruticosa* (L.) Brand subsp. *suffruticosa*  
*Myosotis alpestris* F.W.Schmidt  
*Myosotis arvensis* (L.) Hill subsp. *arvensis*  
*Myosotis decumbens* Host subsp. *decumbens*  
ET *Myosotis decumbens* Host subsp. *florentina* Grau  
*Myosotis discolor* Pers. subsp. *discolor*  
E *Myosotis graui* Selvi  
*Myosotis incrassata* Guss.  
*Myosotis laxa* Lehm. subsp. *cespitosa* (Schultz) Hyl. ex Nordh.  
*Myosotis minutiflora* Boiss. & Reut. subsp. *minutiflora*  
*Myosotis nemorosa* Besser  
*Myosotis pusilla* Loisel.  
*Myosotis ramosissima* Rochel subsp. *ramosissima*  
*Myosotis scorpioides* L. subsp. *scorpioides*  
*Myosotis sicula* Guss.  
E *Myosotis soleirolii* Godr.  
*Myosotis speluncicola* (Boiss.) Rouy  
*Myosotis stricta* Link ex Roem. & Schult.  
T *Myosotis sylvatica* Hoffm. subsp. *cyanea* (Hayek) Vestergren  
ET *Myosotis sylvatica* Hoffm. subsp. *elongata* (Strobl) Grau  
T *Myosotis sylvatica* Hoffm. subsp. *subarvensis* Grau  
*Myosotis sylvatica* Hoffm. subsp. *sylvatica*  
E *Myosotis tineoi* C.Bruno & Brullo  
*Neatostema apulum* (L.) I.M.Johnst.  
*Nonea echooides* (L.) Roem. & Schult.  
*Nonea vesicaria* (L.) Rchb.  
*Omphalodes verna* Moench  
*Onosma arenaria* Waldst. & Kit. subsp. *arenaria*  
E *Onosma echooides* (L.) L. subsp. *angustifolia* (Lehm.) Peruzzi & N.G.Passal.  
E *Onosma echooides* (L.) L. subsp. *canescens* (C.Presl) Peruzzi & N.G.Passal.  
E *Onosma echooides* (L.) L. subsp. *dalmatica* (Scheele) Peruzzi & N.G.Passal.  
E *Onosma echooides* (L.) L. subsp. *echooides*  
*Onosma fastigiata* (Braun-Blanq.) Lacaita subsp. *fastigiata*  
*Onosma helvetica* (A.DC.) Boiss.  
*Onosma pseudoarenaria* Schur subsp. *fallax* (Borbás) Rauschert  
T *Onosma pseudoarenaria* Schur subsp. *helvetica* Rauschert  
E *Onosma pseudoarenaria* Schur subsp. *lucana* (Lacaita) Rauschert  
E *Onosma pseudoarenaria* Schur subsp. *tridentina* (Wettst.) Braun-Blanq.  
*Onosma visianii* Clementi  
*Pulmonaria angustifolia* L.  
*Pulmonaria australis* (Murr) W.Sauer  
*Pulmonaria hirta* L.  
E *Pulmonaria officinalis* L. subsp. *marzolae* G.Astuti, Peruzzi, Cristof. & P.Pupillo – Note: For the taxonomy and distribution of this subspecies, see Astuti et al. (2014).  
*Pulmonaria officinalis* L. subsp. *officinalis*  
*Pulmonaria stiriaca* A.Kern  
ET *Pulmonaria vallarsae* A.Kern. subsp. *apennina* (Cristof. & Puppi) L.Cecchi & Selvi  
E *Pulmonaria vallarsae* A.Kern. subsp. *vallarsae*  
*Symphytum bulbosum* K.F.Schimp.  
E *Symphytum gussonei* F.W.Schult  
*Symphytum officinale* L.  
*Sympphytum tanaicense* Steven – Note: For the taxonomy and distribution of this species, see Cecchi and Selvi (2017).  
*Sympphytum tuberosum* L. subsp. *angustifolium* (A.Kern.) Nyman
- Heliotropiaceae  
*Heliotropium europaeum* L.  
E *Heliotropium suaveolens* M.Bieb. subsp. *bocconei* (Guss.) Brummitt  
*Heliotropium supinum* L.
- Oleaceae  
*Chrysojasminum fruticans* (L.) Banfi  
*Fontanesia phillyraeoides* Labill.  
*Fraxinus angustifolia* Vahl subsp. *oxycarpa* (M.Bieb. ex Willd.) Franco & Rocha Afonso  
*Fraxinus excelsior* L. subsp. *excelsior*  
ET *Fraxinus excelsior* L. subsp. *siciliensis* Ildari & Raimondo  
*Fraxinus ornus* L. subsp. *ornus*  
*Ligustrum vulgare* L.  
*Olea europaea* L.  
*Phillyrea angustifolia* L.

*Phillyrea latifolia* L.

Plantaginaceae

*Anarrhinum bellidifolium* (L.) Willd.E *Anarrhinum corsicum* Jord. & Fourr.*Antirrhinum latifolium* Mill.E *Antirrhinum majus* L. subsp. *tortuosum* (Bosc. ex Lam.) Rouy*Antirrhinum siculum* Mill.*Callitricha brutia* Petagna*Callitricha cophocarpa* Sendtn.*Callitricha cibrosa* Schotsman*Callitricha hermaphroditica* L.*Callitricha lenisulca* Clavaud*Callitricha lusitanica* Schotsman*Callitricha obtusangula* Le Gall*Callitricha palustris* L.*Callitricha platycarpa* Kütz.*Callitricha stagnalis* Scop.*Callitricha truncata* Guss. subsp. *occidentalis* (Rouy) Braun-Blanq.*Callitricha truncata* Guss. subsp. *truncata**Chaenorhinum minus* (L.) Lange subsp. *litorale* (Willd.) Hayek*Chaenorhinum minus* (L.) Lange subsp. *minus**Chaenorhinum origanifolium* (L.) Kostel. subsp. *origanifolium**Chaenorhinum rubrifolium* (Robill. & Castagne ex DC.) Fourr. subsp. *rubrifolium**Cymbalaria aequitriloba* (Viv.) A.Chev. subsp. *aequitriloba*E *Cymbalaria glutinosa* Bigazzi & Raffaelli subsp. *brevicalcarata* Bigazzi & RaffaelliE *Cymbalaria glutinosa* Bigazzi & Raffaelli subsp. *glutinosa*E *Cymbalaria mulleri* (Moris) A.Chev.*Cymbalaria muralis* G.Gaertn., B.Mey. & Scherb. subsp. *muralis**Cymbalaria muralis* G.Gaertn., B.Mey. & Scherb. subsp. *visianii* (Jav.) D.A.WebbE *Cymbalaria pallida* (Ten.) Wettst.E *Cymbalaria pubescens* (C.Presl) Cufod.*Digitalis ferruginea* L.*Digitalis grandiflora* Mill.*Digitalis laevigata* Waldst. & Kit. subsp. *laevigata**Digitalis lutea* L.E *Digitalis micrantha* Roth ex Schweigg.*Digitalis purpurea* L.*Erinus alpinus* L.*Globularia alypum* L.*Globularia bisnagarica* L.*Globularia cordifolia* L.E *Globularia incanescens* Viv.T *Globularia meridionalis* (Podp.) O.SchwarzET *Globularia neapolitana* O.Schwarz*Globularia nudicaulis* L.*Globularia repens* Lam.*Gratiola officinalis* L.*Hippuris vulgaris* L.*Kickxia cirrhosa* (L.) Fritsch*Kickxia commutata* (Bernh. ex Rchb.) Fritsch subsp. *commutata*T *Kickxia commutata* (Bernh. ex Rchb.) Fritsch subsp. *graeca* (Bory & Chaub.) R.Fern.T *Kickxia elatine* (L.) Dumort. subsp. *crinita* (Mabille) GreuterT *Kickxia elatine* (L.) Dumort. subsp. *elatine*T *Kickxia spuria* (L.) Dumort. subsp. *integrifolia* (Brot.) R.Fern.*Kickxia spuria* (L.) Dumort. subsp. *spuria**Linaria alpina* (L.) Mill.*Linaria angustissima* (Loisel.) BorbásE *Linaria arcusangeli* Atzei & Camarda*Linaria arvensis* (L.) Desf.E *Linaria capraria* Moris & De Not.*Linaria chalepensis* (L.) Mill.*Linaria cossonii* Barratte*Linaria dalmatica* (L.) Mill.E *Linaria flava* (Poir.) Desf. subsp. *sardoa* (Sommier) A.Terracc.*Linaria genistifolia* (L.) Mill.*Linaria micrantha* (Cav.) Hoffmanns. & LinkE *Linaria multicaulis* (L.) Mill. subsp. *aetnensis* Giardina & ZizzaE *Linaria multicaulis* (L.) Mill. subsp. *humilis* (Guss.) De Leon., Giardina & ZizzaE *Linaria multicaulis* (L.) Mill. subsp. *multicaulis**Linaria pelisseriana* (L.) Mill.E *Linaria pseudolaxiflora* Lojac.E *Linaria purpurea* (L.) Mill.T *Linaria reflexa* (L.) Desf. subsp. *lubbockii* (Batt.) Brullo*Linaria reflexa* (L.) Desf. subsp. *reflexa**Linaria repens* (L.) Mill.*Linaria simplex* (Willd.) Desf.*Linaria supina* (L.) Chaz. subsp. *supina*

- E *Linaria tonzigii* Lona  
*Linaria triphylla* (L.) Mill.  
*Linaria vulgaris* Mill. subsp. **vulgaris**  
*Littorella uniflora* (L.) Asch.  
*Misopates calycinum* Rothm.  
*Misopates orontium* (L.) Raf.  
*Paederota bonarota* (L.) L.  
*Paederota lutea* Scop.  
*Plantago afra* L. subsp. **afra**
- T *Plantago afra* L. subsp. *zwierleinii* (Nicotra) Brullo  
*Plantago albicans* L.  
*Plantago alpina* L.  
*Plantago altissima* L.  
*Plantago amplexicaulis* Cav. subsp. **amplexicaulis**  
*Plantago arenaria* Waldst. & Kit.  
*Plantago argentea* Chaix subsp. **argentea**
- T *Plantago argentea* Chaix subsp. *liburnica* Ravnik  
*Plantago atrata* Hoppe subsp. **atrata**
- T *Plantago atrata* Hoppe subsp. *fuscescens* (Jord.) Pilg.  
*Plantago bellardii* All. subsp. **bellardii**
- T *Plantago bellardii* All. subsp. *deflexa* (Pilg.) Rech.f.  
*Plantago cornutii* Gouan  
*Plantago coronopus* L.  
*Plantago crassifolia* Forssk.  
*Plantago cupanii* Guss.  
*Plantago humilis* Guss.  
*Plantago lagopus* L.  
*Plantago lanceolata* L.  
*Plantago macrorhiza* Poir.  
*Plantago major* L.  
*Plantago maritima* L. subsp. **maritima**  
*Plantago maritima* L. subsp. *serpentina* (All.) Arcang.
- E *Plantago media* L. subsp. **brutia** (Ten.) Arcang. – For the taxonomy of this subspecies, see Palermo et al. (2010).  
*Plantago media* L. subsp. **media**
- E *Plantago peloritana* Lojac.  
*Plantago sarda* C.Presl  
*Plantago sempervirens* Crantz  
*Plantago serraria* L.  
*Plantago subulata* L. – Note: A recent study (Hassemer et al. 2017), based on herbarium specimens observations only, proposed to consider *P. holosteum* Scop. and *P. grovesii* Brullo as heterotypic synonyms of *P. subulata* L. Hassemer et al. (2017) do not mention other related taxa, such as *P. sarda* C.Presl and *P. humilis* Guss. A biometric and karyological study is in progress to clarify the biogeographical and taxonomical relationship among all the taxa cited above.  
*Plantago weldenii* Rchb.  
*Veronica acinifolia* L.  
*Veronica agrestis* L.  
*Veronica allionii* Vill.  
*Veronica alpina* L.  
*Veronica anagallis-aquatica* L. subsp. **anagallis-aquatica**  
*Veronica anagalloides* Guss.  
*Veronica angustifolia* (Vahl) Watzl – Note: For the taxonomy of this species, see Padilla-García et al. (2018).  
*Veronica aphylla* L. subsp. **aphylla**
- E *Veronica aphylla* L. subsp. *longistyla* (Ball) Arcang.  
*Veronica arvensis* L.  
*Veronica austriaca* L. subsp. *jacquinii* (Baumg.) Watzl  
*Veronica barrelieri* H.Schott ex Roem. & Schult. subsp. **barrelieri**  
*Veronica barrelieri* H.Schott ex Roem. & Schult. subsp. *nitens* (Host) Albach  
*Veronica beccabunga* L.  
*Veronica bellidioides* L.  
*Veronica catenata* Pennell  
*Veronica chamaedrys* L. subsp. **chamaedrys**  
*Veronica chamaedrys* L. subsp. *micans* M.A.Fisch.  
*Veronica cymbalaria* Bodard subsp. **cymbalaria**  
*Veronica cymbalaria* Bodard subsp. *panormitana* (Guss.) Nyman
- T *Veronica dillenii* Crantz  
*Veronica fruticans* Jacq.  
*Veronica fruticulosa* L.  
*Veronica hederifolia* L.  
*Veronica kindlii* Adamović – Note: For the taxonomy and distribution of this species, see Padilla-García et al. (2018). Since these authors studied only plants from Pollino and Sila Massifs in southern Italy (BAS, CAL), the records of '*V. austriaca*' from ABR, CAM and LAZ are provisionally referred here.  
*Veronica maritima* L.  
*Veronica montana* L.  
*Veronica officinalis* L.  
*Veronica opaca* Fr.  
*Veronica orsiniana* Ten.  
*Veronica polita* Fr.  
*Veronica praecox* All.  
*Veronica prostrata* L.  
*Veronica scutellata* L.  
*Veronica serpyllifolia* L.



*Veronica spicata* L. subsp. *fischeri* (Trávn.) Albach

*Veronica spicata* L. subsp. *spicata*

*Veronica sublobata* M.A.Fisch.

*Veronica trichadena* Jord. & Fourr.

*Veronica triloba* Opiz

*Veronica triphyllus* L.

*Veronica urticifolia* Jacq.

E *Veronica verna* L. subsp. *brevistyla* (Moris) Rouy

*Veronica verna* L. subsp. *verna*

*Wulfenia carinthiaca* Jacq.

Scrophulariaceae

*Limosella aquatica* L.

*Scrophularia auriculata* L. subsp. *auriculata*

*Scrophularia canina* L.

*Scrophularia frutescens* L.

*Scrophularia hoppei* W.D.J.Koch

*Scrophularia lucida* L.

E *Scrophularia morisii* Vals.

*Scrophularia nodosa* L.

*Scrophularia oblongifolia* Loisel.

*Scrophularia peregrina* L.

*Scrophularia ramosissima* Loisel.

*Scrophularia scopolii* Hoppe ex Pers.

E *Scrophularia trifoliata* L. – Note: For the typification of this name, see Peruzzi et al. (2013c).

*Scrophularia umbrosa* Dumort. subsp. *umbrosa*

*Scrophularia vernalis* L.

*Verbascum alpinum* Turra

E *Verbascum argenteum* Ten.

*Verbascum blattaria* L.

*Verbascum boerhavii* L.

*Verbascum chaixii* Vill. subsp. *austriacum* (Schott ex Roem. & Schult.) Hayek

*Verbascum chaixii* Vill. subsp. *chaixii*

E *Verbascum conocarpum* Moris subsp. *conocarpum*

*Verbascum creticum* (L.) Kuntze

*Verbascum densiflorum* Bertol.

*Verbascum longifolium* Ten.

*Verbascum lychnitis* L.

*Verbascum macrurum* Ten.

E *Verbascum magellense* Ten.

*Verbascum mallophorum* Boiss. & Heldr.

*Verbascum nigrum* L.

ET *Verbascum niveum* Ten. subsp. *garganicum* (Ten.) Murb.

ET *Verbascum niveum* Ten. subsp. *inarimense* Murb.

*Verbascum niveum* Ten. subsp. *niveum*

*Verbascum phlomoides* L.

*Verbascum phoeniceum* L.

E *Verbascum plantagineum* Moris

*Verbascum pulverulentum* Vill.

*Verbascum rotundifolium* Ten.

*Verbascum samniticum* Ten.

E *Verbascum siculum* Tod. ex Lojac.

*Verbascum sinuatum* L.

*Verbascum thapsus* L. subsp. *montanum* (Schrad.) Bonnier & Layens

*Verbascum thapsus* L. subsp. *thapsus*

Lamiaceae

Taxonomic references: *Stachys* L. (incl. *Prasium* L. and *Sideritis* L.) (Bartolucci et al. 2014b; Galasso et al. 2016b).

*Acanthoprasium frutescens* (L.) Spenn.

*Ajuga chamaepitys* (L.) Schreb. subsp. *chamaepitys*

*Ajuga chamaepitys* (L.) Schreb. subsp. *chia* (Schreb.) Arcang.

*Ajuga chamaepitys* (L.) Schreb. subsp. *suffrutescens* (Willk.) Greuter & Brudet

*Ajuga genevensis* L.

*Ajuga iva* (L.) Schreb. subsp. *iva*

T *Ajuga iva* (L.) Schreb. subsp. *pseudoiva* (DC.) Briq.

*Ajuga orientalis* L.

*Ajuga pyramidalis* L.

*Ajuga reptans* L.

E *Ajuga tenorei* C.Presl

*Ballota hispanica* (L.) Benth.

T *Ballota nigra* L. subsp. *meridionalis* (Bég.) Bég.

*Ballota nigra* L. subsp. *nigra*

T *Ballota nigra* L. subsp. *uncinata* (Fiori & Bég.) Patzak

T *Ballota nigra* L. subsp. *velutina* (Posp.) Patzak

*Betonica alopecuros* L. subsp. *alopecuros*

E *Betonica alopecuros* L. subsp. *divulsa* (Ten.) Bartolucci & Peruzzi

*Betonica hirsuta* L.

*Betonica officinalis* L. – Note: *Betonica serotina* Host is provisionally included here.

- Chaiturus marrubiastrum* (L.) Ehrh. ex Rchb.  
*Clinopodium acinos* (L.) Kuntze subsp. *acinos*  
*Clinopodium acinos* (L.) Kuntze subsp. *villosum* (Gaudin) Peruzzi & F.Conti  
*Clinopodium alpinum* (L.) Merino subsp. *alpinum*  
*Clinopodium alpinum* (L.) Merino subsp. *meridionale* (Nyman) Govaerts  
E *Clinopodium alpinum* (L.) Merino subsp. *nebrodense* (A.Kern. & Strobl) Bartolucci & F.Conti  
*Clinopodium eiseleanum* (F.W.Schultz) Peruzzi & F.Conti  
*Clinopodium grandiflorum* (L.) Kuntze  
*Clinopodium graveolens* (M.Bieb.) Kuntze  
E *Clinopodium minae* (Lojac.) Peruzzi & F.Conti  
T *Clinopodium nepeta* (L.) Kuntze subsp. *ascendens* (Jord.) B.Bock  
*Clinopodium nepeta* (L.) Kuntze subsp. *nepeta*  
T *Clinopodium nepeta* (L.) Kuntze subsp. *spruneri* (Boiss.) Bartolucci & F.Conti  
T *Clinopodium nepeta* (L.) Kuntze subsp. *sylvaticum* (Bromf.) Peruzzi & F.Conti  
E *Clinopodium raimondoi* Spadaro, Faqi & Mazzola  
E *Clinopodium sandalioticum* (Bacch. & Brullo) Bacch. & Brullo ex Peruzzi & F.Conti  
E *Clinopodium sardoum* (Asch. & Levier) Peruzzi & F.Conti  
*Clinopodium serpyllifolium* (M.Bieb.) Kuntze subsp. *fruticosum* (L.) Bräuchler  
*Clinopodium suaveolens* (Sm.) Kuntze  
*Clinopodium subnudum* (Waldst. & Kit.) Kuntze  
*Clinopodium thymifolium* (Scop.) Kuntze  
*Clinopodium vulgare* L. subsp. *arundanum* (Boiss.) Nyman  
*Clinopodium vulgare* L. subsp. *vulgare*  
*Dracocephalum austriacum* L.  
*Dracocephalum ruyschiana* L.  
*Galeopsis angustifolia* Ehrh. ex Hoffm. subsp. *angustifolia*  
*Galeopsis bifida* Boenn.  
*Galeopsis ladanum* L.  
*Galeopsis pubescens* Besser  
*Galeopsis reuteri* Rchb.f.  
*Galeopsis segetum* Neck.  
*Galeopsis speciosa* Mill.  
*Galeopsis sulphurea* Jord.  
*Galeopsis tetrahit* L.  
*Glechoma hederacea* L.  
*Glechoma hirsuta* Waldst. & Kit.  
E *Glechoma sardoa* (Bég.) Bég.  
*Horminum pyrenaicum* L.  
T *Hyssopus officinalis* L. subsp. *aristatus* (Godr.) Nyman  
*Hyssopus officinalis* L. subsp. *officinalis*  
*Lamium album* L. subsp. *album*  
*Lamium amplexicaule* L.  
*Lamium bifidum* Cirillo subsp. *balcanicum* Velen.  
*Lamium bifidum* Cirillo subsp. *bifidum*  
*Lamium flexuosum* Ten.  
*Lamium galeobdolon* (L.) L. subsp. *flavidum* (F.Herm.) A.Löve & D.Löve  
*Lamium galeobdolon* (L.) L. subsp. *galeobdolon*  
*Lamium galeobdolon* (L.) L. subsp. *montanum* (Pers.) Hayek  
E *Lamium garganicum* L. subsp. *corsicum* (Godr. & Gren.) Arcang.  
*Lamium garganicum* L. subsp. *garganicum*  
*Lamium garganicum* L. subsp. *laevigatum* Arcang.  
*Lamium garganicum* L. subsp. *striatum* (Sm.) Hayek  
*Lamium hybridum* Vill.  
*Lamium maculatum* L.  
*Lamium orvala* L.  
*Lamium purpureum* L.  
*Lavandula angustifolia* Mill.  
E *Lavandula austroapennina* N.G.Passal., Tundis & Upson  
*Lavandula latifolia* Medik.  
*Lavandula multifida* L.  
*Lavandula stoechas* L. subsp. *stoechas*  
*Lycopus europaeus* L.  
*Lycopus exaltatus* L.f.  
*Marrubium alysson* L.  
*Marrubium incanum* Desr.  
*Marrubium vulgare* L.  
*Melissa officinalis* L. subsp. *altissima* (Sm.) Arcang.  
C *Melissa officinalis* L. subsp. *officinalis*  
*Melittis melissophyllum* L. subsp. *albida* (Guss.) P.W.Ball  
*Melittis melissophyllum* L. subsp. *melissophyllum*  
*Mentha aquatica* L. subsp. *aquatica*  
*Mentha arvensis* L.  
*Mentha cervina* L.  
*Mentha longifolia* (L.) L.  
*Mentha micropylla* K.Koch  
*Mentha pulegium* L. subsp. *pulegium*  
E *Mentha requienii* Benth. subsp. *bistaminata* Mannocci & Falconcini  
E *Mentha requienii* Benth. subsp. *requienii*



- Mentha spicata** L.  
**T** *Mentha suaveolens* Ehrh. subsp. *insularis* (Req.) Greuter  
*Mentha suaveolens* Ehrh. subsp. *suaveolens*  
**E** *Micromeria cordata* (Moris ex Bertol.) Moris  
*Micromeria filiformis* (Aiton) Benth. subsp. *filiformis*  
**ET** *Micromeria graeca* (L.) Benth. ex Rchb. subsp. *consentina* (Ten.) Guinea  
**T** *Micromeria graeca* (L.) Benth. ex Rchb. subsp. *fruticulosa* (Bertol.) Guinea  
**ET** *Micromeria graeca* (L.) Benth. ex Rchb. subsp. *garganica* (Briq.) Guinea  
*Micromeria graeca* (L.) Benth. ex Rchb. subsp. *graeca*  
**ET** *Micromeria graeca* (L.) Benth. ex Rchb. subsp. *longiflora* (C.Presl) Nyman  
**ET** *Micromeria graeca* (L.) Benth. ex Rchb. subsp. *tenuifolia* (Ten.) Nyman  
*Micromeria juliana* (L.) Benth. ex Rchb.  
*Micromeria marginata* (Sm.) Chater  
*Micromeria microphylla* (d'Urv.) Benth.  
*Micromeria nervosa* (Desf.) Benth.  
*Moluccella spinosa* L.  
*Nepeta apuleii* Ucria  
*Nepeta cataria* L.  
**E** *Nepeta foliosa* Moris  
*Nepeta italicica* L.  
*Nepeta nepetella* L. subsp. *nepetella*  
*Nepeta nuda* L. subsp. *nuda*  
*Nepeta tuberosa* L. subsp. *tuberosa*  
*Origanum onites* L.  
**T** *Origanum vulgare* L. subsp. *prismaticum* Gaudin  
**T** *Origanum vulgare* L. subsp. *viridulum* (Martrin-Donos) Nyman  
*Origanum vulgare* L. subsp. *vulgare*  
*Phlomis fruticosa* L.  
*Phlomis herba-venti* L. subsp. *herba-venti*  
**DD** *Phlomis lanata* Willd.  
**E** *Phlomis tenorei* Soldano  
*Prunella grandiflora* (L.) Scholler  
*Prunella hyssopifolia* L.  
*Prunella laciniata* (L.) L.  
*Prunella vulgaris* L. subsp. *vulgaris*  
*Salvia aethiopis* L.  
*Salvia argentea* L.  
**E** *Salvia ceratophylloides* Ard.  
*Salvia clandestina* L.  
**E** *Salvia desoleana* Atzei & V.Picci  
**ET** *Salvia fruticosa* Mill. subsp. *thomasii* (Lacaita) Brullo, Guglielmo, Pavone & Terrasi  
*Salvia glutinosa* L.  
**E** *Salvia haematodes* L.  
*Salvia nemorosa* L. subsp. *nemorosa*  
**T** *Salvia officinalis* L. subsp. *gallica* (W.Lippert) Reales, D.Rivera & Obón  
*Salvia officinalis* L. subsp. *officinalis*  
*Salvia pratensis* L. subsp. *pratensis*  
**E** *Salvia pratensis* L. subsp. *saccardiana* (Pamp.) Poldini  
*Salvia rosmarinus* Schleid.  
*Salvia sclarea* L.  
*Salvia verbenaca* L.  
*Salvia verticillata* L. subsp. *verticillata*  
*Salvia virgata* Jacq.  
*Salvia viridis* L.  
*Satureja cuneifolia* Ten.  
*Satureja montana* L. subsp. *montana*  
*Satureja montana* L. subsp. *variegata* (Host) P.W.Ball  
*Satureja subspicata* Bartl. ex Vis. subsp. *liburnica* Šilic  
*Satureja thymbra* L.  
*Scutellaria alpina* L. subsp. *alpina*  
*Scutellaria altissima* L.  
**ET** *Scutellaria columnae* All. subsp. *columnae*  
*Scutellaria columnae* All. subsp. *gussonei* (Ten.) Arcang.  
*Scutellaria galericulata* L.  
*Scutellaria hastifolia* L.  
*Scutellaria minor* Huds.  
**E** *Scutellaria rubicunda* Hornem.  
*Stachys alpina* L. subsp. *alpina*  
*Stachys annua* (L.) L. subsp. *annua*  
*Stachys arenaria* Vahl subsp. *arenaria*  
*Stachys arvensis* (L.) L.  
*Stachys brachyclada* Noë ex Coss.  
**E** *Stachys corsica* Pers.  
*Stachys cretica* L.  
**ET** *Stachys germanica* L. subsp. *dasyanthes* (Raf.) Arcang.  
*Stachys germanica* L. subsp. *germanica*  
**T** *Stachys germanica* L. subsp. *salviifolia* (Ten.) Gams  
**E** *Stachys glutinosa* L.

- Stachys guillonii* (Timb.-Lagr.) Soldano, Peruzzi & Bartolucci subsp. *hyssopifolia* (L.) Soldano, Peruzzi & Bartolucci  
*Stachys heraclea* All.  
E *Stachys italicica* Mill.  
*Stachys major* (L.) Bartolucci & Peruzzi  
*Stachys maritima* Gouan  
*Stachys marrubifolia* Viv.  
*Stachys montana* (L.) Peruzzi & Bartolucci subsp. *montana*  
*Stachys ocystraum* (L.) Briq.  
*Stachys palustris* L.  
T *Stachys recta* L. subsp. *grandiflora* (Caruel) Arcang.  
*Stachys recta* L. subsp. *recta*  
T *Stachys recta* L. subsp. *subcrenata* (Vis.) Briq.  
ET *Stachys recta* L. subsp. *tenoreana* Bornm.  
*Stachys romana* (L.) E.H.L.Krause  
*Stachys rossii* (Peris, Stübing, Jury & Rejdali) Bartolucci, Peruzzi & Soldano  
E *Stachys salisi* Jord. & Fourr.  
*Stachys sylvatica* L.  
*Stachys thirkei* K.Koch  
*Stachys tymphaea* Hausskn.  
*Teucrium botrys* L.  
*Teucrium campanulatum* L.  
*Teucrium capitatum* L. subsp. *capitatum*  
*Teucrium chamaedrys* L. subsp. *chamaedrys*  
T *Teucrium chamaedrys* L. subsp. *pectinatum* Rech.f.  
*Teucrium creticum* L.  
*Teucrium flavum* L. subsp. *flavum*  
*Teucrium flavum* L. subsp. *glaucum* (Jord. & Fourr.) Ronniger  
*Teucrium fruticans* L. subsp. *fruticans*  
*Teucrium lucidum* L.  
*Teucrium luteum* (Mill.) Degen  
*Teucrium marum* L.  
*Teucrium massiliense* L.  
*Teucrium montanum* L.  
*Teucrium polium* L. subsp. *polium*  
*Teucrium polium* L. subsp. *purpurascens* (Benth.) S.Puech  
*Teucrium scordium* L. subsp. *scordioides* (Schreb.) Arcang.  
*Teucrium scordium* L. subsp. *scordium*  
*Teucrium scorodonia* L.  
E *Teucrium siculum* (Raf.) Guss. subsp. *euganeum* (Vis.) Tornad.  
*Teucrium siculum* (Raf.) Guss. subsp. *siculum*  
*Teucrium spinosum* L.  
*Teucrium subspinosum* Pourr. ex Willd.  
*Thymbra capitata* (L.) Cav.  
*Thymus carstiensis* (Velen.) Ronniger – Note: This species was considered as a hybrid between *Th. longicaulis* C.Presl and *Th. pulegioides* L., but it has been recently reevaluated as an independent species (Bartolucci et al. 2017c).  
*Thymus herba-barona* Loisel. – Note: For the taxonomy of this species, see Molins et al. (2011).  
*Thymus illyricus* Ronniger  
*Thymus longicaulis* C.Presl subsp. *longicaulis* – Note: All the Alpine records of this species have to be referred to other taxa (Bartolucci and Domina 2014).  
*Thymus moesiacus* Velen. – Note: Several records of *Th. oenipontanus* Heinr.Braun ex Borbás from central and southern Italy should be referred to this species. *Thymus moesiacus* [= *Th. chaubardii* (Boiss. & Heldr. ex Rchb.f.) Čelak. var. *subisophyllus* Borbás ≡ *Th. longicaulis* C.Presl var. *subisophyllus* (Borbás) Jalas] is closely related to *Th. glabrescens* Willd. subsp. *urumovii* (Velen.) Jalas. [= *Th. callieri* Borbás ex Velen. var. *microcalyx* Degen & Urum.], and further studies are needed to establish the systematic relationships among these taxa.  
*Thymus oenipontanus* Heinr.Braun ex Borbás – Note: The distribution of this species needs further investigations. For its nomenclature, see Bartolucci and Scharfetter (2015).  
E *Thymus paronychioides* Čelak. – Note: For the nomenclature, taxonomy and distribution of this species, belonging to *Th. sect. Hyphodromi* (A. Kern.) Halácsy, see Bartolucci and Peruzzi (2014) and Bartolucci and Domina (2015).  
E *Thymus picentinus* (Lacaita) Bartolucci – Note: The records of *Th. thracicus* Velen. from southern Italy have to be referred to this species (Bartolucci et al. 2013; Bartolucci and Mráz 2016).  
E *Thymus praecox* Opiz subsp. *parvulus* (Lojac.) Bartolucci, Peruzzi & N.G.Passal.  
*Thymus praecox* Opiz subsp. *polytrichus* (A.Kern ex Borbás) Jalas  
*Thymus praecox* Opiz subsp. *praecox*  
T *Thymus pseudochamaedrys* (Heinr.Braun) Ronniger – Note: The taxonomic identity of this species, closely related to *Th. oenipontanus* Heinr.Braun ex Borbás, is still unclear. In addition, both these names are yet to be typified.  
*Thymus pulegioides* L. – Note: It is a highly polymorphic species, which is generally divided into different subspecies [i.e. *Th. pulegioides* subsp. *chamaedrys* (Fr.) Guşul, subsp. *effusus* (Host) Ronniger, subsp. *montanus* (Benth.) Ronniger and subsp. *pannonicus* (All.) Kerguélen] on the basis of calyx length, leaf length and width, inflorescence length and leaf hairiness. Considering the morphological variability observed in the putative diagnostic characters, the constant presence of intermediate forms, the absence of any ecological or geographical discontinuity, it is impossible to justify any subdivision of *Th. pulegioides* in subspecies. Waiting for further studies, we can recognize just two varieties: the glabrous plants pertain to var. *pulegioides* (*Th. glaber* Mill., *Th. ovatus* Mill., *Th. chamaedrys* Fr., *Th. pulegioides* subsp. *montanus* (Benth.) Ronniger, incl. *Th. istriacus* Heinr. Braun, *Th. alpestris* auct. Fl. Ital.) and hairy plants pertain to var. *vestitus* (Lange) Jalas (*Th. lanuginosus* Mill., *Th. pannonicus* All., *Th. froelichianus* Opiz, *Th. carniolicus* Borbás ex Déségl., *Th. valderius* Ronniger) (Bartolucci et al. 2013).  
E *Thymus richardii* Pers. subsp. *nitidus* (Guss.) Jalas  
E *Thymus spinulosus* Ten.  
*Thymus striatus* Vahl subsp. *acicularis* (Waldst. & Kit.) Ronniger  
*Thymus striatus* Vahl subsp. *striatus*  
*Thymus vallicola* (Heinr.Braun) Ronniger  
*Thymus vulgaris* L. subsp. *vulgaris*



***Thymus zygiformis*** Heinr.Braun – Note: The records of *Th. thracicus* Velen. from central Italy have to be referred to this species (Bartolucci and Walter 2015).

Only *Th. zygiformis* var. *magellensis* (Ronniger) Bartolucci & J.Walter occurs in Italy.

***Vitex agnus-castus* L.**

Orobanchaceae

Taxonomic references: *Bartsia* L., *Bellardia* All., and *Parentucellia* Viv. (Uribe-Convers and Tank 2016); *Odontites* Ludw. (Pinto-Carrasco et al. 2017); *Phelipanche* Pomel (Domina 2017).

***Bartsia alpina* L.**

*Bellardia trixago* (L.) All.

*Bellardia viscosa* (L.) Fisch. & C.A.Mey.

*Euphrasia alpina* Lam. subsp. *alpina*

*Euphrasia alpina* Lam. subsp. *christii* (Favrat) Hayek

*Euphrasia cislalpina* Pugsley

*Euphrasia cuspidata* Host

*Euphrasia hirtella* Jord. ex Reut.

*Euphrasia illyrica* Wettst.

*Euphrasia italicica* Wettst.

*Euphrasia liburnica* Wettst.

*Euphrasia marchesettii* Wettst. ex Marches.

*Euphrasia micrantha* Rchb.

*Euphrasia minima* Jacq. ex DC.

E ***Euphrasia nana* (Rouy) Prain**

*Euphrasia officinalis* L. subsp. *kernerii* (Wettst.) Eb.Fisch.

*Euphrasia officinalis* L. subsp. *picta* (Wimm.) Oborny

*Euphrasia officinalis* L. subsp. *rostkoviana* (Hayne) Towns.

*Euphrasia portae* Wettst.

*Euphrasia salisburgensis* Funck ex Hoppe

*Euphrasia stricta* D.Wolff ex J.F.Lehm.

E ***Euphrasia tricuspidata* L.**

*Lathraea clandestina* L.

*Lathraea squamaria* L.

*Melampyrum arvense* L. subsp. *arvense*

*Melampyrum barbatum* Waldst. & Kit. subsp. *carstiense* Ronniger

*Melampyrum catalaunicum* Freyn

*Melampyrum cristatum* L. subsp. *cristatum*

*Melampyrum fimbriatum* Vandas

E ***Melampyrum italicum* (Beauverd) Soó**

*Melampyrum nemorosum* L.

T ***Melampyrum pratense* L. subsp. *commutatum*** (Tausch ex A.Kern.) C.E.Britton

*Melampyrum pratense* L. subsp. *pratense*

*Melampyrum sylvaticum* L. subsp. *sylvaticum*

E ***Melampyrum variegatum* (Porta & Rigo) Huter**

*Melampyrum velebiticum* Borbás

ET ***Odontites bocconeii* (Guss.) Walp. subsp. *angustifolius* (Lojac.) Giardina & Raimondo**

E ***Odontites bocconeii* (Guss.) Walp. subsp. *bocconeii***

E ***Odontites corsicus* (Loisel.) G.Don**

*Odontites luteus* (L.) Clairv. subsp. *lanceolatus* (Gaudin) P.Fourn.

*Odontites luteus* (L.) Clairv. Subsp. *luteus*

E ***Odontites rigidifolius* (Biv.) Benth.**

E ***Odontites sillettii* Brullo, V.Tomas. & Wagens. – Note: For the taxonomy and distribution of this species, see Brullo et al. (2015b).**

*Odontites vernus* (Bellardi) Dumort. subsp. *serotinus* (Dumont.) Corb.

*Odontites vernus* (Bellardi) Dumort. subsp. *siculus* (Guss.) P.D.Sell

*Odontites vernus* (Bellardi) Dumort. subsp. *vernus*

*Odontites viscosus* (L.) Clairv. subsp. *viscosus*

*Orobanche alba* Stephan ex Willd.

*Orobanche alsatica* Kirsch.

*Orobanche amethystea* Thuill.

E ***Orobanche apuana* Domina & Soldano**

*Orobanche artemisiae-campestris* Gaudin

E ***Orobanche australis* Moris ex Bertol.**

*Orobanche balsensis* (J.A.Guim.) Carlón, M.Laínz, Moreno Mor. & Ó.Sánchez

*Orobanche canescens* C.Presl

*Orobanche caryophyllacea* Sm.

*Orobanche cernua* Loefl.

E ***Orobanche chironii* Lojac.**

*Orobanche crenata* Forssk.

*Orobanche crinita* Viv.

*Orobanche cumana* Wallr.

E ***Orobanche denudata* Moris**

*Orobanche ebuli* Huter & Rigo

*Orobanche elatior* Sutton

*Orobanche flava* Mart. ex F.W.Schultz

*Orobanche foetida* Poir.

*Orobanche gracilis* Sm.

*Orobanche hederae* Vaucher ex Duby

*Orobanche kochii* F.W.Schultz

*Orobanche laserpitii-sileris* Reut. ex Jord.

*Orobanche litorea* Guss.

- Orobanche lucorum* A.Braun ex F.W.Schultz  
*Orobanche lutea* Baumg.  
*Orobanche lycoctoni* Rhiner  
*Orobanche minor* Sm.  
*Orobanche pancicii* Beck  
*Orobanche pubescens* d'Urv.  
*Orobanche rapum-genistae* Thuill.  
*Orobanche reticulata* Wallr. subsp. *reticulata*
- E    *Orobanche rigens* Loisel.  
*Orobanche salviae* F.W.Schultz  
*Orobanche sanguinea* C.Presl  
*Orobanche teucrii* Holandre
- E    *Orobanche thapsoides* Lojac.  
*Orobanche variegata* Wallr.  
*Parentucellia latifolia* (L.) Caruel  
*Pedicularis acaulis* Scop.  
*Pedicularis ascendens* Schleich. ex Gaudin  
*Pedicularis asplenifolia* Flörke ex Willd.  
*Pedicularis cenisia* Gaudin  
*Pedicularis comosa* L. subsp. *comosa*
- E    *Pedicularis elegans* Ten.  
*Pedicularis elongata* A.Kern. subsp. *elongata*  
*Pedicularis elongata* A.Kern. subsp. *julica* (E.Mayer) Hartl  
*Pedicularis foliosa* L.  
*Pedicularis friderici-augusti* Tomm.  
*Pedicularis gyroflexa* Vill.  
*Pedicularis hacquetii* Graf  
*Pedicularis hoermanniana* K.Malý  
*Pedicularis kernerii* Dalla Torre  
*Pedicularis oederi* Vahl  
*Pedicularis palustris* L. subsp. *palustris*  
*Pedicularis petiolaris* Ten.  
*Pedicularis recutita* L.  
*Pedicularis rosea* Wulfen subsp. *allionii* (Rchb.f.) Arcang.  
*Pedicularis rosea* Wulfen subsp. *rosea*  
*Pedicularis rostratocapitata* Crantz  
*Pedicularis rostratospicata* Crantz subsp. *helvetica* (Steininger) O.Schwarz  
*Pedicularis rostratospicata* Crantz subsp. *rostratospicata*  
*Pedicularis sylvatica* L. subsp. *sylvatica*  
*Pedicularis tuberosa* L.  
*Pedicularis verticillata* L. subsp. *verticillata*  
*Phelipanche arenaria* (Borkh.) Pomel  
*Phelipanche lavandulacea* (Rchb.) Pomel subsp. *lavandulacea*  
*Phelipanche mutelii* (F.W.Schultz) Reut.  
*Phelipanche nana* (Reut.) Soják  
*Phelipanche oxyloba* (Reut.) Soják  
*Phelipanche purpurea* (Jacq.) Soják  
*Phelipanche ramosa* (L.) Pomel  
*Phelipanche rosmarina* (Welw. ex Beck) Banfi, Galasso & Soldano  
*Phelipanche schultzii* (Mutel) Pomel  
*Rhinanthus alectorolophus* (Scop.) Pollich subsp. *alectorolophus*  
*Rhinanthus angustifolius* C.C.Gmel. subsp. *angustifolius*  
*Rhinanthus antiquus* (Sterneck) Schinz & Thell.
- E    *Rhinanthus apuanus* Soldano  
*Rhinanthus burnatii* (Chabert) Soó  
*Rhinanthus facchinii* Chabert  
*Rhinanthus freynii* (Sterneck) Fiori  
*Rhinanthus glacialis* Personnat subsp. *glacialis*
- E    *Rhinanthus heleneae* Chabert  
*Rhinanthus minor* L.  
*Rhinanthus ovifugus* Chabert  
*Rhinanthus pamparinii* Chabert subsp. *pamparinii*  
*Rhinanthus pamparinii* Chabert subsp. *simplex* Zirnich & Cohrs  
*Rhinanthus pumilus* (Sterneck) Pau  
*Rhinanthus rumelicus* Velen.  
*Rhinanthus songeonii* Chabert
- E    *Rhinanthus wettsteinii* (Sterneck) Soó  
*Rhynchocorys elephas* (L.) Griseb.  
*Tozzia alpina* L. subsp. *alpina*
- Verbenaceae  
*Verbena officinalis* L.  
*Verbena supina* L.
- Linderniaceae  
*Lindernia procumbens* (Krockier) Philcox



## Acanthaceae

*Acanthus mollis* L. subsp. ***mollis****Acanthus spinosus* L.

## Lentibulariaceae

Taxonomic references: *Utricularia* L. (Astuti and Peruzzi, 2018).*Pinguicula alpina* L.E *Pinguicula apuana* Casper & AnsaldiE *Pinguicula christinae* Peruzzi & GestriE *Pinguicula fiorii* Tammaro & PaceC *Pinguicula grandiflora* Lam. subsp. ***grandiflora****Pinguicula hirtiflora* Ten.E *Pinguicula lattanziae* Peruzzi & GestriET *Pinguicula lavalvae* Innangi & Izzo – Note: According to De Castro et al. (2016), this species falls within the infraspecific variability of *P. hirtiflora*.*Pinguicula leptoceras* Rchb. Note: The nomenclature and taxonomy of the name *P. arvetii* Genty require further studies (De Castro et al. 2016).E *Pinguicula mariae* CasperE *Pinguicula poldinii* J.Steiger & Casper*Pinguicula reichenbachiana* Schindl.E *Pinguicula seuensis* Bacch., Carras & PeruzziE *Pinguicula vallis-regiae* F.Conti & PeruzziE *Pinguicula vulgaris* L. subsp. ***anzalonei*** Peruzzi & F.ContiE *Pinguicula vulgaris* L. subsp. ***ernica*** Peruzzi & F.ContiE *Pinguicula vulgaris* L. subsp. ***vestina*** F.Conti & Peruzzi*Pinguicula vulgaris* L. subsp. ***vulgaris****Utricularia australis* R.Br.T *Utricularia bremii* Heer ex Koell.*Utricularia minor* L.*Utricularia stygia* G.Thor*Utricularia vulgaris* L.

## Aquifoliaceae

*Ilex aquifolium* L.

## Campanulaceae

*Adenophora liliifolia* (L.) Ledeb. ex A.DC.*Asyneuma limonifolium* (L.) Janch. subsp. ***limonifolium***E *Asyneuma trichocalycinum* (Ten.) K.Malý*Campanula alpestris* All.*Campanula barbata* L.E *Campanula bertolae* Colla*Campanula bononiensis* L.*Campanula carnica* Schiede ex Mert. & W.D.J.Koch subsp. ***carnica***E *Campanula carnica* Schiede ex Mert. & W.D.J.Koch subsp. ***puberula*** Podlech*Campanula cenisia* L.*Campanula cervicaria* L.*Campanula cespitosa* Scop.*Campanula cochleariifolia* Lam.*Campanula dichotoma* L.E *Campanula elatines* L.E *Campanula elatinoides* Moretti*Campanula erinus* L.*Campanula excisa* Schleich. ex Murith*Campanula foliosa* Ten.E *Campanula forsythii* (Arcang.) Bég.E *Campanula fragilis* Cirillo subsp. ***cavolinii*** (Ten.) DamboldtE *Campanula fragilis* Cirillo subsp. ***fragilis****Campanula fritschii* WitasekE *Campanula garganica* Ten. subsp. ***garganica****Campanula glomerata* L.E *Campanula isophylla* Moretti*Campanula latifolia* L.*Campanula lingulata* Waldst. & Kit.*Campanula macrorhiza* J.Gay ex A.DC.E *Campanula martinii* F.Fen., Pistarino, Peruzzi & Cellin. – Note: For the taxonomy and distribution of this species, see Fenaroli et al. (2013).*Campanula medium* L.E *Campanula micrantha* Bertol.E *Campanula morettiana* Rchb.*Campanula patula* L. subsp. ***jahorinae*** (K.Malý) Greuter & Burdet*Campanula patula* L. subsp. ***patula****Campanula persicifolia* L. subsp. ***persicifolia****Campanula persicifolia* L. subsp. ***sessiliflora*** (K.Koch) Velen.E *Campanula petraea* L.*Campanula pyramidalis* L.E *Campanula raineri* Perp.*Campanula ramosissima* Sm.*Campanula rapunculoides* L. subsp. ***rapunculoides****Campanula rapunculus* L.

- E *Campanula reatina* Lucchese  
*Campanula rhomboidalis* L.  
*Campanula rotundifolia* L. subsp. *rotundifolia*
- E *Campanula sabatia* De Not.
- E *Campanula scheuchzeri* Vill. subsp. *pollinensis* (Podlech) Bernardo, Gargano & Peruzzi – Note: Giardina et al. (2007) consider *C. scheuchzeri* subsp. *marcenoi* (Brullo) Raimondo as a further subspecies, endemic to Sicily. However, these authors do not provide further experimental data to support their view, with respect to those presented by Bernardo et al. (2004). The latter authors, after a morphometric study, included *C. marcenoi* (Brullo 1993) within the variability of *C. scheuchzeri* subsp. *pollinensis*, and their proposal is supported here.
- E *Campanula scheuchzeri* Vill. subsp. *pseudostenocodon* (Lacaita) Bernardo, Gargano & Peruzzi  
*Campanula scheuchzeri* Vill. subsp. *scheuchzeri*  
*Campanula sibirica* L. subsp. *divergentiformis* (Jáv.) Domin  
*Campanula sibirica* L. subsp. *sibirica*  
*Campanula spicata* L.  
*Campanula stenocodon* Boiss. & Reut.
- E *Campanula tanfanii* Podlech  
*Campanula thyrsoides* L. subsp. *carniolica* (Sünd.) Podlech  
*Campanula thyrsoides* L. subsp. *thyrsoides*  
*Campanula trachelium* L. subsp. *trachelium*  
*Campanula versicolor* Andrews  
*Campanula witasekiana* Vierh.  
*Campanula zoysii* Wulfen  
*Edraianthus graminifolius* (L.) A.DC. subsp. *graminifolius*
- ET *Edraianthus graminifolius* (L.) A.DC. subsp. *siculus* (Strobl) Greuter & Burdet  
*Jasione laevis* Lam. subsp. *laevis*  
*Jasione maritima* (Duby) Merino  
*Jasione montana* L.  
*Jasione orbiculata* Griseb. ex Velen.
- E *Jasione sphaerocephala* Brullo, Marcenò & Pavone
- T *Legousia falcata* (Ten.) Janch. subsp. *castellana* (Lange) Jauzein  
*Legousia falcata* (Ten.) Janch. subsp. *falcata*  
*Legousia hybrida* (L.) Delarbre  
*Legousia speculum-veneris* (L.) Chaix  
*Physoplexis comosa* (L.) Schur  
*Phyteuma betonicifolium* Vill.  
*Phyteuma charmelii* Vill.  
*Phyteuma cordatum* Balb.  
*Phyteuma globulariifolium* Sternb. & Hoppe subsp. *globulariifolium*  
*Phyteuma globulariifolium* Sternb. & Hoppe subsp. *pedemontanum* (Rich.Schulz) Becherer  
*Phyteuma hedraianthifolium* Rich.Schulz  
*Phyteuma hemisphaericum* L.  
*Phyteuma humile* Schleich. ex Gaudin  
*Phyteuma italicum* Arv.-Touv.  
*Phyteuma michelii* All.  
*Phyteuma orbiculare* L.  
*Phyteuma ovatum* Honck. subsp. *ovatum*
- E *Phyteuma ovatum* Honck. subsp. *pseudospicatum* Pignatti  
*Phyteuma scheuchzeri* All. subsp. *columnae* (Gaudin) Bech.  
*Phyteuma scheuchzeri* All. subsp. *scheuchzeri*  
*Phyteuma sieberi* Spreng.  
*Phyteuma spicatum* L. subsp. *occidentale* Rich.Schulz  
*Phyteuma spicatum* L. subsp. *spicatum*  
*Phyteuma villarsii* Rich.Schulz  
*Phyteuma zahlbruckneri* Vest  
*Solenopsis bivonae* (Tineo) M.B.Crespo, Serra & Juan
- E *Solenopsis corsica* (Meikle) M.B.Crespo, Serra & Juan  
*Solenopsis laurentia* (L.) C.Presl
- ET *Solenopsis mothiana* C.Brullo, Brullo & Giusso
- E *Trachelium caeruleum* L. subsp. *lanceolatum* (Guss.) Arcang.  
*Wahlenbergia lobelioides* (L.f.) Link subsp. *nutabunda* (Guss.) Murb.
- Menyanthaceae  
*Menyanthes trifoliata* L.  
*Nymphoides peltata* (S.G.Gmel.) Kuntze

#### Asteraceae

Taxonomic references: *Centaurea* L. (Domina et al. 2016; 2017a); *Centaurea rupestris* L. group (Conti et al. 2011); *Jacobaea* Mill. (Nordenstam and Greuter 2006; Peruzzi et al. 2006; 2007; Passalacqua et al. 2008; Galasso and Bartolucci 2015); *Leontopodium* R.Br. ex Cass. (Blöch et al. 2010); *Omalotheca* Cass. (Nie et al. 2016; Bartolucci et al. 2017b); *Senecio* L. sect. *Crociseris* (Reich.) Boiss. (Calvo et al. 2015); *Taraxacum* F.H.Wigg. (Kirschner and Stepánek 1998; Arrigoni et al. 2006; Arrigoni 2007, 2012; Kirschner et al. 2007 onwards; Uhlemann 2007, 2017; Aquaro et al. 2008; 2009; Peruzzi et al. 2009; Carlesi and Peruzzi 2012; Štepánek and Kirschner 2012).

- Achillea ageratum* L.  
*Achillea atrata* L.  
E *Achillea barrelieri* (Ten.) Sch.Bip. subsp. *barrelieri*  
E *Achillea barrelieri* (Ten.) Sch.Bip. subsp. *elegans* (Fiori) Bazzich.  
E *Achillea barrelieri* (Ten.) Sch.Bip. subsp. *murronulata* (Bertol.) Heimerl  
*Achillea barrelieri* (Ten.) Sch.Bip. subsp. *oxyloba* (DC.) F.Conti & Soldano  
*Achillea clavennae* L.

- Achillea collina* (Becker ex Wirtg.) Heimerl  
*Achillea distans* Waldst. & Kit. ex Willd. subsp. *distans*  
*Achillea distans* Waldst. & Kit. ex Willd. subsp. *stricta* (Gremli) Janch.  
*Achillea distans* Waldst. & Kit. ex Willd. subsp. *tanacetifolia* (Fiori) Janch.  
*Achillea erba-rota* All. subsp. *erba-rota*  
*Achillea erba-rota* All. subsp. *moschata* (Wulfen) I.Richardson  
*Achillea ligustica* All.  
*Achillea macrophylla* L.  
*Achillea maritima* (L.) Ehrend. & Y.P.Guo subsp. *maritima*  
*Achillea millefolium* L. subsp. *millefolium*  
*Achillea millefolium* L. subsp. *sudetica* (Opiz) Oborny  
*Achillea nana* L.  
*Achillea nobilis* L. subsp. *neilreichii* (A.Kern.) Velen.  
*Achillea nobilis* L. subsp. *nobilis*  
*Achillea pannonica* Scheele  
*Achillea pratensis* Saukel & R.Länger  
*Achillea ptarmica* L.  
*Achillea roseoalba* Ehrend.  
ET *Achillea rupestris* Huter, Porta & Rigo subsp. *calcarea* (Huter, Porta & Rigo) Greuter  
E *Achillea rupestris* Huter, Porta & Rigo subsp. *rupestris*  
*Achillea setacea* Waldst. & Kit.  
E *Achillea tenorei* Grande  
*Achillea tomentosa* L.  
*Achillea virescens* (Fenzl) Heimerl  
*Adenostyles alliariae* (Gouan) A.Kern.  
*Adenostyles alpina* (L.) Bluff & Fingerh. subsp. *alpina*  
E *Adenostyles alpina* (L.) Bluff & Fingerh. subsp. *macrocephala* (Huter, Porta & Rigo) Dillenb. & Kadereit  
E *Adenostyles alpina* (L.) Bluff & Fingerh. subsp. *nebrodensis* (Wagenitz & I.Müll.) Greuter  
E *Adenostyles australis* (Ten.) Iamonico & Pignatti  
*Adenostyles leucophylla* (Willd.) Rchb.  
*Ambrosia maritima* L. – Note: The occurrence of this taxon in Italy is confirmed only in SAR (Orsenigo et al. 2017).  
*Anacyclus clavatus* (Desf.) Pers.  
*Anacyclus radiatus* Loisel. subsp. *radiatus*  
*Andryala cossyrensis* Guss.  
*Andryala dentata* Sm.  
*Andryala integrifolia* L.  
*Andryala rothia* Pers.  
E *Andryala tenuifolia* (Tineo) DC.  
*Antennaria carpatica* (Wahlenb.) Bluff & Fingerh. subsp. *helvetica* (Chrtek & Pouzar) Chrtek & Pouzar  
*Antennaria dioica* (L.) Gaertn.  
E *Anthemis aeolica* Lojac.  
E *Anthemis aetnensis* Spreng.  
T *Anthemis arvensis* L. subsp. *acrochordona* Briq. & Cavill.  
*Anthemis arvensis* L. subsp. *arvensis*  
T *Anthemis arvensis* L. subsp. *incrassata* (Loisel.) Nyman  
ET *Anthemis arvensis* L. subsp. *sphacelata* (C.Presl) R.Fern.  
*Anthemis chia* L.  
*Anthemis cotula* L.  
ET *Anthemis cretica* L. subsp. *alpina* (L.) R.Fern.  
E *Anthemis cretica* L. subsp. *calabrica* (Arcang.) R.Fern.  
*Anthemis cretica* L. subsp. *columnae* (Ten.) Franzén  
E *Anthemis cretica* L. subsp. *messanensis* (Brullo) Giardina & Raimondo  
E *Anthemis cretica* L. subsp. *petraea* (Ten.) Greuter  
*Anthemis cretica* L. subsp. *saxatilis* (DC.) R.Fern.  
E *Anthemis cupaniiana* Tod. ex Nyman  
E *Anthemis hydruntina* E.Groves subsp. *hydruntina*  
ET *Anthemis hydruntina* E.Groves subsp. *silensis* (Fiori) Brullo, Gangale & Uzunov  
E *Anthemis ismelia* Lojac.  
*Anthemis maritima* L. subsp. *maritima*  
E *Anthemis muricata* (DC.) Guss.  
*Anthemis peregrina* L.  
E *Anthemis pignattiorum* Guarino, Raimondo & Domina  
*Anthemis secundiramea* Biv.  
*Aposeris foetida* (L.) Less.  
*Arctium lappa* L.  
*Arctium minus* (Hill) Bernh.  
*Arctium nemorosum* Lej.  
*Arctium tomentosum* Mill.  
*Arnica montana* L. subsp. *montana*  
*Arnoseris minima* (L.) Schweigg. & Körte  
*Artemisia absinthium* L.  
*Artemisia alba* Turra  
*Artemisia arborescens* (Vail.) L.  
*Artemisia atrata* Lam.  
*Artemisia caeruleascens* L. subsp. *caeruleascens*  
E *Artemisia caeruleascens* L. subsp. *cretacea* (Fiori) Brilli-Catt. & Gubellini  
E *Artemisia caeruleascens* L. subsp. *densiflora* (Viv.) Kerguélen & Lambinon  
*Artemisia caeruleascens* L. subsp. *gallica* (Willd.) K.M.Perss.

- Artemisia campestris* L. subsp. *alpina* (DC.) Arcang.  
*Artemisia campestris* L. subsp. *borealis* (Pall.) H.M.Hall & Clem.  
*Artemisia campestris* L. subsp. *campestris*  
*Artemisia campestris* L. subsp. *glutinosa* (J.Gay ex Besser) Batt.  
E *Artemisia campestris* L. subsp. *variabilis* (Ten.) Greuter  
*Artemisia chamaemelifolia* Vill. subsp. *chamaemelifolia*  
*Artemisia genipi* Weber ex Stechm.  
*Artemisia glacialis* L.  
*Artemisia nitida* Bertol.  
*Artemisia pedemontana* Balb.  
*Artemisia umbelliformis* Lam. subsp. *eriantha* (Ten.) Vallès-Xirau & Oliva Brañas  
*Artemisia umbelliformis* Lam. subsp. *umbelliformis*  
*Artemisia vallesiana* All.  
*Artemisia vulgaris* L.  
*Aster alpinus* L. subsp. *alpinus*  
*Aster amellus* L.  
*Asteriscus aquaticus* (L.) Less.  
*Atractylis cancellata* L.  
*Bellidiastrum michelii* Cass.  
*Bellis annua* L. subsp. *annua*  
T *Bellis annua* L. subsp. *minuta* (DC.) Meikle  
E *Bellis margaritifolia* Huter, Porta & Rigo  
*Bellis perennis* L.  
*Bellis sylvestris* Cirillo  
*Bellium bellidoides* L.  
E *Bellium crassifolium* Moris  
*Bellium minutum* (L.) L.  
*Berardia lanuginosa* (Lam.) Fiori  
*Bidens cernua* L.  
*Bidens tripartita* L. subsp. *bullata* (L.) Rouy  
*Bidens tripartita* L. subsp. *tripartita*  
*Bombycilaena discolor* (Pers.) M.Lainz  
*Bombycilaena erecta* (L.) Smoljan.  
E *Bupthalmum inuloides* Moris  
ET *Bupthalmum salicifolium* L. subsp. *flexile* (Bertol.) Garbari  
*Bupthalmum salicifolium* L. subsp. *salicifolium*  
*Calendula arvensis* (Vaill.) L.  
*Calendula stellata* Cav.  
*Calendula suffruticosa* Vahl subsp. *fulgida* (Raf.) Guadagno  
E *Calendula suffruticosa* Vahl subsp. *maritima* (Guss.) Meikle  
*Calendula suffruticosa* Vahl subsp. *suffruticosa*  
*Calendula tripterocarpa* Rupr.  
*Cardopatium corymbosum* (L.) Pers.  
*Carduus acanthoides* L.  
*Carduus acicularis* Bertol.  
*Carduus aemilii* Briq. & Cavill.  
E *Carduus affinis* Guss. subsp. *affinis*  
E *Carduus affinis* Guss. subsp. *brutius* (Fiori) Kazmi – Note: For the taxonomy and distribution of this subspecies, see Peruzzi et al. (2015d).  
*Carduus argyroba* Biv.  
*Carduus carduelis* (L.) Gren.  
*Carduus cephalanthus* Viv.  
*Carduus chrysanthus* Ten.  
*Carduus collinus* Waldst. & Kit. subsp. *collinus*  
*Carduus collinus* Waldst. & Kit. subsp. *cylindricus* (Borbás) Soó  
E *Carduus corymbosus* Ten.  
*Carduus crispus* L. subsp. *crispus*  
*Carduus defloratus* L. subsp. *carlinifolius* (Lam.) Ces.  
*Carduus defloratus* L. subsp. *defloratus*  
*Carduus defloratus* L. subsp. *sumanus* (Pollini) Arcang.  
*Carduus defloratus* L. subsp. *tridentinus* (Evers) Ladurner  
E *Carduus fasciculiflorus* Viv.  
*Carduus litigiosus* Nocca & Balb. subsp. *litigiosus*  
E *Carduus membranaceus* Lojac.  
*Carduus nigrescens* Vill. subsp. *nigrescens*  
T *Carduus nutans* L. subsp. *alpicola* (Gillot) Chass. & Arènes  
T *Carduus nutans* L. subsp. *leiophyllus* (Petrović) Stoj. & Stef.  
T *Carduus nutans* L. subsp. *micropterus* (Borbás) Hayek  
*Carduus nutans* L. subsp. *nutans*  
ET *Carduus nutans* L. subsp. *perspinosus* (Fiori) Arènes  
T *Carduus nutans* L. subsp. *platylepis* (Rchb. & Saut.) Nyman  
T *Carduus nutans* L. subsp. *scabrisquamus* Arènes  
ET *Carduus nutans* L. subsp. *siculus* (Franco) Greuter  
T *Carduus nutans* L. subsp. *taygeteus* (Boiss. & Heldr.) Hayek  
*Carduus personata* (L.) Jacq. subsp. *albidus* (Adamović) Kazmi  
*Carduus personata* (L.) Jacq. subsp. *personata*  
ET *Carduus pycnocephalus* L. subsp. *intermedius* (Lojac.) Giardina & Raimondo  
T *Carduus pycnocephalus* L. subsp. *marmoratus* (Boiss. & Heldr.) P.H.Davis  
*Carduus pycnocephalus* L. subsp. *pycnocephalus*



- E *Carduus sardous* DC.  
*Carduus tenuiflorus* Curtis  
*Carlinea acanthifolia* All. subsp. *acanthifolia*  
*Carlinea acanthifolia* All. subsp. *utzka* (Hacq.) Meusel & Kästner – Note: Extinct in Italy (Poldini et al. 2001).  
*Carlinea acaulis* L. subsp. *acaulis*  
*Carlinea acaulis* L. subsp. *caulescens* (Lam.) Schübl. & G.Martens  
*Carlinea biebersteinii* Bernh. ex Hornem. subsp. *biebersteinii*  
*Carlinea biebersteinii* Bernh. ex Hornem. subsp. *brevibracteata* (Andrae) K.Werner  
*Carlinea corymbosa* L.  
*Carlinea gummifera* (L.) Less.  
E *Carlinea hispanica* Lam. subsp. *globosa* (Arcang.) Meusel & Kästner  
*Carlinea involucrata* Poir.  
*Carlinea lanata* L.  
*Carlinea macrocephala* Moris  
E *Carlinea nebrodensis* Guss. ex DC.  
*Carlinea racemosa* L.  
*Carlinea sicula* Ten. subsp. *mareotica* (Asch. & Schweinf.) Greuter  
E *Carlinea sicula* Ten. subsp. *sicula*  
*Carlinea vulgaris* L. subsp. *spinosa* (Velen.) Vandas  
*Carlinea vulgaris* L. subsp. *vulgaris*  
*Carpesium abrotanoides* L.  
*Carpesium cernuum* L.  
*Carthamus caeruleus* L.  
*Carthamus creticus* L.  
*Carthamus dentatus* (Forssk.) Vahl  
*Carthamus lanatus* L.  
*Carthamus pinnatus* Desf.  
E *Castroviejoa frigida* (Labill.) Galbany, L.Sáez & Benedí – Note: Possibly extinct.  
E *Castroviejoa montelinasana* (Em.Schmid) Galbany, L.Sáez & Benedí  
*Catananche caerulea* L.  
*Catananche lutea* L.  
E *Centaurea aegusae* Domina, Greuter & Raimondo  
E *Centaurea aeolica* Guss. ex Lojac. subsp. *aeolica*  
E *Centaurea aeolica* Guss. ex Lojac. subsp. *pandataria* (Fiori & Bég.) Anzal.  
E *Centaurea aetaliae* (Sommier) Bég.  
E *Centaurea ambigua* Guss. subsp. *ambigua*  
E *Centaurea ambigua* Guss. subsp. *laciniata* (Guss. ex DC.) Arcang.  
E *Centaurea ambigua* Guss. subsp. *nigra* (Fiori) Pignatti  
E *Centaurea apolepa* Moretti subsp. *apolepa*  
E *Centaurea apolepa* Moretti subsp. *bertolonii* (Arrigoni) Greuter  
E *Centaurea apolepa* Moretti subsp. *carueliana* (Micheletti) Dostál  
E *Centaurea apolepa* Moretti subsp. *cosana* (Fiori) Dostál  
E *Centaurea apolepa* Moretti subsp. *gallinariae* (Briq. & Cavill.) Dostál  
E *Centaurea apolepa* Moretti subsp. *levantina* (Arrigoni) Greuter  
E *Centaurea apolepa* Moretti subsp. *lunensis* (Fiori) Dostál  
E *Centaurea apolepa* Moretti subsp. *maremmana* (Fiori) Dostál  
E *Centaurea apolepa* Moretti subsp. *parvula* (Ces.) Arcang.  
E *Centaurea apolepa* Moretti subsp. *subciliata* (DC.) Arcang.  
*Centaurea arachnoidea* Viv. subsp. *adonidifolia* (Rchb.) F.Conti, Moraldo & Ricceri  
*Centaurea arachnoidea* Viv. subsp. *arachnoidea*  
E *Centaurea arachnoidea* Viv. subsp. *montis-ferrati* Ricceri, Moraldo & F.Conti  
E *Centaurea arrigonii* Greuter  
*Centaurea aspera* L. subsp. *aspera*  
ET *Centaurea aspromontana* Brullo, Scelsi & Spamp.  
C *Centaurea benedicta* (L.) L.  
ET *Centaurea brulla* Greuter  
E *Centaurea bugellensis* (Soldano) Soldano  
E *Centaurea busambarensis* Guss.  
E *Centaurea calabria* G.Caruso, S.A.Giardina, Raimondo & Spadaro  
*Centaurea calcitrapa* L.  
E *Centaurea centauroides* L.  
E *Centaurea ceratophylla* Ten. subsp. *ceratophylla*  
E *Centaurea cineraria* L. subsp. *cineraria*  
E *Centaurea cineraria* L. subsp. *circae* (Sommier) Cela Renz. & Viegi  
*Centaurea collina* L. subsp. *collina*  
E *Centaurea corensis* Vals. & Filigh.  
*Centaurea cristata* Bartl.  
*Centaurea deusta* Ten.  
*Centaurea dichroantha* A.Kern.  
E *Centaurea diomedea* Gasp.  
E *Centaurea erycina* Raimondo & Bancheva  
E *Centaurea filiformis* Viv. subsp. *ferulacea* (Martelli) Arrigoni  
E *Centaurea filiformis* Viv. subsp. *filiformis*  
*Centaurea flosculosa* Willd.  
E *Centaurea giardiniae* Raimondo & Spadaro  
E *Centaurea gussonei* Raimondo & Spadaro  
E *Centaurea gymnocarpa* Moris & De Not.  
E *Centaurea horrida* Badarò

- E *Centaurea iapygica* (Lacaita) Brullo  
 E *Centaurea ilvensis* (Sommier) Arrigoni  
 ET *Centaurea ionica* Brullo  
 T *Centaurea jacea* L. subsp. *angustifolia* (DC.) Greuter  
 E *Centaurea jacea* L. subsp. *forojuvensis* (Poldini) Greuter  
*Centaurea jacea* L. subsp. *gaudinii* (Boiss. & Reut.) Greuter  
*Centaurea jacea* L. subsp. *jacea*  
*Centaurea jacea* L. subsp. *julica* (Hayek) Greuter  
*Centaurea jacea* L. subsp. *weldeniana* (Rchb.) Greuter  
 E *Centaurea kartschiana* Scop. subsp. *kartschiana*  
 ET *Centaurea lacaitae* Peruzzi – Note: The nomenclature and taxonomy of *Centaurea tenorei* Guss. ex Lacaita group provisionally follow Peruzzi (2008), waiting for further byosystematic studies (Santangelo et al. 2017).  
 E *Centaurea leucadea* Lacaita  
 ET *Centaurea leucophaea* Jord. subsp. *brunnescens* (Briq.) Dostál  
*Centaurea leucophaea* Jord. subsp. *leucophaea*  
 E *Centaurea litigiosa* (Fiori) Arrigoni  
 E *Centaurea macroacantha* Guss.  
*Centaurea macropitilon* Borbás  
 E *Centaurea magistrorum* Arrigoni & Camarda  
*Centaurea melitensis* L.  
 ET *Centaurea montaltensis* (Fiori) Peruzzi  
*Centaurea montana* L.  
 E *Centaurea montis-borlae* Soldano  
*Centaurea napifolia* L.  
*Centaurea nervosa* Willd. subsp. *nervosa*  
 ET *Centaurea nigrescens* Willd. subsp. *neapolitana* (Boiss.) Dostál  
*Centaurea nigrescens* Willd. subsp. *nigrescens*  
 ET *Centaurea nigrescens* Willd. subsp. *pinnatifida* (Fiori) Dostál  
 T *Centaurea nigrescens* Willd. subsp. *transalpina* (Schleich. ex DC.) Nyman  
 ET *Centaurea nobilis* (E.Groves) Brullo  
*Centaurea paniculata* L. subsp. *paniculata*  
 E *Centaurea panormitana* Lojac.  
 E *Centaurea parlatoris* Heldr. subsp. *parlatoris*  
 E *Centaurea parlatoris* Heldr. subsp. *virescens* (Guss.) Raimondo & Bancheva  
 E *Centaurea pentadactyli* Brullo, Scelsi & Spamp.  
 E *Centaurea poeltiana* Puntillo  
*Centaurea pseudophrygia* C.A.Mey.  
*Centaurea pumilio* L.  
*Centaurea rhaetica* Moritzi  
*Centaurea rupestris* L.  
 E *Centaurea saccensis* Raimondo, Bancheva & Ilardi  
 E *Centaurea sarfatiiana* Brullo, Gangale & Uzunov  
*Centaurea scabiosa* L. subsp. *alpestris* (Hegetschw.) Nyman  
*Centaurea scabiosa* L. subsp. *fritschii* (Hayek) Hayek  
*Centaurea scabiosa* L. subsp. *grinensis* (Reut.) Hayek  
*Centaurea scabiosa* L. subsp. *scabiosa*  
 E *Centaurea scannensis* Anzal., Soldano & F.Conti  
 ET *Centaurea scillae* Brullo  
 E *Centaurea seguenziae* (Lacaita) Domina, Greuter & Raimondo,  
*Centaurea seridis* L. subsp. *sonchifolia* (L.) Greuter  
 E *Centaurea sicana* Raimondo & Spadaro  
*Centaurea sicula* L.  
 T *Centaurea solstitialis* L. subsp. *adamii* (Willd.) Nyman  
 T *Centaurea solstitialis* L. subsp. *schoewii* (DC.) Gugler  
*Centaurea solstitialis* L. subsp. *solstitialis*  
*Centaurea sphaerocephala* L. subsp. *sphaerocephala*  
*Centaurea stenolepis* A.Kern. subsp. *stenolepis*  
*Centaurea stoebe* L. – Note: For the taxonomy of this species, see Španiel et al. (2008).  
 E *Centaurea subtilis* Bertol.  
 E *Centaurea tauromenitana* Guss.  
 ET *Centaurea tenacissima* (E.Groves) Brullo  
 E *Centaurea tenoreana* Willk.  
 E *Centaurea tenorei* Guss. ex Lacaita  
 E *Centaurea todaroi* Lacaita  
*Centaurea tommasinii* A.Kern.  
*Centaurea triumfettii* All. – Note: Several taxa belonging to *Centaurea triumfettii* group are recorded for Italy: *C. triumfettii* s.str., *C. adscendens* (Bartl.) Prodan, *C. axillaris* var. *nana* Ten. and *C. graminifolia* (Lam.) Muñoz Rodr. & Devesa. Further studies are needed to understand the taxonomic value of these taxa and their distribution.  
 E *Centaurea tyrrhena* C.Brullo, Brullo & Giusso  
*Centaurea uniflora* Turra  
*Centaurea valesiaca* (DC.) Jord.  
 E *Centaurea veneris* (Sommier) Bég.  
*Chamaemelum fuscatum* (Brot.) Vasc.  
*Cheirolophus sempervirens* (L.) Pomel  
 E *Chiliadenus lopadusanus* Brullo  
*Chondrilla chondrilloides* (Ard.) H.Karst.  
*Chondrilla juncea* L.



- Cicerbita alpina* (L.) Wallr.  
*Cichorium endivia* L. subsp. *pumilum* (Jacq.) Cout.  
*Cichorium intybus* L.  
*Cichorium spinosum* L.  
E *Cirsium acaulon* (L.) Scop. subsp. *acaulon*  
*Cirsium alpis-lunae* Brilli-Catt. & Gubellini  
*Cirsium alsophilum* (Pollini) Soldano  
*Cirsium arvense* (L.) Scop.  
E *Cirsium bertolonii* Spreng.  
*Cirsium canum* (L.) All.  
*Cirsium carniolicum* Scop. subsp. *carniolicum*  
*Cirsium creticum* (Lam.) d'Urv. subsp. *creticum*  
*Cirsium creticum* (Lam.) d'Urv. subsp. *triumfetti* (Lacaita) K.Werner  
*Cirsium echinatum* (Desf.) DC.  
*Cirsium eriophorum* (L.) Scop. subsp. *eriophorum*  
*Cirsium eriophorum* (L.) Scop. subsp. *spathulatum* (Moretti) Ces.  
*Cirsium erisithales* (Jacq.) Scop.  
*Cirsium ferox* (L.) DC.  
*Cirsium heterophyllum* (L.) Hill  
*Cirsium italicum* DC.  
E *Cirsium lacaitae* Petr.  
E *Cirsium lobelii* Ten.  
*Cirsium monspessulanum* (L.) Hill  
*Cirsium morisianum* Rchb.f.  
*Cirsium oleraceum* (L.) Scop.  
*Cirsium palustre* (L.) Scop.  
*Cirsium pannonicum* (L.f.) Link  
*Cirsium scabrum* (Poir.) Bonnet & Barratte  
*Cirsium spinosissimum* (L.) Scop.  
E *Cirsium tenoreanum* Petr.  
*Cirsium tuberosum* (L.) All.  
E *Cirsium vallis-demonii* Lojac.  
T *Cirsium vulgare* (Savi) Ten. subsp. *crinitum* (DC.) Arènes  
T *Cirsium vulgare* (Savi) Ten. subsp. *silvaticum* (Tausch) Arènes  
*Cirsium vulgare* (Savi) Ten. subsp. *vulgare*  
*Cladanthus mixtus* (L.) Chevall.  
*Coleostephus myconis* (L.) Cass. ex Rchb.f.  
*Cota altissima* (L.) J.Gay  
*Cota austriaca* (Jacq.) Sch.Bip.  
*Cota segetalis* (Ten.) Holub  
T *Cota tinctoria* (L.) J.Gay subsp. *australis* (R.Fern.) Oberpr. & Greuter  
*Cota tinctoria* (L.) J.Gay subsp. *tinctoria*  
*Cota triumfetti* (L.) J.Gay  
*Crepis albida* Vill. subsp. *albida*  
*Crepis alpestris* (Jacq.) Tausch  
E *Crepis apula* (Fiori) Babc.  
ET *Crepis aspromontana* Brullo, Scelsi & Spamp.  
*Crepis aurea* (L.) Cass. subsp. *aurea*  
*Crepis aurea* (L.) Cass. subsp. *glabrescens* (Caruel) Arcang.  
*Crepis bellidifolia* Loisel.  
*Crepis biennis* L.  
*Crepis bursifolia* L.  
*Crepis capillaris* (L.) Wallr.  
*Crepis chondrilloides* Jacq.  
*Crepis conyzifolia* (Gouan) A.Kern.  
*Crepis foetida* L. subsp. *foetida*  
*Crepis froelichiana* DC. ex Froel. subsp. *dinarica* (Beck) Gutermann  
*Crepis froelichiana* DC. ex Froel. subsp. *froelichiana*  
*Crepis jacquinii* Tausch subsp. *kernerii* (Rech.f.) Merxm.  
*Crepis lacera* Ten. subsp. *lacera*  
ET *Crepis lacera* Ten. subsp. *titani* (Pamp.) Roma-Marzio, G.Astuti & Peruzzi – Note: For the taxonomy and distribution of this subspecies, see Roma-Marzio et al. (2015).  
*Crepis leontodontoides* All.  
E *Crepis magellensis* F.Conti & Uzunov – Note: For the taxonomy and distribution of this species, see Conti and Uzunov (2011).  
*Crepis mollis* (Jacq.) Asch. subsp. *mollis*  
*Crepis mollis* (Jacq.) Asch. subsp. *succisifolia* (All.) Dostál  
*Crepis neglecta* L. subsp. *corymbosa* (Ten.) Nyman  
*Crepis neglecta* L. subsp. *neglecta*  
*Crepis nicaeensis* Balb.  
*Crepis paludosa* (L.) Moench  
*Crepis pontana* (L.) Dalla Torre  
*Crepis praemorsa* (L.) Walther  
*Crepis pulchra* L. subsp. *pulchra*  
*Crepis pygmaea* L.  
*Crepis pyrenaica* (L.) Greuter  
*Crepis rhaetica* Hegetschw.  
*Crepis rubra* L.  
*Crepis setosa* Haller f.

- E *Crepis sprengelii* Nicotra  
*Crepis suffreniana* (DC.) Steud.  
*Crepis tectorum* L.  
*Crepis terglouensis* (Hacq.) A.Kern.  
ET *Crepis vesicaria* L. subsp. *bivonana* (Soldano & F.Conti) Giardina & Raimondo  
ET *Crepis vesicaria* L. subsp. *hyemalis* (Biv.) Babc.  
T *Crepis vesicaria* L. subsp. *taraxacifolia* (Thuill.) Thell.  
*Crepis vesicaria* L. subsp. *vesicaria*  
*Crepis zacintha* (L.) Loisel.  
*Crupina crupinastrum* (Moris) Vis.  
*Crupina intermedia* (Mutel) Walp.  
*Crupina vulgaris* Cass.  
*Cynara cardunculus* L. subsp. *cardunculus*  
C *Cynara cardunculus* L. subsp. *flavescens* Wiklund – Note: This taxon may be a feral of the crop cardoon (*C. cardunculus* L. var. *altilis* DC.) (Gatto et al. 2013).  
ET *Cynara cardunculus* L. subsp. *zingaroensis* (Raimondo & Domina) Raimondo & Domina  
*Dittrichia graveolens* (L.) Greuter  
*Dittrichia viscosa* (L.) Greuter subsp. *viscosa*  
*Doronicum austriacum* Jacq. subsp. *austriacum*  
*Doronicum clusii* (All.) Tausch  
*Doronicum columnae* Ten. – Note: Hybrids among this species and *D. orientale* (*D. ×minutilloi* Peruzzi) are known from the Aurunci Mts., LAZ (Peruzzi et al. 2012b).  
*Doronicum glaciale* (Wulfen) Nyman subsp. *glaciale*  
*Doronicum grandiflorum* Lam. subsp. *grandiflorum*  
*Doronicum orientale* Hoffm.  
*Doronicum pardalianches* L.  
*Doronicum plantagineum* L.  
*Echinops exaltatus* Schrad.  
*Echinops ritro* L. – Note: *Echinops ritro* L. subsp. *ritro* and *E. ritro* subsp. *ruthenicus* (M.Bieb.) Nyman are both recorded for Italy. However, considering that the name *E. ritro* is not yet typified, we are not able to safely recognize any subspecies in Italy.  
E *Echinops siculosus* Strobl  
T *Echinops sphaerocephalus* L. subsp. *albidus* (Boiss. & Spruner) Kožuharov  
*Echinops sphaerocephalus* L. subsp. *sphaerocephalus*  
T *Echinops spinosissimus* Turra subsp. *neumayeri* (Vis.) Kožuharov  
*Echinops spinosissimus* Turra subsp. *spinosisimus*  
T *Echinops spinosissimus* Turra subsp. *spinosus* Greuter  
*Erigeron acris* L. subsp. *acris*  
*Erigeron acris* L. subsp. *angulosus* (Gaudin) Vacc.  
*Erigeron acris* L. subsp. *serotinus* (Weihe) Greuter  
*Erigeron alpinus* L.  
*Erigeron atticus* Vill.  
*Erigeron epiroticus* (Vierh.) Halász  
*Erigeron glabratius* Hoppe & Hornsch. ex Bluff & Fingerh.  
*Erigeron neglectus* A.Kern.  
*Erigeron schleicheri* Greml  
*Erigeron uniflorus* L.  
*Eupatorium cannabinum* L. subsp. *cannabinum*  
T *Eupatorium cannabinum* L. subsp. *corsicum* (Req. ex Loisel.) P.Fourn.  
*Evacdium discolor* (DC.) Maire  
*Filago arvensis* L.  
*Filago asterisciflora* (Lam.) Sweet  
*Filago congesta* Guss. ex DC.  
*Filago eriocephala* Guss.  
*Filago germanica* (L.) Huds.  
*Filago lutescens* Jord. subsp. *lutescens*  
*Filago neglecta* (Soy.-Will.) DC.  
*Filago pygmaea* L.  
*Filago pyramidata* L.  
E *Filago tyrrhenica* Chrtk & Holub  
*Galactites tomentosus* Moench  
*Galatella linosyris* (L.) Rchb.f. subsp. *linosyris*  
*Galatella pannonica* (Jacq.) Galasso, Bartolucci & Ardenghi subsp. *pannonica*  
*Galatella sedifolia* (L.) Greuter subsp. *sedifolia*  
*Geropogon hybridus* (L.) Sch.Bip.  
*Glebionis coronaria* (L.) Spach  
T *Glebionis discolor* (d'Urv.) E.Cano, Musarella, Cano-Ortiz, Piñar Fuentes, Spamp. & Pinto Gomes  
*Glebionis segetum* (L.) Fourn.  
*Gnaphalium uliginosum* L.  
*Hedypnois rhagadioloides* (L.) F.W.Schmidt  
E *Helichrysum errerae* Tineo  
*Helichrysum italicum* (Roth) G.Don subsp. *italicum*  
E *Helichrysum italicum* (Roth) G.Don subsp. *pseudolitoreum* (Fiori) Bacch., Brullo & Mossa  
*Helichrysum italicum* (Roth) G.Don subsp. *siculum* (Jord. & Fourn.) Galbany, L.Sáez & Benedí  
*Helichrysum italicum* (Roth) G.Don subsp. *tyrrhenicum* (Bacch., Brullo & Giusso) Herrando, J.M.Blanco, L.Sáez Galbany  
E *Helichrysum litoreum* Guss.  
*Helichrysum luteoalbum* (L.) Rchb.  
*Helichrysum pendulum* (C.Presl) C.Presl – Note: According to Herrando-Moraira et al. (2017), *H. hyblaeum* Brullo, *H. nebrodense* Heldr. and *H. panormitanum* Tineo ex Guss. are synonyms of *H. pendulum*. A different taxonomic setting, not followed here, was recently proposed by Iamonico et al. (2016b).  
E *Helichrysum saxatile* Moris subsp. *morisianum* Bacch., Brullo & Mossa



- E *Helichrysum saxatile* Moris subsp. *saxatile*  
*Helichrysum stoechas* (L.) Moench subsp. *barrelieri* (Ten.) Nyman  
*Helichrysum stoechas* (L.) Moench subsp. *stoechas*  
*Helminthotheca aculeata* (Vahl) Lack subsp. *aculeata*  
*Helminthotheca echooides* (L.) Holub
- E *Hieracium acanthodontoides* Arv.-Touv. & Belli  
*Hieracium adenophyton* (Zahn) Zahn  
*Hieracium alpinum* L. subsp. *alpinum*  
*Hieracium alpinum* L. subsp. *halleri* (Vill.) Ces.  
*Hieracium alpinum* L. subsp. *marcelli* Paléz. & Zahn  
*Hieracium alpinum* L. subsp. *ormeanum* Zahn  
*Hieracium amphisericophorum* Zahn  
*Hieracium amplexicaule* L. subsp. *amplexicaule*  
*Hieracium amplexicaule* L. subsp. *berardianoides* Zahn  
*Hieracium amplexicaule* L. subsp. *berardianum* (Arv.-Touv.) Zahn  
*Hieracium amplexicaule* L. subsp. *cadinense* (Evers) Zahn  
*Hieracium amplexicaule* L. subsp. *chenevardianum* Zahn  
E *Hieracium amplexicaule* L. subsp. *neopetraeum* Zahn  
*Hieracium amplexicaule* L. subsp. *pseudocerinthoides* (Arv.-Touv.) Zahn  
*Hieracium amplexicaule* L. subsp. *pseudoligusticum* (Gremli) Zahn  
*Hieracium amplexicaule* L. subsp. *pulmonarioides* (Vill.) Ces.  
*Hieracium amplexicaule* L. subsp. *spelaeum* (Arv.-Touv.) Zahn  
E *Hieracium annae-toutoniae* Zahn subsp. *vilpianense* Gottschl.  
E *Hieracium antholzense* Zahn  
*Hieracium aphyllum* Nägeli & Peter subsp. *hololeucum* (Arv.-Touv. & A. Faure) Zahn  
E *Hieracium aphyllum* Nägeli & Peter subsp. *singulare* (Huter ex Zahn) Zahn  
E *Hieracium apricorum* Wiesb. ex Dichtl subsp. *pseudolonganum* (Zahn) Greuter  
*Hieracium apricorum* Wiesb. ex Dichtl subsp. *sublaevigatum* (Beck) Gottschl.  
*Hieracium apricorum* Wiesb. ex Dichtl subsp. *subpallescens* (Beck) Gottschl.  
E *Hieracium apricorum* Wiesb. ex Dichtl subsp. *valdulcense* Gottschl.  
E *Hieracium argothrix* Nägeli & Peter subsp. *anisodon* Nägeli & Peter  
*Hieracium argothrix* Nägeli & Peter subsp. *argothrix*  
E *Hieracium argothrix* Nägeli & Peter subsp. *candidulum* Nägeli & Peter  
E *Hieracium argothrix* Nägeli & Peter subsp. *pleiobrachion* Zahn  
*Hieracium armeriooides* Arv.-Touv. subsp. *absconditum* (Huter) Zahn  
*Hieracium armeriooides* Arv.-Touv. subsp. *anadenum* (Burnat & Gremli) Zahn  
*Hieracium armeriooides* Arv.-Touv. subsp. *armeriooides*  
E *Hieracium armeriooides* Arv.-Touv. subsp. *collae* Zahn  
*Hieracium armeriooides* Arv.-Touv. subsp. *crispulum* (Nägeli & Peter) Zahn  
*Hieracium armeriooides* Arv.-Touv. subsp. *favreanum* (Arv.-Touv.) Zahn  
*Hieracium armeriooides* Arv.-Touv. subsp. *leucochlorum* (Arv.-Touv.) Zahn  
*Hieracium armeriooides* Arv.-Touv. subsp. *nigrifellum* (Arv.-Touv.) Zahn  
E *Hieracium armeriooides* Arv.-Touv. subsp. *paucitrichum* Gottschl.  
*Hieracium armeriooides* Arv.-Touv. subsp. *phalacrophyllum* (Nägeli & Peter) Zahn  
*Hieracium armeriooides* Arv.-Touv. subsp. *rhombophyllum* (Nägeli & Peter) Zahn  
E *Hieracium armeriooides* Arv.-Touv. subsp. *seirasicum* (Zahn) Zahn  
E *Hieracium armeriooides* Arv.-Touv. subsp. *siphonophorum* Wilczek & Zahn  
*Hieracium armeriooides* Arv.-Touv. subsp. *touvetii* (Nägeli & Peter) Greuter  
*Hieracium armeriooides* Arv.-Touv. subsp. *ustulatum* (Arv.-Touv.) Zahn  
*Hieracium arolae* (Murr) Zahn subsp. *arola*  
E *Hieracium arolae* (Murr) Zahn subsp. *macrocalathium* Zahn  
E *Hieracium arolae* (Murr) Zahn subsp. *rhoeadifoloides* Hayek & Zahn  
E *Hieracium arpadianum* Zahn subsp. *pugnaculum* Gottschl.  
*Hieracium arpadianum* Zahn subsp. *sellanum* Zahn  
*Hieracium arpadianum* Zahn subsp. *subscariolaceum* Zahn  
E *Hieracium aspromontanum* Brullo, Scelsi & Spamp.  
*Hieracium atratum* Fr. subsp. *atratum*  
*Hieracium atratum* Fr. subsp. *dolichaetoides* Zahn  
E *Hieracium atratum* Fr. subsp. *neohayekii* Zahn  
*Hieracium atratum* Fr. subsp. *pseudoleicolor* Fen. & Zahn  
*Hieracium atratum* Fr. subsp. *squalidiforme* (Murr & Zahn) Zahn  
*Hieracium atratum* Fr. subsp. *subnigrescens* (Norrl.) Zahn  
*Hieracium atratum* Fr. subsp. *tauriscorum* Zahn  
E *Hieracium atratum* Fr. subsp. *zermulae* Gottschl.  
E *Hieracium atrocalyx* Gottschl.  
E *Hieracium australe* Fr. subsp. *australe*  
*Hieracium australe* Fr. subsp. *insuetum* (Jord. ex Boreau) Fen. & Zahn  
*Hieracium balbisianum* Arv.-Touv. & Briq. subsp. *balbisianum*  
*Hieracium balbisianum* Arv.-Touv. & Briq. subsp. *issense* (Murr & Zahn) Greuter  
*Hieracium balbisianum* Arv.-Touv. & Briq. subsp. *kerneri* (Ausserd. ex Zahn) Greuter  
*Hieracium barbulare* Zahn subsp. *barbulare*  
E *Hieracium barrelieri* Gottschl., Raimondo, Greuter & Di Grist.  
*Hieracium bastrarianum* Zahn subsp. *bastrarianum*  
E *Hieracium bastrarianum* Zahn subsp. *pramolicum* Zahn  
*Hieracium benzianum* Murr & Zahn subsp. *benzianum*  
*Hieracium benzianum* Murr & Zahn subsp. *ctenodontiforme* Zahn & Benz  
*Hieracium benzianum* Murr & Zahn subsp. *ctenodontoides* (Zahn) Zahn  
E *Hieracium benzianum* Murr & Zahn subsp. *pseudobenzianum* (Dalla Torre & Sarnth.) Zahn

- Hieracium benzianum* Murr & Zahn subsp. *sciaphiloides* (Zahn) Greuter  
*Hieracium bernardii* Rouy subsp. *bernardii*  
E *Hieracium bernardii* Rouy subsp. *gallurensse* (Arrigoni) Greuter  
E *Hieracium bernardii* Rouy subsp. *templare* (Arrigoni) Greuter  
E *Hieracium beyeri* Zahn  
*Hieracium bicknellianum* Belli & Arv.-Touv.  
*Hieracium bifidum* Kit. ex Horneh. subsp. *amoenobium* Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *basicuneatifolium* (Touton ex Dalla Torre & Sarnth.) Müll.Dornst.  
*Hieracium bifidum* Kit. ex Horneh. subsp. *basicuneatum* (Zahn) Zahn  
E *Hieracium bifidum* Kit. ex Horneh. subsp. *bifidipraecox* Fen. & Zahn  
E *Hieracium bifidum* Kit. ex Horneh. subsp. *bolognense* Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *caesiiflorum* (Norrl.) Zahn  
E *Hieracium bifidum* Kit. ex Horneh. subsp. *caesioprasinum* Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *canitiosum* (Malme) Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *cardiobasis* Zahn  
E *Hieracium bifidum* Kit. ex Horneh. subsp. *condylisquamum* Gottschl.  
*Hieracium bifidum* Kit. ex Horneh. subsp. *cordigenum* (Norrl.) Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *corifolium* (Arv.-Touv.) Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *dolomiticum* (Willk.) Dalla Torre & Sarnth.  
E *Hieracium bifidum* Kit. ex Horneh. subsp. *elvense* Gottschl. & Dunkel  
*Hieracium bifidum* Kit. ex Horneh. subsp. *eriopodoides* (Zahn) Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *erucoides* (Arv.-Touv.) Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *fenarolii* P.Rossi & Zahn  
E *Hieracium bifidum* Kit. ex Horneh. subsp. *gardetanum* P.Rossi & Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *laceridens* (Zahn) Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *laciniare* Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *lepidum* (Arv.-Touv.) Zahn  
E *Hieracium bifidum* Kit. ex Horneh. subsp. *megalocalathium* P.Rossi & Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *megalotomum* (Zahn) Zahn  
E *Hieracium bifidum* Kit. ex Horneh. subsp. *mollinense* Zahn  
E *Hieracium bifidum* Kit. ex Horneh. subsp. *nummulariifolium* Gottschl.  
*Hieracium bifidum* Kit. ex Horneh. subsp. *obscurisquamum* (Zahn) Greuter  
*Hieracium bifidum* Kit. ex Horneh. subsp. *oreites* (Arv.-Touv.) Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *oreitiforme* (Zahn) Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *perlacerum* Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *poliomelanum* Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *pourriacense* Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *prasinescens* Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *psammogenes* (Zahn) Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *pseudobasicneatum* (Touton ex Dalla Torre & Sarnth.) Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *pseudodollineri* (Murr & Zahn) Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *pseudoligocephalum* (Zahn) Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *pseudopraecox* (Zahn) Dalla Torre & Sarnth.  
*Hieracium bifidum* Kit. ex Horneh. subsp. *pseudopsammogenes* (Dalla Torre & Sarnth.) Zahn  
E *Hieracium bifidum* Kit. ex Horneh. subsp. *pseudosemisilvacum* (Dalla Torre & Sarnth.) Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *sagittibasis* Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *scandinaviorum* Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *scutatum* (Arv.-Touv.) Zahn  
E *Hieracium bifidum* Kit. ex Horneh. subsp. *semipraecox* P.Rossi & Zahn  
E *Hieracium bifidum* Kit. ex Horneh. subsp. *semitenuiflorum* Fen. & Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *senile* (Arv.-Touv.) Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *seniliforme* (Zahn) Zahn  
E *Hieracium bifidum* Kit. ex Horneh. subsp. *serpentinicolor* Fen. & Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *sinuosifrons* (Dahlst.) Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *sivylene* Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *stenolepis* (Lindeb.) Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *subcaesiifloriforme* (Zahn) Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *subcanescitiforme* Käser  
E *Hieracium bifidum* Kit. ex Horneh. subsp. *subhastatum* Gottschl.  
E *Hieracium bifidum* Kit. ex Horneh. subsp. *subimbricatum* Gottschl.  
*Hieracium bifidum* Kit. ex Horneh. subsp. *submolliceps* Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *subpapyraceum* Zahn ex Chiarugi  
*Hieracium bifidum* Kit. ex Horneh. subsp. *subsagittatum* (Zahn) Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *subtenuiflorum* (Zahn) Greuter  
*Hieracium bifidum* Kit. ex Horneh. subsp. *taraxacifolium* Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *toutonii* Zahn  
E *Hieracium bifidum* Kit. ex Horneh. subsp. *vaccarii* Besse & Zahn  
*Hieracium bifidum* Kit. ex Horneh. subsp. *vensicum* Zahn  
*Hieracium bocconei* Griseb. subsp. *bocconei*  
*Hieracium bocconei* Griseb. subsp. *devexicola* Zahn  
*Hieracium bocconei* Griseb. subsp. *engadinense* (Zahn) Zahn  
*Hieracium bocconei* Griseb. subsp. *ramiparum* Zahn  
*Hieracium boreoapenninum* P.D.Sell & C.West  
E *Hieracium boreoapenninum* Gottschl.  
E *Hieracium bornetii* Burnat & Greml  
E *Hieracium brevifolium* Tausch subsp. *bergameum* Zahn  
*Hieracium brevifolium* Tausch subsp. *brevifolium*  
E *Hieracium brevifolium* Tausch subsp. *caruelii* Zahn

- Hieracium brevifolium* Tausch subsp. *cesatianum* (Zahn) Gottschl.  
*Hieracium brevifolium* Tausch subsp. *halimifolium* (Froel.) Zahn  
*Hieracium brevifolium* Tausch subsp. *hellwegeri* (Murr & Zahn) Zahn  
E *Hieracium brevifolium* Tausch subsp. *lombardense* Gottschl.  
*Hieracium brevifolium* Tausch subsp. *muraltae* (Zahn) Greuter  
E *Hieracium brevifolium* Tausch subsp. *virgaureiforme* Zahn  
E *Hieracium brillii* Gottschl.  
E *Hieracium bugellense* Gottschl.  
E *Hieracium bupleuroides* C.C.Gmel. subsp. *adenobupleuroides* Fen. & Zahn  
E *Hieracium bupleuroides* C.C.Gmel. subsp. *aprutiorum* (Furrer & Zahn) Gottschl.  
*Hieracium bupleuroides* C.C.Gmel. subsp. *bupleuroides*  
E *Hieracium bupleuroides* C.C.Gmel. subsp. *cassianum* Pamp. & Zahn  
*Hieracium bupleuroides* C.C.Gmel. subsp. *comophyllum* Nägeli & Peter  
*Hieracium bupleuroides* C.C.Gmel. subsp. *crinifolium* Nägeli & Peter  
*Hieracium bupleuroides* C.C.Gmel. subsp. *eriolepium* Nägeli & Peter  
*Hieracium bupleuroides* C.C.Gmel. subsp. *laeviceps* Nägeli & Peter  
E *Hieracium bupleuroides* C.C.Gmel. subsp. *mnoolepium* Nägeli & Peter  
E *Hieracium bupleuroides* C.C.Gmel. subsp. *moenense* Zahn  
*Hieracium bupleuroides* C.C.Gmel. subsp. *phyllobracteum* Nägeli & Peter  
E *Hieracium bupleuroides* C.C.Gmel. subsp. *praetutinense* Nägeli & Peter  
E *Hieracium bupleuroides* C.C.Gmel. subsp. *romanorum* Korb & Zahn  
*Hieracium bupleuroides* C.C.Gmel. subsp. *scabriceps* Nägeli & Peter  
*Hieracium bupleuroides* C.C.Gmel. subsp. *schenkii* (Griseb.) Nägeli & Peter  
E *Hieracium bupleuroides* C.C.Gmel. subsp. *tririvicola* Gottschl.  
*Hieracium burnatii* Arv.-Touv. subsp. *burnatii*  
*Hieracium burnatii* Arv.-Touv. subsp. *tomentellum* (Nägeli & Peter) Zahn  
E *Hieracium busambrense* Caldarella, Gianguzzi & Gottschl.  
*Hieracium cabreranum* Arv.-Touv.  
*Hieracium caesioides* Arv.-Touv. subsp. *aleuroclinum* Zahn  
*Hieracium caesioides* Arv.-Touv. subsp. *bordigherae* (Zahn) Zahn  
*Hieracium caesioides* Arv.-Touv. subsp. *caesioides*  
*Hieracium caesioides* Arv.-Touv. subsp. *diamantense* Zahn  
*Hieracium caesioides* Arv.-Touv. subsp. *liguricola* Zahn  
*Hieracium caesioides* Arv.-Touv. subsp. *lobophorum* Zahn  
*Hieracium caesioides* Arv.-Touv. subsp. *lobophyton* Zahn  
E *Hieracium caesioides* Arv.-Touv. subsp. *pectinatifrons* Zahn  
*Hieracium caesioides* Arv.-Touv. subsp. *prasinops* (Touton & Zahn) Zahn  
*Hieracium caesioides* Arv.-Touv. subsp. *rionii* (Greml.) Zahn  
E *Hieracium caesioides* Arv.-Touv. subsp. *supraglauciforme* Zahn  
*Hieracium caesioides* Arv.-Touv. subsp. *supraglaucum* (C.Bicknell & Zahn) Zahn  
*Hieracium caesium* (Fr.) Fr. subsp. *brennerianum* (Zahn) Gottschl.  
*Hieracium caesium* (Fr.) Fr. subsp. *caesiopsis* Zahn  
*Hieracium caesium* (Fr.) Fr. subsp. *laeticolor* Almq.  
*Hieracium caesium* (Fr.) Fr. subsp. *lentiginosum* (Murr & Zahn) Zahn  
*Hieracium caesium* (Fr.) Fr. subsp. *sendtneri* (Nägeli ex Greml.) Vollm.  
*Hieracium caesium* (Fr.) Fr. subsp. *vennaevalis* Zahn  
*Hieracium caesium* (Fr.) Fr. subsp. *virenticeps* (Dahlst.) Zahn  
*Hieracium calcareum* Bernh. ex Hornem. subsp. *baldense* (Nägeli & Peter) Greuter  
*Hieracium calcareum* Bernh. ex Hornem. subsp. *baldensiforme* (Nägeli & Peter) Greuter  
*Hieracium calcareum* Bernh. ex Hornem. subsp. *calcareum*  
*Hieracium calcareum* Bernh. ex Hornem. subsp. *carnicum* (Nägeli & Peter) Greuter  
*Hieracium calcareum* Bernh. ex Hornem. subsp. *crinopodium* (Nägeli & Peter) Greuter  
*Hieracium calcareum* Bernh. ex Hornem. subsp. *feliciense* (Nägeli & Peter) Greuter  
*Hieracium calcareum* Bernh. ex Hornem. subsp. *glauciforme* (Nägeli & Peter) Greuter  
*Hieracium calcareum* Bernh. ex Hornem. subsp. *hollerii* (Nägeli & Peter) Greuter  
*Hieracium calcareum* Bernh. ex Hornem. subsp. *illyricum* (Fr.) Greuter  
*Hieracium calcareum* Bernh. ex Hornem. subsp. *papperitzii* (Rchb.f.) Greuter  
*Hieracium calcareum* Bernh. ex Hornem. subsp. *pseudothyrsodes* (Zahn) Greuter  
E *Hieracium calcareum* Bernh. ex Hornem. subsp. *trilacense* (Murr) Greuter  
*Hieracium calocymum* Zahn subsp. *calocymum*  
E *Hieracium calothrysrum* Zahn ex Murr  
E *Hieracium carpegnae* Gottschl.  
E *Hieracium cavallense* Gottschl.  
*Hieracium cavillieri* Zahn subsp. *cavillieri*  
*Hieracium cavillieri* Zahn subsp. *vesubiense* Zahn  
*Hieracium cephalotes* Arv.-Touv. subsp. *cephalotes*  
E *Hieracium chiariglionei* Gottschl.  
*Hieracium chlorelloides* Zahn  
*Hieracium chlorifolium* Arv.-Touv. subsp. *chlorifolium*  
*Hieracium chlorifolium* Arv.-Touv. subsp. *fulcratiforme* Zahn  
*Hieracium chlorifolium* Arv.-Touv. subsp. *isoplates* (Nägeli & Peter) Zahn  
*Hieracium chlorifolium* Arv.-Touv. subsp. *leoninum* (Nägeli & Peter) Zahn  
*Hieracium chlorifolium* Arv.-Touv. subsp. *pseudopenninum* Zahn  
E *Hieracium chlorifolium* Arv.-Touv. subsp. *pulchriforme* Murr & Zahn  
*Hieracium chlorifolium* Arv.-Touv. subsp. *rendinaricum* Gottschl.  
*Hieracium chlorophyton* Preissm. & Zahn ex Hayek subsp. *languidum* (Zahn) Greuter  
E *Hieracium chloropsis* Gren. & Godr. subsp. *apuanorum* Gottschl.

- E *Hieracium chloropsis* Gren. & Godr. subsp. *chloropsis*  
*Hieracium chloropsis* Gren. & Godr. subsp. *erioleion* (Nägeli & Peter) Zahn  
*Hieracium chloropsis* Gren. & Godr. subsp. *gerardii* (Arv.-Touv. ex Legrand) Zahn  
*Hieracium chloropsis* Gren. & Godr. subsp. *gnaphalodes* (Nägeli & Peter) Zahn  
*Hieracium chondrillifolium* Fr. subsp. *boissieri* (A.Huet & É.Huet ex Arv.-Touv.) Zahn  
*Hieracium chondrillifolium* Fr. subsp. *calcicola* (Nägeli & Peter) Zahn  
*Hieracium chondrillifolium* Fr. subsp. *casterinense* (Zahn) Zahn  
E *Hieracium chondrillifolium* Fr. subsp. *chiarugianum* Zahn ex Chiarugi  
*Hieracium chondrillifolium* Fr. subsp. *chondrillifolium*  
*Hieracium chondrillifolium* Fr. subsp. *comolepium* (Nägeli & Peter) Zahn  
*Hieracium chondrillifolium* Fr. subsp. *delasoiei* (Lagger ex De la Soie) Zahn  
*Hieracium chondrillifolium* Fr. subsp. *doliocephalum* (Nägeli & Peter) Zahn  
*Hieracium chondrillifolium* Fr. subsp. *megalocladum* (Nägeli & Peter) Zahn  
E *Hieracium chondrillifolium* Fr. subsp. *morascanum* (Zahn) Zahn  
E *Hieracium chondrillifolium* Fr. subsp. *otenicum* Pamp. & Zahn  
*Hieracium chondrillifolium* Fr. subsp. *patulum* (Nägeli & Peter) Zahn  
*Hieracium chondrillifolium* Fr. subsp. *supracalvum* (Nägeli & Peter) Zahn  
E *Hieracium cirritogenes* Zahn  
*Hieracium cirritum* Arv.-Touv. subsp. *amphiglaucum* Zahn  
*Hieracium cirritum* Arv.-Touv. subsp. *biceps* (Zahn) Zahn  
E *Hieracium cirritum* Arv.-Touv. subsp. *brentanum* (Touton ex Dalla Torre & Sarnth.) Zahn  
*Hieracium cirritum* Arv.-Touv. subsp. *cirritum*  
*Hieracium cirritum* Arv.-Touv. subsp. *elisum* (Arv.-Touv.) Nägeli & Peter  
*Hieracium cirritum* Arv.-Touv. subsp. *hypochaerideum* (Arv.-Touv.) Nägeli & Peter  
*Hieracium cirritum* Arv.-Touv. subsp. *hypocoeridiforme* (Zahn) Zahn  
*Hieracium cirritum* Arv.-Touv. subsp. *permirum* (Zahn) Zahn  
*Hieracium cirritum* Arv.-Touv. subsp. *pravum* Zahn  
*Hieracium cirritum* Arv.-Touv. subsp. *pseudocirritum* (Zahn & Touton ex Favre) Zahn  
E *Hieracium cirritum* Arv.-Touv. subsp. *pseudocochleare* Gottschl.  
*Hieracium cirritum* Arv.-Touv. subsp. *tenellum* (Huter & Ausserd.) Dalla Torre & Sarnth.  
E *Hieracium cirsioptis* Gottschl. & Dunkel  
E *Hieracium contii* Gottschl.  
E *Hieracium cophanense* Lojac.  
E *Hieracium cornuscalae* Gottschl.  
*Hieracium coronariifolium* Arv.-Touv.  
*Hieracium cottetii* Godet ex Christener subsp. *cottetii*  
*Hieracium crocatum* Fr. subsp. *conicum* (Arv.-Touv.) Murr & Zahn  
*Hieracium cryptadenum* Arv.-Touv. subsp. *cryptadenum*  
*Hieracium cryptadenum* Arv.-Touv. subsp. *megalodon* (Nägeli & Peter) Zahn  
*Hieracium ctenodon* Nägeli & Peter subsp. *ctenodon*  
*Hieracium ctenodon* Nägeli & Peter subsp. *multiramum* Nägeli & Peter  
*Hieracium ctenodon* Nägeli & Peter subsp. *zahnii* (Oborny) Murr & Zahn  
*Hieracium cydoniifolium* Vill. subsp. *brassicoides* (Wilczek) Zahn  
*Hieracium cydoniifolium* Vill. subsp. *cottianum* (Arv.-Touv.) Zahn  
E *Hieracium cydoniifolium* Vill. subsp. *isatidiforme* Zahn  
*Hieracium cydoniifolium* Vill. subsp. *mespilifolium* (Arv.-Touv.) Zahn  
*Hieracium cydoniifolium* Vill. subsp. *ochroleucomorphum* Zahn  
*Hieracium cydoniifolium* Vill. subsp. *parcepilosum* (Arv.-Touv.) Zahn  
*Hieracium cydoniifolium* Vill. subsp. *prenanthophyllum* (Nägeli & Peter) Zahn  
*Hieracium cydoniifolium* Vill. subsp. *semiperfoliatum* Zahn  
*Hieracium cydoniifolium* Vill. subsp. *subpanduratum* Zahn  
*Hieracium cydoniifolium* Vill. subsp. *sulgeri* (Murr) Zahn  
E *Hieracium cydoniifolium* Vill. subsp. *trichodes* (Rchb.f.) Zahn  
*Hieracium cydoniifolium* Vill. subsp. *trichojuranum* (Zahn) Zahn  
*Hieracium dasytrichum* Arv.-Touv. subsp. *capnooides* (Kern. ex Näg. & Peter) Zahn  
*Hieracium dasytrichum* Arv.-Touv. subsp. *dasytrichum*  
*Hieracium dasytrichum* Arv.-Touv. subsp. *mesomorphum* (Nägeli & Peter) Zahn  
*Hieracium dasytrichum* Arv.-Touv. subsp. *neopolytrichum* (Arv.-Touv.) Greuter  
*Hieracium dasytrichum* Arv.-Touv. subsp. *pseudopiliferum* (Nägeli & Peter) Zahn  
*Hieracium dasytrichum* Arv.-Touv. subsp. *subpiliferum* (Arv.-Touv.) Zahn  
*Hieracium dentatum* Hoppe subsp. *aechmetes* Nägeli & Peter  
*Hieracium dentatum* Hoppe subsp. *basifoliatum* Nägeli & Peter  
*Hieracium dentatum* Hoppe subsp. *carinthicola* Nägeli & Peter  
*Hieracium dentatum* Hoppe subsp. *cenisium* (Arv.-Touv.) Zahn  
*Hieracium dentatum* Hoppe subsp. *dentatifolium* Nägeli & Peter  
*Hieracium dentatum* Hoppe subsp. *dentatiforme* Nägeli & Peter  
*Hieracium dentatum* Hoppe subsp. *dentatum*  
E *Hieracium dentatum* Hoppe subsp. *dentissimum* Gottschl.  
*Hieracium dentatum* Hoppe subsp. *depressum* Nägeli & Peter  
*Hieracium dentatum* Hoppe subsp. *erigerontinum* (Arv.-Touv.) Zahn  
*Hieracium dentatum* Hoppe subsp. *expallens* (Fr.) Nägeli & Peter  
*Hieracium dentatum* Hoppe subsp. *gaudinii* (Christener) Nägeli & Peter  
*Hieracium dentatum* Hoppe subsp. *lonchites* Nägeli & Peter  
*Hieracium dentatum* Hoppe subsp. *maculifolium* Nägeli & Peter  
*Hieracium dentatum* Hoppe subsp. *marmoratum* Nägeli & Peter  
E *Hieracium dentatum* Hoppe subsp. *montiscatiae* Gottschl.  
*Hieracium dentatum* Hoppe subsp. *oblongifolium* Nägeli & Peter  
*Hieracium dentatum* Hoppe subsp. *ormontense* Nägeli & Peter

- Hieracium dentatum* Hoppe subsp. *prionodes* Nägeli & Peter  
*Hieracium dentatum* Hoppe subsp. *pseudoplantagineum* (Zahn) Zahn  
*Hieracium dentatum* Hoppe subsp. *pseudoporrectum* (Gremli) Nägeli & Peter  
*Hieracium dentatum* Hoppe subsp. *pseudovillosum* Nägeli & Peter  
E *Hieracium dentatum* Hoppe subsp. *setuligerum* Gottschl.  
*Hieracium dentatum* Hoppe subsp. *subnudum* Nägeli & Peter  
*Hieracium dentatum* Hoppe subsp. *subruncinatum* Nägeli & Peter  
*Hieracium dentatum* Hoppe subsp. *subvillosum* Nägeli & Peter  
*Hieracium dentatum* Hoppe subsp. *tigrinum* Nägeli & Peter  
E *Hieracium dentatum* Hoppe subsp. *trefferianiforme* Gottschl.  
*Hieracium dentatum* Hoppe subsp. *trefferianum* (Nägeli & Peter) Zahn  
*Hieracium dentatum* Hoppe subsp. *trentanum* Nägeli & Peter  
*Hieracium dentatum* Hoppe subsp. *tricephalum* Nägeli & Peter  
*Hieracium dentatum* Hoppe subsp. *turritiforme* Nägeli & Peter  
*Hieracium dentatum* Hoppe subsp. *vaudense* (Arv.-Touv.) Zahn  
*Hieracium dentatum* Hoppe subsp. *vilosiforme* Nägeli & Peter  
E *Hieracium dentatum* Hoppe subsp. *xanthostylophorum* Furrer & Zahn  
E *Hieracium dermophyllum* Arv.-Touv. subsp. *acutidens* Gottschl.  
*Hieracium dermophyllum* Arv.-Touv. subsp. *dermophyllum*  
*Hieracium dermophyllum* Arv.-Touv. subsp. *juraniforme* (Zahn) Greuter  
*Hieracium dermophyllum* Arv.-Touv. subsp. *juranigenum* (Zahn) Greuter  
*Hieracium dermophyllum* Arv.-Touv. subsp. *ortiganum* (Zahn) Greuter  
*Hieracium diaphanoides* Lindeb. subsp. *cinerascensifolium* Besse & Zahn  
*Hieracium diaphanoides* Lindeb. subsp. *deductiforme* Zahn  
*Hieracium diaphanoides* Lindeb. subsp. *diaphanoides*  
E *Hieracium diaphanoides* Lindeb. subsp. *dimonense* Gottschl.  
E *Hieracium diaphanoides* Lindeb. subsp. *forajuliense* Gottschl.  
*Hieracium diaphanoides* Lindeb. subsp. *haslibergense* Käser & Zahn  
*Hieracium diaphanoides* Lindeb. subsp. *pseudumbrosum* Zahn  
*Hieracium diaphanoides* Lindeb. subsp. *sublegans* (Murr & Zahn) Gottschl.  
*Hieracium diaphanoides* Lindeb. subsp. *vogesorum* Zahn  
*Hieracium diaphanoides* Lindeb. subsp. *vorarlbergense* (Murr & Zahn) Zahn  
*Hieracium digenum* Burn. & Gremli  
*Hieracium dolichaetum* Zahn  
E *Hieracium dollineri* Sch.Bip. ex Neirl. subsp. *addanum* Zahn  
E *Hieracium dollineri* Sch.Bip. ex Neirl. subsp. *crinibasis* Korb & Zahn  
E *Hieracium dollineri* Sch.Bip. ex Neirl. subsp. *crinitellum* Murr & Zahn  
*Hieracium dollineri* Sch.Bip. ex Neirl. subsp. *dollineri*  
*Hieracium dollineri* Sch.Bip. ex Neirl. subsp. *gadensisforme* Murr & Zahn  
*Hieracium dollineri* Sch.Bip. ex Neirl. subsp. *glaucongenes* Murr & Zahn  
*Hieracium dollineri* Sch.Bip. ex Neirl. subsp. *hyoseriophyllum* Zahn  
E *Hieracium dollineri* Sch.Bip. ex Neirl. subsp. *pseudobaldense* Murr & Zahn  
*Hieracium dollineri* Sch.Bip. ex Neirl. subsp. *pseudofucatum* Zahn  
*Hieracium dollineri* Sch.Bip. ex Neirl. subsp. *subcrinitellum* Murr & Zahn  
*Hieracium dollineri* Sch.Bip. ex Neirl. subsp. *tephromelanum* Benz & Zahn  
*Hieracium dollineri* Sch.Bip. ex Neirl. subsp. *tridentinum* (Evers) Murr  
*Hieracium doronicifolium* Arv.-Touv. subsp. *doronicifolium*  
*Hieracium doronicifolium* Arv.-Touv. subsp. *salevense* (Rapin ex Fr.) Gottschl.  
*Hieracium dragicola* (Nägeli & Peter) Zahn subsp. *carstienne* (Nägeli & Peter) Zahn  
*Hieracium dragicola* (Nägeli & Peter) Zahn subsp. *dragicola*  
E *Hieracium dragicola* (Nägeli & Peter) Zahn subsp. *pseudodragicola* Zahn  
E *Hieracium dragicola* (Nägeli & Peter) Zahn subsp. *rossianum* Zahn  
E *Hieracium dunkelii* Gottschl.  
E *Hieracium duronense* Gottschl.  
ET *Hieracium elbanum* Belli ex Baroni  
*Hieracium erioleucum* Zahn subsp. *albatum* (Nägeli & Peter) Zahn  
*Hieracium erioleucum* Zahn subsp. *chionodes* (Nägeli & Peter) Zahn  
*Hieracium erioleucum* Zahn subsp. *erioleucum*  
*Hieracium erioleucum* Zahn subsp. *eriovillosum* (Nägeli & Peter) Zahn  
E *Hieracium erioleucum* Zahn subsp. *stenopodium* Zahn  
*Hieracium erucophyllum* Prain subsp. *erucophyllum*  
*Hieracium erucophyllum* Prain subsp. *prinzii* (Käser ex Zahn) Greuter  
E *Hieracium erucopsis* Gottschl.  
E *Hieracium exilicula* Gottschl.  
*Hieracium falcatum* Arv.-Touv. subsp. *falcatum*  
E *Hieracium fastuosum* Zahn  
E *Hieracium faucaisjovis* Gottschl.  
*Hieracium flagelliferum* Ravaud  
*Hieracium froelichianum* H.Buek subsp. *beauverdianum* (Besse & Zahn) Gottschl. & Greuter  
E *Hieracium froelichianum* H.Buek subsp. *cavicola* Gottschl.  
E *Hieracium froelichianum* H.Buek subsp. *crepidens* (Zahn) Gottschl. & Greuter  
E *Hieracium froelichianum* H.Buek subsp. *epimediiforme* (Benz & Zahn) Gottschl. & Greuter  
*Hieracium froelichianum* H.Buek subsp. *epimedum* (Fr.) Gottschl. & Greuter  
*Hieracium froelichianum* H.Buek subsp. *exilentum* (Arv.-Touv.) Gottschl. & Greuter  
*Hieracium froelichianum* H.Buek subsp. *froelichianum*  
*Hieracium froelichianum* H.Buek subsp. *heterolobum* (Zahn) Gottschl. & Greuter  
E *Hieracium froelichianum* H.Buek subsp. *laevipedunculum* (Zahn) Gottschl. & Greuter  
*Hieracium froelichianum* H.Buek subsp. *laricicola* (C.Bicknell & Zahn) Gottschl. & Greuter

- E *Hieracium froelichianum* H.Buek subsp. *macilentum* (Fr.) Gottschl. & Greuter  
*Hieracium froelichianum* H.Buek subsp. *punctiferum* Gottschl.  
*Hieracium froelichianum* H.Buek subsp. *sparsipilum* (Zahn) Gottschl. & Greuter  
*Hieracium froelichianum* H.Buek subsp. *subepimedum* (Murr & Zahn) Gottschl. & Greuter  
*Hieracium froelichianum* H.Buek subsp. *subvulsum* (Zahn) Gottschl. & Greuter  
*Hieracium froelichianum* H.Buek subsp. *wimmerioides* (Zahn) Gottschl. & Greuter  
E *Hieracium fulcratum* Arv.-Touv. subsp. *illense* (Zahn) Zahn  
E *Hieracium galerooides* Gottschl. subsp. *aculeatisquamum* Gottschl.  
E *Hieracium galerooides* Gottschl. subsp. *galerooides*  
E *Hieracium geilingeri* Zahn subsp. *brembanae* Wilczek & Zahn  
*Hieracium geilingeri* Zahn subsp. *geilingeri*  
*Hieracium glabratum* Hoppe ex Willd. subsp. *doratolepium* Nägeli & Peter  
*Hieracium glabratum* Hoppe ex Willd. subsp. *glabratum*  
*Hieracium glabratum* Hoppe ex Willd. subsp. *gymnophyllum* Nägeli & Peter  
*Hieracium glabratum* Hoppe ex Willd. subsp. *leontinum* Nägeli & Peter  
*Hieracium glabratum* Hoppe ex Willd. subsp. *niphoneuron* Nägeli & Peter  
*Hieracium glabratum* Hoppe ex Willd. subsp. *nudum* A.Kern. ex Nägeli & Peter  
*Hieracium glabratum* Hoppe ex Willd. subsp. *pseudoflexuosum* Nägeli & Peter  
*Hieracium glabratum* Hoppe ex Willd. subsp. *seneciooides* (Arv.-Touv. & Gaut.) Zahn  
*Hieracium glanduliferum* Hoppe subsp. *fuliginatum* Huter & Gander ex Nägeli & Peter  
*Hieracium glanduliferum* Hoppe subsp. *glanduliferum*  
*Hieracium glanduliferum* Hoppe subsp. *hololeptum* Nägeli & Peter  
*Hieracium glanduliferum* Hoppe subsp. *leucopsis* Arv.-Touv. ex Nägeli & Peter  
*Hieracium glanduliferum* Hoppe subsp. *piliferum* Hoppe ex Nägeli & Peter  
*Hieracium glanduliferum* Hoppe subsp. *subnivale* (Gren. & Godr.) Nägeli & Peter  
E *Hieracium glanduliferum* Hoppe subsp. *subnivaliforme* Zahn  
E *Hieracium glaucinum* Jord. subsp. *acrocampylum* (Zahn) Greuter  
*Hieracium glaucinum* Jord. subsp. *arnicoides* (Gren. & Godr.) O.Bolòs & Vigo  
*Hieracium glaucinum* Jord. subsp. *bouophilum* (Jord. ex Boreau) O.Bolòs & Vigo  
*Hieracium glaucinum* Jord. subsp. *cinerascens* (Jord.) Breistr. & Litard.  
E *Hieracium glaucinum* Jord. subsp. *cispadanum* (Fen. & Zahn) Greuter  
*Hieracium glaucinum* Jord. subsp. *conjugatum* (Jord. ex Boreau) O.Bolòs & Vigo  
*Hieracium glaucinum* Jord. subsp. *fallens* (Jord. ex Boreau) Gottschl.  
*Hieracium glaucinum* Jord. subsp. *fragile* (Jord.) O.Bolòs & Vigo  
*Hieracium glaucinum* Jord. subsp. *fraternum* (Sudre) Soó  
*Hieracium glaucinum* Jord. subsp. *glaucinum*  
*Hieracium glaucinum* Jord. subsp. *heteroschistum* (Zahn) Soó  
*Hieracium glaucinum* Jord. subsp. *jaubertianum* (Timb.-Lagr. & Loret) O.Bolòs & Vigo  
*Hieracium glaucinum* Jord. subsp. *oigocladum* (Jord. ex Boreau) Soó  
*Hieracium glaucinum* Jord. subsp. *ottanense* (Zahn) Greuter  
*Hieracium glaucinum* Jord. subsp. *ovalifolium* (Jord.) Soó  
*Hieracium glaucinum* Jord. subsp. *pallidifrons* (Sudre) O.Bolòs & Vigo  
*Hieracium glaucinum* Jord. subsp. *pallidulum* (Jord. ex Boreau) Soó  
*Hieracium glaucinum* Jord. subsp. *petiolare* (Jord.) Greuter  
*Hieracium glaucinum* Jord. subsp. *pinicola* (Sudre) Gottschl.  
*Hieracium glaucinum* Jord. subsp. *prasinifolium* (Jord. ex Boreau) O.Bolòs & Vigo  
*Hieracium glaucinum* Jord. subsp. *prasiophaeum* (Arv.-Touv. & Gaut.) Gottschl.  
E *Hieracium glaucinum* Jord. subsp. *pseudobasalicum* Gottschl.  
*Hieracium glaucinum* Jord. subsp. *pseudobounophilum* (Zahn) Gottschl.  
*Hieracium glaucinum* Jord. subsp. *pseudocyanum* (Zahn) O.Bolòs & Vigo  
*Hieracium glaucinum* Jord. subsp. *pulverosum* (Zahn) Greuter  
*Hieracium glaucinum* Jord. subsp. *recensitum* (Jord. ex Boreau) Gottschl.  
*Hieracium glaucinum* Jord. subsp. *similatum* (Jord. ex Boreau) Gottschl.  
*Hieracium glaucinum* Jord. subsp. *subfraternum* (Zahn) Greuter  
*Hieracium glaucinum* Jord. subsp. *subpubescens* (Zahn) Greuter  
E *Hieracium glaucinum* Jord. subsp. *tintiae* Gottschl.  
*Hieracium glaucinum* Jord. subsp. *valdevestitum* (Besse & Zahn) Greuter  
E *Hieracium glaucinum* Jord. subsp. *valpergae* Gottschl.  
*Hieracium glaucopsis* Gren. & Godr. subsp. *glaucopsis*  
*Hieracium glaucum* All. subsp. *amaurodes* Nägeli & Peter  
*Hieracium glaucum* All. subsp. *chiamuerae* Nägeli & Peter  
*Hieracium glaucum* All. subsp. *chrysostylum* Nägeli & Peter  
*Hieracium glaucum* All. subsp. *glaucum*  
*Hieracium glaucum* All. subsp. *gymnolepium* Nägeli & Peter  
*Hieracium glaucum* All. subsp. *isaricum* (Nägeli ex J.Hofm.) Prantl  
*Hieracium glaucum* All. subsp. *limonense* (Burnat & Gremli) Zahn  
*Hieracium glaucum* All. subsp. *nipholepium* Nägeli & Peter  
E *Hieracium glaucum* All. subsp. *serenaiae* Gottschl.  
*Hieracium glaucum* All. subsp. *stenobracteum* Nägeli & Peter  
E *Hieracium glaucum* All. subsp. *subglaucum* (Burnat & Gremli) Zahn  
E *Hieracium glaucum* All. subsp. *subporrifolium* Nägeli & Peter  
*Hieracium glaucum* All. subsp. *subturbanatum* Nägeli & Peter  
*Hieracium glaucum* All. subsp. *tenerum* Nägeli & Peter  
*Hieracium glaucum* All. subsp. *tephrolepium* Nägeli & Peter  
*Hieracium glaucum* All. subsp. *turbinatum* Nägeli & Peter  
*Hieracium glaucum* All. subsp. *willdenowii* (Monnier) Nägeli & Peter  
*Hieracium gombense* Lagger ex Christener subsp. *praemontanum* (Benz & Zahn) Zahn  
*Hieracium gombense* Lagger ex Christener subsp. *weitfeldense* (Murr) Zahn



- E *Hieracium grovesianum* Arv.-Touv. ex Belli subsp. ***grovesianum***  
E *Hieracium grovesianum* Arv.-Touv. ex Belli subsp. ***luteobarbatum*** Gottschl.  
E *Hieracium grovesianum* Arv.-Touv. ex Belli subsp. ***nigroectorum*** Gottschl.  
E *Hieracium grovesianum* Arv.-Touv. ex Belli subsp. ***peracutum*** Gottschl.  
E *Hieracium grovesianum* Arv.-Touv. ex Belli subsp. ***pseuditalicum*** (Zahn) Gottschl.  
E *Hieracium grovesianum* Arv.-Touv. ex Belli subsp. ***rigoanum*** (Zahn) Zahn  
E *Hieracium grovesianum* Arv.-Touv. ex Belli subsp. ***rivasolanum*** Zahn  
E *Hieracium grovesianum* Arv.-Touv. ex Belli subsp. ***serratifolioides*** Gottschl.  
E *Hieracium grovesianum* Arv.-Touv. ex Belli subsp. ***stenofolium*** Gottschl.  
E *Hieracium grovesianum* Arv.-Touv. ex Belli subsp. ***varellanum*** (Zahn) Zahn  
*Hieracium hayekii* Murr  
*Hieracium hispidulum* Arv.-Touv. subsp. ***hispidulum***  
*Hieracium huetianum* Arv.-Touv.  
*Hieracium humile* Jacq. subsp. ***brachycaule*** Vuk. ex Zahn  
*Hieracium humile* Jacq. subsp. ***humile***  
*Hieracium humile* Jacq. subsp. ***lacerum*** (Reut. ex Fr.) Zahn  
*Hieracium humile* Jacq. subsp. ***pseudocottetii*** Zahn  
*Hieracium hypocoeroides* S.Gibson subsp. ***adesiforme*** (Zahn) Greuter  
*Hieracium hypocoeroides* S.Gibson subsp. ***adesum*** (Bernoulli & Zahn) Greuter  
E *Hieracium hypocoeroides* S.Gibson subsp. ***bifidopsis*** (Zahn) Greuter  
*Hieracium hypocoeroides* S.Gibson subsp. ***bridelianum*** (Zahn) Greuter  
E *Hieracium hypocoeroides* S.Gibson subsp. ***cilentanum*** Di Grist., Gottschl. & Raimondo  
*Hieracium hypocoeroides* S.Gibson subsp. ***cinerascentiforme*** (Zahn) Greuter  
*Hieracium hypocoeroides* S.Gibson subsp. ***dolicellum*** (Arv.-Touv. & Gaut.) Greuter  
*Hieracium hypocoeroides* S.Gibson subsp. ***glaucibifidum*** (Arv.-Touv. & Gaut.) Greuter  
E *Hieracium hypocoeroides* S.Gibson subsp. ***grandisaxense*** Gottschl.  
*Hieracium hypocoeroides* S.Gibson subsp. ***hemibifidum*** (Zahn) Greuter  
*Hieracium hypocoeroides* S.Gibson subsp. ***lineatiforme*** (Zahn) Greuter  
*Hieracium hypocoeroides* S.Gibson subsp. ***lineatoides*** (Zahn) Greuter  
*Hieracium hypocoeroides* S.Gibson subsp. ***lithophilum*** (Arv.-Touv.) Greuter  
E *Hieracium hypocoeroides* S.Gibson subsp. ***lucanicum*** (Arv.-Touv.) Di Grist., Gottschl. & Raimondo  
E *Hieracium hypocoeroides* S.Gibson subsp. ***montis-scuderi*** Di Grist., Gottschl., Galesi, Raimondo & Cristaldo  
*Hieracium hypocoeroides* S.Gibson subsp. ***nervulosum*** (Arv.-Touv. & Gaut.) Greuter  
E *Hieracium hypocoeroides* S.Gibson subsp. ***pallidopsis*** Gottschl.  
E *Hieracium hypocoeroides* S.Gibson subsp. ***peracutisquamum*** Di Grist., Gottschl. & Raimondo  
E *Hieracium hypocoeroides* S.Gibson subsp. ***pinnatiscissimum*** (Zahn) Greuter  
E *Hieracium hypocoeroides* S.Gibson subsp. ***potamogetifolium*** Gottschl.  
*Hieracium hypocoeroides* S.Gibson subsp. ***prasinophyton*** (Zahn) Greuter  
*Hieracium hypocoeroides* S.Gibson subsp. ***pseudograniticum*** (Besse & Zahn) Greuter  
E *Hieracium hypocoeroides* S.Gibson subsp. ***serinense*** (Zahn) Greuter  
*Hieracium hypocoeroides* S.Gibson subsp. ***subcanens*** (Arv.-Touv. & Gaut.) Greuter  
*Hieracium hypocoeroides* S.Gibson subsp. ***subcinereum*** (Arv.-Touv. & Gaut.) Greuter  
E *Hieracium hypocoeroides* S.Gibson subsp. ***sublanigerum*** (Arv.-Touv. ex Belli) Gottschl. & Wagens.  
*Hieracium hypocoeroides* S.Gibson subsp. ***sublineolatum*** (Zahn) Greuter  
E *Hieracium hypocoeroides* S.Gibson subsp. ***supramontanum*** (Arrigoni) Greuter  
*Hieracium hypocoeroides* S.Gibson subsp. ***wiesbaurianum*** (R.Uechtr.) Greuter  
E *Hieracium illyricopsis* Gottschl.  
E *Hieracium insubricum* Gottschl.  
*Hieracium intertextum* Arv.-Touv.  
*Hieracium inuloides* Tausch subsp. ***lanceolatifolium*** (Zahn) Zahn  
*Hieracium inuloides* Tausch subsp. ***poellianum*** Zahn  
*Hieracium inuloides* Tausch subsp. ***subconicum*** Zahn  
*Hieracium inuloides* Tausch subsp. ***subtridentatum*** (Zahn) Zahn  
*Hieracium inuloides* Tausch subsp. ***subvirens*** (Arv.-Touv.) Greuter  
E *Hieracium inuloides* Tausch subsp. ***subvirentiforme*** Zahn  
*Hieracium inuloides* Tausch subsp. ***tridentatifolium*** (Zahn) Zahn  
E *Hieracium inuloides* Tausch subsp. ***vetteri*** Zahn  
*Hieracium isatidifolium* Arv.-Touv. subsp. ***isatidifolium***  
*Hieracium isolanum* Zahn  
*Hieracium jordanii* Arv.-Touv. subsp. ***jordanii***  
*Hieracium jordanii* Arv.-Touv. subsp. ***lacistum*** (Nägeli & Peter) Zahn  
*Hieracium jordanii* Arv.-Touv. subsp. ***pseudotomentosum*** (Nägeli & Peter) Zahn  
*Hieracium jordanii* Arv.-Touv. subsp. ***yesianum*** (Arv.-Touv.) Zahn  
E *Hieracium juengeri* Gottschl.  
*Hieracium juranum* Rapin subsp. ***juranum***  
*Hieracium jurassicum* Griseb. subsp. ***adenocalathium*** (Zahn) Greuter  
*Hieracium jurassicum* Griseb. subsp. ***aligerum*** (Zahn) Greuter  
*Hieracium jurassicum* Griseb. subsp. ***amplexifolium*** (Arv.-Touv.) Greuter  
*Hieracium jurassicum* Griseb. subsp. ***cichoriaceum*** (Arv.-Touv.) Gottschl.  
*Hieracium jurassicum* Griseb. subsp. ***constrictiforme*** (Zahn) Greuter  
*Hieracium jurassicum* Griseb. subsp. ***decrecentifolium*** (Murr & Zahn) Greuter  
E *Hieracium jurassicum* Griseb. subsp. ***decrecentifrons*** (Zahn) Greuter  
*Hieracium jurassicum* Griseb. subsp. ***elegantissimum*** (Zahn) Gottschl.  
*Hieracium jurassicum* Griseb. subsp. ***fontanalbae*** (C.Bicknell & Zahn) Greuter  
*Hieracium jurassicum* Griseb. subsp. ***hemiplecoides*** (Arv.-Touv. & Gaut.) Greuter  
*Hieracium jurassicum* Griseb. subsp. ***hemiplecum*** (Arv.-Touv.) Greuter  
*Hieracium jurassicum* Griseb. subsp. ***jaceoides*** (Arv.-Touv.) Gottschl.  
*Hieracium jurassicum* Griseb. subsp. ***jurassicum***

- Hieracium jurassicum* Griseb. subsp. *lancifrons* (Zahn) Greuter  
*Hieracium jurassicum* Griseb. subsp. *prenanthopsis* (Murr & Zahn) Gottschl.  
*Hieracium jurassicum* Griseb. subsp. *pseudohemipileum* (Zahn) Gottschl.  
*Hieracium jurassicum* Griseb. subsp. *pseudojuranum* (Arv.-Touv.) Greuter  
*Hieracium jurassicum* Griseb. subsp. *stenoplecopsis* (Zahn) Greuter  
*Hieracium jurassicum* Griseb. subsp. *superfoliatum* (Arv.-Touv.) Greuter  
*Hieracium jurassicum* Griseb. subsp. *translucens* (Arv.-Touv.) Greuter  
*Hieracium kalsianum* Huter subsp. *kalsianum*  
*Hieracium kalsianum* Huter subsp. *ochroleucopsis* Zahn
- E *Hieracium kofelicum* Gottschl.  
*Hieracium lachenalii* Suter subsp. *acidodontophyllum* (Zahn) Zahn  
*Hieracium lachenalii* Suter subsp. *acuminatum* (Jord.) Zahn  
*Hieracium lachenalii* Suter subsp. *acutatifrons* (Zahn) Zahn  
*Hieracium lachenalii* Suter subsp. *alpestre* (R.Uechtr.) Greuter  
*Hieracium lachenalii* Suter subsp. *amaurochlorum* (Zahn) Zahn  
*Hieracium lachenalii* Suter subsp. *anfractum* (Fr.) Zahn  
*Hieracium lachenalii* Suter subsp. *argillaceum* (Jord.) Zahn  
*Hieracium lachenalii* Suter subsp. *aspernatum* (Jord. ex Boreau) Zahn  
*Hieracium lachenalii* Suter subsp. *asyngamicum* (Borbás) Zahn  
*Hieracium lachenalii* Suter subsp. *aurulentum* (Jord. ex Boreau) Zahn  
*Hieracium lachenalii* Suter subsp. *ausserdorferi* (Hausm. ex Zahn) Zahn  
*Hieracium lachenalii* Suter subsp. *aviicola* (Jord. ex Boreau) Zahn  
*Hieracium lachenalii* Suter subsp. *bathylepium* (Dahlst.) Zahn  
*Hieracium lachenalii* Suter subsp. *brevidentatum* (Jord. ex Boreau) Zahn  
*Hieracium lachenalii* Suter subsp. *chlorophyllum* (Jord. ex Boreau) Zahn  
E *Hieracium lachenalii* Suter subsp. *chrysoglossoides* (Zahn) Zahn  
*Hieracium lachenalii* Suter subsp. *euchlorum* (Murr & Zahn) Zahn  
*Hieracium lachenalii* Suter subsp. *fastigiatum* (Fr.) Zahn  
*Hieracium lachenalii* Suter subsp. *festinum* (Jord. ex Boreau) Zahn  
*Hieracium lachenalii* Suter subsp. *frondosiforme* (Zahn) Zahn  
*Hieracium lachenalii* Suter subsp. *garckeanaum* (Asch.) Zahn  
*Hieracium lachenalii* Suter subsp. *haematochromum* (Zahn) Zahn  
E *Hieracium lachenalii* Suter subsp. *interaquense* (Zahn) Zahn  
*Hieracium lachenalii* Suter subsp. *irriguum* (Fr.) Zahn  
*Hieracium lachenalii* Suter subsp. *lachenalii*  
*Hieracium lachenalii* Suter subsp. *lepiduloides* Zahn  
*Hieracium lachenalii* Suter subsp. *lupimontis* (Zahn) Zahn  
E *Hieracium lachenalii* Suter subsp. *mutiense* (Zahn) Zahn  
*Hieracium lachenalii* Suter subsp. *obscuriceps* (Dahlst.) Greuter  
*Hieracium lachenalii* Suter subsp. *paucifoliatum* (Jord. ex Boreau) Zahn  
*Hieracium lachenalii* Suter subsp. *persicissum* (Jord. ex Boreau) Zahn  
*Hieracium lachenalii* Suter subsp. *pinnatifidum* (Dahlst.) Zahn  
*Hieracium lachenalii* Suter subsp. *pureoziolascens* (Zahn) Zahn  
*Hieracium lachenalii* Suter subsp. *scanicum* (Dahlst.) Zahn  
*Hieracium lachenalii* Suter subsp. *subampliatum* (Dahlst.) Zahn  
*Hieracium lachenalii* Suter subsp. *subfastigiatum* (Zahn) Zahn  
*Hieracium lachenalii* Suter subsp. *subirriguifrons* (Zahn) Zahn  
*Hieracium lachenalii* Suter subsp. *subirriguum* (Dahlst.) Zahn  
*Hieracium lachenalii* Suter subsp. *sublepiduliforme* Harz & Zahn  
*Hieracium lachenalii* Suter subsp. *subpunctillatiforme* (Zahn) Zahn  
*Hieracium lachenalii* Suter subsp. *subviriduliceps* (Zahn) Zahn  
*Hieracium lachenalii* Suter subsp. *tortifolium* (Jord. ex Boreau) Zahn  
E *Hieracium laevigatum* Willd. subsp. *albaredanum* Zahn  
*Hieracium laevigatum* Willd. subsp. *amaurolepis* Murr & Zahn  
*Hieracium laevigatum* Willd. subsp. *gothiciforme* (Dahlst.) Zahn  
*Hieracium laevigatum* Willd. subsp. *grandidens* Zahn  
E *Hieracium laevigatum* Willd. subsp. *gsiesense* Zahn  
*Hieracium laevigatum* Willd. subsp. *knafii* (Celak.) Zahn  
*Hieracium laevigatum* Willd. subsp. *laevigans* Zahn  
*Hieracium laevigatum* Willd. subsp. *laevigatum*  
*Hieracium laevigatum* Willd. subsp. *lineatum* (Dahlst.) Zahn  
*Hieracium laevigatum* Willd. subsp. *magistri* (Godr.) Zahn  
*Hieracium laevigatum* Willd. subsp. *nivale* (Froel.) Zahn  
*Hieracium laevigatum* Willd. subsp. *pictavienne* (Sauzé & Maillard) Zahn  
E *Hieracium laevigatum* Willd. subsp. *pizzulicum* Gottschl.  
*Hieracium laevigatum* Willd. subsp. *pseudogothicum* (Arv.-Touv.) Zahn  
*Hieracium laevigatum* Willd. subsp. *retardatum* Zahn  
*Hieracium laevigatum* Willd. subsp. *rigidum* (Hartm.) Zahn  
E *Hieracium laevigatum* Willd. subsp. *stenogonium* Zahn  
E *Hieracium laevigatum* Willd. subsp. *trichocalyx* Gottschl.  
*Hieracium laevigatum* Willd. subsp. *tridentatum* (Fr.) Celak.  
*Hieracium lanseanum* Arv.-Touv. subsp. *lanseanum*  
E *Hieracium latilepidotum* Gottschl.  
E *Hieracium lawsonii* Vill. subsp. *elvae* Gottschl. & Dunkel  
*Hieracium lawsonii* Vill. subsp. *lawsonii*  
E *Hieracium leiocephalum* Bartl. ex Griseb. subsp. *abortivum* (Nägeli & Peter) Zahn  
*Hieracium leiocephalum* Bartl. ex Griseb. subsp. *besenellum* Zahn  
*Hieracium leiocephalum* Bartl. ex Griseb. subsp. *leiocephalum*



- Hieracium leiocephalum* Bartl. ex Griseb. subsp. *melanocalyx* (Nägeli & Peter) Zahn  
*Hieracium leiocephalum* Bartl. ex Griseb. subsp. *subumbellatum* (Nägeli & Peter) Gottschl.  
**E** *Hieracium leiocephalum* Bartl. ex Griseb. subsp. *timavicense* (Nägeli & Peter) Zahn  
*Hieracium leiophaeum* Arv.-Touv.  
*Hieracium leiopogon* Gren. ex Verl. subsp. *hyposericum* Zahn  
*Hieracium leiopogon* Gren. ex Verl. subsp. *iolai* (Arrigoni) Greuter  
*Hieracium leucophaeum* Gren. & Godr. subsp. *asterinum* (Arv.-Touv. & Briq.) Zahn  
*Hieracium leucophaeum* Gren. & Godr. subsp. *diabolinum* (Nägeli & Peter) Zahn  
*Hieracium leucophaeum* Gren. & Godr. subsp. *gremlii* (Arv.-Touv.) Zahn  
*Hieracium leucophaeum* Gren. & Godr. subsp. *leucophaeum*  
*Hieracium levicaule* Jord. subsp. *acroleucum* (Dahlst.) Zahn  
*Hieracium levicaule* Jord. subsp. *ausugum* (Murr & Zahn) Zahn  
*Hieracium levicaule* Jord. subsp. *calcigenum* (Rehm.) Zahn  
*Hieracium levicaule* Jord. subsp. *campylodon* (Zahn) Greuter  
*Hieracium levicaule* Jord. subsp. *chloroviolaceum* F.Feuerstein & Zahn  
*Hieracium levicaule* Jord. subsp. *davallianum* (Zahn) Zahn  
*Hieracium levicaule* Jord. subsp. *eurobremium* Zahn  
*Hieracium levicaule* Jord. subsp. *eurom* (Murr & Zahn) Zahn  
*Hieracium levicaule* Jord. subsp. *fissicladum* (Zahn) Zahn  
*Hieracium levicaule* Jord. subsp. *lepidulum* (Dahlst.) Greuter  
*Hieracium levicaule* Jord. subsp. *lonchodes* (Murr & Zahn) Zahn  
*Hieracium levicaule* Jord. subsp. *psammogeton* (Zahn) Zahn  
*Hieracium levicaule* Jord. subsp. *pseudosenile* (Zahn) Zahn  
*Hieracium levicaule* Jord. subsp. *siderense* (Zahn) Zahn  
*Hieracium levicaule* Jord. subsp. *triviale* (Norrl.) Zahn  
*Hieracium levicaule* Jord. subsp. *vitulimontis* Zahn  
*Hieracium levicaule* Jord. subsp. *vulgatiflorum* (Zahn) Zahn  
*Hieracium liptoviense* Borbás  
*Hieracium longifolium* Schleich. ex Hornem. subsp. *longifolium*  
**E** *Hieracium longifolium* Schleich. ex Hornem. subsp. *neocerinthoides* (Arv.-Touv. & Briq.) Greuter  
*Hieracium lucidum* Guss.  
*Hieracium lychnioides* Arv.-Touv.  
*Hieracium lycopifolium* Froel. subsp. *bifrons* (Arv.-Touv.) Zahn  
*Hieracium lycopifolium* Froel. subsp. *lycopifolioides* Zahn  
**E** *Hieracium lycopifolium* Froel. subsp. *lycopifolium*  
**E** *Hieracium lycopifolium* Froel. subsp. *ocreanum* Gottschl.  
*Hieracium lycopifolium* Froel. subsp. *pseudeminens* Zahn  
*Hieracium lycopifolium* Froel. subsp. *sabaudifolium* Zahn  
*Hieracium lycopifolium* Froel. subsp. *trichoprenanthes* (Zahn) Zahn  
*Hieracium lycopifolium* Froel. subsp. *vallisiacum* (Fr.) Zahn  
**E** *Hieracium macrogrovesianum* Gottschl. subsp. *colfioritense* Gottschl.  
**E** *Hieracium macrogrovesianum* Gottschl. subsp. *macrogrovesianum*  
*Hieracium maculatum* Schrank subsp. *arrectariicaule* (Sudre) Greuter  
*Hieracium maculatum* Schrank subsp. *astictum* F.Feuerstein & Zahn  
*Hieracium maculatum* Schrank subsp. *commixtum* (Jord.) Zahn  
*Hieracium maculatum* Schrank subsp. *cruentum* (Jord.) Zahn  
*Hieracium maculatum* Schrank subsp. *divisum* (Jord.) Zahn  
*Hieracium maculatum* Schrank subsp. *maculatum*  
**E** *Hieracium marchesianii* Gottschl.  
**E** *Hieracium marsorum* Gottschl.  
*Hieracium mattiroloanum* Arv.-Touv. & Belli subsp. *farinulentiforme* (Zahn) Greuter  
*Hieracium mattiroloanum* Arv.-Touv. & Belli subsp. *martellianum* (Zahn) Greuter  
**E** *Hieracium medense* Gottschl. & Dunkel  
*Hieracium melanops* Arv.-Touv. subsp. *mairanum* (Belli) Greuter  
*Hieracium melanops* Arv.-Touv. subsp. *melanops*  
*Hieracium melanops* Arv.-Touv. subsp. *subadusticeps* (Zahn) Gretuer  
*Hieracium misaicum* Nägeli & Peter subsp. *misaicum*  
*Hieracium misaicum* Nägeli & Peter subsp. *prionotum* (Arv.-Touv.) Zahn  
*Hieracium mollitum* Arv.-Touv. subsp. *mollitum*  
**E** *Hieracium monnierii* Arv.-Touv. subsp. *goderiense* (Zahn) Zahn  
**E** *Hieracium monregaleNSE* Burnat & Gremli subsp. *gibellianum* (Arv.-Touv. & Belli) Zahn  
**E** *Hieracium monregaleNSE* Burnat & Gremli subsp. *lanosum* (Nägeli & Peter) Zahn  
**E** *Hieracium monregaleNSE* Burnat & Gremli subsp. *monregaleNSE*  
**E** *Hieracium monregaleNSE* Burnat & Gremli subsp. *villiferum* (Nägeli & Peter) Zahn  
**E** *Hieracium montis-florum* Gottschl. subsp. *montis-florum*  
**E** *Hieracium montis-florum* Gottschl. subsp. *soldanoi* Gottschl.  
**E** *Hieracium montis-porrarae* Gottschl.  
*Hieracium murorum* L. subsp. *adenobifidum* Wilczek & Zahn  
*Hieracium murorum* L. subsp. *amaurocymum* (Touton & Zahn ex Dalla Torre & Sarnth.) Greuter  
**E** *Hieracium murorum* L. subsp. *anisobasis* Gottschl.  
*Hieracium murorum* L. subsp. *aspeticola* (Jord. ex Boreau) Zahn  
*Hieracium murorum* L. subsp. *atropaniculatum* (Zahn) Zahn  
**E** *Hieracium murorum* L. subsp. *atrovirens* (Froel.) Raimondo & Di Grist.  
*Hieracium murorum* L. subsp. *basalticiforme* Korb & Zahn  
*Hieracium murorum* L. subsp. *bifidiforme* (Zahn) Zahn  
*Hieracium murorum* L. subsp. *boetzkesii* Zahn  
*Hieracium murorum* L. subsp. *brachylobosum* J.Vetter & Zahn  
*Hieracium murorum* L. subsp. *calvifrons* Zahn

- Hieracium murorum* L. subsp. *cardiophyllum* (Sudre) Zahn  
*Hieracium murorum* L. subsp. *circumstellatum* (Zahn) Zahn  
*Hieracium murorum* L. subsp. *cirritooides* (Zahn) Zahn  
E *Hieracium murorum* L. subsp. *cirritoideiforme* Zahn  
*Hieracium murorum* L. subsp. *crepidanthes* Zahn  
*Hieracium murorum* L. subsp. *crepidiflorum* (Polák) Zahn  
*Hieracium murorum* L. subsp. *denticulatifrons* J.Vetter & Zahn  
*Hieracium murorum* L. subsp. *erucifolium* (Arv.-Touv.) Zahn  
*Hieracium murorum* L. subsp. *exotericum* (Jord. ex Boreau) Sudre  
E *Hieracium murorum* L. subsp. *flavescens* (Evers) Zahn  
*Hieracium murorum* L. subsp. *fritschii* (Pernh.) Zahn  
*Hieracium murorum* L. subsp. *gentile* (Jord. ex Boreau) Sudre  
E *Hieracium murorum* L. subsp. *gigantolobum* Zahn  
*Hieracium murorum* L. subsp. *glandellatum* Zahn  
*Hieracium murorum* L. subsp. *graminicolor* (Zahn) Zahn  
E *Hieracium murorum* L. subsp. *graminochlorum* Fen. & Zahn  
E *Hieracium murorum* L. subsp. *gryphariooides* Zahn  
*Hieracium murorum* L. subsp. *hemigryptotes* Zahn  
E *Hieracium murorum* L. subsp. *heteroserratum* Gottschl.  
E *Hieracium murorum* L. subsp. *infralobatum* Zahn  
*Hieracium murorum* L. subsp. *infrasericatum* Murr & Zahn  
*Hieracium murorum* L. subsp. *integratum* (Dahlst.) Zahn  
*Hieracium murorum* L. subsp. *kassanum* Zahn  
*Hieracium murorum* L. subsp. *longilacerum* Murr & Zahn  
*Hieracium murorum* L. subsp. *lorynsicum* Krafft & Zahn  
E *Hieracium murorum* L. subsp. *marmarolense* Pamp. & Zahn  
E *Hieracium murorum* L. subsp. *megalioibum* Pamp. & Zahn  
E *Hieracium murorum* L. subsp. *melanopsiforme* Zahn  
*Hieracium murorum* L. subsp. *melanospaerooides* Romieux & Zahn  
*Hieracium murorum* L. subsp. *microspilon* (Sudre) Zahn  
*Hieracium murorum* L. subsp. *mundellum* Zahn  
*Hieracium murorum* L. subsp. *nemorense* (Jord.) Zahn  
E *Hieracium murorum* L. subsp. *nivimarginatum* Gottschl.  
*Hieracium murorum* L. subsp. *oblongum* (Jord.) Zahn  
*Hieracium murorum* L. subsp. *odontobium* Zahn  
*Hieracium murorum* L. subsp. *oxyodontopsis* (Touton & Zahn) Zahn  
*Hieracium murorum* L. subsp. *persinuatum* Zahn  
*Hieracium murorum* L. subsp. *perviride* Zahn  
*Hieracium murorum* L. subsp. *pictoprasinum* Fen. & Zahn  
*Hieracium murorum* L. subsp. *pleiotrichum* (Zahn) Zahn  
*Hieracium murorum* L. subsp. *polygonum* Zahn  
*Hieracium murorum* L. subsp. *psammogenoides* Zahn  
*Hieracium murorum* L. subsp. *pseudobifidiforme* Pamp. & Zahn  
*Hieracium murorum* L. subsp. *pseudodiaphanoides* Gerstl. & Zahn  
E *Hieracium murorum* L. subsp. *pseudofritschii* Zahn  
*Hieracium murorum* L. subsp. *pseudomedianum* Besse & Zahn  
*Hieracium murorum* L. subsp. *pseudomerianum* P.Rossi & Zahn  
*Hieracium murorum* L. subsp. *pseudosilvularum* Zahn  
E *Hieracium murorum* L. subsp. *pseudosubulatidens* Pamp. & Zahn  
*Hieracium murorum* L. subsp. *ramosiforme* (Zahn) Zahn  
*Hieracium murorum* L. subsp. *samnaunicum* (Zahn) Gottschl.  
E *Hieracium murorum* L. subsp. *semicontractum* P.Rossi & Zahn  
*Hieracium murorum* L. subsp. *semisilvaticiforme* Zahn  
*Hieracium murorum* L. subsp. *semisilvaticum* (Zahn) Zahn  
*Hieracium murorum* L. subsp. *semisilvularum* Harz & Zahn  
*Hieracium murorum* L. subsp. *serratifolium* (Jord. ex Boreau) Zahn  
*Hieracium murorum* L. subsp. *sparsum* (Jord. ex Sudre) Zahn  
*Hieracium murorum* L. subsp. *subbifidiforme* Zahn  
E *Hieracium murorum* L. subsp. *subcoriifolium* Zahn  
*Hieracium murorum* L. subsp. *subcrassum* (Dahlst.) Zahn  
*Hieracium murorum* L. subsp. *subditivum* (Zahn) Zahn  
E *Hieracium murorum* L. subsp. *subinfrasericatum* P.Rossi & Zahn  
E *Hieracium murorum* L. subsp. *subintegerrimum* Gottschl.  
*Hieracium murorum* L. subsp. *subnemorense* (Zahn) Zahn  
*Hieracium murorum* L. subsp. *subsemisilvularum* (Zahn) Zahn  
*Hieracium murorum* L. subsp. *sylvivagum* (Jord. ex Boreau) Zahn  
*Hieracium murorum* L. subsp. *sylvularum* (Jord. ex Boreau) Zahn  
*Hieracium murorum* L. subsp. *tofanense* Pamp. & Zahn  
*Hieracium murorum* L. subsp. *torticeps* (Dahlst.) Zahn  
E *Hieracium murorum* L. subsp. *triangulilacerum* P.Rossi & Zahn  
*Hieracium murorum* L. subsp. *valdefastigiatum* (Zahn ex Dalla Torre & Sarnth.) Zahn  
*Hieracium murorum* L. subsp. *variilobum* Zahn  
*Hieracium murorum* L. subsp. *wulfenii* Zahn  
*Hieracium naegelianum* Pančić subsp. *andreae* (Degen & Zahn) Zahn  
E *Hieracium nematopodium* (Zahn) P.D.Sell & C.West  
*Hieracium neomalyi* Zahn  
E *Hieracium neoplatyphyllum* Gottschl. subsp. *izzense* Gottschl.

- E *Hieracium neoplatyphyllum* Gottschl. subsp. *malacofloccosum* Gottschl.  
*Hieracium neoplatyphyllum* Gottschl. subsp. *neoplatyphyllum*  
E *Hieracium neoplatyphyllum* Gottschl. subsp. *trimontanum* Gottschl.  
E *Hieracium neronense* Gottschl.  
E *Hieracium neyanum* Arv.-Touv. subsp. *glaucocephalum* (Nägeli & Peter) Greuter  
E *Hieracium neyanum* Arv.-Touv. subsp. *grausonicum* Besse & Zahn  
*Hieracium neyanum* Arv.-Touv. subsp. *neyranum*  
*Hieracium nigrescens* Willd. subsp. *cochleare* (Huter) Zahn  
*Hieracium nigrescens* Willd. subsp. *leontodontoides* (Arv.-Touv. & Briq.) Zahn  
*Hieracium nigrescens* Willd. subsp. *nigrescentiforme* Zahn  
*Hieracium nigrescens* Willd. subsp. *pseudohalleri* Zahn  
*Hieracium nigrescens* Willd. subsp. *pseudohaeticum* Zahn  
*Hieracium nigrescens* Willd. subsp. *rhaeticum* (Fr.) Zahn  
*Hieracium nigrescens* Willd. subsp. *subneglectum* (Zahn) Zahn  
*Hieracium nigrescens* Willd. subsp. *subpumilum* (Zahn) Zahn  
E *Hieracium niveobarbatum* Arv.-Touv. ex Gottschl.  
E *Hieracium nubitangens* Gottschl.  
*Hieracium obscuratum* Murr subsp. *nigratum* (Murr & Zahn) Greuter  
*Hieracium obscuratum* Murr subsp. *obscuratum*  
E *Hieracium obscuratum* Murr subsp. *sampeyrense* Gottschl.  
E *Hieracium obscuratum* Murr subsp. *violae* (Fen. & Zahn) Greuter  
*Hieracium oligodon* Nägeli & Peter subsp. *oligodon*  
*Hieracium onosmoides* Fr. subsp. *onosmoides*  
*Hieracium onosmoides* Fr. subsp. *subrude* (Arv.-Touv.) Zahn  
*Hieracium oreiocephalum* Zahn subsp. *oreiocephalum*  
E *Hieracium orodoxum* Gottschl. subsp. *orodoxum*  
E *Hieracium orodoxum* Gottschl. subsp. *pseudonaegelianum* Gottschl.  
E *Hieracium orsiera* Gottschl.  
*Hieracium oxyodon* Fr. subsp. *ganderi* (Zahn) Zahn  
*Hieracium oxyodon* Fr. subsp. *incisiforme* (Murr) Zahn  
*Hieracium oxyodon* Fr. subsp. *inclinatum* (Arv.-Touv.) Zahn  
E *Hieracium oxyodon* Fr. subsp. *leucochaetopodium* Fen. & Zahn  
*Hieracium oxyodon* Fr. subsp. *leucopodium* (Zahn) Zahn  
E *Hieracium oxyodon* Fr. subsp. *longanum* (Arv.-Touv.) Zahn  
*Hieracium oxyodon* Fr. subsp. *muretii* (Gremli) Zahn  
*Hieracium oxyodon* Fr. subsp. *oxyodon*  
*Hieracium oxyodon* Fr. subsp. *pseudoscabrellum* Zahn  
*Hieracium oxyodon* Fr. subsp. *subcanescens* (Murr) Zahn  
*Hieracium oxyodon* Fr. subsp. *tomense* (Zahn) Zahn  
E *Hieracium pallescens* Waldst. & Kit. subsp. *ciliatifolium* (Zahn) Gottschl.  
E *Hieracium pallescens* Waldst. & Kit. subsp. *gelmianum* (Sarnth.) Gottschl.  
*Hieracium pallescens* Waldst. & Kit. subsp. *hittense* (Murr) Greuter  
*Hieracium pallescens* Waldst. & Kit. subsp. *humiliforme* (Zahn) Gottschl.  
*Hieracium pallescens* Waldst. & Kit. subsp. *incisum* (Hoppe) Greuter  
*Hieracium pallescens* Waldst. & Kit. subsp. *macranthoides* (Zahn) Gottschl.  
*Hieracium pallescens* Waldst. & Kit. subsp. *muroriforme* (Zahn) Gottschl.  
*Hieracium pallescens* Waldst. & Kit. subsp. *murrianum* (Arv.-Touv. ex Murr) Gottschl.  
*Hieracium pallescens* Waldst. & Kit. subsp. *naevulatum* (Zahn) Greuter  
*Hieracium pallescens* Waldst. & Kit. subsp. *oligomeres* (Murr & Zahn) Greuter  
*Hieracium pallescens* Waldst. & Kit. subsp. *ovale* (Zahn) Gottschl.  
*Hieracium pallescens* Waldst. & Kit. subsp. *oxyodontiforme* (Zahn) Greuter  
*Hieracium pallescens* Waldst. & Kit. subsp. *paicheanum* (Briq.) Greuter  
*Hieracium pallescens* Waldst. & Kit. subsp. *pallescens*  
*Hieracium pallescens* Waldst. & Kit. subsp. *pseudotrichselianum* (Zahn) Gottschl.  
*Hieracium pallescens* Waldst. & Kit. subsp. *rheoadiolium* (A.Kern. ex Willk.) Gottschl.  
*Hieracium pallescens* Waldst. & Kit. subsp. *subpatulum* (Zahn ex Benz) Greuter  
E *Hieracium pallescens* Waldst. & Kit. subsp. *tephrochlorum* (Zahn) Gottschl.  
*Hieracium pallescens* Waldst. & Kit. subsp. *trachselianoides* (Zahn) Greuter  
E *Hieracium pallidum* Biv. subsp. *aetnense* Gottschl., Raimondo & Di Grist.  
E *Hieracium pallidum* Biv. subsp. *lanudae* (Gottschl.) Gottschl., Raimondo & Di Grist.  
E *Hieracium pallidum* Biv. subsp. *pallidum*  
*Hieracium pamphilii* Arv.-Touv.  
*Hieracium pedemontanum* Burnat & Gremli  
E *Hieracium pellitum* Fr. subsp. *leuconeuron* Zahn  
*Hieracium pellitum* Fr. subsp. *oligocephalum* (Arv.-Touv.) Zahn  
*Hieracium pellitum* Fr. subsp. *pellitum*  
*Hieracium pellitum* Fr. subsp. *pictifolium* Zahn  
E *Hieracium pellitum* Fr. subsp. *praetenue* (Besse & Zahn) Zahn  
*Hieracium pellitum* Fr. subsp. *prasinellum* (C.Bicknell & Zahn) Zahn  
*Hieracium pellitum* Fr. subsp. *pseudolanatum* (Arv.-Touv.) Zahn  
E *Hieracium pellitum* Fr. subsp. *quercifolioides* Zahn  
E *Hieracium permaculatum* Gottschl. subsp. *cacuminicola* Gottschl.  
E *Hieracium permaculatum* Gottschl. subsp. *permaculatum*  
E *Hieracium picenorum* Gottschl. subsp. *falsobifidum* Gottschl.  
E *Hieracium picenorum* Gottschl. subsp. *picenorum*  
*Hieracium picroides* Vill. subsp. *christii* (Arv.-Touv.) Zahn  
*Hieracium picroides* Vill. subsp. *grimsulanum* (Zahn) Zahn  
*Hieracium picroides* Vill. subsp. *lutescens* (Huter ex Zahn) Greuter

- Hieracium picroides* Vill. subsp. *ochroleucum* (W.D.J.Koch) Zahn  
*Hieracium picroides* Vill. subsp. *picroides*  
*Hieracium picroides* Vill. subsp. *trichopicris* (Zahn) Zahn  
*Hieracium pictum* Pers. subsp. *farinulentum* (Jord.) Zahn  
E *Hieracium pictum* Pers. subsp. *irginianum* (Arrigoni) Greuter  
*Hieracium pictum* Pers. subsp. *pictum*  
E *Hieracium pietrae* Zahn  
*Hieracium pietroszense* Degen & Zahn subsp. *pietroszense*  
*Hieracium pilosum* Schleich. ex Froel. subsp. *comatum* (Nägeli & Peter) Gottschl.  
*Hieracium pilosum* Schleich. ex Froel. subsp. *favrei* (Nägeli & Peter) Greuter  
*Hieracium pilosum* Schleich. ex Froel. subsp. *laniceps* (Nägeli & Peter) Greuter  
*Hieracium pilosum* Schleich. ex Froel. subsp. *leucopogon* (Zahn) Gottschl.  
*Hieracium pilosum* Schleich. ex Froel. subsp. *mollipellis* (Zahn) Gottschl.  
E *Hieracium pilosum* Schleich. ex Froel. subsp. *padolanum* (Pamp. & Zahn) Gottschl.  
*Hieracium pilosum* Schleich. ex Froel. subsp. *pilosum*  
*Hieracium pilosum* Schleich. ex Froel. subsp. *portae* (Nägeli & Peter) Gottschl.  
*Hieracium pilosum* Schleich. ex Froel. subsp. *schleicheri* (Nägeli & Peter) Greuter  
*Hieracium pilosum* Schleich. ex Froel. subsp. *sericotrichum* (Nägeli & Peter) Greuter  
*Hieracium pilosum* Schleich. ex Froel. subsp. *villosiceps* Nägeli & Peter ex Gottschl.  
*Hieracium pilosum* Schleich. ex Froel. subsp. *vilosifolium* (Nägeli & Peter) Greuter  
E *Hieracium pioraceae* Gottschl.  
E *Hieracium pizense* Zahn  
*Hieracium planchonianum* Timb.-Lagr. & Loret  
*Hieracium plantagineum* (Arv.-Touv.) Arv.-Touv. subsp. *gapense* Zahn  
*Hieracium polatschekii* Gottschl.  
E *Hieracium pollinense* Zahn  
E *Hieracium pontiarnense* Gottschl.  
*Hieracium porrectum* Fr. subsp. *elongatiforme* (Zahn) Zahn  
*Hieracium porrectum* Fr. subsp. *subelongatum* (Nägeli & Peter) Zahn  
*Hieracium porrifolium* L. subsp. *longibracteum* Nägeli & Peter  
E *Hieracium porrifolium* L. subsp. *niphanthrum* Nägeli & Peter  
E *Hieracium porrifolium* L. subsp. *porrifolium*  
E *Hieracium porrifolium* L. subsp. *pseudoporrifolium* Nägeli & Peter  
E *Hieracium porrifolium* L. subsp. *sparsiglandulum* Nägeli & Peter  
E *Hieracium portanum* Belli  
E *Hieracium pospischalii* Zahn subsp. *camunnorum* Gottschl.  
*Hieracium pospischalii* Zahn subsp. *pospischalii*  
E *Hieracium pratorum-tivi* Gottschl.  
*Hieracium predileNSE* (Nägeli & Peter) Zahn subsp. *predileNSE*  
*Hieracium predileNSE* (Nägeli & Peter) Zahn subsp. *pseuderioPOdUM* Zahn  
*Hieracium prenanthoides* Vill. subsp. *bupleurifolioIDES* Zahn  
*Hieracium prenanthoides* Vill. subsp. *bupleurifolium* (Tausch) Zahn  
*Hieracium prenanthoides* Vill. subsp. *cinericeps* (Zahn) Zahn  
*Hieracium prenanthoides* Vill. subsp. *constrictum* (Arv.-Touv.) Zahn  
E *Hieracium prenanthoides* Vill. subsp. *costae* Zahn ex Gottschl.  
*Hieracium prenanthoides* Vill. subsp. *cynanchoides* (Arv.-Touv. & Gaut.) Zahn  
*Hieracium prenanthoides* Vill. subsp. *jaquetianum* (Zahn) Zahn  
*Hieracium prenanthoides* Vill. subsp. *juvonis* (Murr) Zahn  
*Hieracium prenanthoides* Vill. subsp. *lanceolatum* (Vill.) Zahn  
E *Hieracium prenanthoides* Vill. subsp. *lissocorium* Furrer & Zahn  
*Hieracium prenanthoides* Vill. subsp. *perfoliatum* (Froel.) Fr.  
*Hieracium prenanthoides* Vill. subsp. *praeruptorum* Nyman  
*Hieracium prenanthoides* Vill. subsp. *prenanthoides*  
*Hieracium prenanthoides* Vill. subsp. *strictissimum* (Froel.) Zahn  
E *Hieracium prenanthoides* Vill. subsp. *stupposifolium* Gottschl.  
*Hieracium prenanthoides* Vill. subsp. *subelatifolium* Zahn  
*Hieracium prenanthoides* Vill. subsp. *transalpinum* (Arv.-Touv.) Zahn  
E *Hieracium prenanthoides* Vill. subsp. *valdegriseum* Zahn  
E *Hieracium profetanum* Belli  
*Hieracium pseudalpinum* (Nägeli & Peter) Prain subsp. *cochlearioides* Greuter  
*Hieracium pseudalpinum* (Nägeli & Peter) Prain subsp. *pseudalpinum*  
E *Hieracium pseudalpinum* (Nägeli & Peter) Prain subsp. *pseudoschraderi* (Dalla Torre & Sarnth.) Greuter  
*Hieracium pseudalpinum* (Nägeli & Peter) Prain subsp. *tissierei* (Zahn) Greuter  
E *Hieracium pseudaustrale* Gottschl.  
*Hieracium pseudocerinthe* (Gaudin) W.D.J.Koch subsp. *pseudocerinthe*  
*Hieracium pseudocorymbosum* Greml  
*Hieracium pseudofritzei* Benz & Zahn  
E *Hieracium pseudogrovesianum* Gottschl. subsp. *amictum* Gottschl.  
E *Hieracium pseudogrovesianum* Gottschl. subsp. *circinans* Gottschl.  
E *Hieracium pseudogrovesianum* Gottschl. subsp. *leonense* Gottschl.  
E *Hieracium pseudogrovesianum* Gottschl. subsp. *opertum* Gottschl.  
E *Hieracium pseudogrovesianum* Gottschl. subsp. *pseudogrovesianum*  
E *Hieracium pseudopallidum* Gottschl.  
*Hieracium pseudoprasinops* Zahn subsp. *pseudoprasinops*  
*Hieracium pseudorionii* (Zahn) Prain subsp. *pictiforme* (Zahn) Greuter  
*Hieracium pseudostenoplecum* Zahn subsp. *ochroleuciforme* Murr & Zahn  
*Hieracium pseudostenoplecum* Zahn subsp. *pseudostenoplecum*  
E *Hieracium pteropogon* Arv.-Touv. subsp. *pogonites* (Nägeli & Peter) Zahn



- Hieracium pteropogon** Arv.-Touv. subsp. ***pteropogon***  
**Hieracium pujattii** Gottschl.  
**Hieracium pulchellum** Gren. ex Griseb. subsp. ***pleioscapum*** Zahn  
**Hieracium pulchellum** Gren. ex Griseb. subsp. ***pulchellum***  
**E Hieracium racemosiforme** (Zahn) Zahn  
**Hieracium racemosum** Waldst. & Kit. ex Willd. subsp. ***alismatifolium*** (Posp.) Zahn  
**Hieracium racemosum** Waldst. & Kit. ex Willd. subsp. ***apenninum*** (Levier ex Huter) Zahn  
**Hieracium racemosum** Waldst. & Kit. ex Willd. subsp. ***barbatum*** (Tausch ex Froel.) Zahn  
**E Hieracium racemosum** Waldst. & Kit. ex Willd. subsp. ***caramanicum*** (Zahn) Zahn  
**Hieracium racemosum** Waldst. & Kit. ex Willd. subsp. ***crinitum*** (Sm.) Rouy  
**Hieracium racemosum** Waldst. & Kit. ex Willd. subsp. ***heterospermum*** (Arv.-Touv.) Zahn  
**Hieracium racemosum** Waldst. & Kit. ex Willd. subsp. ***italicum*** Fr. ex Zahn  
**Hieracium racemosum** Waldst. & Kit. ex Willd. subsp. ***leiopsis*** Murr & Zahn  
**E Hieracium racemosum** Waldst. & Kit. ex Willd. subsp. ***limbaraee*** (Arrigoni) Greuter  
**Hieracium racemosum** Waldst. & Kit. ex Willd. subsp. ***moesiacum*** A.Kern. ex Zahn  
**E Hieracium racemosum** Waldst. & Kit. ex Willd. subsp. ***oliastrae*** (Arrigoni) Greuter  
**E Hieracium racemosum** Waldst. & Kit. ex Willd. subsp. ***pignattianum*** (Raimondo & Di Grist.) Greuter  
**Hieracium racemosum** Waldst. & Kit. ex Willd. subsp. ***provinciale*** (Jord.) Rouy  
**E Hieracium racemosum** Waldst. & Kit. ex Willd. subsp. ***pulmonariifolium*** Gottschl.  
**Hieracium racemosum** Waldst. & Kit. ex Willd. subsp. ***racemosum***  
*Hieracium racemosum* Waldst. & Kit. ex Willd. subsp. *restonicanum* Zahn  
**Hieracium racemosum** Waldst. & Kit. ex Willd. subsp. ***stiriacum*** (A.Kern. ex Willk.) Zahn  
**Hieracium racemosum** Waldst. & Kit. ex Willd. subsp. ***subhirsutum*** (Jord. ex Boreau) Zahn  
**Hieracium racemosum** Waldst. & Kit. ex Willd. subsp. ***sublateriflorum*** Zahn  
**E Hieracium racemosum** Waldst. & Kit. ex Willd. subsp. ***substramineum*** Zahn  
**Hieracium racemosum** Waldst. & Kit. ex Willd. subsp. ***tenuifolium*** (Host) Zahn  
**Hieracium racemosum** Waldst. & Kit. ex Willd. subsp. ***virgaurea*** (Coss.) Zahn  
**E Hieracium ragognae** Gottschl.  
**Hieracium ramosissimum** Schleich. ex Hegetschw. subsp. ***adenoclinum*** (Arv.-Touv.) Zahn  
**Hieracium ramosissimum** Schleich. ex Hegetschw. subsp. ***conringiifolium*** (Arv.-Touv.) Zahn  
**Hieracium ramosissimum** Schleich. ex Hegetschw. subsp. ***cryptadenophyllum*** Zahn  
**E Hieracium ramosissimum** Schleich. ex Hegetschw. subsp. ***garibaldianum*** (Fr.) Zahn  
**Hieracium ramosissimum** Schleich. ex Hegetschw. subsp. ***lactucifolium*** (Arv.-Touv.) Rouy  
**Hieracium ramosissimum** Schleich. ex Hegetschw. subsp. ***ramosissimum***  
**Hieracium ramosissimum** Schleich. ex Hegetschw. subsp. ***scariolaceum*** (Arv.-Touv.) Zahn  
**Hieracium rapunculoides** Arv.-Touv. subsp. ***contractum*** (Arv.-Touv.) Zahn  
**Hieracium rapunculoides** Arv.-Touv. subsp. ***rapunculoides***  
**E Hieracium rapunculoides** Arv.-Touv. subsp. ***tridentatiflorum*** Zahn  
**Hieracium rohacense** Kit. subsp. ***bifidellum*** (Zahn) Zahn  
**Hieracium rohacense** Kit. subsp. ***furculaceum*** Zahn  
**Hieracium rohacense** Kit. subsp. ***pseudarolae*** (Zahn) Zahn  
**Hieracium rohacense** Kit. subsp. ***rauzense*** (Murr) Gottschl.  
**Hieracium rohacense** Kit. subsp. ***semitratrum*** (Zahn) Zahn  
**E Hieracium rohacense** Kit. subsp. ***subsenile*** (Zahn) Zahn  
**E Hieracium rostanii** Nägeli & Peter subsp. ***bedolense*** Zahn  
**Hieracium rottii** Gottschl.  
**Hieracium rupestre** All.  
**Hieracium rupicola** Jord.  
**E Hieracium rupiciforme** Zahn subsp. ***curunense*** Gottschl.  
**Hieracium sabaudum** L. subsp. ***concinnum*** (Jord.) Zahn  
**E Hieracium sabaudum** L. subsp. ***cumuliflorum*** (Zahn) Gottschl.  
**Hieracium sabaudum** L. subsp. ***curvidens*** (Jord.) Zahn  
**Hieracium sabaudum** L. subsp. ***dumosum*** (Jord.) Zahn  
**Hieracium sabaudum** L. subsp. ***eminens*** (Jord. ex Sudre) Zahn  
**Hieracium sabaudum** L. subsp. ***fruticetorum*** (Jord. ex Boreau) Zahn  
**Hieracium sabaudum** L. subsp. ***grandidentatum*** (Jord. ex Boreau) Zahn  
**Hieracium sabaudum** L. subsp. ***nemorivagum*** (Jord. ex Boreau) Zahn  
**Hieracium sabaudum** L. subsp. ***obliquum*** (Jord.) Zahn  
**Hieracium sabaudum** L. subsp. ***occitanicum*** (Jord.) Zahn  
**Hieracium sabaudum** L. subsp. ***propinquum*** (Sudre) Greuter  
**Hieracium sabaudum** L. subsp. ***quercketorum*** (Jord. ex Boreau) Zahn  
**Hieracium sabaudum** L. subsp. ***ricens*** (Jord.) Zahn  
**Hieracium sabaudum** L. subsp. ***rigidicaule*** (Jord. ex Sudre) Zahn  
**Hieracium sabaudum** L. subsp. ***roffavieri*** (Jord. ex Sudre) Zahn  
**Hieracium sabaudum** L. subsp. ***sabaudiforme*** Zahn  
**Hieracium sabaudum** L. subsp. ***sabaudum***  
**Hieracium sabaudum** L. subsp. ***salicetorum*** (Sudre) Zahn  
**Hieracium sabaudum** L. subsp. ***scabiosum*** (Sudre) Zahn  
**Hieracium sabaudum** L. subsp. ***sedunense*** Gremli ex Zahn  
**E Hieracium sabaudum** L. subsp. ***sublactucaceum*** Zahn  
**E Hieracium sabaudum** L. subsp. ***vagum*** (Jord.) Zahn  
**E Hieracium sabaudum** L. subsp. ***virescens*** (Sond.) Zahn  
**E Hieracium sabaudum** L. subsp. ***virgultorum*** (Jord.) Zahn  
**Hieracium saxatile** Jacq. subsp. ***saxatile***  
**Hieracium saxifragum** Fr. subsp. ***sempronianum*** (Favrat) Zahn  
*Hieracium saxifragum* Fr. subsp. *vulpii* Zahn  
**Hieracium schmidtii** Tausch subsp. ***brunelliforme*** (Arv.-Touv.) O.Bolòs & Vigo

- E *Hieracium schmidtii* Tausch subsp. *catriae* Gottschl.  
*Hieracium schmidtii* Tausch subsp. *ceratodon* (Arv.-Touv.) O. Bolòs & Vigo  
E *Hieracium schmidtii* Tausch subsp. *cochleariforme* Gottschl.  
E *Hieracium schmidtii* Tausch subsp. *comatum* (Jord. ex Boreau) O. Bolòs & Vigo  
E *Hieracium schmidtii* Tausch subsp. *comosulum* (Arv.-Touv. & Gaut.) O. Bolòs & Vigo  
E *Hieracium schmidtii* Tausch subsp. *crinitisquamum* Gottschl.  
*Hieracium schmidtii* Tausch subsp. *cyaneum* (Arv.-Touv.) Zahn  
*Hieracium schmidtii* Tausch subsp. *didymum* Zahn  
*Hieracium schmidtii* Tausch subsp. *glaucopallens* (Zahn) O. Bolòs & Vigo  
*Hieracium schmidtii* Tausch subsp. *lasiophyllum* (W.D.J.Koch) O. Bolòs & Vigo  
E *Hieracium schmidtii* Tausch subsp. *madoniense* (Raimondo & Di Grist.) Greuter  
E *Hieracium schmidtii* Tausch subsp. *marchettii* Gottschl.  
E *Hieracium schmidtii* Tausch subsp. *nebrodense* (Tineo ex Lojac.) Di Grist., Gottschl. & Raimondo  
*Hieracium schmidtii* Tausch subsp. *rupicola* Fr. ex Zahn  
*Hieracium schmidtii* Tausch subsp. *schmidtii*  
*Hieracium schmidtii* Tausch subsp. *schmidtiiforme* (Zahn) O. Bolòs & Vigo  
*Hieracium schmidtii* Tausch subsp. *subcomatum* (Zahn) O. Bolòs & Vigo  
*Hieracium schmidtii* Tausch subsp. *subrupicola* Zahn  
E *Hieracium scorzonerifolium* Vill. subsp. *antelaonis* Pamp. & Zahn  
E *Hieracium scorzonerifolium* Vill. subsp. *divaricatum* Huter, Porta & Rigo ex Nägeli & Peter  
*Hieracium scorzonerifolium* Vill. subsp. *flexuosum* Waldst. & Kit. ex Nägeli & Peter  
*Hieracium scorzonerifolium* Vill. subsp. *heterocephalum* Nägeli & Peter  
*Hieracium scorzonerifolium* Vill. subsp. *lonchophylloides* Zahn ex Dalla Torre & Sarnth.  
*Hieracium scorzonerifolium* Vill. subsp. *myocomum* Nägeli & Peter  
E *Hieracium scorzonerifolium* Vill. subsp. *nudissimum* Gottschl.  
*Hieracium scorzonerifolium* Vill. subsp. *pantotrichum* Nägeli & Peter  
*Hieracium scorzonerifolium* Vill. subsp. *polybracteum* Nägeli & Peter  
*Hieracium scorzonerifolium* Vill. subsp. *scorzonerifolium*  
*Hieracium scorzonerifolium* Vill. subsp. *speciosiforme* Nägeli & Peter  
*Hieracium segureum* Arv.-Touv. subsp. *cirritiforme* Zahn  
E *Hieracium segureum* Arv.-Touv. subsp. *exilenteoides* Zahn  
E *Hieracium segureum* Arv.-Touv. subsp. *rivifrigidi* Zahn  
*Hieracium segureum* Arv.-Touv. subsp. *salassorum* (Besse) Zahn  
E *Hieracium segusianum* Gottschl.  
E *Hieracium semicanescens* Gottschl.  
E *Hieracium semipallescens* Gottschl.  
E *Hieracium serratum* Nägeli & Peter subsp. *serratum*  
E *Hieracium silsinum* Nägeli & Peter subsp. *subsilsinum* (Zahn) Zahn  
E *Hieracium simbruinicum* Gottschl.  
*Hieracium simia* (Huter ex Zahn) Zahn subsp. *simia*  
*Hieracium simia* (Huter ex Zahn) Zahn subsp. *subincertum* Zahn  
E *Hieracium sparsiramum* Nägeli & Peter subsp. *ampezzanum* (Nägeli & Peter) Gottschl.  
E *Hieracium sparsivestitum* Gottschl.  
*Hieracium sparsum* Friv. subsp. *vierhapperi* Zahn  
*Hieracium speciosum* Willd. ex Hornem.  
*Hieracium spectabile* Fr. ex Arv.-Touv.  
E *Hieracium squarrosofurcatum* Gottschl.  
E *Hieracium stauri* Belli  
*Hieracium stenopileum* Arv.-Touv. & Huter subsp. *stenopileum*  
*Hieracium sterzingense* Zahn  
E *Hieracium strafforelloanum* Zahn  
*Hieracium subcaesiiforme* (Zahn) Prain subsp. *subcaesiiforme*  
*Hieracium subpampophilei* Zahn  
*Hieracium substellatum* Arv.-Touv. & Gaut.  
*Hieracium subtilissimum* Zahn subsp. *subtilissimum*  
*Hieracium subtomentosum* (Burnat & Gremli) Zahn  
*Hieracium symphytaceum* Arv.-Touv. subsp. *elocatum* (Huter ex Gottschl.) Gottschl.  
*Hieracium symphytaceum* Arv.-Touv. subsp. *neoprenanthes* (Arv.-Touv.) Zahn  
E *Hieracium symphytaceum* Arv.-Touv. subsp. *odontinum* (Arv.-Touv. ex Belli) Zahn  
*Hieracium symphytaceum* Arv.-Touv. subsp. *pseudoleiopsis* (Murr) Gottschl. & Brandst.  
*Hieracium symphytaceum* Arv.-Touv. subsp. *rotgesianum* (Arv.-Touv. & Gaut.) Zahn  
E *Hieracium symphytaceum* Arv.-Touv. subsp. *sarracenicum* (Arv.-Touv. & Belli) Zahn  
*Hieracium symphytaceum* Arv.-Touv. subsp. *symphytaceum*  
E *Hieracium symphytidolum* Froel.  
*Hieracium taurinense* Jord. subsp. *taurinense*  
E *Hieracium taurinense* Jord. subsp. *taurinorum* (Zahn) Zahn  
*Hieracium tenuiflorum* Arv.-Touv. subsp. *austrosilvularum* (P. Rossi & Zahn) Gottschl.  
*Hieracium tenuiflorum* Arv.-Touv. subsp. *glaucoviolascens* (Bornm. & Zahn) Gottschl.  
E *Hieracium tenuiflorum* Arv.-Touv. subsp. *pictoprasinum* (Fen. & Zahn) Gottschl.  
*Hieracium tenuiflorum* Arv.-Touv. subsp. *pseudomerianum* (P. Rossi & Zahn) Gottschl.  
E *Hieracium tenuiflorum* Arv.-Touv. subsp. *sebini* (Fen. & Zahn) Gottschl.  
*Hieracium tenuiflorum* Arv.-Touv. subsp. *tenuiflorum*  
*Hieracium tephrodernum* Zahn subsp. *subexpansum* (Zahn) Zahn  
E *Hieracium tephropogon* Zahn subsp. *gortorianum* (Arv.-Touv. & Belli) Gottschl.  
*Hieracium tephropogon* Zahn subsp. *subintermedium* Zahn  
*Hieracium tephropogon* Zahn subsp. *tephropogon*  
*Hieracium tephrosoma* (Nägeli & Peter) Zahn subsp. *brachypogon* (Zahn) Zahn  
*Hieracium tephrosoma* (Nägeli & Peter) Zahn subsp. *kuekenthalianum* (Zahn) Zahn

- Hieracium tephrosoma* (Nägeli & Peter) Zahn subsp. ***tephrosoma***  
*Hieracium tephrosoma* (Nägeli & Peter) Zahn subsp. ***trichothecum*** (Zahn ex Dalla Torre & Sarnth.) Zahn  
*Hieracium tephrosoma* (Nägeli & Peter) Zahn subsp. ***trivialiforme*** Zahn
- E *Hieracium terracianoi* Di Grist., Gottschl. & Raimondo  
E *Hieracium thesoranum* Gottschl.  
E *Hieracium thesioides* Gottschl.  
E *Hieracium tolstoi* Fen. & Zahn  
*Hieracium tomentosum* L. subsp. ***andryalooides*** (Vill.) Nägeli & Peter  
*Hieracium tomentosum* L. subsp. ***gnaphalodes*** (Arv.-Touv.) Greuter  
*Hieracium tomentosum* L. subsp. ***liotardii*** (Vill.) Zahn  
*Hieracium tomentosum* L. subsp. ***phlomidifolium*** (Arv.-Touv.) Nägeli & Peter  
*Hieracium tomentosum* L. subsp. ***tomentosum***
- E *Hieracium tonalese* Gottschl.  
E *Hieracium torrigliense* Gottschl.  
E *Hieracium toscoemilianum* Gottschl.  
*Hieracium toutonianum* (Zahn) Zahn
- E *Hieracium truttae* Gottschl.  
*Hieracium umbellatum* L. subsp. ***brevifolioides*** Zahn  
*Hieracium umbellatum* L. subsp. ***umbellatum***
- E *Hieracium umbrosoides* Gottschl.  
*Hieracium umbrosum* Jord. subsp. ***abietinum*** (Boiss. & Heldr.) Greuter  
*Hieracium umbrosum* Jord. subsp. ***acrotephrophorum*** (Zahn) Zahn  
*Hieracium umbrosum* Jord. subsp. ***crepidifolium*** (Arv.-Touv.) Zahn
- E *Hieracium umbrosum* Jord. subsp. ***mindinoicum*** Zahn  
E *Hieracium umbrosum* Jord. subsp. ***oleicolor*** (Zahn) Greuter  
*Hieracium umbrosum* Jord. subsp. ***pseudofastigiatum*** (Degen & Zahn) Zahn  
*Hieracium umbrosum* Jord. subsp. ***subexilellum*** Zahn  
*Hieracium umbrosum* Jord. subsp. ***umbrosum***
- E *Hieracium umbrosum* Jord. subsp. ***vippetinum*** (Huter) Zahn  
E *Hieracium umbrosum* Jord. subsp. ***visailense*** Paléz. & Zahn  
*Hieracium urticaceum* Arv.-Touv. & Ravaud subsp. ***amplexicauliforme*** Zahn  
*Hieracium urticaceum* Arv.-Touv. & Ravaud subsp. ***urticaceum***
- Hieracium valdepilosum* Vill. subsp. ***calvulum*** (Nägeli & Peter) Zahn  
*Hieracium valdepilosum* Vill. subsp. ***christeneri*** (Nägeli & Peter) Zahn  
*Hieracium valdepilosum* Vill. subsp. ***elongatum*** Willd. ex Zahn  
*Hieracium valdepilosum* Vill. subsp. ***interjectum*** (Beck) Zahn  
*Hieracium valdepilosum* Vill. subsp. ***oligophyllum*** (Nägeli & Peter) Zahn  
*Hieracium valdepilosum* Vill. subsp. ***pseudelongatum*** (Nägeli & Peter) Zahn  
*Hieracium valdepilosum* Vill. subsp. ***raphioleptum*** (Nägeli & Peter) Zahn  
*Hieracium valdepilosum* Vill. subsp. ***subalpinum*** (Nägeli & Peter) Greuter  
*Hieracium valdepilosum* Vill. subsp. ***subsinuatum*** (Nägeli & Peter) Zahn  
*Hieracium valdepilosum* Vill. subsp. ***valdepilosum***
- E *Hieracium valoddae* (Zahn) Prain subsp. ***austroitalicum*** (Zahn) Zahn  
*Hieracium valoddae* (Zahn) Prain subsp. ***knautiifolium*** (Arv.-Touv.) Gottschl.  
*Hieracium valoddae* (Zahn) Prain subsp. ***raccolanae*** (Zahn) Zahn
- E *Hieracium vasconicum* Martrin-Donos subsp. ***dolosum*** (Burnat & Greml) Greuter  
*Hieracium vasconicum* Martrin-Donos subsp. ***laureolum*** (Arv.-Touv.) Greuter  
*Hieracium vasconicum* Martrin-Donos subsp. ***vasconicum***
- E *Hieracium venostorum* (Zahn) Gottschl.  
*Hieracium venticaesum* Gottschl.
- E *Hieracium verbascifolium* Vill. subsp. ***caprifolium*** (Nägeli & Peter) Zahn  
E *Hieracium verbascifolium* Vill. subsp. ***linguiforme*** (Nägeli & Peter) Zahn  
*Hieracium verbascifolium* Vill. subsp. ***mallobrachion*** Zahn
- E *Hieracium verbascifolium* Vill. subsp. ***mallophorum*** (Nägeli & Peter) Zahn  
*Hieracium verbascifolium* Vill. subsp. ***melandrifolium*** (Arv.-Touv.) Zahn  
*Hieracium verbascifolium* Vill. subsp. ***menthofolium*** (Arv.-Touv.) Zahn  
*Hieracium verbascifolium* Vill. subsp. ***thapsoides*** (Arv.-Touv.) Zahn  
*Hieracium verbascifolium* Vill. subsp. ***verbascifolium***
- Hieracium vetteri* Ronniger
- Hieracium villosum* Jacq. subsp. ***albolanatum*** Nägeli & Peter
- E *Hieracium villosum* Jacq. subsp. ***calvifolium*** Nägeli & Peter  
*Hieracium villosum* Jacq. subsp. ***doratophyllum*** Nägeli & Peter  
*Hieracium villosum* Jacq. subsp. ***eurybasis*** Nägeli & Peter  
*Hieracium villosum* Jacq. subsp. ***glaucofrons*** Nägeli & Peter  
*Hieracium villosum* Jacq. subsp. ***heterophyllum*** Nägeli & Peter  
*Hieracium villosum* Jacq. subsp. ***ovalifolium*** Nägeli & Peter  
*Hieracium villosum* Jacq. subsp. ***undulifolium*** Nägeli & Peter  
*Hieracium villosum* Jacq. subsp. ***vilosissimum*** (Nägeli) Nägeli & Peter
- Hieracium villosum* Jacq. subsp. ***villosum***
- Hieracium viride* Arv.-Touv. subsp. ***caerulaceum*** (Arv.-Touv.) Zahn
- E *Hieracium viride* Arv.-Touv. subsp. ***intricatum*** (Arv.-Touv.) Zahn  
E *Hieracium viride* Arv.-Touv. subsp. ***pennincola*** (Besse & Zahn) Zahn  
*Hieracium viride* Arv.-Touv. subsp. ***viride***
- E *Hieracium viscosum* Arv.-Touv. subsp. ***lacturoides*** Zahn  
E *Hieracium viscosum* Arv.-Touv. subsp. ***viscosiforme*** Zahn  
*Hieracium viscosum* Arv.-Touv. subsp. ***viscosum***
- E *Hieracium volaiense* Gottschl.  
*Hieracium vollmannii* Zahn subsp. ***grimsulicola*** Zahn

- Hieracium vollmannii* Zahn subsp. **vollmannii**  
*Hieracium wilczekianum* Arv.-Touv. subsp. **bagnense** (Zahn) Zahn  
*Hieracium wilczekianum* Arv.-Touv. subsp. **matajurensis** (Zahn) Zahn
- E *Hieracium wilczekianum* Arv.-Touv. subsp. **trigonolepium** Zahn  
*Homogyne alpina* (L.) Cass.  
*Homogyne discolor* (Jacq.) Cass.  
*Homogyne sylvestris* Cass.  
*Hyoseris lucida* L. subsp. **taurina** (Martinoli) Peruzzi & Vangelisti  
*Hyoseris radiata* L.  
*Hyoseris scabra* L.  
*Hypochaeris achyrophorus* L.  
*Hypochaeris cretensis* (L.) Bory & Chaub.  
E *Hypochaeris facchiniana* Ambrosi  
*Hypochaeris glabra* L.  
*Hypochaeris laevigata* (L.) Ces., Pass. & Gibelli  
*Hypochaeris maculata* L.  
*Hypochaeris radicata* L.  
ET *Hypochaeris sardoa* Bacch., Brullo & Terrasi  
*Hypochaeris uniflora* Vill.  
*Inula bifrons* L.  
*Inula britannica* L. subsp. **britannica**  
*Inula conyzae* (Griess.) DC.  
*Inula ensifolia* L.  
*Inula helenium* L. subsp. **helenium**  
*Inula helvetica* Weber  
*Inula hirta* L.  
*Inula montana* L.  
*Inula salicina* L.  
*Inula spiraeifolia* L.  
*Inula verbascifolia* (Willd.) Hausskn.  
*Jacobaea abrotanifolia* (L.) Moench subsp. **abrotanifolia**  
*Jacobaea abrotanifolia* (L.) Moench subsp. **tiroliensis** (A.Kern. ex Dalla Torre) B.Nord. & Greuter  
*Jacobaea alpina* (L.) Moench subsp. **alpina**
- E *Jacobaea alpina* (L.) Moench subsp. **samnitum** (Nyman) Peruzzi  
E *Jacobaea ambigua* (Biv.) Pelser & Veldkamp subsp. **ambigua**  
E *Jacobaea ambigua* (Biv.) Pelser & Veldkamp subsp. **nebrodensis** (Guss.) Peruzzi & N.G.Passal. & C.E.Jarvis  
*Jacobaea aquatica* (Hill) G.Gaertn., B.Mey. & Scherb.  
*Jacobaea carniolica* (Willd.) Schrank  
*Jacobaea delphinifolia* (Vahl) Pelser & Veldkamp  
*Jacobaea disjuncta* (Flatscher, Schneew. & Schönsw.) Galasso & Bartolucci  
*Jacobaea erratica* (Bertol.) Fourr.  
*Jacobaea erucifolia* (L.) G.Gaertn., B.Mey. & Scherb. subsp. **erucifolia**  
*Jacobaea erucifolia* (L.) G.Gaertn., B.Mey. & Scherb. subsp. **praealta** (Bertol.) Greuter & B.Nord.  
*Jacobaea erucifolia* (L.) G.Gaertn., B.Mey. & Scherb. subsp. **tenuifolia** (J.Presl & C.Presl) B.Nord. & Greuter  
*Jacobaea incana* (L.) Veldkamp  
*Jacobaea insubrica* (Chenevard) Galasso & Bartolucci  
E *Jacobaea lycopifolia* (Desf. ex Poir.) Greuter & B.Nord.  
E *Jacobaea maritima* (L.) Pelser & Meijden subsp. **bicolor** (Willd.) B.Nord. & Greuter  
E *Jacobaea maritima* (L.) Pelser & Meijden subsp. **gibbosa** (Guss.) Peruzzi & N.G.Passal. & C.E.Jarvis  
*Jacobaea maritima* (L.) Pelser & Meijden subsp. **maritima**  
*Jacobaea maritima* (L.) Pelser & Meijden subsp. **sicula** N.G.Passal., Peruzzi & Pellegrino  
*Jacobaea paludosa* (L.) G.Gaertn., B.Mey. & Scherb. subsp. **paludosa**  
*Jacobaea persononii* (De Not.) Pelser  
*Jacobaea uniflora* (All.) Veldkamp  
*Jacobaea vulgaris* Gaertn. subsp. **gotlandica** (Neuman) B.Nord. – Note: For the Italian distribution of this taxon, see Conti et al. (2012).  
*Jacobaea vulgaris* Gaertn. subsp. **vulgaris**
- E *Jurinea bocconei* (Guss.) Guss.  
*Jurinea mollis* (L.) Rchb. subsp. **mollis**  
E *Klasea flavescens* (L.) Holub subsp. **cichoracea** (L.) Greuter & Wagenitz  
*Klasea flavescens* (L.) Holub subsp. **micronata** (Desf.) Cantó & Rivas Mart.  
*Klasea lycopifolia* (Vill.) Å.Löve & D.Löve  
*Klasea nudicaulis* (L.) Fourr.  
*Klasea radiata* (Waldst. & Kit.) Å.Löve & D.Löve subsp. **radiata**
- E *Lactuca longidentata* Moris  
*Lactuca perennis* L.  
*Lactuca quercina* L. subsp. **quercina**  
*Lactuca saligna* L.  
*Lactuca sativa* L. subsp. **serriola** (L.) Galasso, Banfi, Bartolucci & Ardenghi  
*Lactuca tenerima* Pourr.
- T *Lactuca viminea* (L.) J.Presl & C.Presl subsp. **chondrilliflora** (Bureau) St.-Lag.  
T *Lactuca viminea* (L.) J.Presl & C.Presl subsp. **ramosissima** (All.) Arcang.  
*Lactuca viminea* (L.) J.Presl & C.Presl subsp. **viminea**  
*Lactuca virosa* L.
- E *Lamyropsis microcephala* (Moris) Dittrich & Greuter  
*Lapsana communis* L. subsp. **communis**  
*Launaea fragilis* (Asso) Pau  
*Launaea nudicaulis* (L.) Hook.f. – Note : Possibly extinct in Italy.  
E *Leontodon anomalous* Ball



- E *Leontodon apulus* (Fiori) Brullo  
*Leontodon berinii* (Bartl.) Roth  
*Leontodon crispus* Vill.  
*Leontodon hispidus* L. subsp. *dubius* (Hoppe) Pawłowska  
*Leontodon hispidus* L. subsp. *hispidus*  
*Leontodon hispidus* L. subsp. *hyoseroides* (Welw. ex Rchb.) Murr  
*Leontodon incanus* (L.) Schrank
- E *Leontodon intermedius* (Fiori) Huter, Porta & Rigo ex Rigo  
*Leontodon rosanoi* (Ten.) DC.  
*Leontodon saxatilis* Lam. subsp. *rothii* Maire  
*Leontodon saxatilis* Lam. subsp. *saxatilis*
- E *Leontodon siculosus* (Guss.) Nyman  
*Leontodon tenuiflorus* (Gaudin) Rchb.  
*Leontodon tuberosus* L.  
*Leontopodium alpinum* Cass.  
*Leontopodium nivale* (Ten.) Hand.-Mazz.  
*Leucanthemopsis alpina* (L.) Heywood subsp. *alpina*  
*Leucanthemopsis alpina* (L.) Heywood subsp. *minima* (Vill.) Holub  
*Leucanthemum adustum* (W.D.J.Koch) Gremli subsp. *adustum*  
*Leucanthemum coronopifolium* Vill. subsp. *ceratophyloides* (All.) Vogt & Greuter  
*Leucanthemum coronopifolium* Vill. subsp. *coronopifolium*
- E *Leucanthemum coronopifolium* Vill. subsp. *tenuifolium* (Guss.) Vogt & Greuter  
*Leucanthemum gaudinii* Dalla Torre  
*Leucanthemum heterophyllum* (Willd.) DC.
- T *Leucanthemum ircutianum* DC. subsp. *asperulum* (N.Terracc.) Vogt & Greuter  
*Leucanthemum ircutianum* DC. subsp. *ircutianum*
- T *Leucanthemum ircutianum* DC. subsp. *leucolepis* (Briq. & Cavill.) Vogt & Greuter
- E *Leucanthemum laciniatum* Huter, Porta & Rigo
- E *Leucanthemum ligusticum* Marchetti, R.Bernardello, Melai & Peruzzi – Note: The records of *L. legraeanum* (Rouy) B.Bock & J.-M.Tison from LIG and EMR should be referred to *L. ×aramisii* Florian Wagner, Vogt & Oberpr. [*L. ligusticum* × *L. vulgare*] (Wagner et al. 2017).
- T *Leucanthemum pachyphyllum* Marchi & Illuminati  
*Leucanthemum pallens* (J.Gay ex Perreyr.) DC.  
*Leucanthemum platylepis* Borbás  
*Leucanthemum subglaucum* De Laramb.
- E *Leucanthemum tridactylites* (A.Kern. & Huter ex Porta & Rigo) Huter, Porta & Rigo  
*Leucanthemum virgatum* (Desr.) Clos  
*Leucanthemum vulgare* (Vaill.) Lam. subsp. *vulgare*  
*Limbarda crithmoides* (L.) Dumort. subsp. *longifolia* (Arcang.) Greuter  
*Logfia gallica* (L.) Cossion & Germ.  
*Logfia heterantha* (Raf.) J.Holub  
*Logfia lojaconoi* (Brullo) C.Brullo & Brullo  
*Logfia minima* (Sm.) Dumort.  
*Lonas annua* (L.) Vines & Druce  
*Mantisalca duriaeae* (Spach) Briq. & Cavill.  
*Mantisalca salmantica* (L.) Briq. & Cavill.  
*Matricaria aurea* (Loefl.) Sch.Bip.  
*Matricaria chamomilla* L.  
*Mycelis muralis* (L.) Dumort. subsp. *muralis*
- E *Nananthea perpusilla* (Loisel.) DC.  
*Notobasis syriaca* (L.) Cass.  
*Omalotheca diminuta* (Braun-Blanq.) Bartolucci & Galasso  
*Omalotheca hopeana* (W.D.J.Koch) Sch.Bip. & F.W.Schultz  
*Omalotheca norvegica* (Gunnerus) Sch.Bip. & F.W.Schultz  
*Omalotheca supina* (L.) DC.  
*Omalotheca sylvatica* (L.) Sch.Bip. & F.W.Schultz  
*Onopordum acanthium* L. subsp. *acanthium*  
*Onopordum horridum* Viv.  
*Onopordum illyricum* L. subsp. *cardunculus* (Boiss.) Arènes  
*Onopordum illyricum* L. subsp. *illyricum*  
*Onopordum macracanthum* Schousb.  
*Onopordum tauricum* Willd.  
*Pallenis maritima* (L.) Greuter  
*Pallenis spinosa* (L.) Cass. subsp. *spinosa*  
*Petasites albus* (L.) Gaertn.  
*Petasites hybridus* (L.) G.Gaertn., B.Mey. & Scherb. subsp. *hybridus*  
*Petasites paradoxus* (Retz.) Baumg.  
*Petasites pyrenaicus* (L.) G.López  
*Phagnalon rupestre* (L.) DC. subsp. *illyricum* (H.Lindb.) Ginzb.
- E *Phagnalon rupestre* (L.) DC. subsp. *morisanum* (Ces., Pass. & Gibelli) Arcang.  
*Phagnalon rupestre* (L.) DC. subsp. *rupestre*  
*Phagnalon saxatile* (L.) Cass.  
*Phagnalon sordidum* (L.) Rchb.  
*Picromon acarna* (L.) Cass.  
*Picris hieracioides* L. subsp. *hieracioides*  
*Picris hieracioides* L. subsp. *umbellata* (Schrank) Ces.  
*Picris hispidissima* (Bartl.) W.D.J.Koch
- E *Picris scaberrima* Guss. – Note: For the taxonomy and distribution of this species, see Astuti et al. (2015).

- Pilosella acutifolia* (Vill.) Arv.-Touv.  
*Pilosella aletschensis* (Zahn) Soják  
*Pilosella alpicola* (Schleich. ex Steud. & Hochst.) F.W.Schultz & Sch.Bip.  
*Pilosella amphipolia* (Nägeli & Peter) Gottschl.  
*Pilosella anchusoides* Arv.-Touv.  
*Pilosella anobrachia* (Arv.-Touv. & Gaut.) S.Bräut. & Greuter  
*Pilosella arida* (Freyn) Soják  
*Pilosella arnoseroides* (Nägeli & Peter) Soják  
*Pilosella aurantella* (Nägeli & Peter) Soják  
*Pilosella aurantiaca* (L.) F.W.Schultz & Sch.Bip. subsp. *aurantiaca*  
*Pilosella aurantiaca* (L.) F.W.Schultz & Sch.Bip. subsp. *europurpurea* (Peter) Soják  
*Pilosella aurantiaca* (L.) F.W.Schultz & Sch.Bip. subsp. *decorans* (Fr.) T.Tyler  
*Pilosella auriculiformis* (Fr.) F.W.Schultz & Sch.Bip.  
*Pilosella basifurca* (Peter) Soják  
*Pilosella bauhini* (Schult.) Arv.-Touv. subsp. *magyarica* (Peter) S.Bräut.  
*Pilosella blyttiana* (Fr.) F.W.Schultz & Sch.Bip.  
*Pilosella brachycoma* (Nägeli & Peter) H.P.Fuchs  
*Pilosella caespitosa* (Dumort.) P.D.Sell & C.West  
E *Pilosella calabra* (Nägeli & Peter) Soják  
E *Pilosella calodon* (Tausch ex Peter) Soják  
E *Pilosella cepitina* (Gottschl.) Gottschl.  
E *Pilosella cinerosiformis* (Nägeli & Peter) Gottschl.  
E *Pilosella corvigena* (Gottschl.) Gottschl.  
*Pilosella corymbuloides* (Arv.-Touv.) S.Bräut. & Greuter  
*Pilosella cymiflora* (Nägeli & Peter) S.Bräut. & Greuter  
*Pilosella cymosa* (L.) F.W.Schultz & Sch.Bip. subsp. *cymosa*  
*Pilosella cymosa* (L.) F.W.Schultz & Sch.Bip. subsp. *sabina* (Sebast.) H.P.Fuchs  
*Pilosella cymosa* (L.) F.W.Schultz & Sch.Bip. subsp. *vallantii* (Tausch) S. Bräut. & Greuter  
*Pilosella densiflora* (Tausch) Soják  
*Pilosella fainensis* Soest ex Gottschl.  
*Pilosella fallacina* (F.W.Schultz) F.W.Schultz  
*Pilosella faurei* Arv.-Touv.  
*Pilosella frigidaria* (Nägeli & Peter) Soják  
*Pilosella fulviseta* (Bertol.) Soják  
*Pilosella fusca* (Vill.) Arv.-Touv.  
*Pilosella glacialis* (Reyn. ex Lachen.) F.W.Schultz & Sch.Bip.  
*Pilosella glaciella* (Nägeli & Peter) Soják  
*Pilosella guthnikiana* (Hegetschw.) Soják  
*Pilosella hoppeana* (Schult.) F.W.Schultz & Sch.Bip. subsp. *hoppeana*  
E *Pilosella hoppeana* (Schult.) F.W.Schultz & Sch.Bip. subsp. *macrantha* (Ten.) S.Bräut. & Greuter  
E *Pilosella hoppeana* (Schult.) F.W.Schultz & Sch.Bip. subsp. *sicula* Di Grist., Gottschl. & Raimondo  
E *Pilosella huberi* (Zahn) Gottschl.  
*Pilosella hybrida* (Chaix) F.W.Schultz & Sch.Bip.  
*Pilosella hypeurya* (Peter) Soják  
*Pilosella hypoleuca* Arv.-Touv.  
*Pilosella kalksburgensis* (Wiesb.) Soják  
E *Pilosella kralikii* (Rouy) J.-M.Tison  
*Pilosella lactucella* (Wallr.) P.D.Sell & C.West subsp. *lactucella*  
*Pilosella lactucella* (Wallr.) P.D.Sell & C.West subsp. *nana* (Scheele) M.Laínz  
E *Pilosella laggeri* (Sch.Bip. ex Rchb.f.) F.W.Schultz & Sch.Bip.  
*Pilosella lathraea* (Peter) Soják  
*Pilosella leptophyton* (Nägeli & Peter) S.Bräut. & Greuter  
*Pilosella leucopisilon* (Arv.-Touv.) Gottschl.  
*Pilosella litardiereana* (Zahn) Soják  
*Pilosella longisquama* (Peter) Holub  
E *Pilosella macranthiformis* (Zahn) S.Bräut. & Greuter  
*Pilosella macristolona* (Nägeli & Peter) Gottschl.  
E *Pilosella medioposita* (Gottschl.) Gottschl.  
E *Pilosella neogelmii* (Gottschl.) Gottschl.  
*Pilosella nigricarina* (Nägeli & Peter) Soják  
*Pilosella notha* (Huter) S.Bräut. & Greuter  
*Pilosella officinarum* Vaill.  
E *Pilosella pachycymigera* (Gottschl.) Gottschl.  
*Pilosella pachypila* (Peter) Soják  
*Pilosella peleteriana* (Mérat) F.W.Schultz & Sch.Bip. subsp. *peleteriana*  
*Pilosella peleteriana* (Mérat) F.W.Schultz & Sch.Bip. subsp. *subpeleteriana* (Nägeli & Peter) P.D.Sell  
*Pilosella permutata* (Nägeli & Peter) Soják  
*Pilosella peteriana* (Káser) Holub  
*Pilosella piloselloides* (Vill.) Soják subsp. *floccosa* (Nägeli & Peter) S.Bräut. & Greuter  
*Pilosella piloselloides* (Vill.) Soják subsp. *litorale* (Nägeli & Peter) Zahn  
*Pilosella piloselloides* (Vill.) Soják subsp. *piloselloides*  
*Pilosella piloselloides* (Vill.) Soják subsp. *praearalia* (Vill. ex Gochnat) S.Bräut. & Greuter  
*Pilosella plaiicensis* (Wot.) Soják  
*Pilosella portae* (Willk. ex T.Durand & B.D.Jacks.) Mateo & Greuter  
*Pilosella promeces* (Peter) Holub  
E *Pilosella pseudolactucella* Gottschl.  
*Pilosella pseudopilosella* (Ten.) Soják  
*Pilosella pseudotrichodes* (Zahn) Soják

- E *Pilosella rubra* (Peter) Soják  
*Pilosella salernicola* (J.Vetter & Zahn) Soják  
*Pilosella saussureoides* Arv.-Touv.  
E *Pilosella schizosciaida* Gottschl.  
*Pilosella schultesii* (F.W.Schultz) F.W.Schultz & Sch.Bip.  
E *Pilosella sciadogena* Gottschl.  
*Pilosella sciadophora* (Nägeli & Peter) Soják  
*Pilosella sphaerocephala* (Froel. ex Rchb.) F.W.Schultz & Sch.Bip.  
*Pilosella stoloniflora* (Waldst. & Kit.) F.W.Schultz & Sch.Bip.  
*Pilosella subrubens* Arv.-Touv.  
*Pilosella substoloniflora* (Peter) Soják  
*Pilosella subtardans* (Nägeli & Peter) Soják  
*Pilosella sulphurea* (Döll) F.W.Schultz & Sch.Bip.  
*Pilosella tardiuscula* (Peter) Soják  
*Pilosella tendina* (Nägeli & Peter) Soják  
*Pilosella tephrodes* (Nägeli & Peter) S.Bräut. & Greuter  
*Pilosella tintilingua* (Zahn) Soják  
*Pilosella triplex* (Peter) Soják  
*Pilosella velutina* (Hegetschw.) F.W.Schultz & Sch.Bip.  
*Pilosella viridifolia* (Peter) Holub  
*Pilosella visianii* F.W.Schultz & Sch.Bip.  
*Pilosella ziziana* (Tausch) F.W.Schultz & Sch.Bip.
- E *Plagius flosculosus* (L.) Alavi & Heywood  
*Podospermum canum* C.A.Mey.  
*Podospermum laciniatum* (L.) DC. subsp. *decumbens* (Guss.) Gemeinholzer & Greuter  
*Podospermum laciniatum* (L.) DC. subsp. *laciniatum*  
*Podospermum purpureum* (L.) W.D.J.Koch & Ziz  
*Podospermum roseum* (Waldst. & Kit.) Gemeinholzer & Greuter  
*Prenanthes purpurea* L.  
*Ptilostemon casabonae* (L.) Greuter  
*Ptilostemon gnaphaloides* (Cirillo) Soják subsp. *gnaphaloides*  
E *Ptilostemon greuteri* Raimondo & Domina  
E *Ptilostemon niveus* (C.Presl) Greuter  
*Ptilostemon stellatus* (L.) Greuter  
*Ptilostemon strictus* (Ten.) Greuter  
*Pulicaria dysenterica* (L.) Bernh.  
*Pulicaria odora* (L.) Rchb.  
*Pulicaria sicula* (L.) Moris  
*Pulicaria vulgaris* Gaertn.  
*Reichardia intermedia* (Sch.Bip.) Samp.  
*Reichardia picroides* (L.) Roth  
*Reichardia tingitana* (L.) Roth  
*Rhagadiolus edulis* Gaertn.  
*Rhagadiolus stellatus* (L.) Gaertn.  
*Rhaponticoïdes africana* (Lam.) M.V.Agab. & Greuter  
*Rhaponticoïdes alpina* (L.) M.V.Agab. & Greuter  
E *Rhaponticoïdes centaurium* (L.) M.V.Agab. & Greuter – Note: According to Bartolucci et al. (2017a), *R. calabrica* Puntillo & Peruzzi is considered here as a heterotypic synonym of this species.  
*Rhaponticum bicknellii* (Briq.) Banfi, Galasso & Soldano  
*Rhaponticum coniferum* (L.) Greuter  
*Rhaponticum hemeralfion* Banfi, Galasso & Soldano – Note: According to Banfi et al. (2011), *R. helenifolium* Godr. & Gren. should be excluded from the Italian flora.  
*Rhaponticum scariosum* Lam.  
*Robertia taraxacoides* (Loisel.) DC.  
E *Santolina corsica* Jord. & Fourr.  
E *Santolina etrusca* (Lacaita) Marchi & D'Amato  
E *Santolina insularis* (Gennari ex Fiori) Arrigoni  
E *Santolina ligustica* Arrigoni  
E *Santolina neapolitana* Jord. & Fourr.  
E *Santolina pinnata* Viv.  
*Saussurea alpina* (L.) DC. subsp. *alpina*  
*Saussurea alpina* (L.) DC. subsp. *depressa* (Gren.) Nyman  
*Saussurea discolor* (Willd.) DC.  
*Saussurea pygmaea* (Jacq.) Spreng.  
*Schlagintweitia huteri* (Hausm. ex Bamb.) Gottschl. & Greuter subsp. *huteri*  
*Schlagintweitia huteri* (Hausm. ex Bamb.) Gottschl. & Greuter subsp. *lantoscana* (Burnat & Gremli) Gottschl.  
*Schlagintweitia intybacea* (All.) Griseb.  
*Scolymus grandiflorus* Desf.  
*Scolymus hispanicus* L. subsp. *hispanicus*  
*Scolymus hispanicus* L. subsp. *occidentalis* F.M.Vásquez  
*Scolymus maculatus* L.  
*Scorzonera aristata* Ramond ex DC.  
*Scorzonera austriaca* Willd.  
E *Scorzonera callosa* Moris  
*Scorzonera hirsuta* (Gouan) L.  
*Scorzonera hispanica* L. subsp. *asphodeloides* (Wallr.) Arcang.  
*Scorzonera hispanica* L. subsp. *hispanica*  
E *Scorzonera hispanica* L. subsp. *neapolitana* (Grande) Greuter

- Scorzonera humilis* L.**
- E ***Scorzonera undulata*** Vahl subsp. ***deliciosa*** (Guss. ex DC.) Maire  
***Scorzonera villosa*** Scop. subsp. ***columnae*** (Guss.) Nyman  
***Scorzonera villosa*** Scop. subsp. ***villosa***  
***Scorzoneroidea autumnalis* (L.) Moench**  
***Scorzoneroidea cichoriacea* (Ten.) Greuter**  
***Scorzoneroidea helvetica* (Mérat) Holub**
- E ***Scorzoneroidea montana*** (Lam.) Holub subsp. ***breviscapa*** (DC.) Greuter  
***Scorzoneroidea montana*** (Lam.) Holub subsp. ***melanotricha*** (Vierh.) Gutermann  
***Scorzoneroidea montana*** (Lam.) Holub subsp. ***montana***  
***Scorzoneroidea muelleri*** (Sch.Bip.) Greuter & Talavera  
***Senecio altissimus* Mill.**  
***Senecio cacaliaster* Lam.**  
***Senecio doronicum* (L.) L. subsp. ***doronicum***  
*Senecio doronicum* (L.) L. subsp. ***orientalis*** J.Calvo  
***Senecio fontanicola*** Grulich & Hodálová  
***Senecio gallicus* Vill.**  
***Senecio glaucus* L. subsp. ***coronopifolius*** (Maire) C.Alexander****
- E ***Senecio glaucus* L. subsp. ***hyblaeus*** Brullo  
*Senecio hercynicus* Herborg subsp. ***hercynicus***  
*Senecio leucanthemifolius* Poir. subsp. ***leucanthemifolius***  
*Senecio leucanthemifolius* Poir. subsp. ***mauritanicus*** (Pomel) Greuter  
***Senecio lividus* L.****
- E ***Senecio morisii* J.Calvo & Bacch.**  
E ***Senecio nemorensis* L. subsp. ***apuanus*** (Tausch) Greuter  
*Senecio nemorensis* L. subsp. ***glabratus*** (Herborg) Oberpr.  
*Senecio nemorensis* L. subsp. ***jacquinianus*** (Rchb.) Čelak.  
*Senecio ovatus* (G.Gaertn., B.Mey. & Scherb.) Willd. subsp. ***alpestris*** (Gaudin) Herborg  
*Senecio ovatus* (G.Gaertn., B.Mey. & Scherb.) Willd. subsp. ***ovatus*****
- E ***Senecio ovatus* (G.Gaertn., B.Mey. & Scherb.) Willd. subsp. ***stabianus*** (Lacaita) Greuter  
*Senecio petraeus* Boiss. & Reut.  
*Senecio provincialis* (L.) Druce**
- E ***Senecio scopolii*** Hoppe & Hornsch. subsp. ***floccosus*** (Bertol.) Greuter  
*Senecio scopolii* Hoppe & Hornsch. subsp. ***scopolii***
- E ***Senecio squalidus* L. subsp. ***aethnensis*** (Jan ex DC.) Greuter  
*Senecio squalidus* L. subsp. ***aurasicus*** (Batt.) C.Alexander**
- E ***Senecio squalidus* L. subsp. ***calabrus*** (Fiori) Peruzzi & Bernardo  
*Senecio squalidus* L. subsp. ***chrysanthemifolius*** (Poir.) Greuter  
E ***Senecio squalidus* L. subsp. ***microglossus*** (Guss.) Arcang.  
*Senecio squalidus* L. subsp. ***rupestris*** (Waldst. & Kit.) Greuter  
E ***Senecio squalidus* L. subsp. ***sardous*** (Fiori) Greuter  
E ***Senecio squalidus* L. subsp. ***squalidus***  
*Senecio sylvaticus* L.********
- E ***Senecio transiens* (Rouy) Jeanm.**  
*Senecio viscosus* L.
- T ***Senecio vulgaris* L. subsp. ***denticulatus*** (O.F.Müll.) P.D.Sell  
*Senecio vulgaris* L. subsp. ***vulgaris***  
*Serratula tinctoria* L. subsp. ***monticola*** (Bureau) Berher  
*Serratula tinctoria* L. subsp. ***tinctoria***  
*Silybum marianum* (L.) Gaertn.**
- E ***Solidago litoralis* Savi  
*Solidago virgaurea* L. subsp. ***minuta*** (L.) Arcang.  
*Solidago virgaurea* L. subsp. ***virgaurea***  
*Sonchus arvensis* L. subsp. ***arvensis***  
*Sonchus arvensis* L. subsp. ***uliginosus*** (M.Bieb.) Nyman  
*Sonchus asper* (L.) Hill subsp. ***asper***  
*Sonchus asper* (L.) Hill subsp. ***glaucescens*** (Jord.) Ball  
*Sonchus bulbosus* (L.) N.Kilian & Greuter subsp. ***bulbosus***  
*Sonchus maritimus* L.  
*Sonchus oleraceus* L.  
*Sonchus palustris* L. – Note: Possibly extinct in Italy.  
*Sonchus tenerrimus* L.  
*Stachelia dubia* L.**
- E ***Tanacetum audibertiae* (Req.) DC.  
*Tanacetum corymbosum* (L.) Sch.Bip. subsp. ***achilleae*** (L.) Greuter  
*Tanacetum corymbosum* (L.) Sch.Bip. subsp. ***corymbosum***  
*Tanacetum corymbosum* (L.) Sch.Bip. subsp. ***subcorymbosum*** (Schur) Pawl.  
*Tanacetum parthenium* (L.) Sch.Bip.**
- ET ***Tanacetum vulgare* L. subsp. ***siculum*** (Guss.) Raimondo & Spadaro  
*Tanacetum vulgare* L. subsp. ***vulgare***  
*Taraxacum* (Fontana) ***absurdum*** Soest  
*Taraxacum* (Erythrosperma) ***acrocispidatum*** Sonck**
- E ***Taraxacum* (Alpestria) ***aemilianum*** Foggi & Ricceri  
*Taraxacum* (Alpestria) ***aequilibiforme*** Soest  
*Taraxacum* (Alpestria) ***aestivum*** Soest  
*Taraxacum* (Palustria) ***aginnense*** Hofstra  
*Taraxacum* (Alpestria) ***albulense*** Soest  
E ***Taraxacum* (Palustria) ***amplexum*** Sonck****



- E *Taraxacum (Taraxacum) ancistrolobum* Dahlst.  
E *Taraxacum (Palustria) annalisae* Carlesi & Peruzzi  
E *Taraxacum (Alpina) apenninum* (Ten.) DC.  
E *Taraxacum (Erythrocarpa) apulicum* Soest  
*Taraxacum (Erythrocarpa) aquilonare* Hand.-Mazz.  
*Taraxacum (Palustria) arachnoideum* Kirschner & Štěpánek  
*Taraxacum (Fontana) aurantellum* Soest  
*Taraxacum (Cucullata) aureocucullatum* Soest  
*Taraxacum (Taraxacum) aurosuloides* Soest  
E *Taraxacum (Erythrosperma) barbaricum* Arrigoni  
E *Taraxacum (Taraxacum) bidentilobum* Sonck  
*Taraxacum (Erythrosperma) botanicorum* Sonck  
*Taraxacum (Erythrosperma) brachyglossum* (Dahlst.) Raunk.  
*Taraxacum (Obliqua) caespitosum* Soest  
E *Taraxacum (Erythrocarpa) calabricum* Aquaro, Caparelli & Peruzzi  
*Taraxacum (Palustria) candrianii* Soest  
*Taraxacum (Erythrocarpa) capricum* Soest  
E *Taraxacum (Scariosa) caramanicae* Lojac.  
E *Taraxacum (Palustria) carthusianorum* Aquaro, Caparelli & Peruzzi  
E *Taraxacum (Erythrocarpa) cescae* Aquaro, Caparelli & Peruzzi  
*Taraxacum (Palustria) ciliare* Soest  
*Taraxacum (Alpestris) cordatifolium* Soest  
*Taraxacum (Fontana) croceicarpum* Soest  
*Taraxacum (Alpestris) crocellum* Soest  
*Taraxacum (Cucullata) cucullatum* Dahlst.  
*Taraxacum (Taraxacum) debrayi* Hagend., Soest & Zevenb.  
*Taraxacum (Palustria) delanghei* Soest  
*Taraxacum (Palustria) divulsifolium* Soest  
E *Taraxacum (Palustria) dolomiticum* Soest  
*Taraxacum (Erythrosperma) dunensisforme* Sonck  
*Taraxacum (Erythrosperma) edessicoides* Uhlemann  
DD *Taraxacum (Taraxacum) ekmanii* Dahlst.  
*Taraxacum (Erythrosperma) epirense* Soest  
*Taraxacum (Erythrosperma) erythrospermum* Andrz. ex Besser  
*Taraxacum (Taraxacum) fasciatiforme* Soest  
*Taraxacum (Fontana) fontanicola* Soest  
*Taraxacum (Fontana) fontanum* Hand.-Mazz.  
*Taraxacum (Taraxacum) formosum* Soest  
*Taraxacum (Palustria) frisicum* Soest  
*Taraxacum (Erythrosperma) fulvum* Raunk.  
E *Taraxacum (Erythrocarpa) barbarianum* Peruzzi, Aquaro, Caparelli & Raimondo  
*Taraxacum (Erythrosperma) gasparrinii* Tineo ex Lojac.  
E *Taraxacum (Erythrosperma) genargenteum* Arrigoni  
*Taraxacum (Taraxacum) gentile* Rail.  
ET *Taraxacum (Taraxacum) gianninii* Arrigoni, Ferretti & Padula  
E *Taraxacum (Glacialis) glaciale* É.Huet & A.Huet ex Hand.-Mazz.  
*Taraxacum (Erythrosperma) gracillimum* Soest  
*Taraxacum (Taraxacum) grossum* Soest  
*Taraxacum (Arctica) handelii* Murr  
*Taraxacum (Alpina) helvetica* Soest  
*Taraxacum (Palustria) huterianum* Soest  
E *Taraxacum (Erythrocarpa) kirschneri* Aquaro, Caparelli & Peruzzi  
*Taraxacum (Erythrosperma) lacistophylloides* Dahlst.  
*Taraxacum (Erythrosperma) lacistophyllum* (Dahlst.) Raunk.  
E *Taraxacum (Palustria) lacustre* Soest  
*Taraxacum (Obliqua) lambinonii* Soest  
*Taraxacum (Alpestris) lanjouwii* Soest  
E *Taraxacum (Palustria) lilianae* Aquaro, Caparelli & Peruzzi  
*Taraxacum (Palustria) limosicola* Kirschner & Štěpánek  
*Taraxacum (Taraxacum) linearisquamum* Soest  
ET *Taraxacum (Erythrosperma) lucense* Arrigoni, Ferretti & Padula  
*Taraxacum (Taraxacum) lucescens* Dahlst.  
*Taraxacum (Palustria) madidum* Kirschner & Štěpánek – Note: Kirschner and Štěpánek (1998) report a specimen from "Tyrol, Barda", very likely referring to Lago di Garda.  
*Taraxacum (Fontana) magnopyramidophorum* Soest  
E *Taraxacum (Palustria) mannocii* Carlesi & Peruzzi  
*Taraxacum (Alpestris) martellense* Soest  
*Taraxacum (Alpina) mattmarkense* Soest  
*Taraxacum (Scariosa) minimum* (V.Brig.) N.Terracc.  
*Taraxacum (Erythrosperma) montesignum* Soest  
*Taraxacum (Erythrosperma) multidentatum* Soest  
*Taraxacum (Palustria) multisinuatum* Kirschner, Sonck & Štěpánek  
*Taraxacum (Celtica) nordstedtii* Dahlst.  
*Taraxacum (Palustria) noterophilum* Kirschner, Sonck & Štěpánek  
*Taraxacum (Obovata) obovatum* (Willd.) DC.  
*Taraxacum (Palustria) odiosum* Kirschner & Štěpánek  
*Taraxacum (Palustria) olivaceum* Soest  
E *Taraxacum (Erythrocarpa) optimae* Aquaro, Caparelli & Peruzzi

- Taraxacum* (*Taraxacum*) *oreinicola* Soest  
*Taraxacum* (*Alpina*) *oreophilum* C.E.Haglund  
*Taraxacum* (*Borea*) *ostenfeldii* Raunk.  
*Taraxacum* (*Alpina*) *pacheri* Sch.Bip.  
*Taraxacum* (*Taraxacum*) *pallescentiforme* Soest
- DD *Taraxacum* (*Alpestria*) *pallidisquamum* Soest – Note: This species was recorded for Italy by Polatschek (1999).  
*Taraxacum* (*Alpina*) *panalpinum* Soest  
*Taraxacum* (*Alpestria*) *parnassicum* Dahlst.  
*Taraxacum* (*Palustria*) *pauckertianum* Hudziok  
*Taraxacum* (*Taraxacum*) *pedemontanum* Soest  
*Taraxacum* (*Alpina*) *pedrotii* Soest  
*Taraxacum* (*Fontana*) *peralatum* Soest  
*Taraxacum* (*Alpestria*) *perfissum* Soest  
*Taraxacum* (*Erythrosperma*) *perincisum* (Murr) Murr
- E *Taraxacum* (*Taraxacum*) *perrigidum* Sonck  
*Taraxacum* (*Alpina*) *petiolulatum* Huter  
*Taraxacum* (*Taraxacum*) *piceatum* Dahlst.  
*Taraxacum* (*Taraxacum*) *piluliferum* G.E.Haglund  
*Taraxacum* (*Erythrosperma*) *plumbeum* Dahlst.  
*Taraxacum* (*Fontana*) *pohlii* Soest
- E *Taraxacum* (*Erythrocarpa*) *pollinense* Aquaro, Caparelli & Peruzzi  
*Taraxacum* (*Alpestria*) *praeticum* Soest
- DD *Taraxacum* (*Erythrosperma*) *proximum* (Dahlst.) Raunk. – Note: This species is recorded from N and C Italy by Doll (1973), without precise localities.  
*Taraxacum* (*Taraxacum*) *pseudelongatum* Soest  
*Taraxacum* (*Erythrosperma*) *pseudocastaneum* Soest  
*Taraxacum* (*Alpina*) *pseudofontanum* Soest  
*Taraxacum* (*Erythrocarpa*) *pseudohoppeanum* Kirschner & Štěpánek  
*Taraxacum* (*Palustria*) *refectum* Sonck  
*Taraxacum* (*Arctica*) *reichenbachii* (Huter) Dahlst.  
*Taraxacum* (*Alpestria*) *reophilum* Soest
- DD *Taraxacum* (*Erythrosperma*) *retzii* Soest – Note: This species is recorded from NW and C Italy by Doll (1973), without precise localities.  
*Taraxacum* (*Taraxacum*) *rhaeticum* Soest
- E *Taraxacum* (*Taracum*) *rigidipes* Sonck  
*Taraxacum* (*Taracum*) *rigidum* Soest
- DD *Taraxacum* (*Erythrosperma*) *roseocarpum* Soest – Note: This species is recorded from NW and C Italy (Soest 1969; Doll 1973), without precise localities.  
*Taraxacum* (*Erythrosperma*) *rubicundum* (Dahlst.) Dahlst.  
*Taraxacum* (*Fontana*) *rufocarpum* Soest  
*Taraxacum* (*Taraxacum*) *sabaudum* Soest
- E *Taraxacum* (*Erythrosperma*) *sarcidanum* Arrigoni  
ET *Taraxacum* (*Erythrosperma*) *sardomontanum* Arrigoni  
*Taraxacum* (*Erythrosperma*) *scanicum* Dahlst.  
*Taraxacum* (*Palustria*) *scaturiginosum* G.E.Haglund  
*Taraxacum* (*Rhodocarpa*) *schroeterianum* Hand.-Mazz.  
*Taraxacum* (*Fontana*) *senile* Soest
- E *Taraxacum* (*Palustria*) *siculum* Soest  
*Taraxacum* (*Fontana*) *silvicola* Soest  
*Taraxacum* (*Alpestria*) *simpliciusculum* Soest  
*Taraxacum* (*Alpestria*) *stylosum* Soest  
*Taraxacum* (*Erythrosperma*) *subdissimile* Dahlst.  
*Taraxacum* (*Palustria*) *subolivaceum* Sonck  
*Taraxacum* (*Taraxacum*) *subsaxenii* Sahlin  
*Taraxacum* (*Erythrosperma*) *taraxacoides* (Hoppe & Hornsch.) Willk.  
*Taraxacum* (*Palustria*) *tenuifolium* (Hoppe & Hornsch.) W.D.J.Koch  
*Taraxacum* (*Cucullata*) *tirolense* Dahlst.
- E *Taraxacum* (*Alpina*) *tortilobiforme* Soest  
*Taraxacum* (*Erythrosperma*) *tortilobum* Florstr.  
*Taraxacum* (*Palustria*) *trilobifolium* Hudziok  
*Taraxacum* (*Palustria*) *turfosum* (Sch.Bip.) Soest
- E *Taraxacum* (*Erythrosperma*) *vaccarii* Soest  
*Taraxacum* (*Erythrosperma*) *vegianum* Uhlemann  
*Taraxacum* (*Taraxacum*) *valesiacum* Soest
- ET *Taraxacum* (*Taraxacum*) *vallis-nibulae* Arrigoni  
*Taraxacum* (*Alpina*) *venustum* Dahlst.  
*Taraxacum* (*Alpina*) *vernelense* Soest  
*Taraxacum* (*Alpina*) *vetteri* Soest  
*Taraxacum* (*Palustria*) *vindobonense* Soest
- E *Taraxacum* (*Erythrosperma*) *xantholigulatum* Sonck  
*Taraxacum* sect. *Borealia* Hand.-Mazz. – Note: The record of *T. ceratophorum* group for Udine province (FVG) by Aeschiman et al. (2014) is referred here.  
*Taraxacum* F.H.Wigg. sect. *Taraxacum* – Note: In addition to the 25 apomictic taxa listed above (see also Kirschner et al. 2007 onwards), there are certainly further, yet unidentified, taxa occurring in Italy, which are collectively referred here.  
*Tephroseris balbisiana* (DC.) Holub  
*Tephroseris integrifolia* (L.) Holub subsp. *capitata* (Wahlenb.) B.Nord.  
*Tephroseris integrifolia* (L.) Holub subsp. *integrifolia*
- E *Tephroseris italicica* Holub  
*Tephroseris longifolia* (Jacq.) Griseb. & Schenk subsp. *gaudinii* (Greml.) Kerguélen  
*Tephroseris longifolia* (Jacq.) Griseb. & Schenk subsp. *longifolia*  
*Tephroseris longifolia* (Jacq.) Griseb. & Schenk subsp. *pseudocrispia* (Fiori) Greuter  
*Tolpis staticifolia* (All.) Sch.Bip.



- E *Tolpis umbellata* Bertol.  
 E *Tolpis virgata* (Desf.) Bertol. subsp. *grandiflora* (Ten.) Arcang.  
*Tolpis virgata* (Desf.) Bertol. subsp. *virgata*  
*Tragopogon crocifolius* L. subsp. *crocifolius*  
 E *Tragopogon crocifolius* L. subsp. *nebrodensis* (Guss.) Raimondo  
 E *Tragopogon cupanii* Guss. ex DC.  
*Tragopogon dubius* Scop.  
*Tragopogon eriospermus* Ten.  
*Tragopogon minor* Mill.  
*Tragopogon orientalis* L.  
*Tragopogon porrifolius* L.  
*Tragopogon pratensis* L.  
*Tragopogon samaritanii* Heldr. & Sartori ex Boiss.  
*Tragopogon tommasinii* Sch.Bip.  
*Tripleurospermum inodorum* (L.) Sch.Bip.  
 E *Tripolium sorrentinoi* (Tod.) Raimondo & Greuter  
*Tussilago farfara* L.  
*Tyrimnus leucographus* (L.) Cass.  
*Urospermum dalechampii* (L.) F.W.Schmidt  
*Urospermum picroides* (L.) Scop. ex F.W.Schmidt  
*Volutaria tubuliflora* (Murb.) Sennen  
*Willemetia stipitata* (Jacq.) Dalla Torre subsp. *stipitata*  
*Xanthium strumarium* L. subsp. *brasilicum* (Vell.) O.Bolòs & Vigo  
*Xanthium strumarium* L. subsp. *strumarium*  
*Xeranthemum cylindraceum* Sm.  
*Xeranthemum inapertum* (L.) Mill.  
 E *Xerolekia speciosissima* (L.) Anderb.

- Viburnaceae  
 E *Adoxa moschatellina* L. subsp. *cescae* Peruzzi & N.G.Passal.  
*Adoxa moschatellina* L. subsp. *moschatellina*  
*Sambucus ebulus* L.  
*Sambucus nigra* L.  
*Sambucus racemosa* L. subsp. *racemosa*  
*Viburnum lantana* L.  
*Viburnum opulus* L.  
*Viburnum tinus* L. subsp. *tinus*

- Caprifoliaceae  
*Lonicera alpigena* L. subsp. *alpigena*  
*Lonicera caerulea* L. subsp. *caerulea*  
*Lonicera caprifolium* L.  
*Lonicera cyrenaica* Viv.  
*Lonicera etrusca* Santi  
*Lonicera implexa* Aiton subsp. *implexa*  
*Lonicera nigra* L.  
*Lonicera periclymenum* L.  
 E *Lonicera stabiana* Guss. ex Pasq.  
*Lonicera xylosteum* L. – Note: *Lonicera xylosteum* L. var. *nigra* Loisel. was recorded for central and southern Italy (Conti et al. 2005).

- Linnaeaceae  
*Linnaea borealis* L.
- Dipsacaceae  
*Cephalaria alpina* (L.) Roem. & Schult.  
*Cephalaria joppensis* (Rchb.) Coult.  
*Cephalaria leucantha* (L.) Roem. & Schult.  
 E *Cephalaria mediterranea* (Viv.) Szabó  
 E *Cephalaria squamiflora* (Sieber) Greuter subsp. *bigazzii* (Bacch., Brullo & Giusso) Domina  
*Cephalaria transylvanica* (L.) Roem. & Schult.  
 E *Dipsacus ferox* Loisel.  
*Dipsacus fullonum* L. subsp. *fullonum*  
*Dipsacus pilosus* L.  
 E *Dipsacus vosecchiaiae* Camarda  
*Knautia arvensis* (L.) Coult.  
 E *Knautia baldensis* A.Kern. ex Borbás  
 E *Knautia calycina* (C.Presl) Guss.  
*Knautia collina* Jord.  
 E *Knautia dinarica* (Murb.) Borbás subsp. *silana* (Grande) Ehrend. – Note: For the taxonomy and distribution of this unit, see Peruzzi et al. (2013a).  
 T *Knautia drymeja* Heuff. subsp. *centrifrons* (Borbás) Ehrend. – Note: Recently, *K. drymeja* was regarded as a morphologically and genetically variable species without infraspecific taxa, also including *K. gussonei* (Rešetník et al. 2016). The authors based their morphometric analyses on single specimens for 43 populations of the complex. Only a single voucher specimen of *K. gussonei* was studied. Furthermore, some characters useful for identification in morphometric analyses (i.e., presence of glandular hairs, see Bartolucci and Conti 2014) were not considered at all. Waiting for further studies, we are provisionally maintaining here the taxonomic treatment proposed by Conti et al. (2005).  
*Knautia drymeja* Heuff. subsp. *drymeja*  
 T *Knautia drymeja* Heuff. subsp. *intermedia* (Pernh. & Wettst.) Ehrend.

- T *Knautia drymeja* Heuff. subsp. *tergestina* (Beck) Ehrend.  
*Knautia fleischmannii* (Hladnik ex Rchb.) Pacher – Note: Possibly extinct in Italy.
- ET *Knautia gussonei* Szabó  
*Knautia illyrica* Beck  
*Knautia integrifolia* (L.) Bertol. subsp. *integrifolia*  
*Knautia longifolia* (Waldst. & Kit.) W.D.J.Koch
- E *Knautia lucana* Lacaita & Szabó  
*Knautia maxima* (Opiz) J.Ortmann subsp. *maxima* – Note: The record of *K. maxima* from MOL (Lucchese 1996; under the name *K. dipsacifolia*) probably refers to *K. gussonei* Szabó.  
*Knautia maxima* (Opiz) J.Ortmann subsp. *sixtina* (Briq.) Bartolucci & Galasso  
*Knautia mollis* Jord.  
*Knautia persicina* A.Kern.  
*Knautia ressmanni* (Pacher) Briq.  
*Knautia subcanescens* Jord.  
*Knautia transalpina* (Christ) Briq.  
*Knautia velutina* Briq.  
*Lomelosia argentea* (L.) Greuter & Burdet  
*Lomelosia brachiatata* (Sm.) Greuter & Burdet  
*Lomelosia crenata* (Cirillo) Greuter & Burdet subsp. *crenata*  
T *Lomelosia crenata* (Cirillo) Greuter & Burdet subsp. *dallaportae* (Boiss.) Greuter & Burdet  
ET *Lomelosia crenata* (Cirillo) Greuter & Burdet subsp. *pseudisetensis* (Lacaita) Greuter & Burdet  
*Lomelosia cretica* (L.) Greuter & Burdet  
*Lomelosia divaricata* (Jacq.) Greuter & Burdet  
*Lomelosia graminifolia* (L.) Greuter & Burdet subsp. *graminifolia*  
*Lomelosia rutifolia* (Vahl) Avino & P.Caputo  
*Lomelosia simplex* (Desf.) Raf. subsp. *simplex*  
*Lomelosia stellata* (L.) Raf.  
E *Pseudoscabiosa limonifolia* (Vahl) Devesa  
*Scabiosa columbaria* L. subsp. *columbaria*  
*Scabiosa columbaria* L. subsp. *portae* (A.Kern. ex Huter) Hayek  
E *Scabiosa holosericea* Bertol.  
*Scabiosa lucida* Vill. subsp. *lucida*  
*Scabiosa mollissima* Viv.  
*Scabiosa ochroleuca* L.  
E *Scabiosa parviflora* Desf.  
*Scabiosa pyrenaica* All.  
*Scabiosa silenifolia* Waldst. & Kit.  
*Scabiosa taygetea* Boiss. & Heldr. subsp. *garganica* (Porta & Rigo) Hayek  
*Scabiosa triandra* L.  
ET *Scabiosa uniseta* Savi  
*Scabiosa velenovskyana* Bobrov  
E *Scabiosa vestina* Facchini ex W.D.J.Koch  
*Sixalix atropurpurea* (L.) Greuter & Burdet  
*Succisa pratensis* Moench  
*Succisella inflexa* (Kluk) Beck

## Valerianaceae

Taxonomic references: *Valeriana officinalis* L. group (Kirschner and Raab-Straube 2017).

- E *Centranthus amazonum* Fridl. & A.Raynal  
*Centranthus angustifolius* (Mill.) DC. subsp. *angustifolius*  
*Centranthus calcitrapae* (L.) Dufr. subsp. *calcitrapae*  
*Centranthus ruber* (L.) DC. subsp. *ruber*  
*Fedia graciliflora* Fisch. & C.A.Mey.  
*Valeriana celtica* L. subsp. *celtica*  
*Valeriana celtica* L. subsp. *norica* Vierh.  
*Valeriana dioica* L.  
*Valeriana elongata* Jacq.  
*Valeriana excelsa* Poir. subsp. *sambucifolia* (J.C.Mikan ex Pohl) Holub  
*Valeriana excelsa* Poir. subsp. *versifolia* (Brügger) Buttler, Hand & Kirschner  
*Valeriana montana* L.  
T *Valeriana officinalis* L. subsp. *nemorensis* (B.Turk) F.Martini & Soldano  
*Valeriana officinalis* L. subsp. *officinalis*  
*Valeriana saliunca* All.  
*Valeriana saxatilis* L.  
*Valeriana stolonifera* Czern. subsp. *angustifolia* Soó  
*Valeriana supina* Ard.  
*Valeriana tripteris* L. subsp. *austriaca* E.Walther  
*Valeriana tripteris* L. subsp. *tomentella* E.Walther  
*Valeriana tripteris* L. subsp. *tripteris*  
*Valeriana tuberosa* L.  
*Valerianella carinata* Loisel.  
*Valerianella coronata* (L.) DC.  
*Valerianella costata* (Stev.) Betcke  
*Valerianella dentata* (L.) Pollich  
*Valerianella discoidea* (L.) Loisel.  
*Valerianella echinata* (L.) DC.  
*Valerianella eriocarpa* Desv.



- Valerianella locusta* (L.) Laterr.  
*Valerianella microcarpa* Loisel.  
*Valerianella muricata* (Stev. ex M.Bieb.) J.W.Loudon  
*Valerianella puberula* (Bertol. ex Guss.) DC.  
*Valerianella pumila* (L.) DC.  
*Valerianella rimosa* Bastard  
*Valerianella turgida* (Stev.) Betcke  
*Valerianella vesicaria* (L.) Moench

## Araliaceae

- Hedera helix* L. subsp. *helix*  
*Hydrocotyle vulgaris* L.

## Apiaceae

Taxonomic references: *Laserpitium* L., *Siler* Mill., *Silphiodaucus* (Koso-Pol.) Spalik, Wojew., Banasiak, Piwczyński & Reduron and *Thapsia* L. (Banasiak et al. 2016; Iamonico et al. 2016a).

- Aegopodium podagraria* L.  
*Aethusa cynapium* L. subsp. *cynapium*  
*Aethusa cynapium* L. subsp. *elata* (Friedl.) Schübl. & G.Martens  
*Ammi majus* L.  
*Ammoides pusilla* (Brot.) Breistr.  
*Angelica sylvestris* L. subsp. *sylvestris*  
*Anthriscus caucalis* M.Bieb.  
*Anthriscus nemorosa* (M.Bieb.) Spreng.  
*Anthriscus nitida* (Wahlenb.) Hazl.  
*Anthriscus sylvestris* (L.) Hoffm. subsp. *alpina* (Vill.) Greml.  
*Anthriscus sylvestris* (L.) Hoffm. subsp. *sylvestris*  
*Apium graveolens* L.  
*Astrantia bavarica* F.W.Schultz  
*Astrantia carniolica* Jacq.  
*Astrantia major* L. subsp. *involuta* (W.D.J.Koch) Ces.  
*Astrantia major* L. subsp. *major*  
*Astrantia minor* L.

E *Astrantia pauciflora* Bertol. subsp. *pauciflora*

E *Astrantia pauciflora* Bertol. subsp. *tenorei* (Mariotti) Bechi & Garbari

E *Athamanta cortiana* Ferrarini

*Athamanta cretensis* L.

*Athamanta ramosissima* Port.

*Athamanta sicula* L.

*Athamanta turbith* (L.) Brot. subsp. *turbith*

*Berula erecta* (Huds.) Coville

*Bifora radians* M.Bieb.

*Bifora testiculata* (L.) Spreng.

*Bonannia graeca* (L.) Halász

*Bubon macedonicum* L.

*Bunium bulbocastanum* L.

E *Bunium corydalinum* DC.

*Bunium macuca* Boiss.

E *Bunium petraeum* Ten.

*Bupleurum affine* Sadler

*Bupleurum baldense* Turra

E *Bupleurum dianthifolium* Guss.

E *Bupleurum elatum* Guss.

*Bupleurum falcatum* L. subsp. *cernuum* (Ten.) Arcang.

E *Bupleurum falcatum* L. subsp. *corsicum* (Coss. & Kralík) Rouy & E.G.Camus

*Bupleurum fruticosum* L.

*Bupleurum gerardi* All.

*Bupleurum gracile* d'Urv.

E *Bupleurum gussonei* (Arcang.) Snogerup & B.Snogerup

*Bupleurum lancifolium* Hornem.

*Bupleurum longifolium* L.

*Bupleurum odontites* L.

*Bupleurum petraeum* L.

*Bupleurum praecultum* L.

*Bupleurum ranunculoides* L. subsp. *ranunculoides*

*Bupleurum ranunculoides* L. subsp. *telonense* (Gren. ex Timb.-Lagr.) Coste

*Bupleurum rigidum* L. subsp. *rigidum*

E *Bupleurum rollii* (Montel.) Moraldo – For the taxonomy and distribution of this species and related taxa, see Iberite et al. (2015).

*Bupleurum semicompositum* L.

*Bupleurum stellatum* L.

*Bupleurum subovatum* Link ex Spreng.

*Bupleurum tenuissimum* L.

C *Bupleurum trichopodum* Boiss. & Spruner

*Bupleurum veronense* Turra

*Cachrys cristata* DC.

*Cachrys libanotis* L.

*Cachrys pungens* Jan ex Guss.

- E *Cachrys sicula* L.  
*Carum appuanum* (Viv.) Grande subsp. *appuanum*  
*Carum carvi* L.  
*Carum heldreichii* Boiss.  
*Caucalis platycarpos* L.  
*Cervaria rivini* Gaertn.  
*Chaerophyllum aromaticum* L.  
*Chaerophyllum aureum* L.  
*Chaerophyllum elegans* Gaudin  
*Chaerophyllum hirsutum* L.  
E *Chaerophyllum magellense* Ten.  
*Chaerophyllum nodosum* (L.) Crantz  
*Chaerophyllum temulum* L.  
*Chaerophyllum villarsii* W.D.J.Koch  
*Cicuta virosa* L.  
*Conium maculatum* L. subsp. *maculatum*  
*Conopodium majus* (Gouan) Loret subsp. *majus*  
E *Coristospermum cuneifolium* (Guss.) Bertol.  
*Coristospermum ferulaceum* (All.) Reduron, Charpin & Pimenov  
*Coristospermum seguieri* (Jacq.) Banfi, Galasso & Soldano  
*Crithmum maritimum* L.  
E *Cryptotaenia thomasi* (Ten.) DC.  
*Daucus aureus* Desf.  
E *Daucus brotero* Ten.  
*Daucus carota* L. subsp. *carota*  
T *Daucus carota* L. subsp. *commutatus* (Paol.) Thell.  
T *Daucus carota* L. subsp. *drepansis* (Tod. ex Lojac.) Heywood  
T *Daucus carota* L. subsp. *gummifer* (Syme) Hook.f.  
T *Daucus carota* L. subsp. *hispanicus* (Gouan) Thell.  
T *Daucus carota* L. subsp. *maritimus* (Lam.) Batt.  
T *Daucus carota* L. subsp. *maximus* (Desf.) Ball  
ET *Daucus carota* L. subsp. *rupestris* (Guss.) Heywood  
*Daucus guttatus* Sm.  
*Daucus minusculus* Pau ex Font Quer  
*Daucus muricatus* (L.) L.  
E *Daucus nebrodensis* Strobl  
*Daucus pumilus* (L.) Hoffmanns. & Link  
*Daucus rouyi* Spalik & Reduron  
*Dichoropetalum carvifolium-chabraisei* (Crantz) Soldano, Galasso & Banfi  
*Dichoropetalum schottii* (Bess. ex DC.) Pimenov & Kljuykov  
*Echinophora spinosa* L.  
*Echinophora tenuifolia* L. subsp. *tenuifolia*  
*Eryngium alpinum* L.  
*Eryngium amethystinum* L.  
*Eryngium campestre* L.  
*Eryngium corniculatum* Lam.  
E *Eryngium crinitum* C.Presl  
*Eryngium dichotomum* Desf.  
*Eryngium maritimum* L.  
*Eryngium pusillum* L.  
E *Eryngium siculum* Lojac.  
*Eryngium spinalba* Vill.  
E *Eryngium tricuspidatum* L. subsp. *bocconei* (Lam.) Wörz  
*Eryngium tricuspidatum* L. subsp. *tricuspidatum*  
*Eryngium triquetrum* Vahl  
*Falcaria vulgaris* Bernh.  
E *Ferula arrigonii* Bocchieri  
*Ferula communis* L. subsp. *communis*  
*Ferula glauca* L.  
*Ferulago campestris* (Besser) Grecescu  
E *Ferulago nodosa* (L.) Boiss. subsp. *geniculata* (Guss.) Troia & Raimondo – Note: For the nomenclature of this subspecies, see Peruzzi et al. (2015b).  
*Ferulago sylvatica* (Besser) Rchb.  
T *Foeniculum vulgare* Mill. subsp. *piperitum* (Ucria) Bég.  
*Foeniculum vulgare* Mill. subsp. *vulgare*  
*Geocaryum capillifolium* (Guss.) Coss.  
*Geocaryum cynapioides* (Guss.) Engstrand  
*Graia golaka* (Hacq.) Rchb.  
*Hacquetia epipactis* (Scop.) DC.  
*Hellenocarum multiflorum* (Sm.) H.Wolff  
*Helosciadium crassipes* W.D.J.Koch ex Rchb.  
*Helosciadium inundatum* (L.) W.D.J.Koch  
*Helosciadium nodiflorum* (L.) W.D.J.Koch subsp. *nodiflorum*  
*Helosciadium repens* (Jacq.) W.D.J.Koch – Note: Possibly extinct in Italy (Rossi et al. 2013).  
E *Heptaptera angustifolia* (Bertol.) Tutin  
*Heracleum austriacum* L.  
*Heracleum orsinii* Guss.  
*Heracleum pyrenaicum* Lam. subsp. *pollinianum* (Bertol.) F.Pedrotti & Pignatti  
*Heracleum sibiricum* L. subsp. *sibiricum*



- Heracleum sibiricum* L. subsp. *ternatum* (Velen.) Briq.  
*Heracleum sphondylium* L. subsp. *elegans* (Crantz) Schübl. & G.Martens  
*Heracleum sphondylium* L. subsp. *sphondylium*  
*Imperatoria ostruthium* L.  
*Katapsuxis silaifolia* (Jacq.) Reduron, Charpin & Pimenov  
*Kruba peregrina* (L.) Hoffm.  
*Kundmannia sicula* (L.) DC.  
*Lagoecia cuminoides* L.  
*Laserpitium gallicum* L. subsp. *gallicum*  
*Laserpitium halleri* Crantz subsp. *halleri*  
*Laserpitium krapfii* Crantz subsp. *gaudinii* (Moretti) Thell.  
*Laserpitium latifolium* L.  
*Laserpitium nestleri* Soy.-Will.  
**E** *Laserpitium nitidum* Zanted.  
*Laserpitium peucedanoides* L.  
*Magydaris pastinacea* (Lam.) Paol.  
*Meum athamanticum* Jacq.  
*Molopospermum peloponnesiacum* (L.) W.D.J.Koch subsp. *bauhinii* I.Ullmann  
*Molopospermum peloponnesiacum* (L.) W.D.J.Koch subsp. *peloponnesiacum*  
*Mutellina adonidifolia* (J.Gay) Gutermann  
*Myrrhis odorata* (L.) Scop.  
*Oenanthe aquatica* (L.) Poir.  
*Oenanthe crocata* L.  
*Oenanthe fistulosa* L.  
*Oenanthe globulosa* L.  
*Oenanthe lachenalii* C.C.Gmel.  
**E** *Oenanthe lisae* Moris  
*Oenanthe peucedanifolia* Pollich  
*Oenanthe pimpinelloides* L.  
*Oenanthe silaifolia* M.Bieb.  
*Opopanax chironium* (L.) W.D.J.Koch  
*Opopanax hispidus* (Friv.) Griseb.  
*Oreoselinum nigrum* Delarbre  
*Orlaya daucorlaya* Murb.  
*Orlaya grandiflora* (L.) Hoffm.  
*Orlaya platycarpus* W.D.J.Koch  
*Pachypleurum mutellinoides* (Crantz) Holub  
**E** *Pastinaca kochii* Duby  
*Pastinaca sativa* L. subsp. *sativa*  
*Pastinaca sativa* L. subsp. *urens* (Req. ex Godr.) Čelak.  
**E** *Petagnaia gussonei* (Spreng.) Rauschert  
*Peucedanum coriaceum* Rchb.  
*Peucedanum officinale* L. subsp. *officinale*  
**C** *Peucedanum paniculatum* Loisel. – Note: This species is considered as a narrow endemic to Corse by Tison and de Foucault (2014). In addition, Arrigoni (2013) recorded it as doubtfully native in SAR.  
*Physospermum cornubiense* (L.) DC.  
*Physospermum verticillatum* (Waldst. & Kit.) Vis.  
**E** *Pimpinella anisoides* V.Brig.  
**E** *Pimpinella gussonei* Bertol.  
*Pimpinella lutea* Desf.  
*Pimpinella major* (L.) Huds.  
*Pimpinella peregrina* L.  
*Pimpinella saxifraga* L. subsp. *alpina* Nyman  
*Pimpinella saxifraga* L. subsp. *nigra* (Mill.) Ces.  
*Pimpinella saxifraga* L. subsp. *saxifraga*  
*Pimpinella tragium* Vill.  
*Pleurospermum austriacum* (L.) Hoffm.  
*Prangos ferulacea* (L.) Lindl.  
*Prangos trifida* Herrnst. & Heyn  
*Pteroselinum austriacum* (Jacq.) Rchb.  
**E** *Ptychotis sardoa* Pignatti & Metlesics  
*Ptychotis saxifraga* (L.) Loret & Barrandon  
*Ridolfia segetum* (Guss.) Moris  
*Sanicula europaea* L.  
*Scandix australis* L. subsp. *australis*  
*Scandix australis* L. subsp. *grandiflora* (L.) Thell.  
*Scandix macrorhyncha* C.A.Mey.  
*Scandix pecten-veneris* L. subsp. *brachycarpa* (Guss.) Thell.  
*Scandix pecten-veneris* L. subsp. *pecten-veneris*  
*Selinum carvifolia* (L.) L.  
*Seseli annuum* L. subsp. *annuum*  
*Seseli annuum* L. subsp. *carvifolium* (Vill.) P.Fourn.  
*Seseli austriacum* (G.Beck) Wohlf.  
**E** *Seseli bocconei* Guss.  
*Seseli galloprovinciale* Reduron  
*Seseli kochii* Breistr.  
*Seseli libanotis* (L.) W.D.J.Koch  
*Seseli montanum* L. subsp. *montanum*

	<i>Seseli pallasii</i> Besser
E	<i>Seseli peucedanoides</i> (M.Bieb.) Koso-Pol.
E	<i>Seseli polypodium</i> Ten.
E	<i>Seseli praecox</i> (Gamisans) Gamisans
E	<i>Seseli tommasinii</i> Rchb.f.
ET	<i>Seseli tortuosum</i> L. subsp. <i>maritimum</i> (Guss.) C.Brullo, Brullo, Giusso & Sciandr.
E	<i>Seseli tortuosum</i> L. subsp. <i>tortuosum</i>
E	<i>Siculosciadium nebrodense</i> (Guss.) C.Brullo, Brullo, S.R.Downie & Giusso
	<i>Silaum silaus</i> (L.) Schinz & Thell.
	<i>Siler montanum</i> Crantz subsp. <i>garganicum</i> (Ten.) Iamonico, Bartolucci & F.Conti
	<i>Siler montanum</i> Crantz subsp. <i>montanum</i>
E	<i>Siler montanum</i> Crantz subsp. <i>siculum</i> (Spreng.) Iamonico, Bartolucci & F.Conti <i>Silphiodaucus prutenicus</i> (L.) Spalik, Wojew., Banasiak, Piwczyński & Reduron
	<i>Sison amomum</i> L.
	<i>Sison segetum</i> L.
	<i>Sium latifolium</i> L.
T	<i>Smyrnium olusatrum</i> L.
	<i>Smyrnium perfoliatum</i> L. subsp. <i>dimartinoi</i> (Raimondo, Mazzola & Spadaro) Stinca & Pignatti
	<i>Smyrnium perfoliatum</i> L. subsp. <i>perfoliatum</i>
	<i>Smyrnium perfoliatum</i> L. subsp. <i>rotundifolium</i> (Mill.) Bonnier & Layens
	<i>Thapsia acanthoides</i> L.
	<i>Thapsia garganica</i> L. subsp. <i>garganica</i>
E	<i>Thapsia garganica</i> L. subsp. <i>messanensis</i> (Guss.) Brullo, Guglielmo, Pasta, Pavone & Salmeri
E	<i>Thapsia meoides</i> (Desf.) Guss.
E	<i>Thapsia pelagica</i> Brullo, Guglielmo, Pasta, Pavone & Salmeri
	<i>Thysselinum palustre</i> (L.) Hoffm.
	<i>Tomasinia altissima</i> (Mill.) Reduron
	<i>Tordylium apulum</i> L.
	<i>Tordylium maximum</i> L.
	<i>Tordylium officinale</i> L.
	<i>Torilis africana</i> Spreng.
	<i>Torilis arvensis</i> (Huds.) Link subsp. <i>arvensis</i>
	<i>Torilis arvensis</i> (Huds.) Link subsp. <i>neglecta</i> Thell.
	<i>Torilis elongata</i> (Hoffmanns. & Link) Samp.
	<i>Torilis japonica</i> (Houtt.) DC.
	<i>Torilis leptophylla</i> (L.) Rchb.f.
E	<i>Torilis nemoralis</i> (Brullo) Brullo & Giusso
	<i>Torilis nodosa</i> (L.) Gaertn. subsp. <i>nodosa</i>
	<i>Torilis nodosa</i> (L.) Gaertn. subsp. <i>webbii</i> (Jury) Kerguélen
	<i>Trinia dalechampii</i> (Ten.) Janch.
	<i>Trinia glauca</i> (L.) Dumort. subsp. <i>carniolica</i> (A.Kern. ex Janch.) H.Wolff
	<i>Trinia glauca</i> (L.) Dumort. subsp. <i>glauca</i>
	<i>Trochiscanthes nodiflora</i> (All.) W.D.J.Koch
	<i>Turgenia latifolia</i> (L.) Hoffm.
E	<i>Visnaga crinita</i> (Guss.) Giardina & Raimondo – Note: Possibly extinct in CAL (Peruzzi 2014).
	<i>Visnaga daucoides</i> Gaertn.
	<i>Xanthoselinum venetum</i> (Spreng.) Soldano & Banfi

## Discussion

The native flora of Italy include 8195 specific and subspecific taxa. It is the highest number in Europe and, at the Mediterranean region level, only Turkey hosts a higher number of native plant taxa (Boulos 1995; Güner et al. 2000; Valdés et al. 2002; Lauber and Wagner 2007; Buttler and Hand 2008; Danihelka et al. 2012; Güner et al. 2012; Aedo et al. 2013; Dimopoulos et al. 2013; Tison and de Foucault 2014; Vangjeli 2015; Dimopoulos et al. 2016; Raab-Straube et al. 2016; Aedo et al. 2017; Özhatay et al. 2017). The Italian endemics (1708) correspond to 20,8% of the total flora. The degree of endemism for Italy is comparable with most of the European and Mediterranean floras, with the exception of the Turkish flora, in which 34% of endemism is reported (Aedo et al. 2013; Özhatay et al. 2013; Rankou et al. 2013). Recently, Peruzzi et al. (2014a) reported for Italy 1371 endemic taxa, then updated to 1400 by Peruzzi et al. (2015b), but these authors deliberately excluded the numerous subspecies within the taxonomically critical genera *Hieracium* and *Pilosella*.

Although in recent years field explorations, regional floras and taxonomic reviews regarding the Italian flora have been increasingly published, for many taxa the distribution data are

lacking and/or show significant gaps of knowledge. In fact, 568 taxa have not been confirmed in recent times, 99 are doubtfully occurring in Italy, 19 are data deficient and 430 are taxonomically doubtful (not to mention hundreds of *Hieracium* subspecies). There is clearly a need for further field and biosystematic investigations to fill these gaps. Accordingly, the number of taxa reported here is certainly not final and the taxonomic circumscription of some critical genera will also require further in-depth analyses. In particular, taxonomic studies should pay a special attention to the correct interpretation and management of the taxonomic rank of subspecies (Peruzzi and Bartolucci 2016). For instance, there are several cases in the mostly apomictic genus *Hieracium*, where field observation suggests the co-occurrence in the same place of more than one putative “subspecies”. Similar situations could apply to many other taxa where “subspecies” lack a clear geographical (or at least ecological) structure. The classical subspecies concept provided by Wilson and Brown (1953), i.e. “the subspecies were conceived of as genetically distinct, geographically isolated population belonging to the same species and therefore interbreeding freely at the zones of contact”, is difficult to apply when two or more subspecies share the same native



range, show geographical and ecological overlap or are not sexually reproducing. These problems will need further research of experimental taxonomy and more consistency in using the subspecies rank among taxonomists (Hamilton and Reichard 1992).

Despite these problems, an updated checklist is a fundamental tool in floristic, taxonomic and particularly in conservation research (Lomolino 2004; Whittaker et al. 2005).

## Acknowledgements

We gratefully acknowledge colleagues and friends who provided distribution, nomenclatural and taxonomic advices: Michele Adorni, Aldo Antonietti, Loris Bagli, Fausto Bonafede, Giovanna Bosi, Eugenia Bugni, Mario Calbi, Antonio Croce, Roberto Dellavedova, Marco D'Antraccoli, Giorgio Faggi, Germano Federici, Umberto Ferrando, Giulio Ferretti, Filiberto Fiandri, Helmut Freitag, Bruno Gallino, Giovanni Gestri, Luigi Ghillani, Matteo Gualmini, Laura Guglielmino, Sigurd E. Fröhner, Cesare Lasen, Wolfgang Licht, Umberto Lodesani, Fabrizio Martini, Marta Bandini Mazzanti, Anna Maria Mercuri, Nicola Merloni, Sergio Montanari, William Morelli, Sergei L. Mosyakin, Franco Orsino, Konrad Pagitz, Guglielmo Pandolfo, Roberto Pascalt, Marziano Pascale, Mauro Pellizzari, Enrico V. Perrino, Franco Picco, Filippo Piccoli, Annalaura Pistarino, Enrico Romani, Daniele Saiani, Claudio Santini, Fabio Semprini, Consolata Siniscalco, Giancarlo Tondi and Michele Vignodelli.

## Disclosure statement

No potential conflict of interest was reported by the authors.

## ORCID

- F. Bartolucci <http://orcid.org/0000-0001-8199-6003>
- L. Peruzzi <http://orcid.org/0000-0001-9008-273X>
- G. Galasso <http://orcid.org/0000-0002-2501-456X>
- A. Albano <http://orcid.org/0000-0002-0874-320X>
- N. M. G. Ardenghi <http://orcid.org/0000-0002-4366-5729>
- G. Astuti <http://orcid.org/0000-0001-5790-3516>
- G. Bacchetta <http://orcid.org/0000-0002-1714-3978>
- L. Cecchi <http://orcid.org/0000-0001-9706-0947>
- G. Domina <http://orcid.org/0000-0003-4184-398X>
- G. Fenu <http://orcid.org/0000-0003-4762-5043>
- B. Foggi <http://orcid.org/0000-0001-6451-4025>
- D. Iamonico <http://orcid.org/0000-0001-5491-7568>
- E. Martinetto <http://orcid.org/0000-0002-9131-0877>
- R. Pennesi <http://orcid.org/0000-0002-6145-5581>
- F. Roma-Marzio <http://orcid.org/0000-0002-2184-0311>
- A. Santangelo <http://orcid.org/0000-0001-5560-1725>
- A. Scoppola <http://orcid.org/0000-0001-7389-5608>
- F. Selvi <http://orcid.org/0000-0002-3820-125X>
- A. Stinca <http://orcid.org/0000-0002-8275-0184>
- R. P. Wagensommer <http://orcid.org/0000-0002-1614-4821>
- F. Conti <http://orcid.org/0000-0001-7391-6691>

## References

- Accorsi CA, Bandini Mazzanti M, Forlani L, Meneghel M, Rigoni A, Sorbini L. 1989. Primi dati stratigrafici e palinologici sulla sequenza di Bernascone (Verona), dataata alla base  $18.870 \pm 300$  B.P. Inform Bot Ital. 21: 240–245.
- Aedo C, Buiria A, Medina L, Fernández-Albert M. 2017. The Iberian vascular flora richness, endemism and distribution patterns. In: Loidi J, editor. The vegetation of the Iberian Peninsula. Vol. 1, Cham: Springer. p. 101–130. doi: [10.1007/978-3-319-54784-8](https://doi.org/10.1007/978-3-319-54784-8).
- Aedo C, Medina L, Fernández-Albert M. 2013. Species richness and endemism in the Spanish vascular flora. Nord J Bot. 31: 478–488. doi: [10.1111/j.1756-1051.2012.00009.x](https://doi.org/10.1111/j.1756-1051.2012.00009.x).
- Aeschimann D, Lauber K, Moser DM, Theurillat J-P. 2004. Flora alpina, Vol. 2. Bern: Haupt Verlag.
- Akhani H, Edwards G, Roalson EH. 2007. Diversification of the old world Salsoleae s.l. (Chenopodiaceae): molecular phylogenetic analysis of nuclear and chloroplast data sets and a revised classification. Int J Plant Sci. 168: 931–956. doi: [10.1086/518263](https://doi.org/10.1086/518263).
- Alessandrini A, Buono V, Longo D, Magni C, Manni QG, Nicocella G, editors. 2017. Acta Plantarum Notes 5, Le raccolte di Acta Plantarum. Boves (Cuneo): Araba Fenice.
- Al-Shehbaz IA, German DA, Mummenhoff K, Moazzeni H. 2014. Systematics, tribal placements, and synopses of the *Malcolmia* s.l. segregates (Brassicaceae). Harvard Pap Bot. 19: 53–71. doi: [10.3100/hpib.v19iss1.2014.n4](https://doi.org/10.3100/hpib.v19iss1.2014.n4).
- APG IV. 2016. An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG IV. Bot J Linn Soc. 181: 1–20. doi: [10.1111/j.1095-8339.2009.00996.x](https://doi.org/10.1111/j.1095-8339.2009.00996.x).
- Aquaro G, Caparelli KF, Peruzzi L. 2008. The genus *Taraxacum* (Asteraceae) in Italy. I. A systematic study of *Taraxacum* sect. *Palustria*. Phytol Balcan. 14: 61–67.
- Aquaro G, Caparelli KF, Peruzzi L. 2009. The genus *Taraxacum* (Asteraceae) in Italy. II. Five new species of *Taraxacum* sect. *Erythrocarpa*. In: Ivanova D, editor. Plant, fungal and habitat diversity investigation and conservation. Proceedings of IV Balcan Botanical Congress, Sofia, June 20–26, 2006. Sofia: Institute of Botany. p. 160–168.
- Ardenghi NMG, Foggi B. 2015. Lectotypification and combination of *Festuca apennina* (Poaceae). Taxon. 64: 1038–1041. doi: [10.12705/645.14](https://doi.org/10.12705/645.14).
- Arrigoni PV. 2006. Flora dell'Isola di Sardegna 1 [Flora of Sardinia 1]. Sassari: Carlo Delfino Editore. Italian.
- Arrigoni PV. 2007. Contributo alla conoscenza della flora della Sardegna: nuove specie di *Taraxacum* e altri reperti [Contribution to the knowledge of the flora of Sardinia: new species of *Taraxacum* and other specimens]. Parlatorea. 9: 87–94. Italian.
- Arrigoni PV. 2012. Miscellaneous notes about some taxa of the Italian flora. Webbia. 67: 37–46. doi: [10.1080/00837792.2012.10670907](https://doi.org/10.1080/00837792.2012.10670907).
- Arrigoni PV, Ferretti G, Padula M. 2006. Due nuove specie di *Taraxacum* dell'Appennino Lucchese (Toscana settentrionale) [Two new species of *Taraxacum* of the Lucchese Apennine (Northern Tuscany)]. Parlatorea. 8: 5–9. Italian.
- Arrigoni PV. 2013. Flora dell'Isola di Sardegna 4 [Flora of Sardinia 4]. Sassari: Carlo Delfino Editore. Italian.
- Arrigoni PV. 2014. Revisione tassonomica e corologica del genere *Polygala* in Italia [Taxonomic revision of the genus *Polygala* in Italy]. Inform Bot Ital. 46: 235–263. Italian.
- Arrigoni PV. 2015. Contribution to the study of the genus *Armeria* (Plumbaginaceae) in the Italian peninsula. Flora Medit. 25(Special issue): 7–32.
- Astuti G, Bedini G, Carta A, Roma-Marzio F, Trinco A, Peruzzi L. 2018. Comparative assessment of reproductive traits across different habitats in the endangered Webb's hyacinth (*Bellevalia webbiana* Parl.). Nat Cons. 24: 81–92. doi: [10.3897/natureconservation.24.20650](https://doi.org/10.3897/natureconservation.24.20650).
- Astuti G, Brullo S, Domina G, El Mokni R, Giordani T, Peruzzi L. 2017a. Phylogenetic relationships among tetraploid species of *Bellevalia* (Asparagaceae) endemic to South-Central Mediterranean. Plant Biosyst. 151: 1120–1128. doi: [10.1080/11263504.2017.1320308](https://doi.org/10.1080/11263504.2017.1320308).
- Astuti G, Cristofolini G, Peruzzi L, Pupillo P. 2014. A new subspecies of *Pulmonaria officinalis* (Boraginaceae) from the Southern Alps. Phytotaxa. 186: 148–157. doi: [10.11646/phytotaxa.186.3.3](https://doi.org/10.11646/phytotaxa.186.3.3).
- Astuti G, Peruzzi L. 2018. Are shoots of diagnostic value in Central European bladderworts (*Utricularia* L., Lentibulariaceae)? Plant Biosyst.
- Astuti G, Roma-Marzio F, D'Antraccoli M, Bedini G, Carta A, Sebastiani F, Bruschi P, Peruzzi L. 2017b. Conservation biology of the last Italian population of *Cistus laurifolius* (Cistaceae): demographic structure, genetics and reproductive success. Nat Cons. 22: 169–190. doi: [10.3897/natureconservation.22.19809](https://doi.org/10.3897/natureconservation.22.19809).
- Astuti G, Roma-Marzio F, Peruzzi L. 2015. The genus *Picris* (Asteraceae) in southern Italy: contribution to its systematic knowledge. Phytotaxa. 207: 106–114. doi: [10.11646/phytotaxa.207.1.5](https://doi.org/10.11646/phytotaxa.207.1.5).
- Bacchetta G, Brullo S, Congiu A, Fenu G, Garrido JL, Mattana E. 2012a. A new species of *Aquilegia* (Ranunculaceae) from Sardinia (Italy). Phytotaxa. 56: 59–64. doi: [10.11646/phytotaxa.56.1.9](https://doi.org/10.11646/phytotaxa.56.1.9).
- Bacchetta G, Brullo S, D'Emerico S, Pontecorvo C, Salmeri C. 2012b. *Charybdis glaucophylla* (Asparagaceae), a new species from Sardinia. Phytotaxa. 69: 16–26. doi: [10.11646/phytotaxa.69.1.4](https://doi.org/10.11646/phytotaxa.69.1.4).

- Bacchetta G, Carta A, Paradis G, Piazza C, Peruzzi L. 2014. Further insights into the taxonomy of the *Silene nocturna* species complex (Caryophyllaceae): a systematic survey of the taxa from Sardinia and Corsica. *Phytotaxa*. 175: 37–44. doi:[10.11646/phytotaxa.175.1.4](https://doi.org/10.11646/phytotaxa.175.1.4).
- Bagella S, Peruzzi L, Caria MC, Filigheddu R. 2015. Unraveling the taxonomy and nomenclature *Isoetes histrix* Bory species complex (Isoetaceae, Lycopodiidae). *Turk J Bot*. 39: 383–387. doi:[10.3906/bot-1404-121](https://doi.org/10.3906/bot-1404-121).
- Banasiak Ł, Wojewódzka A, Baczyński J, Reduron JP, Piwczyski M, Kurzyna-Młynik R, Gutaker R, Czarnocka-Cieciura A, Kosmala-Grzechnik S, Spalik K. 2016. Phylogeny of Apiaceae subtribe Daucinae and the taxonomic delineation of its genera. *Taxon*. 65: 563–585. doi:[10.12705/653.8](https://doi.org/10.12705/653.8).
- Banfi E. 2000. Diversità tassonomica ed eco-corologica alle alte quote in Italia: il caso delle Poaceae. *Ann Mus Civici-Rovereto*. 14(1998): 5–30.
- Banfi E. 2017. *Helictochloa* Romero Zarco. In: Pignatti S, editor. *Flora d'Italia 1 [Flora of Italy 1]*. Edagricole: Milano. pp. 633–636. Italian.
- Banfi E, Galasso G, Bartolucci F. 2018. Nomenclatural novelties for the Euro+Med flora. *Nat Hist Sci*. doi:[10.4081/nhs.2018.365](https://doi.org/10.4081/nhs.2018.365).
- Banfi E, Galasso G, Foggi B, Kopecký D, Ardenghi NMG. 2017. From *Schedonorus* and *Micropyropsis* to *Lolium* (Poaceae: Loliinae): new combinations and typifications. *Taxon*. 66: 708–717. doi:[10.12705/663.11](https://doi.org/10.12705/663.11).
- Banfi E, Galasso G, Soldano A. 2005. Notes on systematics and taxonomy for the Italian vascular flora 1. *Atti Soc Ital Sci Nat Mus Civico Storia Nat Milano*. 152: 85–106.
- Banfi E, Galasso G, Soldano A. 2011. Notes on systematics and taxonomy for the Italian vascular flora 2. *Atti Soc Ital Sci Nat Mus Civico Storia Nat Milano*. 146: 219–244.
- Banfi E, Soldano A. 1996. Dati tassonomici e nomenclaturali su Poaceae dell'Europa e del Mediterraneo. *Atti Soc Ital Sci Nat Mus Civico Storia Nat Milano*. 135(2): 379–387.
- Bartolucci F, Conti F. 2013. Taxonomic notes on *Geum micropetalum* Gasp. and *Geum heterocarpum* Boiss. (Rosaceae) in Italy. *Plant Biosyst*. 147: 806–811. doi:[10.1080/11263504.2013.829886](https://doi.org/10.1080/11263504.2013.829886).
- Bartolucci F, Conti F. 2014. Typification, morphological characterization and distribution of *Knautia gussonei* (Caprifoliaceae). *Phytotaxa*. 167: 104–110. doi:[10.11646/phytotaxa.167.1.6](https://doi.org/10.11646/phytotaxa.167.1.6).
- Bartolucci F, Conti F. 2016. *Alyssum desertorum* Stapf (Brassicaceae), new for the Italian flora. *Acta Bot Croat*. 75: 149–152. doi:[10.1515/botcro-2016-0006](https://doi.org/10.1515/botcro-2016-0006).
- Bartolucci F, Conti F, Iamónico D, Del Guacchio E. 2014a. A new combination in *Mcneillia* (Caryophyllaceae) for the Italian flora. *Phytotaxa*. 170: 139–140. doi:[10.11646/phytotaxa.170.2.8](https://doi.org/10.11646/phytotaxa.170.2.8).
- Bartolucci F, Domina G. 2014. Typification and taxonomic characterization of *Thymus longicaulis* C.Presl (Lamiaceae). *Ann Bot Fenn*. 51: 54–62. doi:[10.5735/085.051.0107](https://doi.org/10.5735/085.051.0107).
- Bartolucci F, Domina G. 2015. The genus *Thymus* (Lamiaceae) in Sicily. *Plant Biosyst*. 149: 710–719. doi:[10.1080/11263504.2015.1057259](https://doi.org/10.1080/11263504.2015.1057259).
- Bartolucci F, Domina G, Adorni M, Alessandrini A, Angiulli F, Ardenghi NMG, Banfi E, Barberis G, Bedini G, Bonari G, et al. 2016a. Notulae to the Italian native vascular flora: 1. *Ital Bot*. 1: 5–15. doi:[10.3897/italianbotanist.1.8780](https://doi.org/10.3897/italianbotanist.1.8780).
- Bartolucci F, Domina G, Adorni M, Argenti C, Astuti G, Bangoni S, Buldrini F, Campochiaro MB, Carruggio F, Cecchi L, et al. 2016b. Notulae to the Italian native vascular flora: 2. *Ital Bot*. 2: 73–92. doi:[10.3897/italianbotanist.2.11060](https://doi.org/10.3897/italianbotanist.2.11060).
- Bartolucci F, Domina G, Adorni M, Alessandrini A, Ardenghi NM, Banfi E, Baragliu GA, Bernardo L, Bertolli A, Biondi E, et al. 2017a. Notulae to the Italian native vascular flora: 3. *Ital Bot*. 3: 29–48. doi:[10.3897/ib.3.13200](https://doi.org/10.3897/ib.3.13200).
- Bartolucci F, Domina G, Adorni M, Alessandrini A, Ardenghi NM, Banfi E, Baragliu GA, Bernardo L, Bertolli A, Biondi E, et al. 2017b. Notulae to the Italian native vascular flora: 4. *Ital Bot*. 4: 43–51. doi:[10.3897/ib.4.21693](https://doi.org/10.3897/ib.4.21693).
- Bartolucci F, Galasso G. 2016. A new combination in the genus *Liparis* (Orchidaceae) for the Italian flora. *Phytotaxa*. 265: 92. doi:[10.11646/phytotaxa.265.1.10](https://doi.org/10.11646/phytotaxa.265.1.10).
- Bartolucci F, Galasso G, Rainer H, Wagensommer RP. 2018. Nomenclatural notes and typification of the name *Viola pseudogracilis* (Violaceae). *Phytotaxa*.
- Bartolucci F, Mráz P. 2016. A new combination in the genus *Thymus* and clarification on the type material of *Th. thrcicus* (Lamiaceae). *Phytotaxa*. 263: 161–164. doi:[10.11646/phytotaxa.263.2.9](https://doi.org/10.11646/phytotaxa.263.2.9).
- Bartolucci F, Oriolo G, Casolo V. 2017c. Typification and taxonomy of *Thymus carstiensis* (Lamiaceae). *Plant Biosyst*. 151: 737–744. doi:[10.1080/11263504.2017.1320316](https://doi.org/10.1080/11263504.2017.1320316).
- Bartolucci F, Peruzzi L. 2012. Typification of *Fritillaria tubiformis* Gren. & Godr. *Fritillaria delphinensis* f. *moggridgei* Planch. and *Fritillaria delphinensis* var. *burnatii* Planch (Liliaceae) from SW Europe. *Candollea*. 67: 23–29. doi:[10.15553/c2012v671a2](https://doi.org/10.15553/c2012v671a2).
- Bartolucci F, Peruzzi L. 2014. *Thymus paronychioides* (Lamiaceae), a neglected species from Sicily belonging to section *Hyphodromi*. *Folia Geobot*. 49: 83–106. doi:[10.1007/s12224-013-9156-2](https://doi.org/10.1007/s12224-013-9156-2).
- Bartolucci F, Peruzzi L, Galasso G, Conti F. 2016c. Checklist aggiornata della flora vascolare autoctona d'Italia [Updated checklist of the Italian native vascular flora]. *Notiz Soc Bot Ital*: 29–30. Italian.
- Bartolucci F, Peruzzi L, Caparelli KF. 2009. A biometric study of *Fritillaria montana* Hoppe ex W.D.J. Koch s.l. (Liliaceae) shows a single polymorphic species, with no infraspecific taxa. *Plant Biosyst*. 143: 516–527. doi:[10.1080/11263500902722956](https://doi.org/10.1080/11263500902722956).
- Bartolucci F, Peruzzi L, Passalacqua N. 2013. Taxonomic notes and typification of names within the genus *Thymus* L. (Lamiaceae). *Taxon*. 62: 1308–1314. doi:[10.12705/626.1](https://doi.org/10.12705/626.1).
- Bartolucci F, Peruzzi L, Soldano A. 2014b. Notulae: 2064–2069. In: Bartolucci F, Nepi C, Domina G, Peruzzi L, editors. *Notulae alla checklist della flora vascolare italiana: 16 (2027–2070) [Notulae to the Italian vascular flora: 16 (2027–2070)]*. Inform Bot Ital. 46: 81–83. Italian.
- Bartolucci F, Scharfetter A. 2015. *Thymus oenipontanus* Heinr. Braun ex Borbás (Lamiaceae). In: Raab-Straube E von, Raus T, editors. *Euro+Med-Checklist Notulae*, 5. Willdenowia. 45: 455.
- Bartolucci F, Walter J. 2015. Typification of names in the genus *Thymus* L. (Lamiaceae). *Phytotaxa*. 221: 137–147. doi:[10.11646/phytotaxa.221.2.3](https://doi.org/10.11646/phytotaxa.221.2.3).
- Bena G. 2001. Molecular phylogeny supports the morphologically based taxonomic transfer of the “medicagoid” *Trigonella* species to the genus *Medicago* L. *Plant Syst Evol*. 229: 217–236. doi:[10.1007/s006060170](https://doi.org/10.1007/s006060170).
- Bernardo L, Gargano D, Peruzzi L. 2004. Problemi nella delimitazione delle specie in *Campanula* L. subsect. *Heterophylla* (Wit.) Fed. *Inform Bot Ital*. 36: 516–520.
- Bernardo L, Maiorca G, Roma-Marzio F, Peruzzi L. 2018. *Alyssum doerfleri* Degen (Brassicaceae), new for the Italian flora. *Phytotaxa*. 334: 10–18. doi:[10.11646/phytotaxa.334.1.2](https://doi.org/10.11646/phytotaxa.334.1.2).
- Bertolli A, Prosser F, editors. 2014. *Segnalazioni floristiche tridentine IX*. Ann Mus Civici-Rovereto. 29: 131–174.
- Blöch C, Dickoré WB, Samuel R, Stuessy T. 2010. Molecular phylogeny of the Edelweiss (*Leontopodium*, Asteraceae – Gnaphalieae). *Edinburgh J Bot*. 67: 235–264. doi:[10.1017/S0960428610000065](https://doi.org/10.1017/S0960428610000065).
- Borzatti von Loewenstein A, Giordani T, Astuti G, Andreucci A, Peruzzi L. 2013. Phylogenetic relationships of Italian *Bellevalia* species (Asparagaceae), inferred from morphology, karyology and molecular systematics. *Plant Biosyst*. 147: 776–787. doi:[10.1080/11263504.2013.829884](https://doi.org/10.1080/11263504.2013.829884).
- Botschantzev VP. 1975. Species subsectionis *Vermiculatae* Botsch. sectionis *Caroxylon* (Thunb.) Fenzl generis *Salsola* L. Novosti Sist Nizsh Rast. 12: 160–194.
- Boudrie M, Viane RLL. 2012. Lectotypification, orthographie et auteurs d'*Asplenium foreziense* Legrand ex Magnier (Aspleniaceae, Pteridophyta). *Bull Lias Soc Bot Alsace, Num Spec*: 113–128.
- Boulos L. 1995. *Flora of Egypt*. Checklist. Cairo: Al Hadara Publishing.
- Bovio M. 2014. Flora vascolare della Valle d'Aosta [Vascular flora of Valle d'Aosta]. Sarre: Testolin editore. Italian.
- Brullo S. 1993. *Campanula marcenoi* (Campanulaceae), a new species from Sicily. *Candollea*. 48: 493–500.
- Brullo C, Brullo S, Gaskin JF, Giusso G, Hrusa GF, Salmeri C. 2015a. A new species of *Kali* (Salsoloideae, Chenopodiaceae) from Sicily, supported by molecular analysis. *Phytotaxa*. 201: 256–277. doi:[10.11646/phytotaxa.201.4.2](https://doi.org/10.11646/phytotaxa.201.4.2).
- Brullo C, Brullo S, Giusso del Galdo G, Guarino R, Iamónico D. 2013. Il genere *Salsola* s.l. (Chenopodiaceae) in Italia [The genus *Salsola* s.l. (Chenopodiaceae) in Italy]. In: Peccenini S, Domina G, editors. *Contributi alla ricerca floristica in Italia* [Contributions to the floristics in Italy]. Palermo: Euroservice Punto Grafica; p. 35–38. Italian.
- Brullo S, Guarino R. 2017. *Allium* L. In: Pignatti S, editor. *Flora d'Italia 1 [Flora of Italy 1]*. Edagricole: Milano. p. 238–268. Italian.



- Brunello S, Guglielmo A, Pavone P, Salmeri C. 2008. Taxonomic study on *Allium dentiferum* Webb & Berthel. (Alliaceae) and its relations with allied species from the Mediterranean. *Taxon*. 57: 243–253. doi:10.2307/25065965.
- Brunello S, Tomaselli V, Wagensommer RP. 2015b. A new species of *Odontites* (Orobanchaceae) from southern Italy. *Phytotaxa*. 213: 271–281. doi:10.11646/phytotaxa.213.3.7.
- Browicz K. 1963. The genus *Colutea* L. A monograph. *Monogr Bot*. 14: 61–136.
- Brundu G, Peruzzi L, Domina G, Bartolucci F, Galasso G, Peccenini S, Raimondo FM, Albano A, Alessandrini A, Banfi E, et al. 2017. At the intersection of cultural and natural heritage: distribution and conservation of the type localities of Italian endemic vascular plants. *Biol Conserv*. 214: 109–118. doi:10.1016/j.biocon.2017.07.024.
- Businský R, Kirschner J. 2006. Nomenclatural notes on the *Pinus mugo* complex in Central Europe. *Phyton (Horn)* 46: 129–139.
- Businský R, Kirschner J. 2010. *Pinus mugo* and *P. uncinata* as parents of hybrids a taxonomic and nomenclatural survey. *Phyton (Horn)*: 27–57.
- Buttler KP, Hand R. 2008. Liste der Gefäßpflanzen Deutschlands [List of vascular plants of Germany]. *Kochia Beih*. 1: 1–107. German.
- Calvo J, Álvarez I, Aedo C. 2015. Systematics of *Senecio* section *Crociseris* (Compositae, Senecioneae). *Phytotaxa*. 211: 1–105. doi:10.11646/phytotaxa.211.1.1.
- Campanile G. 1926. Sopra alcune specie di *Cuscuta* della sezione *Clistogrammica* [On some species of *Cuscuta* section *Clistogramma*]. *Ann Bot (Roma)* 16: 357–379. Italian.
- Carine MA, Francisco-Ortega J, Santos-Guerra A, Russell SJ. 2004. Relationships of island and continental floras: molecular evidence for multiple colonisations into Macaronesia and subsequent back-colonisation of the continent in *Convolvulus* L.. *Am J Bot*. 91: 1070–1085. doi:10.3732/ajb.91.7.1070.
- Carlesi V, Peruzzi L. 2012. The genus *Taraxacum* (Asteraceae, Cichorieae) in Italy IV. Two new species of *T. sect. Palustria*. *Willdenowia*. 42: 191–197. doi:10.3372/wi.42.42204.
- Carta A, Savio L, Bedini G, Peruzzi L, Fisogni A, Galloni M. 2016. All in an afternoon: mixed mating system in one-day lasting flowers of *Hypericum elodes* (Hypericaceae). *Plant Biosyst*. 150(5): 1001–1009.
- Catalán P, Müller J, Hasterok R, Jenkins G, Mur LA, Langdon T, Betekhtin A, Siwinska D, Pimentel M, López-Álvarez D. 2012. Evolution and taxonomic split of the model grass *Brachypodium distachyon*. *Ann Bot (Oxford)* 109: 385–405. doi:10.1093/aob/mcr294.
- Catalán P, López-Álvarez D, Bellotta C, Villar L. 2016. Updated taxonomic descriptions, iconography, and habitat preferences of *Brachypodium distachyon*, *B. stacei*, and *B. hybridum* (Poaceae). *An Jard Bot Madrid*. 73: e028. doi:10.3989/ajbm.2428.
- Cecchi L, Selvi F. 2017. Flora Critica d'Italia. Boraginaceae – Boragineae, vers. 1.0. doi:10.17773/FI\_Ita\_Boragineae1.0. <http://www.floraditalia.it>.
- Celesti-Grapow L, Alessandrini A, Arrigoni PV, Banfi E, Bernardo L, Bovio M, Brundu G, Cagiotti MR, Camarda I, Carli E, et al. 2009. Inventory of the non-native flora of Italy. *Plant Biosyst*. 143: 386–430. doi:10.1080/11263500902722824.
- Christenhusz MJM, Govaerts R, David JC, Hall T, Borland K, Roberts PS, Tuomisto A, Buerki S, Chase MW, Fay MF. 2013. Tiptoe through the tulips – cultural history, molecular phylogenetics and classification of *Tulipa* (Liliaceae). *Bot J Linn Soc*. 172: 280–328. doi:10.1111/bj.12061.
- Christenhusz MJM, Reveal JL, Farjon A, Gardner MF, Mill RR, Chase MW. 2011. A new classification and linear sequence of extant gymnosperms. *Phytotaxa*. 19: 55–70. doi:10.11646/phytotaxa.19.1.3.
- Conti F. 2010. A new species of *Lathyrus* L. (Fabaceae) from Central Apennine (Italy). *Plant Biosyst*. 144: 814–818. doi:10.1080/11263504.2010.523931.
- Conti F, Abbate G, Alessandrini A, Blasi C, editors. 2005. An annotated checklist of the Italian vascular flora. Rome: Palombi Editori.
- Conti F, Alessandrini A, Bacchetta G, Banfi E, Barberis G, Bartolucci F, Bernardo L, Bouvet D, Bovio M, Del Guacchio E, et al. 2007. Integrations alla checklist della flora vascolare italiana [Integrations to the Italian vascular flora]. *Nat Vicentina*. 10(2006): 5–74. Italian.
- Conti F, Bartolucci F. 2012. Two new combinations in *Malva* (Malvaceae). *Ann Bot Fenn*. 49: 123–124. doi:10.5735/085.049.0121.
- Conti F, Bartolucci F. 2017. *Ranunculus giordanoi* sp. nov. from the *R. auricomus* complex (Ranunculaceae), central Apennines (Italy). *Nord J Bot*. 35: 322–327. doi:10.1111/njb.01433.
- Conti F, Bartolucci F, Tomović G, Lakušić D. 2012. *Jacobsa vulgaris* subsp. *gotlandica* (Compositae), new for Italy and Montenegro. *Bot Serbica*. 36: 145–147.
- Conti F, Bernardo L, Velari TC, Kosovel V, Feoli CL. 2014. Morphometric and karyological study of *Genista sericea* (Cytiseae-Fabaceae). *Phytotaxa*. 181: 61–78. doi:10.11646/phytotaxa.181.2.1.
- Conti F, Di Santo D, Giovi E, Tinti D. 2008. *Goniolimon italicum* Tammaro, Pignatti & Frizzi. *Inform Bot Ital*. 40(Suppl. 1): 79–81.
- Conti F, Falcinelli F, Palermo D, Paolucci M, Paris P, Domina G, Manzi A, Gallo L, Tondi G, Pennesi R, et al. 2018a. Integrazioni alla flora vascolare dell'Italia centrale. Secondo contributo. *Nat Hist Sci*.
- Conti F, Giordano C, Moraldo B, Ricceri C. 2011. Contribution to the taxonomy of the Italian and Balkanic taxa in the *Centaurea rupestris* group (Asteraceae). *Ann Bot Fenn*. 48: 193–218.
- Conti F, Guglielmone L, Pennesi R, Bartolucci F. 2016. Typification of the names *Astragalus vulnerarioides*, basionym of *Anthyllis vulneraria* subsp. *vulnerarioides* (Fabaceae) and notes on its distribution. *Phytotaxa*. 261: 298–300. doi:10.11646/phytotaxa.261.3.12.
- Conti F, Pennesi R, Uzunov D, Brachetti L, Bartolucci F. 2018b. A new species of *Oxytropis* (Fabaceae) from Central Apennine (Italy). *Phytotaxa*.
- Conti F, Uzunov D. 2011. *Crepis magellensis* F. Conti & Uzunov (Asteraceae), a new species from Central Apennine (Abruzzo, Italy). *Candollea*. 66: 81–86. doi:10.15553/c2011v661a5.
- Crespo MB, Martínez-Azorín M, Mavrodiev EV. 2015. Can a rainbow consist of a single colour? A new comprehensive generic arrangement of the *Iris sensu latissimo* clade (Iridaceae), congruent with morphology and molecular data. *Phytotaxa*. 232: 1–78. doi:10.11646/phytotaxa.232.1.1.
- Cristofolini G, Troia A. 2006. A reassessment of the sections of the genus *Cytisus* Desf. (Cytiseae, Leguminosae). *Taxon*. 55: 733–746. doi:10.2307/25056547.
- D'Antraccoli M, Roma-Marzio F, Astuti G, Maccioni S, Peruzzi L. 2017. Lectotypification of the name *Fimbrystilis cioniana* (Cyperaceae). *Phytotaxa*. 303: 194–196. doi:10.11646/phytotaxa.303.2.10.
- Danihelka J, Chrtěk Jr, Kaplan Z. 2012. Checklist of vascular plants of the Czech Republic. *Preslia*. 84: 647–811.
- Das S, Iamponico D. 2014. *Amaranthus bengalense* (Amaranthaceae) a new species from India, with taxonomical notes on *A. blitum* aggregate. *Phytotaxa*. 181: 293–300. doi:10.11646/phytotaxa.181.5.4.
- Del Guacchio E, Caputo P. 2013a. Taxonomic notes on *Asperula* sect. *Cynanchicae* (Rubiaceae). *Taxon*. 62: 394–400. doi:10.12705/622.9.
- Del Guacchio E, Caputo P. 2013b. (2136–2137) Proposal to reject the names *Asperula aristata* subsp. *scabra* and *A. longiflora* (*A. aristata* subsp. *longiflora*) (Rubiaceae). *Taxon*. 62: 409–410. doi:10.12705/622.24.
- Del Guacchio E, Gargiulo R, Caputo P. 2017. *Asperula calabra* (Rubiaceae) and allied taxa in southern Apennines, Italy. *Plant Biosyst*. 151: 352–360. doi:10.1080/11263504.2016.1174175.
- De Castro O, Innangi M, Di Maio A, Menale B, Bacchetta G, Pires M, Noble V, Gestri G, Conti F, Peruzzi L. 2016. Disentangling species relationships in a hotspot of diversity: the butterworts (*Pinguicula* L., Lentibulariaceae) endemic to Italy. *PLoS ONE*. 11(12): e0167610. doi:10.1371/journal.pone.0167610.
- Desfayes M. 2011. Notulae alla checklist della flora vascolare italiana 11: (1778–1780) [Notulae to the Italian native vascular flora: 11 (1778–1780)]. *Inform Bot Ital*. 43: 131–132. Italian.
- Devos N, Raspé O, Jacquemart A-N, Tytèca D. 2006. On the monophyly of *Dactylorhiza* Necker ex Nevski (Orchidaceae): is *Coeloglossum viride* (L.) Hartman a *Dactylorhiza*? *Bot J Linn Soc*. 152: 261–269. doi:10.1111/j.1095-8339.2006.00561.x.
- Dillenberger MS, Kadereit JW. 2014. Maximum polyphyly: multiple origins and delimitation with plesiomorphic characters require a new circumscription of *Minuartia* (Caryophyllaceae). *Taxon*. 63: 64–88. doi:10.12705/631.5.
- Dillenberger MS, Kadereit JW. 2015. A revision of *Facchinia* (*Minuartia* s.l., Caryophyllaceae). *Edinburgh J Bot*. 72: 353–389. doi:10.1017/S0960428615000153.
- Dimopoulos P, Raus Th, Bergmeier E, Constantinidis Th, Iatrou G, Kokkinis S, Strid A, Tzanoudakis D. 2013. Vascular plants of Greece: an annotated checklist. Berlin; Athens: Botanic Garden and Botanical Museum Berlin-Dahlem; Hellenic Botanical Society.

- Dimopoulos P, Raus Th, Bergmeier E, Constantinidis Th, Iatrou G, Kokkini S, Strid A, Tzanoudakis D. 2016. Vascular plants of Greece: an annotated checklist. Supplement. Willdenowia. 46: 301–347. doi:[10.3372/wi.46.46303](https://doi.org/10.3372/wi.46.46303).
- Di Pietro R, Di Marzio P, Misano G, Silletti G, Wagensommer RP, Fortini P. 2016. Evidence from multivariate morphometric study of the *Quercus pubescens* complex in southeast Italy. Bot Serbica. 40: 83–10. doi:[10.5281/zenodo.48865](https://doi.org/10.5281/zenodo.48865).
- Di Pietro R, Kuzmanović N, Iamonico D, Lakušić D. 2017. Nomenclatural and taxonomic notes on *Sesleria* sect. *Argenteae* (Poaceae). Phytotaxa. 309: 101–117. doi:[10.11646/phytotaxa.309.2.1](https://doi.org/10.11646/phytotaxa.309.2.1).
- Di Pietro R, Viscosi V, Peruzzi L, Fortini P. 2012. A review of the application of the name *Quercus dalechampii*. Taxon. 61: 1311–1316.
- Doll R. 1973. Revision der sect. *Erythrosperma* Dahlst. emend. Lindb.f. der Gattung *Taraxacum* Zinn [Revision of the sect. *Erythrosperma* Dahlst emend. Lindb.f. of the genus *Taraxacum*]. Feddes Report 83, p. 673–740. German.
- Domina G. 2017. *Phelipanche*. In: Raab-Straube von E, Raus T, editors. Euro+Med-Checklist Notulae, 7. Willdenowia. 47: 89–96. doi: [10.3372/wi.47.47112](https://doi.org/10.3372/wi.47.47112).
- Domina G, Bazan G, Campisi P, Greuter W. 2015. Taxonomy and conservation in higher plants and bryophytes in the Mediterranean area. Biodivers. J 6: 197–204.
- Domina G, Giusto Del Galdo G, Gargano D, Labra M, Peccenini S, Peruzzi L, Raimondo FM. 2012. The Italian Loci Classici Census. Taxon. 61: 1351–1353.
- Domina G, Greuter W, Mazzola P, Raimondo FM. 2014. Names of Italian vascular plants published by Michele Lojacono Pojero. Flora Medit. 24: 215–232.
- Domina G, Greuter W, Raimondo FM. 2016. Types of names of taxa belonging to the *Centaurea cineraria* group (Compositae) described from Sicily. Willdenowia. 46: 23–26. doi:[10.3372/wi.46.46102](https://doi.org/10.3372/wi.46.46102).
- Domina G, Greuter W, Raimondo FM. 2017a. A taxonomic reassessment of the *Centaurea busambarensis* complex (Compositae, Cardueae), with description of a new species from the Egadi Islands (W Sicily). Israel J Plant Sci. doi:[10.1080/07929978.2016.1257146](https://doi.org/10.1080/07929978.2016.1257146).
- Domina G, Scafidi F, Gargano ML. 2017b. Typification of the name *Erodium solutinum* Tod. (Geraniaceae) and its taxonomic implications. Phytotaxa. 329: 219–292. doi:[10.11646/phytotaxa.329.3.12](https://doi.org/10.11646/phytotaxa.329.3.12).
- Domina G, Soldano A. 2015. *Orobanche apuana* (Orobanchaceae) a new species endemic to Italy. Phytotaxa. 207: 163–171. doi:[10.11646/phytotaxa.207.2.2](https://doi.org/10.11646/phytotaxa.207.2.2).
- Dunkel FG. 2010. The *Ranunculus auricomus* L. complex (Ranunculaceae) in Northern Italy. Webbia. 65: 179–227. doi:[10.1080/00837792.2010.10670873](https://doi.org/10.1080/00837792.2010.10670873).
- Dunkel FG. 2011. The *Ranunculus auricomus* L. complex (Ranunculaceae) in Central and Southern Italy, with additions to North Italian taxa. Webbia. 66: 165–193. doi:[10.1080/00837792.2011.10670895](https://doi.org/10.1080/00837792.2011.10670895).
- Dunkel FG, Poldini L. 2016. *Ranunculus farraensis* sp. nov., a new species of the *Ranunculus auricomus* complex (Ranunculaceae) in northeastern Italy – revealed by herbarium revision and still extant. Webbia. 71: 197–201. doi:[10.1080/00837792.2016.1189129](https://doi.org/10.1080/00837792.2016.1189129).
- Euro+Med. 2006 onwards. Euro+Med Plantbase – the information resource for Euro-Mediterranean plant diversity. <http://ww2.bgbm.org/EuroPlusMed/>.
- Fenaroli F, Pistarino A, Peruzzi L, Cellinese N. 2013. *Campanula martinii* (Campanulaceae), a new species from northern Italy. Phytotaxa. 111: 27–38. doi:[10.11646/phytotaxa.111.1.2](https://doi.org/10.11646/phytotaxa.111.1.2).
- Fenu G, Bacchetta G, Giacanelli V, Gargano D, Montagnani C, Orsenigo S, Cogoni D, Rossi G, Conti F, Santangelo A, et al. 2017. Conserving plant diversity in Europe: outcomes, criticisms and perspectives of the Habitats Directive application in Italy. Biodivers Conserv. 26: 309–328. doi:[10.1007/s10531-016-1244-1](https://doi.org/10.1007/s10531-016-1244-1).
- Festi F. 2000. Chiave d'identificazione per le specie italiane del genere *Alchemilla* L. (Rosaceae). Ann Mus Civici Rovereto. 14(1): 105–174.
- Frajman B, Schönwetter P. 2017. Amphi-Adriatic distributions in plants revisited: Pleistocene trans-Adriatic dispersal in the *Euphorbia barrelieri* group (Euphorbiaceae). Bot J Linn Soc. 185(2): 240–252. doi:[10.1093/botany/bow055](https://doi.org/10.1093/botany/bow055).
- Fraser-Jenkins CR. 2007. The species and subspecies in the *Dryopteris affinis* group. Fern Gaz. 18: 1–26.
- Fröhner SE, Bona E, Federici G, Martini F. 2012. Contributo alla conoscenza del gen. *Alchemilla* sulle Alpi italiane: Alpi Retiche Meridionali, Prealpi Lombarde Centrali e Orientali. Inform Bot Ital. 44: 3–73.
- Fridlender A. 2009. *Colchicum verlaqueae* Fridlender: un colchique nouveau endémique du littoral sarde [*Colchicum verlaqueae* Fridlender: a new endemic *Colchicum* from Sardinia]. Bull Mens Soc Linn Lyon. 78: 111–117. French.
- Fridlender A. 2016. Corrigenda to “Is it possible to identify *Colchicum neapolitanum* s.l. and *C. autumnale* s.l. in vegetative stage? Biometry and flow cytometry approaches”. Bot Serbica. 38: 43–56.
- Galasso G, Bartolucci F. 2014. Notula: 2070. In: Barberis G, Nepi C, Peccenini S, Peruzzi L, editors. Notulae alla checklist della flora vascolare italiana [Notulae to the Italian native vascular flora]: 17 (2027–2070). Inform Bot Ital. 46: 83. Italian.
- Galasso G, Bartolucci F. 2015. Four new combinations in *Jacobaea* Mill. (Asteraceae, Senecioneae) for the European flora. Nat Hist Sci. 2: 95–96. doi:[10.4081/nhs.2015.246](https://doi.org/10.4081/nhs.2015.246).
- Galasso G, Bartolucci F, Peruzzi L, Ardenghi NMG, Banfi E, Celesti-Grapow L, Conti F. 2016a. Checklist aggiornata della flora vascolare alloctona d'Italia [Updated checklist of the Italian alien vascular flora]. Notiz Soc Bot Ital: 49–50. Italian.
- Galasso G, Domina G, Ardenghi NMG, Arrigoni P, Banfi E, Bartolucci F, Bonari G, Buccino G, Ciaschetti G, Conti F, et al. 2016b. Notulae to the Italian alien vascular flora: 2. Ital Bot. 2: 55–71. doi:[10.3897/italianbotanist.2.11144](https://doi.org/10.3897/italianbotanist.2.11144).
- Galasso G, Montoleone E, Federico C. 2014. *Persicaria senegalensis* (Polygonaceae), entità nuova per la flora italiana, e chiave di identificazione delle specie del genere *Persicaria* in Italia. Nat Hist Sci. 1: 13–18. doi:[10.4081/nhs.2014.62](https://doi.org/10.4081/nhs.2014.62).
- Gallo L, Conti F. 2015. On the true identity of the plants recently referred to *Sedum nevadense* (Crassulaceae) in Abruzzo (Italy). Phytotaxa. 239: 43–54. doi:[10.11646/phytotaxa.239.1.4](https://doi.org/10.11646/phytotaxa.239.1.4).
- Gargiulo R, Del Guacchio E, Caputo P. 2015. Phylogenetic reconstruction of *Asperula* sect. *Cynanchiae* (Rubiaceae) reveals a mosaic of evolutionary histories. Taxon. 64: 754–769. doi:[10.12705/644.7](https://doi.org/10.12705/644.7).
- Garrido JL, Fenu G, Mattana E, Bacchetta G. 2012. Spatial genetic structure of *Aquilegia* taxa endemic to the island of Sardinia. Ann Bot (Oxford). 109: 953–964. doi:[10.1093/aob/mcs011](https://doi.org/10.1093/aob/mcs011).
- Gatto A, De Paola D, Bagnoli F, Vendramin GG, Sonnante G. 2013. Population structure of *Cynara cardunculus* complex and the origin of the conspecific crops artichoke and cardoon. Ann Bot (Oxford). 112: 855–865. doi:[10.1093/aob/mct150](https://doi.org/10.1093/aob/mct150).
- Giardina G, Raimondo FM, Spadaro V. 2007. A catalogue of plants growing in Sicily. Boccone. 20: 5–582.
- GIROS. 2016. Orchidee d'Italia. Guida alle orchidee spontanee [Orchids of Italy. Guide to Italian native orchids]. Milano: Ed Il Castello. Italian.
- Glon HE, Shiels DR, Linton E, Starr JR, Shorkey AL, Fleming S, Lichtenwald SK, Schick ER, Pozo D, Monfils AK. 2017. A five gene phylogenetic study of Fuireneae (Cyperaceae) with a revision of *Isolepis humillima*. Syst Bot. 42: 26–36. doi:[10.1600/03636417X694601](https://doi.org/10.1600/03636417X694601).
- Griebl N. 2010. Die Orchideen der Abruzzen [The orchids from Abruzzo]. Ber Arbeitskreis Heimische Orchid. 27: 112–159. German.
- Güner A, Aslan S, Ekim T, Vural M, Babaç MT, editors. 2012. Türkiye Bitkileri Listesi (Damarlı Bitkiler) [List of Turkey plants]. Istanbul: Nezahat Gökyigit Botanic Garden and Flora Research Society Publishing. Turkish.
- Güner A, Özhatay N, Ekim T, Başer KHC. 2000. Flora of Turkey and the East Aegean Islands. Vol. 11. Edinburgh: Edinburgh University Press.
- Hamilton CW, Reichard SH. 1992. Current practice in the use of subspecies, variety, and forma in the classification of wild plants. Taxon. 41: 485–498.
- Hand R. 2001. Revision der in Europa vorkommenden Arten von *Thalictrum* subsectio *Thalictrum* (Ranunculaceae). Bot Naturschutz Hessen. 9: 1–358.
- Harber J, Raab-Straube E von. 2015. Berberidaceae. In: Euro+Med Plantbase – the information resource for Euro-Mediterranean plant diversity. <http://ww2.bgbm.org/EuroPlusMed/>.
- Harpke D, Carta A, Tomović G, Randelović V, Randelović N, Blattner FR, Peruzzi L. 2015. Phylogeny, karyotype evolution and taxonomy of *Crocus* ser. *Verni* (Iridaceae). Plant Syst Evol. 301: 309–325. doi:[10.1007/s00606-014-1074-0](https://doi.org/10.1007/s00606-014-1074-0).



- Harpke D, Kerndorff H, Pasche E, Peruzzi L. 2016. Neotypification of the name *Crocus biflorus* Mill. (Iridaceae) and its consequences in the taxonomy of the genus. *Phytotaxa*. 260: 131–143. doi:10.11646/phytotaxa.260.2.3.
- Harpke D, Peruzzi L, Kerndorff H, Karamplianis T, Constantinidis T, Randelović V, Randelović N, Jušković M, Pasche E, Blattner FR. 2014. Phylogeny, geographic distribution and new taxonomic circumscription of the *Crocus reticulatus* species group (Iridaceae). *Turk J Bot*. 38: 1182–1198. doi:10.3906/bot-1405-60.
- Hassemer G, Meudt HM, Rønsted N. 2017. Nomenclatural and taxonomic notes on Mediterranean narrow-leaved plantains (*Plantago* section *Maritima*, Plantaginaceae). *Webbia*. 72: 197–205. doi:10.1080/00837792.2017.1349066.
- Hempel W. 2011. Revision und Phylogenie der Arten der Gattung *Melica* L. (Poaceae) in Eurasien und Nordafrika [Revision and phylogeny of the genus *Melica* L. (Poaceae) in Eurasia and North Africa]. *Feddes Report*. 122: 1–253. German.
- Hernández-Ledesma P, Berendsohn WG, Borsch T, von Mering S, Akhani H, Arias S, Castañeda-Noa I, Eggli U, Eriksson R, Flores-Olvera H, et al. 2015. A taxonomic backbone for the global synthesis of species diversity in the angiosperm order Caryophyllales. *Willdenowia*. 45: 281–383. doi:10.3372/wi.45.45301.
- Hauenschild F, Favre A, Salazar GA, Muellner-Riehl AN. 2016. Analysis of the cosmopolitan buckthorn genera *Frangula* and *Rhamnus* s.l. supports the description of a new genus, *Ventia*. *Taxon*. 65: 65–78. doi:10.12705/6515.5.
- Herrando-Moraira S, Carnicer P, Blanco-Moreno JM, Sáez L, Véla E, Vilatasersa R, Galbany-Casals M. 2017. Systematics and phylogeography of the Mediterranean *Helichrysum pendulum* complex (Compositae) inferred from nuclear and chloroplast DNA and morphometric analyses. *Taxon*. 66: 909–933. doi:10.12705/664.7.
- Iamonico D. 2010a. *Malva subovata* subsp. *bicolor*, comb. & stat. nov. (Malvaceae). *Ann Bot Fenn.* 47: 312–314. doi:10.5735/085.047.0409.
- Iamonico D. 2010b. Confirmation of the occurrence of *Chenopodium strictum* subsp. *strictum* (Amaranthaceae s.l.) in Italy. *Phyton (Horn)*. 49: 235–240.
- Iamonico D. 2012. Note sul genere *Polycnemum* (Amaranthaceae) in Italia. In: Peccenini S, Domina G, Salmeri C, editors. *Flora vascolare d'Italia: studi biosistematici, taxa endemici e loci classici* [Notes on the genus *Polycnemum* in Italy]. Palermo: Euroservice Punto Grafica. p. 31–32. Italian.
- Iamonico D. 2013a. Taxonomical and chorological study on the Central Mediterranean Basin endemic *Arenaria bertolonii* Fiori & Paol. (Caryophyllaceae). *Plant Biosyst.* 147: 923–930. doi:10.1080/11263504.2012.753956.
- Iamonico D. 2013b. *Chenopodium* L. *sensu lato* (Chenopodiaceae, Chenopodioideae) nella flora vascolare italiana: chiave analitica dei generi. *Inform Bot Ital.* 45: 83–88.
- Iamonico D. 2013c. Studies on the genus *Atriplex* L. (Amaranthaceae) in Italy. V. *Atriplex tornabenei*. *Phytotaxa*. 145: 54–60. doi:10.11646/phytotaxa.145.1.6.
- Iamonico D. 2013d. *Polycnemum verrucosum* (Amaranthaceae), first record for the Italian flora and comparison with related species *P. arvense*. *Hacquetia*. 12: 5–9. doi:10.2478/HACQ-2013-0001.
- Iamonico D. 2014a. *Lavatera stenopetala* subsp. *plazzae* comb. et stat. nov., endemic taxon from north-western Sardinia (Italy). *Plant Ecol Evol.* 147: 293–298. doi:10.5091/plecevo.2014.920.
- Iamonico D. 2014b. *Arenaria tenuifolia* versus *Arenaria hybrida* (Caryophyllaceae): nomenclatural study and taxonomic implications. *Phytotaxa*. 173: 235–240. doi:10.11646/phytotaxa.173.3.6.
- Iamonico D. 2014. Taxonomical, morphological, ecological and chorological notes on *Oxybasis chenopodioides* and *O. rubra* (Chenopodiaceae) in Italy. *Hacquetia*. 13: 297–302. doi:10.2478/hacq-2014-0004.
- Iamonico D. 2015. Taxonomic revision of the genus *Amaranthus* (Amaranthaceae) in Italy. *Phytotaxa*. 199: 1–84. doi:10.11646/phytotaxa.199.1.1.
- Iamonico D. 2016a. Nomenclatural notes and morphological observations on *Malva subovata* s.l. (Malvaceae). *Phytotaxa*. 275: 23–34. doi:10.11646/phytotaxa.275.1.3.
- Iamonico D. 2016b. Nomenclatural notes on four Linnaean names in *Arenaria* (Caryophyllaceae). *Taxon*. 65: 610–616. doi:10.12705/653.13.
- Iamonico D. 2016c. A new name in *Sagina*, *Sagina alexandrae* (Caryophyllaceae). *Phytotaxa*. 282: 164–165. doi:10.11646/phytotaxa.282.2.8.
- Iamonico D. 2017. *Agrimonia eupatoria* subsp. *major* stat. nov. (Rosaceae) and notes on the *Agrimonia eupatoria* aggregate. *Phytotaxa*. 298: 165–172. doi:10.11646/phytotaxa.298.2.6.
- Iamonico D, Bartolucci F, Conti F. 2016a. New combinations in the genus *Siler* (Apiaceae) for the Italian Flora. *Phytotaxa*. 268: 89–90. doi:10.11646/phytotaxa.268.1.9.
- Iamonico D, Bartolucci F, Peruzzi L. 2015. *Malva stenopetala* subsp. *plazzae* (Atzel) Iamonico, Bartolucci & Peruzzi, comb. nov. In: Raab-Straube E von, Raus Th, editors. *Euro+Med-Checklist Notulae*, 4 [Notulae ad floram euro-mediterraneam pertinentes 33]. Willdenowia. 45: 123.
- Iamonico D, Domina G. 2015. Nomenclatural notes on the *Polycarpon tetraphyllum* aggregate (Caryophyllaceae). *Plant Biosyst.* 149: 720–727. doi:10.1080/11263504.2015.1057260.
- Iamonico D, Giovi E, Iberite M, Abbate G. 2011. Typification of *Trifolium latinum* Sebast. (Fabaceae) and comparison with related species. *Ann Bot Fennici*. 48: 459–464.
- Iamonico D, Guarino R, Ilardi V, Pignatti S. 2016b. A revision of *Helichrysum panormitanum* s.l. (Asteraceae) in the Italian and Maltese floras. *Phytotaxa*. 286: 207–210. doi:10.11646/phytotaxa.286.3.10.
- Iamonico D, Vallariello R, Del Guacchio E. 2017. Nomenclatural and distributional remarks on *Limonium tenoreanum* (Plumbaginaceae), narrow endemic to southern Italy. *Nord J Bot*. 35: 445–448. doi:10.1111/njb.01313.
- Iberite M, Abbate G, Iamonico D. 2017. *Vicia incisa* (Fabaceae): taxonomical and chorological notes. *Ann Bot (Roma)*. 7: 57–65. doi:10.4462/annbotrm-13842.
- Iberite M, Iamonico D. 2016. Sull'identità di *Salicornia veneta* (Amaranthaceae) [On the identity of *Salicornia veneta* (Amaranthaceae)]. *Notiz Soc Bot Ital*: 51–52. Italian.
- Iberite M, Iamonico D, Valletta A. 2015. Revised typification of the name *Bupleurum gracile* DC. var. *rollii* Montel. (Apiaceae) and comparison with *B. asperuloides* Heldr., *B. gracile* D'Urv., *B. marschallianum* C. A. Mey and *B. uechtritzianum* S. Stoyanov. *Plant Biosyst.* 149: 78–87. doi:10.1080/1126504.2013.814601.
- Inocencio C, Rivera D, Obón MC, Alcaraz F, Barreña J-A. 2006. A systematic revision of *Capparis* section *Capparis* (Capparaceae). *Ann Missouri Bot Gard.* 93: 122–149. doi:10.3417/0026-6493(2006)93[122:ASROCS]2.0.CO;2.
- IPNI. 2012 onwards. The International Plant Names Index. <http://www.ipni.org>.
- Jauzein P, Tison J-M. 2001. Étude analytique du genre *Allium* L., sous-genre *Codonoprasum* (Reichenb.) Zahar., section *Codonoprasum* Reichenb. en France. *J Bot Soc Fr.* 15: 29–50.
- Kadereit G, Piirainen M, Lambinon J, Vanderpoorten A. 2012. Cryptic taxa should have names: reflections in the glasswort genus *Salicornia* (Amaranthaceae). *Taxon*. 61: 1227–1239.
- Kellogg EA. 2015. The families and genera of vascular plants. Vol. 13. Cham: Springer.
- Kato Y, Aioi K, Omori Y, Takahata N, Satta Y. 2003. Phylogenetic analyses of *Zostera* species based on *rbcL* and *matK* nucleotide sequences: implications for the origin and diversification of the seagrasses in Japanese waters. *Genes Genet Syst.* 78: 329–342. doi:10.1266/ggs.78.329.
- Kirschner J. 2002. Species Plantarum. Flora of the world. *Juncus* subg. *Agathryon*. Vol. 8. Canberra: Australian Biological Resources Study. VIII + 192 p.
- Kirschner J, Raab-Straube E von. 2017. *Valeriana officinalis* aggr. In: Raab-Straube E von, Henning T, editors. *Valerianaceae*. Euro+Med Plantbase – the information resource for Euro-Mediterranean plant diversity. <http://ww2.bgbm.org/EuroPlusMed/>.
- Kirschner J, Štepánek J. 1998. A monograph of *Taraxacum* sect. *Palustria*. Průhonice: Institute of Botany, Academy of Sciences, Czech Republic.
- Kirschner J, Štepánek J, Greuter W. 2007. *Taraxacum*. In: Greuter W, Raab-Straube E von, editors. *Compositae*. Euro+Med Plantbase – the information resource for Euro-Mediterranean plant diversity. <http://ww2.bgbm.org/EuroPlusMed/>.
- Klak C, Hanáček P, Bruyns PV. 2017. Disentangling the Aizoideae: new generic concepts and a new subfamily in Aizoaceae. *Taxon*. 66: 1147–1170. doi:10.12705/665.9.
- Koch MA, Karl R, German DA. 2017. Underexplored biodiversity of Eastern Mediterranean biota: systematics and evolutionary history of the genus *Aubrieta* (Brassicaceae). *Ann Bot*. 119: 39–57.

- Kool A, Thulin M. 2017. A giant spurrey on a tiny island: on the phylogenetic position of *Sanctambrosia manicata* (Caryophyllaceae) and the generic circumscriptions of *Spergula*, *Spergularia* and *Rhodalsine*. *Taxon*. 66: 615–622. doi:10.12705/663.6.
- Lauber K, Wagner G. 2007. Flora Helvetica. Bern: Haupt Verlag.
- Li Q-Y, Guo W, Liao W-B, Macklin JA, Li J-H. 2012. Generic limits of Pyrinae: insights from nuclear ribosomal DNA sequences. *Bot Stud*. 53: 151–164.
- Lo EYY, Donoghue MJ. 2012. Expanded phylogenetic and dating analysis of the apples and their relatives (Pyrinae, Rosaceae). *Mol Phyl Evol*. 63: 230–243. doi:10.1016/j.ympev.2011.10.005.
- Lomolino MV. 2004. Conservation biogeography. In: Lomolino MV, Heaney LR, editors. Frontiers of biogeography: new directions in the geography of nature. Sunderland, MA: Sinauer Associates. p. 293–296.
- Lucchese F. 1996. Correzioni ed aggiunte alla flora del Molise. *Ann Bot (Roma)*. 54: 1–294.
- Luebert F, Cecchi L, Frohlich MW, Gottschling M, Guilliams CM, Hasenstab Lehman KE, Hilger HH, Miller JS, Mittelbach M, Nazaire M, et al. 2016. Familial classification of the Boraginales. *Taxon*. 65: 502–522. doi:10.12705/653.5.
- Lye KA. 2003. *Schoenoplectiella* Lye, gen. nov. (Cyperaceae). *Lidia*. 6: 20–29.
- Masin R, Tietto C. 2006. Flora vascolare della Provincia di Padova (Italia Nord-orientale) [Vascular flora of the province of Padova (North-East Italy)]. *Natura Vicentina*. 9(2005): 7–103. Italian.
- Mattana E, Daws MI, Fenu G, Bacchetta G. 2012. Adaptation to habitat in *Aquilegia* species endemic to Sardinia (Italy): seed dispersal, germination, and persistence in the soil. *Plant Biosyst*. 146: 374–383.
- Mazur M, Minissale P, Sciadrello S, Boratyński A. 2016. Morphological and ecological comparison of populations of *Juniperus turbinata* Guss. and *J. phoenicea* L. from the Mediterranean region. *Plant Biosyst*. 150: 313–322. doi:10.1080/11263504.2014.994579.
- McNeill J, Barrie FR, Buck WR, Demoulin V, Greuter W, Hawksworth DL, Herendeen PS, Knapp S, Marhold K, Prado J, et al., editors. 2012. International Code of Nomenclature for algae, fungi and plants (Melbourne Code) adopted by the Eighteen International Botanical Congress Melbourne, Australia, July 2011. Königstein: Koeltz Scientific Books. (Regnum Vegetabile; 154).
- Melai M, Marchetti D, Bernardello R, Peruzzi L. 2012. A new diploid species of *Leucanthemum* (Asteraceae, Anthemideae) from Liguria (northwestern Italy). *Phytotaxa*. 66: 27–37. doi:10.11646/phytotaxa.66.1.5.
- Mercuri AM, Bandini Mazzanti M, Florenzano A. 2013. *Olea, Juglans* and *Castanea*: The OJC group as pollen evidence of the development of human-induced environments in the Italian peninsula. *Quat Int*. 303: 24–42.
- Molero J, Montserrat JM. 2005. Nomenclatura de algunas especies del género *Malva* Linnaeus (Malvaceae). *Fontqueria*. 55: 285–292.
- Molins A, Bacchetta G, Rosato M, Roselló JA, Mayol M. 2011. Molecular phylogeography of *Thymus herba-barona* (Lamiaceae): insight into the evolutionary history of the flora of the western Mediterranean islands. *Taxon*. 60: 1295–1305.
- Moore AJ, Dillenberger MS. 2017. A conspectus of the genus *Cherleria* (*Minuartia* s.l., Caryophyllaceae). *Willdenowia*. 47: 5–14. doi:10.3372/wi.47.47101.
- Morretti F, Puppi G, Giuliani C, Conti F. 2015. Heterostyly in *Goniolimon italicum* (Plumbaginaceae), endemic to Abruzzo (central Apennines, Italy). *Anales Jard Bot Madrid*. 72: 1–5. doi:10.3989/ajbm.2365.
- Mosyakin SL. 2017a. The first record of *Salsola paulsenii* (Chenopodiaceae) in Ukraine, with taxonomic and nomenclatural comments on related taxa. *Ukr Bot J*. 74: 409–420. doi:10.15407/ukrbotj74.05.409.
- Mosyakin SL. 2017b. Notes on taxonomy and nomenclature of *Chenopodium acerifolium* and *C. betaceum* (*C. strictum* auct.) (Chenopodiaceae). *Phytotaxa*. 324: 139–154. doi:10.11646/phytotaxa.324.2.3.
- Mosyakin SL. 2017c. Taxonomic and nomenclatural notes on Pontic-Mediterranean coastal and some Australasian taxa of *Salsola* (Chenopodiaceae). *Ukr Bot J* 74: 521–531. doi:10.15407/ukrbotj74.06.521.
- Mosyakin SL, Freitag H, Rilke S. 2017. *Kali* versus *Salsola*: the instructive story of a questionable nomenclatural resurrection. *Israel J Plant Sci*. 64: 18–30. doi:10.1080/07929978.2016.1256135.
- Mucciarelli M, Rosso P, Noble V, Bartolucci F, Peruzzi L. 2016. A morphometric study and taxonomic revision of *Fritillaria tubaeformis* species complex (Liliaceae). *Plant Syst Evol*. 302: 1329–1343. doi:10.1007/s00606-016-1334-2.
- Nardi E. 2015. Il genere *Aquilegia* L (Ranunculaceae) in Italia [The genus *Aquilegia* (Ranunculaceae) in Italy]. Firenze: Edizioni Polistampa. Italian.
- Nie Z-L, Funk VA, Meng Y, Deng T, Sun H, Wen J. 2016. Recent assembly of the global herbaceous flora: evidence from the paper daisies (Asteraceae: Gnaphalieae). *New Phytol*. 209: 1795–1806. doi:10.1111/nph.13740.
- Nordenstam B, Greuter W. 2006. *Jacobaea* Mill. Willdenowia. 36: 711–713.
- Orsenigo S, Astuti G, Bartolucci F, Citterio S, Conti F, Garrido-Becerra JA, Gentili R, Giusso del Galdo G, Jiménez-Martínez JF, Karrer G, et al. 2017. Global and regional IUCN red list assessments: 3. *Ital Bot*. 3: 83–98. doi:10.3897/italianbotanist.3.13303.
- Özhatay N, Koçyiğit M, Yüzbaşıoğlu S, Gürdal B. 2013. Mediterranean flora and its conservation in Turkey, with special reference to Monocot geophytes. *Flora Medit*. 23: 195–208.
- Özhatay N, Kültür Ş, Gürdal B. 2017. Check-list of additional taxa to the supplement flora of Turkey VIII. *J Pharm Istanbul*. 47: 31–46.
- Padilla-García N, Rojas-Andrés BM, López-González N, Castro M, Castro S, Loureiro J, Albach DC, Machon N, Martínez-Ortega MM. 2018. The challenge of species delimitation in the diploid-polyploid complex *Veronica* subsection *Pentasepalae*. *Mol Phyl Evol*. 119: 196–209. doi:10.1016/j.ympev.2017.11.007.
- Palermo AM, De Vita A, Peruzzi L, Gargano D, Bernardo L, Musacchio A. 2010. Does *Plantago brutia* Ten. (Plantaginaceae) merit specific rank? Insights from cpDNA and nrDNA data. *Plant Biosyst*. 144: 573–581. doi:10.1080/11263501003672496.
- Passalacqua N, Banfi E, Galasso G. 2014. Banca dati delle piante endemiche italiane: protoghi e loci classici [Database of Italian endemic plants: protoghi e loci classici]. In: Alessandrello A, editor, Al Museo per scoprire il mondo. La ricerca scientifica e le esposizioni. Museo Civico di Storia Naturale di Milano [Discovering the World in the museum. The scientific research and the exhibitions. Milan Natural Science Museum] 2010–2013. *Natura*. 104: 33–38. Italian.
- Passalacqua NG, Peruzzi L, Pellegrino G. 2008. A biosystematic study of the *Jacobaea maritima* group (Asteraceae, Senecioneae) in the Central Mediterranean area. *Taxon*. 57: 893–906.
- Paule J, Sharbel JF, Dobeš C. 2011. Apomictic and sexual lineages of the *Potentilla argentea* L. group (Rosaceae): Cytotype and molecular genetic differentiation. *Taxon*. 60: 721–732.
- Peccenini S. 2012. The genus *Erysimum* (Brassicaceae) in Italy, part I. *Ann Naturhist Mus Wien B*. 112: 95–128.
- Peccenini S, Polatschek A. 2014. The genus *Erysimum* (Brassicaceae) in Italy, part II: description of new species and subspecies. *Ann Naturhist Mus Wien B*. 116: 107–117.
- Peccenini S, Polatschek A. 2016. The genus *Erysimum* (Brassicaceae) in Italy, part III: key to the species and description of the new species *E. apenninum*, *E. etruscum*, *E. pignattii*. *Ann Naturhist Mus Wien B*. 118: 147–166.
- Perazza G, Decarli M, Filippini P, Bruna A, Regattin L. 2012. *Liparis loeselii* subsp. *nemoralis*, a new orchid from Northern-Italy. *J Eur Orch*. 44: 483–508.
- Perazza G, Lorenz R. 2013. Le orchidee dell'Italia nordorientale Atlante corologico e guida al riconoscimento [The orchids of Northeastern Italy. Chorological Atlas and guide to recognition]. Trento: Edizioni Osiride. Italian.
- Perrino EV, Wagensommer RP, Medagli P. 2014. *Aegilops* (Poaceae) in Italy: taxonomy, geographical distribution, ecology, vulnerability and conservation. *Syst Biodivers*. 12: 331–349. doi:10.1080/14772000.2014.909543.
- Persson K. 2007. Nomenclatural synopsis of the genus *Colchicum* (Colchicaceae), with some new species and combinations. *Bot Jahrb Syst*. 127: 165–242. doi:10.1127/0006-8152/2007/0127-0165.
- Persson K. 2008. A new species of *Colchicum* (Colchicaceae) from southern Italy. *Bot Jahrb Syst*. 127: 283–288. doi:10.1127/0006-8152/2008/0127-0283.
- Peruzzi L. 2007. Notula: 1310. In: Conti F, Nepi C, Scoppola A, editors, *Notulae alla checklist della flora vascolare italiana* 3: (1267–1310) [Notulae to the checklist of Italian vascular flora: 3 (1267–1310)]. *Inform Bot Ital*. 39: 252–253. Italian.
- Peruzzi L. 2008. Notulae: 1472–1473. In: Nepi C, Peruzzi L, Scoppola A, editors, *Notulae alla Checklist della flora italiana* 5: (1420–1474) [Notulae

- to the checklist of Italian vascular flora 5: (1420–1474)]. *Inform Bot Ital.* 40: p. 114–115. Italian.
- Peruzzi L. 2011. A new species of *Linum perenne* group (Linaceae) from Calabria (S Italy). *Plant Biosyst.* 145: 938–944. doi:[10.1080/11263504.2011.589163](https://doi.org/10.1080/11263504.2011.589163).
- Peruzzi L. 2012. Nomenclatural novelties at sectional level in *Gagea* (Liliaceae). *Atti Soc Tosc Sci Nat Mem Ser B.* 118(2011): 23–24.
- Peruzzi L. 2014. Miscellaneous typifications of selected species occurring in Calabria (S Italy). *Phytotaxa.* 178: 50–52. doi:[10.11646/phytotaxa.178.1.6](https://doi.org/10.11646/phytotaxa.178.1.6).
- Peruzzi L. 2016. *Crocus heuffelianus* (Iridaceae), a new record for the Italian flora. *Phytotaxa.* 261: 291–294. doi:[10.11646/phytotaxa.261.3.10](https://doi.org/10.11646/phytotaxa.261.3.10).
- Peruzzi L, Adorni M, Dura T, Ghillani L, Pasquali G, Rignanese L, Ronconi D, Teruzzi M. 2012a. *Allium cyrilli* Ten. (Amaryllidaceae): typification, taxonomy and update of the Italian distribution. *Phytotaxa.* 71: 53–58. doi:[10.11646/phytotaxa.71.1.11](https://doi.org/10.11646/phytotaxa.71.1.11).
- Peruzzi L, Aquaro G, Caparelli KF, Raimondo FM. 2009. The genus *Taraxacum* (Asteraceae) in Italy. III. A new species of *T. sect. Erythrocarpa* (Asteraceae) from Sicily. *Flora Medit.* 19: 73–79.
- Peruzzi L, Astuti G, Carta A, Roma-Marzio F, Dolci D, Calderaro F, Bartolucci F, Bernardo L. 2015d. Nomenclature, morphometry, karyology and SEM cypselae analysis of *Carduus brutius* (Asteraceae) and its relatives. *Phytotaxa.* 202: 237–249. doi:[10.11646/phytotaxa.202.4.1](https://doi.org/10.11646/phytotaxa.202.4.1).
- Peruzzi L, Bartolucci F. 2009. Typification of the names in *Fritillaria montana* complex. *Candollea.* 64: 133–142.
- Peruzzi L, Bartolucci F. 2016. Essere o non essere (una sottospecie): questo è il problema [To be or not to be (a subspecies): this is the question]. *Notiz Soc Bot Ital.* 61–62. Italian.
- Peruzzi L, Bartolucci F, Astuti G, Bernardo L, Conti F. 2013a. *Knautia dinarica* (Caprifoliaceae): taxonomy, typification and update of the Italian distribution. *Phytotaxa.* 116: 36–40. doi:[10.11646/phytotaxa.116.1.3](https://doi.org/10.11646/phytotaxa.116.1.3).
- Peruzzi L, Bedini G, Andreucci A. 2012b. Homoploid hybrid speciation in *Donorium* L. (Asteraceae)? Morphological, karyological and molecular evidences. *Plant Biosyst.* 146: 867–877. doi:[10.1080/11263504.2011.63445](https://doi.org/10.1080/11263504.2011.63445).
- Peruzzi L, Carta A. 2011. *Crocus ilvensis* sp. nov. (sect. *Crocus*, Iridaceae), endemic to Elba Island (Tuscan Archipelago, Italy). *Nord J Bot.* 29: 6–13. doi:[10.1111/j.1756-1051.2010.01023.x](https://doi.org/10.1111/j.1756-1051.2010.01023.x).
- Peruzzi L, Carta A, Garbari F. 2013b. Lectotypification of the name *Crocus sativus* var. *vernus* L. (Iridaceae) and its consequences within the ser. *Verni*. *Taxon.* 62: 1037–1040. doi:[10.12705/625.7](https://doi.org/10.12705/625.7).
- Peruzzi L, Conti F, Bartolucci F. 2014a. An inventory of vascular plants endemic to Italy. *Phytotaxa.* 168: 1–75. doi:[10.11646/phytotaxa.168.1.1](https://doi.org/10.11646/phytotaxa.168.1.1).
- Peruzzi L, Conti F, Bartolucci F. 2014b. Notulae: 2098–2099. In: Barberis G, Nepi C, Peccenini S, Peruzzi L, editors, *Notulae alla checklist della flora vascolare italiana* 18 (2071–2099). *Inform Bot Ital.* 46: 276–277.
- Peruzzi L, Conti F, Bartolucci F. 2015a. A historical perspective on vascular plants endemic to Italy. *Atti Soc Tosc Sci Nat Mem Ser B.* 121(2014): 89–92.
- Peruzzi L, Di Benedetto C, Aquaro G, Caparelli KF. 2008a. The genus *Sternbergia* Waldst. & Kit. (Amaryllidaceae) in Italy. Contribution to the cytbotanical and morpho-anatomical knowledge. *Caryologia.* 61: 107–113.
- Peruzzi L, Domina G, Bartolucci F, Galasso G, Peccenini S, Raimondo FM, Albano A, Alessandrini A, Banfi E, Barberis G, et al. 2015b. An inventory of the names of vascular plants endemic to Italy, their loci classici and types. *Phytotaxa.* 196: 1–217. doi:[10.11646/phytotaxa.196.1.1](https://doi.org/10.11646/phytotaxa.196.1.1).
- Peruzzi L, Gestri G. 2013. A new butterwort species (*Pinguicula*, Lentibulariaceae) from Northern Apennine (Italy). *Plant Biosyst.* 147: 692–703. doi:[10.1080/11263504.2012.756073](https://doi.org/10.1080/11263504.2012.756073).
- Peruzzi L, Gestri G, Pierini B. 2014c. Morphological variation in *Astragalus muelleri* (Fabaceae) from Balkan and Italian populations. *Flora Medit.* 24: 139–144.
- Peruzzi L, Innangi M, Tatino F, Santangelo A. 2017. *Fritillaria messanensis* subsp. *gracilis* (Liliaceae), a new record for the Italian flora (S Italy). *Phytotaxa.* 307: 167–170. doi:[10.11646/phytotaxa.307.2.11](https://doi.org/10.11646/phytotaxa.307.2.11).
- Peruzzi L, Jarvist CE, Carta A. 2014b. On the application of the Linnaean names *Cucubalus reflexus*, *Silene nocturna* and *Silene mutabilis* (Caryophyllaceae). *Taxon.* 63: 651–652.
- Peruzzi L, Passalacqua NG, Jarvist CE. 2006. Typification of the accepted names in the *Jacobaea maritima* Group (Asteraceae). *Taxon.* 55: 1001–1004.
- Peruzzi L, Passalacqua NG. 2008. Taxonomy of the *Onosma echiodoides* (L.) L. complex (Boraginaceae) based on morphometric analysis. *Bot J Linn Soc.* 157: 763–774. doi:[10.1111/j.1095-8339.2008.00827.x](https://doi.org/10.1111/j.1095-8339.2008.00827.x).
- Peruzzi L, Peterson A, Tison J-M, Peterson J. 2008b. Phylogenetic relationships of *Gagea* Salisb. (Liliaceae) in Italy, inferred from molecular and morphological data matrices. *Plant Syst Evol.* 276: 219–234.
- Peruzzi L, Pierini B, Magrini S, Andreucci A, Marchetti D, Viane R. 2015c. Three new hybrids of *Ophioglossum* (Ophioglossaceae) from Monte Pisano (Tuscany, Central Italy). *Plant Biosyst.* 149: 737–746. doi:[10.1080/11263504.2015.1057264](https://doi.org/10.1080/11263504.2015.1057264).
- Peruzzi L, Santangelo A, Jarvis CE. 2013c. Lectotypification of Linnaean names in the Italian endemic flora. *Taxon.* 62: 827–829.
- Peruzzi L, Tison J-M, Peterson A, Peterson J. 2008c. On the phylogenetic position and taxonomic value of *Gagea trinervia* (Viv.) Greuter and the whole *G. sect. Anthericoides* A.Terracc. (Liliaceae). *Taxon.* 57: 1201–1214.
- Peterson A, Harpke D, Peruzzi L, Tison J-M, John H, Peterson J. 2010. *Gagea bohemica* (Liliaceae), a highly variable monotypic species within sect. *Didymobulbos*. *Plant Biosyst.* 144: 308–322. doi:[10.1080/11263500903374625](https://doi.org/10.1080/11263500903374625).
- Piirainen M, Liebisch O, Kadereit G. 2017. Phylogeny, biogeography, systematics and taxonomy of *Salicornioideae* (Amaranthaceae/Chenopodiaceae) – a cosmopolitan, highly specialized hydrohalophyte lineage dating back to the Oligocene. *Taxon.* 66: 109–132. doi:[10.12705/6611](https://doi.org/10.12705/6611).
- Pinto-Carrasco D, Scheunert A, Heubl G, Rico E, Martínez-Ortega M. 2017. Unravelling the phylogeny of the root-hemiparasitic genus *Odontites* (tribe Rhinantheae, Orobanchaceae): evidence for five main lineages. *Taxon.* 66: 886–908. doi:[10.12705/664.6](https://doi.org/10.12705/664.6).
- Polatschek A. 1999. Flora von Nordtirol, Osttirol und Vorarlberg. Band 2: Samenpflanzen: Brassicaceae bis Euphorbiaceae [Flora of North Tirol, East Tirol and Vorarlberg. Volume 2: Spermatophytes: Brassicaceae to Euphorbiaceae]. Innsbruck: Tiroler Landesmuseum Ferdinandeaum. German.
- Poldini L. 2009. Guida alla Flora – IV. La diversità vegetale del Carso fra Trieste e Gorizia. Lo stato dell’ambiente. Le guide di Dryades 5 – Serie Flora IV (F – IV). Trieste: Ed. Goliardiche.
- Poldini L, Oriolo G, Vidalí M. 2001. Vascular flora of Friuli-Venezia Giulia. An annotated catalogue and synonymic index. *Stud Geobot.* 21: 3–227.
- PPG I. 2016. A community-derived classification for extant lycopophytes and ferns. *J Syst Evol.* 54: 563–603. doi:[10.1111/jse.12229](https://doi.org/10.1111/jse.12229).
- Raab-Straube E von, Henning T, Aedo C, Aghababyan M, Ardenghi NMG, Banfi E, Berendsohn WG, Brautigan S, Castroviejo S, Christenhusz M, et al. 2016. Sisyphe close to the mountain top: Euro+Med PlantBase is nearing its completion. Conference: XV OPTIMA Meeting, 6–11 June 2016, Montpellier, France. doi:[10.13140/RG.2.1.4121.8803](https://doi.org/10.13140/RG.2.1.4121.8803).
- Rankou H, Culham A, Jury SL, Christenhusz MJM. 2013. The endemic flora of Morocco. *Phytotaxa.* 78: 1–69. doi:[10.11646/phytotaxa.78.1.1](https://doi.org/10.11646/phytotaxa.78.1.1).
- Razifard H, Les DH, Tucker GC. 2017. Reticulate evolution in *Elatine* L. (Elatinaceae), a predominantly autogamous genus of aquatic plants. *Syst Bot.* 42: 87–95. doi:[10.1600/036364417X694610](https://doi.org/10.1600/036364417X694610).
- Rešetník I, Frajman B, Schönswitter P. 2016. Heteroploid *Knautia drymeia* includes *K. guissonii* and cannot be separated into diagnosable subspecies. *Am J Bot.* 103: 1–14. doi:[10.3732/ajb.1500506](https://doi.org/10.3732/ajb.1500506).
- Reveal JL. 2011. Summary of recent systems of angiosperm classification. *Kew Bull.* 66: 5–48.
- Rilke S. 1999. Revision der Sektion *Salsola* s.l. der Gattung *Salsola* (Chenopodiaceae). *Biblioth Bot.* 149: 1–190.
- Roma-Marzio F, Astuti G, Peruzzi L. 2015. Taxonomy, typification and karyology of *Crepis lacera* (Asteraceae). *Phytotaxa.* 208: 45–54. doi:[10.11646/phytotaxa.208.1.4](https://doi.org/10.11646/phytotaxa.208.1.4).
- Roma-Marzio F, Bedini G, Müller J, Peruzzi L. 2016a. A critical checklist of the woody flora of Tuscany (Italy). *Phytotaxa.* 287: 1–134. doi:[10.11646/phytotaxa.287.1.1](https://doi.org/10.11646/phytotaxa.287.1.1).
- Roma-Marzio F, D’Antraccoli M, Astuti G, Macchioni S, Amadei L, Peruzzi L. 2018. Typification of the names in *Trifolium* L. described by Gaetano Savi. *Taxon.* 67.

- Roma-Marzio F, D'Antraccoli M, Astuti G, Macchioni S, Peruzzi L. 2016b. Neotypification of the name *Rosa agrestis* (Rosaceae). *Phytotaxa*. 284: 296–298. doi:10.11646/phytotaxa.284.4.7.
- Roma-Marzio F, Najar B, Alessandri J, Pistelli L, Peruzzi L. 2017. Taxonomy of prickly juniper (*Juniperus oxycedrus* group): a crucial contribution at the meeting point of two cryptospecies. *Phytochemistry*. 141: 48–60. doi:10.1016/j.phytochem.2017.05.008.
- Roma-Marzio F, Peruzzi L. 2017. Typification of the name *Polygala flavescens* DC. (Polygalaceae). *Phytotaxa*. 331: 299–300. doi:10.11646/phytotaxa.331.2.15.
- Romolini R, Souche R. 2012. *Ophrys d'Italia*. Société Occitane d'Orchidologie [The genus *Ophrys* in Italy. Occitan Society of Orchidology]. Saint-Martin-de-Londres: Editions Sococor. Italian.
- Rosati L, Romano VA, Bartolucci F, Bernardo L, Bouvet D, Cancellieri L, Caruso G, Conti F, Faraoni F, Banfi E, et al. 2017. Contribution to the floristic knowledge of the Maddalena Mountains (Basilicata and Campania, southern Italy). *Ital Bot*. 3: 73–82. doi:10.3897/ib.3.12519.
- Rossi G, Montagnani C, Gargano D, Peruzzi L, Abeli T, Ravera S, Caruso G, Conti F, Faraoni F, Banfi E, et al., editors. 2013. *Lista Rossa della Flora Italiana*. 1. Policy Species e altre specie minacciate. Comitato Italiano IUCN e Ministero dell'Ambiente e della Tutela del Territorio e del Mare [Policy species and other threatened species]. IUCN Italian Committee. Ministry of the Environment and Protection of Land and Sea]. Rome: Stamperia Romana. Italian.
- Rossi G, Montagnani C, Abeli T, Gargano D, Peruzzi L, Fenu G, Magrini S, Gennai M, Foggi B, Wagensommer RP, et al. 2014. Are red lists really useful for plant conservation? The new red list of the Italian flora in the perspective of national conservation policies. *Plant Biosyst*. 148: 187–190. doi:10.1080/11263504.2013.868375.
- Rossi G, Orsenigo S, Montagnani C, Fenu G, Gargano D, Peruzzi L, Wagensommer RP, Foggi B, Bacchetta G, Domina G, et al. 2016. Is legal protection sufficient to ensure plant conservation? The Italian Red List of policy species as a case study. *Oryx*. 50: 431–436. doi:10.1017/S003060531500006X.
- Saarela JM, Bull RD, Paradis MJ, Ebata SN, Peterson PM, Soreng RJ, Paszkow B. 2017. Molecular phylogenetics of cool-season grasses in the subtribes Agrostidinae, Anthoxanthinae, Aveninae, Brizinae, Calothecinae, Koeleriinae and Phalaridinae (Poaceae, Pooideae, Poeae, Poeae chloroplast group 1). *PhytoKeys*. 87: 1–139. doi:10.3897/phytokeys.87.12774.
- Salmeri C, Brullo C, Brullo S, Giusto Del Galdo G, Moysiенко II. 2016. What is *Allium paniculatum*? Establishing taxonomic and molecular phylogenetic relationships within *A.* sect. *Codonoprasum*. *J Syst Evol*. 54: 123–135. doi:10.1111/jse.12170.
- Santangelo A, Del Guacchio E, Cennamo P, Caputo P. 2017. Reassembling the *Centaurea tenorei* group (Asteraceae) puzzle: typification of the names. *Phytotaxa*. 298: 119–133. doi:10.11646/phytotaxa.298.2.2.
- Schaefer H, Hechenleitner P, Santos-Guerra A, Menezes de Sequeira M, Pennington RT, Kenicer G, Carine MA. 2012. Systematics, biogeography, and character evolution of the legume tribe Fabae with special focus on the middle-Atlantic island lineages. *BMC Evol Biol*. 12: 250. doi:10.1186/1471-2148-12-250.
- Schüssler Ch, Freitag H, Koteyeva N, Schmidt D, Edwards G, Voznesenskaya E, Kadereit G. 2017. Molecular phylogeny and forms of photosynthesis in tribe Salsoleae (Chenopodiaceae). *J Exp Bot*. 68: 207–223. doi:10.1093/jxb/erw432.
- Schuster TM, Reveal JL, Bayly MJ, Kron KA. 2015. An updated molecular phylogeny of Polygonoideae (Polygonaceae): relationships of *Oxygonum*, *Pteroxygonum*, and *Rumex*, and a new circumscription of *Koenigia*. *Taxon*. 64: 1188–1208. doi:10.12705/646.5.
- Scoppola A, Lattanzi E. 2016. Remarks on the type material and the identity of the name *Trifolium multistriatum* W.D.J.Koch (T. *vesiculosum* agg., Fabaceae). *Phytotaxa*. 277: 275–281. doi:10.11646/phytotaxa.277.3.5.
- Scoppola A, Lattanzi E, Bernardo L. 2016. Distribution and taxonomy of the Italian clovers belonging to *Trifolium* sect. *Vesicastrum* subsect. *Mystillus* (Fabaceae). *Ital Bot*. 2: 7–27. doi:10.3897/italianbotanist.2.10361.
- Sennikov AN. 2011. *Chamerion* or *Chamaenerion* (Onagraceae)? The old story in new words. *Taxon*. 60: 1485–1488.
- Sennikov AN, Kurtto A. 2017. A phylogenetic checklist of *Sorbus* s.l. (Rosaceae) in Europe. *Memoranda Soc Fauna Flora Fennica*. 93: 1–78.
- Shiels DR, Hurlbut DL, Lichtenwald SK, Monfils AK. 2014. Monophyly and Phylogeny of *Schoenoplectus* and *Schoenoplectiella* (Cyperaceae): evidence from chloroplast and nuclear DNA Sequences. *Syst Bot*. 39: 132–144. doi:10.1600/036364414X678198.
- Soest JL van. 1969. Die *Taraxacum*-Arten der Schweiz [The genus *Taraxacum* in Switzerland]. Veröff Geobot Inst ETH Stiftung Rübel Zürich 42. German.
- Sukhorukov AP. 2014. Карнология семейства Chenopodiaceae в связи с проблемами филогении, систематики и диагностики его представителей [The carpology of the family Chenopodiaceae in relations to problems of phylogeny, systematics and diagnostics of its representatives]. Tula: Grif i K.. 400 pp. Russian.
- Soldano A. 1993. *Trisetaria segetum* (Savi) Soldano (Gramineae), nome corretto per *Trisetaria parviflora* (Desf.) Maire. *Atti Soc Tosc Sci Nat, Mem, Ser B*. 99: 15–21.
- Soreng RJ, Peterson PM, Romaschenko K, Davidse G, Teisher JK, Clark LG, Barbera P, Gillespie LJ, Zuloaga FO. 2017. A worldwide phylogenetic classification of the Poaceae (Gramineae) II: an update and a comparison of two 2015 classifications. *J Syst Evol*. 55: 259–290. doi:10.1111/jse.12262.
- Španiel S, Marhold K, Hodalova I, Lihova J. 2008. Diploid and tetraploid cytotypes of *Centaurea stoebe* (Asteraceae) in Central Europe: morphological differentiation and cytotype distribution patterns. *Folia Geobot*. 43: 131–158. doi:10.1007/s12224-008-9008-7.
- Španiel S, Marhold K, Passalacqua NG, Zozomova-Lihova J. 2011. Intricate variation patterns in the diploid-polyploid complex of *Alyssum montanum*–*A. repens* (Brassicaceae) in the Apennine peninsula: evidence for long-term persistence and diversification. *Am J Bot*. 98: 1887–1904. doi:10.3732/ajb.1100147.
- Španiel S, Zozomová-Lihová J, Passalacqua NG, Marhold K. 2012. Infraspecific classification of *Alyssum diffusum* (Brassicaceae) in Italy. *Willdenowia*. 42: 37–56. doi:10.3372/wi42.42104.
- Stefanović S, Austin DA, Olmstead RG. 2003. Classification of Convolvulaceae: a phylogenetic approach. *Syst Bot*. 28: 791–806. doi:10.1043/02-45.1.
- Stefanović S, Krueger L, Olmstead RG. 2002. Monophyly of the Convolvulaceae and circumscription of their major lineages based on DNA sequences of multiple chloroplast loci. *Am J Bot*. 89: 1510–1522. doi:10.3732/ajb.89.9.1510.
- Štepánek J, Kirschner J. 2012. A taxonomic revision of *Taraxacum* sect. *Erythrosperma* (Compositae-Lactuceae) in Corsica. *Feddes Repert*. 123: 1–38. doi:10.1002/fedr.201200032.
- Stöhr O. 2016. *Liparis nemoralis* (Orchidaceae), neu für Österreich, mit Anmerkungen zum Naturschutzwert des "Lavanter Forchachs" bei Lienz (Osttirol). *Neilreichia*. 8: 11–26.
- Talavera S, García Murillo P, Smith H. 1986. Sobre el genero *Zannichellia* L. (Zannichelliaceae). *Lagascalia*. 14: 241–271.
- The Plant List. 2013 onwards. The plant list. Version 1.1. <http://www.theplantlist.org/>.
- Tison JM. 2001. Typification de *Gagea cossoniana* Pascher, de *Gagea fragifera* (Vill.) Ehr.Bayer & G.López et de *Gagea maroccana* (A.Terracc.) Sennen & Mauricio. *Candollea*. 56: 197–202.
- Tison J-M, de Foucault B. 2014. *Flora Gallica. Flore de France* [Flora of France]. Méze: Biotope Éditions. French.
- Tison J-M, Peterson A, Harpke D, Peruzzi L. 2013. Reticulate evolution of the critical Mediterranean *Gagea* sect. *Didymobulbos* (Liliaceae), and its taxonomic implications. *Plant Syst Evol*. 299: 413–438.
- Tomlinson PB, Posluzny U. 2001. Generic limits in the seagrass family Zosteraceae. *Taxon*. 50: 429–437. doi:10.2307/1223890.
- Tondi G, Di Pietro R, Minutillo F. 2005. Contributo alla conoscenza del gen. *Alchemilla* L. (Rosaceae) nell'Appennino. *Inform Bot Ital*. 37: 380–381.
- Troia A, Azzella MM. 2013. *Isoëtes sabatina* (Isoetaceae, Lycopodiophyta), a new aquatic species from central Italy. *Plant Biosyst*. 147: 1052–1058. doi:10.1080/11263504.2013.782902.
- Troia A, Greuter W. 2014. Critical Flora of Italy: a critical conspectus of Italian Isoëtes (Isoetaceae). *Plant Biosyst*. 148: 13–20. doi:10.1080/11263504.2013.878409.
- Tropicos. 2017. Tropicos.org. Missouri Botanical Garden. <http://www.tropicos.org>.
- Turner IM. 2017. From India to Madeira and back again: a new combination for a wide-ranging *Spergularia* (Caryophyllaceae). *Willdenowia*. 47: 213–216. doi:10.3372/wi.47.47303.



- Ubaldi D. 2016. Taxonomic remarks on *Sesleria italica* (Pamp.) Ujhelyi (Monocotyledones Poaceae). *Quad Studi St Nat Romagna*. 43: 117–131.
- Uhlemann I. 2007. New species of the genus *Taraxacum* (Asteraceae, Cichorieae) from Croatia [Notulae ad floram euro-mediterraneam pertinentes 23]. *Willdenowia*. 37: 115–121. doi:[10.3372/wi.37.37105](https://doi.org/10.3372/wi.37.37105).
- Uhlemann I. 2017. The genus *Taraxacum* (Asteraceae, Cichorieae) sect. *Erythrosperma* in the northern coastal part of Croatia. *Schlechtendalia*. 32: 1–24.
- Ujhelyi J. 1959. Révision des espèces du genre "Sesleria" en Italie [Revision of species of the genus "Sesleria" in Italy]. *Webbia*. 14: 597–614. French.
- Uribe-Convers S, Tank DC. 2016. Phylogenetic revision of the genus *Bartsia* (Orobanchaceae): disjunct distributions correlate to independent lineages. *Syst Bot*. 41: 1–13. doi:[10.1600/036364416X692299](https://doi.org/10.1600/036364416X692299).
- Valdés B. 2011. Malvaceae. In: Greuter W, Raus Th, editors, *Med-Checklist Notulae*, 30. *Willdenowia*. 41: 311–328. doi: [10.3372/wi.41.41213](https://doi.org/10.3372/wi.41.41213).
- Valdés B, Rejdali M, Achhal El Kadmiri A, Jury SL, Montserrat JM. 2002. Catalogue des plantes vasculaires du nord du Maroc, incluant des clés d'identification [Catalogue of vascular plants from Northern Morocco, including identification keys]. 2 vols. Madrid: CSIC. French.
- Vangjeli J. 2015. *Excursion flora of Albania*. Königstein: Koeltz Scientific Books.
- Villani M, Marcucci R, Peruzzi L. 2015. A note on the type of the name *Rhizobotrya alpina* (Brassicaceae). *Phytotaxa*. 236: 97–99. doi:[10.11646/phytotaxa.236.1.11](https://doi.org/10.11646/phytotaxa.236.1.11).
- Wagensommer RP, Bartolucci F, Fiorentino M, Licht W, Peccenini S, Perrino EV, Venanzoni R. 2017. First record for the flora of Italy and lectotypification of the name *Linum elegans* (Linaceae). *Phytotaxa*. 296: 161–170. doi:[10.11646/phytotaxa.296.2.5](https://doi.org/10.11646/phytotaxa.296.2.5).
- Wagner F, Härtl S, Vogt R, Oberprieler C. 2017. "Fix Me Another Marguerite!": species delimitation in a group of intensively hybridizing lineages of ox-eye daisies (*Leucanthemum* Mill., Compositae-Anthemideae). *Molec Ecol*. 26: 4260–4283. doi:[10.1111/mec.14180](https://doi.org/10.1111/mec.14180).
- Wei R, Ebihara A, Zhu Y-M, Zhao C-F, Hennequin S, Zhang X-C. 2018. A total-evidence phylogeny of the lady fern genus *Athyrium* Roth (Athyriaceae) with a new infrageneric classification. *Mol Phyl Evol* 119: 25–36. doi:[10.1016/j.ympev.2017.10.019](https://doi.org/10.1016/j.ympev.2017.10.019).
- Weigend M. 2006. *Urtica dioica* subsp. *cypria*, with a re-evaluation of the *U. dioica* group (Urticaceae) in Western Asia. *Willdenowia*. 36: 811–822. doi:[10.3372/wi.36.36212](https://doi.org/10.3372/wi.36.36212).
- Whittaker RJ, Araújo MB, Jepson P, Ladle RJ, Watson JEM, Willis KJ. 2005. Conservation biogeography: assessment and prospect. *Divers Distr*. 11: 3–23. doi:[10.1111/j.1366-9516.2005.00143.x](https://doi.org/10.1111/j.1366-9516.2005.00143.x).
- Wilson KL. 2017. Report of the General Committee: 20. *Taxon*. 66: 981. doi:[10.12705/664.15](https://doi.org/10.12705/664.15).
- Williams BRM, Mitchell TC, Wood JRL, Harris DJ, Scotland RW, Carine MA. 2014. Integrating DNA barcode data in a monograph of *Convolvulus* L. *Taxon*. 63: 1287–1306. doi:[10.12705/636.9](https://doi.org/10.12705/636.9).
- Wiegleb G, Bobrov A, Zalewska-Gałosz J. 2017. A taxonomic account of *Ranunculus* section *Batrachium* (Ranunculaceae). *Phytotaxa*. 319: 1–55. doi:[10.11646/phytotaxa.319.1.1](https://doi.org/10.11646/phytotaxa.319.1.1).
- Wilson EO, Brown WL. 1953. The subspecies concept and its taxonomic application. *Syst Zool*. 2: 97–111.
- Záveská Drábková L, Kirschner J. 2013. *Oreojuncus*, a new genus in the Juncaceae. *Preslia*. 85: 483–503.
- Zozomová-Lihová J, Marhold K, Španiel S. 2014. Taxonomy and evolutionary history of *Alyssum montanum* (Brassicaceae) and related taxa in southwestern Europe and Morocco: diversification driven by polyploidy, geographic and ecological isolation. *Taxon*. 63: 562–591. doi:[10.12705/633.18](https://doi.org/10.12705/633.18).